

Jungle

Design Document

Chesshire Coders

Package Diagram



Updated Class Diagram

Game Package Diagram:



Front End:


LoginPage
-txtEmail: TextField
-txtPassword: PasswordField
-btnLogin: Button
-btnRegister: Button
+onLoginClicked(): void
+onRegisterClicked(): void
HomePage
-btnProfile: Button
-btnPlay: Button
+onProfileClicked(): void
+onPlayClicked(): void
Profile
+showData():void
ViewInvites
-accept: Button
-reject: Buttom
+onAcceptClicked(): void
+onRejectClicked(): void
Play
-btnCreateGame: Button
-btnViewInvites: Button
-btnLeaveGame:Button
+onCreateGameClicked(): void
+onViewInvitesClicked(): void
+onLeaveGameClicked(): void
CreateGame
-btnInvitePlayers: Button
+onInvitePlayersClicked(): void
LeaveGame
-btnYes: Button
-btnNo: Button
+onYesClicked(): void
+onNoClicked(): void
InvitePlayer
-txtSearch: TextField
-btnAddUser: Buttom
-btnRemoveUser: Buttom
-btnSendInvite: Button
+ontxtSearchEnter:() void
+onAddUserClicked(): void
+onRemoveUserClicked(): void
+onSendInviteClicked(): void

JungleClient:



JungleServer:



Util. class diagram:



Updated Sequence Diagram **Register:**



Game Invite:


:GameBoardController
:InvitePlayerHandler
Server-Side
:InvitationHandler
:SessionService
:JungleConnection
:DAOManager
:SessionDAO
:UserSession
:GameService
:InvitationDAO
:GetGameIdDAO
sendInvite(user, game)
sendInvitePlayer(token, user, game)
showLoadingSpinner()
sendInvite(user, game)
validateSession(request)
getAuthToken()
AuthToken
getHostName()
HostName
getToken()
UserSession
findByAuthToken(token)
getIpAddress()
getAddress
getAuthToken()
authToken
true
acceptInvitation()
updateInviteStatus(id, Accepted)
invitation
startGame(invite)
rejectInvitation()
updateInviteStatus(id, Accepted)
success
false
GameID
GameID
unauthorized
showStatus(message)
showStatus(message)
showStatus(message)
Alternative
Session Validated
Alternative
Invite Accepted
Invite Rejected
Session Not Validated

Login:


:LoginHandler
:App
Server-Side
:SessionHandler
:SessionService
:DAOManager
:LoginDAO
:UserDAO
:JungleConnection
login(email, password)
Loop
[attempts<3]
send LoginRequest(email,password)
showStatus(message)
authenticate(email, password)
getLoginDAO()
fetchLoginInfo(email)
LoginInfo
Alternative
[credentials==valid]
getUserDAO()
fetchUserInfo(email)
UserInfo
createUserSession()
authorize()
authToken
success
setScene(homePage)
[Else]
error response
fail
showStatus(message)