HAZ-CRM
Testing & Change Guide

نظام إدارة العلاقات — جمعية حسن عباس زكي

How to test the CRM on your Windows PC, what to check, and how to ask for changes to its look and how it works.

1. **Before you start**: what you need, about 15 minutes
2. **Run the program**: download, open, first login
3. **Test checklist**: 22 checks to tick off, printable
4. **Run the automated tests**: optional, for a technical person
5. **Start over, find the data, fix common problems**
6. **Asking for changes**: look and feel, and how it works
7. **Information needed from the association**
8. **Appendix**: blank change-request form

Version 1 · 18 October 2026 · Code: github.com/amhayawan/Test-Project, branch `claude/beautiful-ritchie-gmoihg`

The screenshots show sample (made-up) data.

1. Before you start

> **This is a test version, so don't enter real beneficiary data yet.**
> Use made-up names and national IDs until the association approves the system and you have chosen where the data will live (local or cloud, see `docs/DATABASE_AND_SECURITY.md`). Test data can be wiped in one step (section 5).

You need

Item	Notes
A Windows 10 or 11 PC	Any normal office PC. No installation and no administrator rights are needed to run the program.
A GitHub login with access to the repository	The program files are downloaded from GitHub. You must be signed in to see the download.
A printer (optional)	To test printing donation receipts.
A second device on the same Wi-Fi (optional)	A phone, laptop, or second PC. Used to test several users sharing the same data.
One person from the association	The most useful test is watching a future user try it **without help** (section 3, part D).

The two programs

File	Use it when
`HAZ-CRM.exe`	One person on one PC. It opens in its own window, like a normal program.
`HAZ-CRM-Server.exe`	Several PCs share the same data. Run it on one PC; the others open it in their web browser. A black window stays open showing the address. **Closing it stops the system.**

On the same PC, both programs use the same data folder, so you see the same records in either. Run only one at a time. For testing, start with `HAZ-CRM.exe`.

Time needed

About 15 minutes to download and open the program, 45–60 minutes for the full checklist, and 30 minutes for a session with a future user.

2. Run the program


1. **Download the files.** Sign in to GitHub and open `https://github.com/amhayawan/Test-Project/actions`
   Click the newest run named **Build Windows app** that has a green tick. Scroll to **Artifacts** at the bottom and click **HAZ-CRM-windows**. A zip file downloads.
   Downloads expire after 90 days. If the link is gone, ask for a new build (one click for whoever maintains the code).

2. **Unzip it.** Right-click the zip → **Extract All...** → choose a folder such as `C:\HAZ-CRM-Test`. You will see `HAZ-CRM.exe` and `HAZ-CRM-Server.exe`.
   Don't run the program from inside the zip. Windows may run it from a temporary folder and lose your test data.

3. **Open `HAZ-CRM.exe`.** Windows will probably show a blue box saying *"Windows protected your PC"*. This is expected: the program isn't yet signed with a paid publisher certificate. Click **More info**, then **Run anyway**. Some antivirus programs ask the same; choose *Allow*.
   The first start takes 5–15 seconds while the program unpacks itself. Later starts are faster.

4. **Create the administrator account.** On first start the program asks for a name, a username, and a password (at least 8 characters). This first account is the administrator. Write the password down: there is no "forgot password" link. An administrator can reset other users' passwords, but if the only administrator loses theirs, it can't be reset from inside the program. Once testing is going, create a second admin account.


5. **You are in.** You should see the dashboard. The left-hand menu is on the right, because the program uses Arabic layout.




The dashboard (لوحة التحكم) with sample data. In a new install every number is 0.

The menu

Menu item	What it's for
لوحة التحكم Dashboard	Totals for this month and year, donations against aid per month, donations by purpose.
المتبرعون Donors	People and companies who give. Each donor page shows their full giving history.
التبرعات Donations	Each donation gets an automatic receipt number (`R-2026-00001`) and a printable receipt.
المستفيدون / الحالات Beneficiaries	Families and cases. National ID is checked (14 digits, no duplicates). Each case has a status: under study, approved, rejected, or suspended.
المساعدات المصروفة Aid given	Cash, food, medical and other aid given to a beneficiary.
المتطوعون Volunteers	Volunteers, their skills and availability.
أعضاء الجمعية العمومية Members	General-assembly members and the year their dues are paid up to.
المستخدمون Users (admin only)	Staff logins: add, deactivate, reset passwords.
سجل العمليات Audit log (admin only)	Who logged in, and who added, changed, or deleted what, and when.
نسخة احتياطية Backup (admin only)	Downloads a complete copy of all data as one file.



A donor page: details, every donation, and the total.



A beneficiary page: details, aid received, and the total.

> **Tip: going from a person to a transaction**
> From a donor's page, تسجيل تبرع (record a donation) opens the donation form with the donor already chosen. From a beneficiary's page, صرف مساعدة (give aid) does the same for aid.

3. Test checklist

Work through the checks in order; later ones use records made earlier. Tick ✔ if the result matches. If it doesn't, write what happened in **Notes** and take a screenshot (press `Win` + `Shift` + `S`).

A. Daily work

#	Do this	You should see	✔	Notes
1	Donors → the add button (إضافة متبرع). Enter a name and phone `01001234567`. Save.	Green "saved" message and the donor's page.	☐	
2	On that donor's page click تسجيل تبرع. Amount `1,500`, purpose زكاة مال. Save.	Donation page with a receipt number like `R-2026-00001`.	☐	
3	Click طباعة الإيصال (print receipt) → طباعة. Print, or "Save as PDF".	A one-page receipt with name, amount, purpose, receipt number. **Check it looks acceptable on paper.**	☐	
4	Add a second donation for the same donor.	Receipt number goes up by one. The donor page shows both donations and the correct total.	☐	
5	Beneficiaries → add a family with a **made-up** 14-digit national ID, family size, income, status مقبول (approved).	Saved. The case appears in the list.	☐	
6	Add a second beneficiary with the **same** national ID.	Refused with a "duplicate" message. Nothing new saved.	☐	
7	Try saving a beneficiary with no name and national ID `123`.	Red messages under both fields; nothing saved.	☐	
8	Open the family from #5 → صرف مساعدة. Type food, value `400`. Save.	Aid saved. The family's page shows it and the total.	☐	
9	Edit the family: change the area and income. Save.	Changes shown on the page.	☐	
10	Add one volunteer and one member (paid-until year = last year).	Both saved. The dashboard shows "1 hasn't paid this year's dues".	☐	
11	Open the dashboard.	This month's donations = sum of #2 and #4. Aid this year = 400.	☐	
12	In any list, type part of a name or phone in the search box.	Only matching rows remain.	☐	
13	Donations → the export button (Excel تصدير). Open the file in Excel.	Arabic text displays correctly (not as symbols). One row per donation.	☐	

B. Users and security

#	Do this	You should see	✓	Notes
14	Users → add a user with role موظف (staff). Log out, log in as that user.	Menu has no Users, Audit log, or Backup. There is no delete button on records.	☐	
15	Log out. Enter the staff username with a wrong password 5 times, then the right one.	"Account temporarily locked" message. The right password doesn't work for 15 minutes.	☐	
16	As admin: Users → type a new password next to the staff user → تغيير. Log in as staff with it.	Login works immediately. Resetting a password also unlocks the account.	☐	
17	As admin, open سجل العمليات (audit log).	Every action from this checklist is listed: who, when, what changed (old → new), and the 5 failed logins.	☐	
18	Leave the program untouched for 30 minutes, then click anything.	You are asked to log in again.	☐	
19	As admin, try to delete the donor from #1.	Refused: the donor has donations. Deleting a donor with no donations works.	☐	

C. Backup and several PCs

#	Do this	You should see	✓	Notes
20	As admin click نسخة احتياطية (backup).	A file `haz-crm-backup-DATE.db` is saved to your Downloads. Also check `%APPDATA%\HAZ-CRM\backups` (section 5) has a dated file from today.	☐	
21	Close `HAZ-CRM.exe`. Open `HAZ-CRM-Server.exe`. When Windows Firewall asks, tick **Private networks** only → Allow.	A black window shows an address like `http://192.168.1.20:8080`, and your browser opens the CRM with the same data.	☐	
22	On a phone or second PC on the **same Wi-Fi**, type that address in the browser. Log in, add a donor.	It works. The new donor appears on the first PC after refreshing (`F5`).	☐	

D. The most important test: a future user, without help


The checklist proves the program works. It doesn't prove the association's staff can use it. Spend 30 minutes with one person who will use it daily (a receptionist, accountant, or social researcher):

1. Give them three written tasks and nothing else. For example: *"Ahmed gave EGP 2,000 zakat in cash today. Record it and print his receipt."* · *"Register the Mahmoud family: 6 people, income EGP 1,800, widow."* · *"Give them a food box worth EGP 350."*
2. **Don't help and don't explain.** Sit beside them and write down every place they hesitate, ask a question, or click the wrong thing.
3. Afterwards, ask: *What was annoying? What is missing that you do today on paper or in Excel? What would you never use?*

Every hesitation is a candidate for a usage change (section 6). Bring these notes, not just "it works".

Example notes from such a session

What happened	What it suggests
Took 40 seconds to find the donor in a long drop-down list.	Add type-to-search to the donor picker.
Asked "where do I write the bank reference number?"	Add a "reference no." field to donations.
"We also record who brought the donation."	Add a "received by" field, or confirm the logged-in user is enough.
Never looked at the dashboard.	Maybe they need a printed monthly report instead.



The audit log (check #17): each change with old and new values.

4. Run the automated tests (optional)

This is for a technical person. Running the program (section 2) is enough for normal testing. The same tests already run automatically on GitHub's Windows machines with every change; this section repeats them on your own PC.

1. **Install Python 3.12** from `python.org/downloads`. On the first installer screen, tick **"Add python.exe to PATH"**.

2. **Install Git** from `git-scm.com`. The default options are fine.

3. **Open Command Prompt** (Start → type `cmd` → Enter) and run, one line at a time:

```
cd %USERPROFILE%\Documents
git clone -b claude/beautiful-ritchie-gmoihg https://github.com/amhayawan/Test-
Project.git
cd Test-Project
python -m pip install -r requirements-dev.txt
python -m pytest
```

   If Git asks you to sign in, use your GitHub account.

4. **Read the result.** The last line should be:

```
19 passed, 17 skipped
```

   The 17 "skipped" tests are the same tests run against a PostgreSQL (cloud) database. They only run if PostgreSQL is installed, and they already run on GitHub. Any **failed** line is a problem: copy the whole window text and send it.

5. **Open the app from the code** (optional):

```
python haz_crm.py              <- desktop window
python haz_crm.py --server     <- office server mode
build_windows.bat              <- build the two .exe files into the dist\ folder
```

> **Getting newer versions of the code later**
> In the `Test-Project` folder run `git pull`, then `python -m pip install -r requirements-dev.txt` again.

5. Start over, find the data, fix common problems

Where the data is

Press `Win` + `R`, type `%APPDATA%\HAZ-CRM`, press Enter. That folder holds:

File / folder	What it is
`crm.db`	All the data: donors, beneficiaries, users, everything.
`secret.key`	Protects login sessions. Not a password, but keep it private.
`backups\`	Automatic daily copies of `crm.db`. The last 30 are kept.

Wipe all test data and start fresh

1. Close the program (and the black server window, if open).
2. Open `%APPDATA%\HAZ-CRM` as above and delete the whole **HAZ-CRM** folder.
3. Start the program again. It asks you to create the administrator account, as on day one.

> **Do this only with test data.**
> Once real data is in use, deleting this folder destroys it, together with its local backups.

Common problems

Problem	What to do
"Windows protected your PC" and no Run button	Click the small **More info** link first; **Run anyway** then appears. If your organization's IT blocks unsigned programs, use section 4 instead.
Antivirus deletes or quarantines the .exe	A known false alarm for this type of packaged Python program. Restore the file and mark it as allowed. The permanent fix is a paid code-signing certificate (section 6).
The window opens blank or white	Microsoft Edge WebView2 is missing (rare on Windows 10/11). Install the "Evergreen Bootstrapper" from Microsoft's WebView2 page, or use `HAZ-CRM-Server.exe`, which uses your normal browser.
Other PCs can't open the server address	(1) Both devices on the same network, not guest Wi-Fi. (2) The black server window is still open. (3) Windows Firewall: Settings → Privacy & security → Windows Security → Firewall → *Allow an app* → tick **Private** for HAZ-CRM-Server. (4) Your network must be set to *Private*, not *Public*.
The server window closes at once or shows an error mentioning the address or port	Another copy is probably already running, or another program uses port 8080. Close other copies, or start it on another port: open Command Prompt in the folder and run `HAZ-CRM-Server.exe --port 8090`.
Arabic in Excel shows as strange symbols	Open the file by double-clicking it, not through Excel's "Import". If it still happens, send the file: it means an encoding fix is needed.
Locked out of the only admin account	Wait 15 minutes. If the password is lost, test data can be reset (above). Real data can be recovered, but needs technical help. Always create **two** admin accounts.
Anything else	Take a screenshot. If the black server window shows red text, copy it. Send both with what you clicked just before.

6. Asking for changes

Yes: both the look of the system and the way it works can be changed. The fields, drop-down choices, colors, and texts are kept in a few central places, so most changes are small. The process:

1. **Collect requests** from your own testing and the user session (section 3D), using the template below. Group them in one list rather than sending them one at a time.
2. **Send the list in this chat** (or a new Claude Code session on the same repository), with screenshots and any files (logo, receipt sample). Mark each request **Must / Should / Nice**.
3. **The changes are made and tested.** Each change is added to the code, the automated tests are updated, and GitHub builds new `.exe` files automatically. You get a short list of what changed and anything that couldn't be done as asked, with the reason.
4. **You download the new build and re-test**, using section 3 plus the new items. Repeat until it's right.

> **Before installing a new version once real data exists:**
> download a backup first (نسخة احتياطية). New versions keep existing data and add new fields automatically. Removing or renaming fields that already hold data needs extra care, so say so in the request.

How to write a good change request

	Hard to act on ×	Easy to act on ✓
Look	"Make it look nicer."	"Use our logo (attached) at the top of the menu and receipt. Main colour should be our blue #1F4E9A."
Field	"Add more info for families."	"Beneficiaries: add *Number of children under 18* (number) and *Housing* (choose: owned / rented / with relatives). Show Housing in the list."
Behaviour	"The donor list is a problem."	"Donation form: the donor drop-down has 300 names and takes too long. I want to type part of the name or phone and pick from matches."
Report	"We need reports."	"Each month the treasurer needs one printable page: total donations by purpose and by payment method, and total aid by type, for a chosen month."

A good request names **which screen**, **what it does now**, **what you want instead**, and **why** (who needs it, how often). A screenshot with a circle drawn on it is often better than a paragraph.

Look and feel (cosmetic) changes

Size: S small, under 1 hour · M medium, part of a day · L large, needs discussion first.

Change	Size	What's needed from you
Association logo in the menu, login page and receipt	S	Logo as PNG (transparent background) or SVG, at least 500 px wide.
Brand colours	S	1–2 colour codes (e.g. `#1F4E9A`), or a picture of your letterhead.
Official name, subtitle, wording of any label or button	S	Exact Arabic text, with screen and current text.
Receipt layout: header with logo, address, phones, registration number, wording, signature lines, two copies per A4 page	S – M	A photo or scan of your current paper receipt is ideal.
Different font (e.g. Cairo, Tajawal)	S	Font name. It is bundled inside the program, so it works offline.
Program icon on the desktop and taskbar	S	Logo file as above.
Larger text and buttons for older staff, or a high-contrast option	S – M	Who needs it.
English language option (bilingual)	M – L	Who would use English and where (screens only, or receipts too).
Dark mode	M	Nothing.

Usage (how it works) changes

Change	Size	What's needed from you
Add, remove, rename, or reorder fields on any screen	S	Screen, field name, type (text, number, date, choice list), required or optional.
Change drop-down choices (donation purposes, payment methods, aid types, beneficiary categories, case statuses)	S	The complete new list, in Arabic, in the order you want.
Which columns appear in each list	S	Screen and columns.
Type-to-search when choosing a donor or beneficiary	S	Nothing; recommended once lists pass ~50 names.
Filters on lists (e.g. by date range, purpose, area, status)	S – M	Which filters, on which lists.
Printable reports (monthly treasurer report, aid per family, donor statement for the year)	M	A sample of the report you produce today (Excel or paper).

Attach files to a record (scanned national ID, social research form, medical report)	M	Which records, and the expected file types and sizes.
Approval steps (e.g. a social researcher proposes aid, a manager approves before it's given)	M	Who proposes and who approves; any amount limits.
More roles (e.g. Accountant: donations only; Researcher: beneficiaries only; Read-only board member)	M	List of roles and what each may see, add, edit, or delete.
Import existing lists from Excel	M	The actual Excel files (with personal data removed or replaced for testing).
Recurring sponsorships (monthly orphan sponsorship, reminders of who hasn't paid)	M – L	How sponsorships work today.
SMS or WhatsApp thank-you messages and receipts to donors	L	Which provider; there is a cost per message. Needs donor consent.
Accounting: budget, expenses, ledger, auditor reports	L	Usually better to export to the association's existing accounting software. Discuss first.
Signed program (no Windows warning, fewer antivirus alarms)	M	A code-signing certificate, bought by the association (roughly USD 100–400 per year).

7. Information needed from the association

Collect these once. They cover most first-round changes and avoid guesswork.

✓	Item	Why
☐	Official name in Arabic (and English, if used)	Title bar, login page, receipts.
☐	Logo file (PNG or SVG) and brand colours	Look and feel; receipt header.
☐	Registration number with the Ministry of Social Solidarity, address, phones, and bank account or InstaPay details if printed on receipts	Receipts. Donors and auditors may expect these.
☐	A sample of the current paper receipt	Match the wording and layout people already know.
☐	The real lists used today: donation purposes, payment methods, aid types, beneficiary categories, areas or villages served	The drop-downs in the test version are guesses and need correcting.
☐	The social research form (paper or Excel) used for new cases	Beneficiary fields should match the form researchers fill in.
☐	Who will use the system, and what each person may do	Roles and permissions.
☐	Reports the board, treasurer, or Ministry ask for, with samples	Built-in printable reports.
☐	Existing data in Excel (how many rows, which columns)	Plan the import.
☐	One office or several places? Who keeps the server PC on?	Local versus cloud setup (see `docs/DATABASE_AND_SECURITY.md`).

Suggested order

Round 1: logo, name, colours, receipt, and correcting the drop-down lists and fields. These are quick, and they make the system look like *theirs*, which helps acceptance.
Round 2: the hesitations found in the user session (search, filters, missing fields).
Round 3: reports, extra roles, attachments, and data import.
Leave SMS and accounting until the basics are in daily use.

Appendix: change-request form

Print one page per round of requests, or copy the columns into Excel. One row per change.

#	Screen	What happens now	What I want instead	Why / who needs it	Must / Should / Nice
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					

Tested by: _____ Date: _____ Program build date (from the GitHub run): _____



The current receipt. Mark up a printout of it with the changes you want.