real-stamps-expanded: real US stamps / recorded Colnect sizes
Blue = physical / black = mounting frame / green = text footprint
US Letter / print Actual size 100% / no Fit / frame adds 6 mm total

US 1959 / SG 1125a



DB ID 150
Physical 52 x 29 mm
Frame 58 x 35 mm
3 mm clearance each edge

US 1959 / SG 1137a

DB ID 151
Physical 26 x 29 mm
Frame 32 x 35 mm
3 mm clearance each edge

US 1959 / SG 1137b

DB ID 152
Physical 26 x 29 mm
Frame 32 x 35 mm
3 mm clearance each edge

US 1960 / SG 1148a



DB ID 156
Physical 52 x 29 mm
Frame 58 x 35 mm
3 mm clearance each edge

US 1960 / SG 1151a

DB ID 157
Physical 26 x 56 mm
Frame 32 x 62 mm
3 mm clearance each edge

US 1970 / SG 1391

DB ID 287
Physical 40 x 26 mm
Frame 46 x 32 mm
3 mm clearance each edge

US 1970 / SG 1422a

DB ID 288
Physical 50 x 40 mm
Frame 56 x 46 mm
3 mm clearance each edge

US 1970 / SG 1420a



DB ID 289
Physical 25 x 40 mm
Frame 31 x 46 mm
3 mm clearance each edge

US 1970 / SG 1410

DB ID 290
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

real-stamps-expanded: real US stamps / recorded Colnect sizes
Blue = physical / black = mounting frame / green = text footprint
US Letter / print Actual size 100% / no Fit / frame adds 6 mm total

US 1970 / SG 1411

DB ID 291
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1412

DB ID 292
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1413

DB ID 293
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1414b



DB ID 294
Physical 25 x 40 mm
Frame 31 x 46 mm
3 mm clearance each edge

US 1970 / SG 1415

DB ID 295
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1415b

DB ID 296
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1416

DB ID 297
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1416b

DB ID 298
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1417

DB ID 299
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

real-stamps-expanded: real US stamps / recorded Colnect sizes
Blue = physical / black = mounting frame / green = text footprint
US Letter / print Actual size 100% / no Fit / frame adds 6 mm total

US 1970 / SG 1417b

DB ID 300
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1418

DB ID 301
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1418d

DB ID 302
Physical 40 x 25 mm
Frame 46 x 31 mm
3 mm clearance each edge

US 1970 / SG 1414d



Type I:
Slightly blurry impression, snowflaking in the sky (hard to distinguish) and no gum breaker ridges.

Type II:
Shiny surfaced paper, sharper impression, no snowflaking (hard to distinguish) and vertical and horizontal gum breaker ridges

DB ID 303
Physical 75 x 40 mm
Frame 81 x 46 mm
3 mm clearance each edge

US 1970 / SG 1418e

DB ID 305
Physical 80 x 50 mm
Frame 86 x 56 mm
3 mm clearance each edge

US 1970 / SG 1418f

DB ID 306
Physical 80 x 50 mm
Frame 86 x 56 mm
3 mm clearance each edge