Assessment Events-1

RATING SHEET
FOR
WRITTEN TEST (60 minute)

Qualification	**Web Development, NTVQF Level-IV**
Candidate's Name	
Assessment Centre	
Date of assessment	

Answer the following questions.

1. What are tags?

Ans:

Content is placed between HTML tags to format it. Opening tags use < > and closing tags use /, e.g. sample.

2.What are some of the common lists that can be used when designing a page?

Ans:

Ordered list, unordered list, definition list, menu list and directory list.

3.What is an image map?

Ans:

An image map lets one image link to many web pages by defining clickable shapes (hotspots) in the image.

4.How to write comments in HTML?

Ans:

HTML comments are written as: <!-- comment -->

5.How do you insert a copyright symbol on a browser page?

Ans:

Type © or © in the HTML file.

6.What is the use of alternative text in image mapping?

Ans:

Alternative text provides descriptive text for each image-map hotspot, making the linked areas easier to identify.

7.Does a hyperlink apply to text only?

Ans:

No. A hyperlink can be applied to text or an image using the ... tag.

8.How to disable spell checking from Input Box and Text area in HTML forms?

Ans:

Set the spellcheck attribute to false: spellcheck="false".

9.How do you change the number type in the middle of a list?

Ans:

Use the <li> tag's type attribute to change the numbering type and value attribute to change the number index.

10.Explain what is Bootstrap Grid System?

Ans:

The Bootstrap Grid System creates page layouts using rows and columns for placing content.

12/02/2022 11:13

11.What is the difference between Bootstrap and Foundation?

Ans:

Bootstrap: more UI elements, uses pixels, supports desktop/mobile design, and LESS. Foundation: fewer UI elements, uses REMs, mobile-first, and Sass/Compass.

12.How you can add badge to list group in Bootstrap?

Ans:

Add ... inside the <li> element.

13.What do you mean by Glyph icons? How do you use them?

Ans:

Glyphicons are icon fonts used in web projects. Example:

14.What are the features of Flex Grid in Foundation?

Ans:

Importing; advanced sizing; responsive adjustments; column alignment; source ordering; Sass reference.

15.Enumerate the differences between Java and JavaScript?

Ans:

Java is a complete, object-oriented/structured programming language. JavaScript is a client-side scripting language that can be embedded in HTML pages.

12/02/2022

16.How to add CSS properties to an element dynamically using jQuery?

Ans:

Use jQuery's css() method to add or modify CSS properties dynamically.

17.What is the use of is NaN function?

Ans:

isNaN() returns true when the argument is not a number; otherwise it returns false.

18.Write the code for adding new elements dynamically?

Ans:

```
var p = document.createElement("p"); p.appendChild(document.createTextNode("This is a new text
node")); document.getElementById("firstP").appendChild(p);
```

19.What is the difference between View State and Session State?

Ans:

ViewState is specific to a page in a session; SessionState stores user-specific data accessible across pages of a web application.

20.How can you convert the string of any base to integer in JavaScript?

Ans:

Use parseInt(string, radix). Example: parseInt("4F", 16);

21.Explain the difference between "==" and "==="?

Ans:

== checks equality of value, while === checks strict equality of both value and type.

22.What is the right color (by priority in use) to display taxonomies in template hierarchy?

Ans:

taxonomy-{term}.php ? taxonomy-{taxonomy}.php ? taxonomy.php ? archive.php ? index.php.

23.Which of the following are the minimum standards that server should support for Word Press 4.1?

Ans:

PHP 5.0 or greater and MySQL 5.1 or greater.

24.Which of the following files are required for completing your theme?

Ans:

index.php and style.css.

25.You can limit the number of revisions WordPress stores by_____

Ans:

define('WP_POST_REVISIONS', 3) in wp-config.php (or by using a plugin).

26.What is the first action you need to take for enabling WordPress 4.1 MU Feature?

Ans:

Add define('WP_ALLOW_MULTISITE', true); to wp-config.php.

27.What Is cPanel?

Ans:

cPanel is a Unix-based web-hosting control panel with a graphical interface and tools for managing websites and servers.

12/02/2022 11:18

28.What are the Installation and Setup – steps for FileZilla in Windows?

Ans:

Run the EXE installer; select and remember the admin port; launch FileZilla Server Interface; enter the port and admin password; create a user/group with home-directory permissions; add directories/aliases; complete setup.

29.What are some common misconceptions about web development?

Ans:

Common misconceptions: web development is the same as web design; a website is ever 'finished'; and web developers only write code.

30.What is the name of theme file for a page with slug 'about

Ans:

page-about.php

The candidate's Underpinning knowledge was:	**Satisfactory** ☐	**Not Satisfactory** ☐
Feed back to candidate		
The candidate's overall performance was:	**Satisfactory** ☐	**Not yet Satisfactory** ☐
Candidate's Signature		**Date:**
Assessor Signature		**Date:**

12/02/2022

1/

Answer Key for Web Development, Level- IV

Written:

1. Content is placed in between HTML tags in order to properly format it. It makes use of the less than symbol (<) and the greater than symbol (>). A slash symbol is also used as a closing tag. For example:
sample

2. You can insert any or a combination of the following list types:
– ordered list
– unordered list
– definition list
– menu list
– directory list
Each of this list types makes use of a different tag set to compose

3. Image map lets you link to many different web pages using a single image. You can define shapes in images that you want to make part of an image mapping.

4. Comments in HTML are typically used to explain the markup. It will help you and others to select or find the specific section in the document quickly and easily at the time of editing the source code. Comments are simply ignored; they are not displayed by the browsers.
An HTML comment begins with <!--, and ends with -->. Here's an example:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Comments in HTML</title>
</head>
<body>
    <!-- This is a single line HTML comment -->
    <!-- This is an example of a
         HTML multi-line comment -->
    <h1>This is a heading</h1>
    <p>This is a paragraph.</p>
</body>
</html>
```

5. To insert the copyright symbol, you need to type © or & #169; in an HTML file.

6. When you use image maps, it can easily become confusing and difficult to determine which hotspots correspond to which links. Using alternative text lets, you put a descriptive text on each hotspot link.

7. No, hyperlinks can be used in the text as well as images. That means you can convert an image into a link that will allow users to link to another page when clicked. Surround the image within the ... tag combinations.

12/02/2022 11:14

8. Set the spellcheck attribute to false
Usually, when you enter the grammatically incorrect words inside <input> or <textarea> fileds in an HTML form you will see the red underline below the incorrect words.
This is the default behaviour of Chrome and Firefox. However, if you are using the input fields or text areas for editing the code or other non-prose data then the spell checker would not appropriate. In such situations you can disable this spell checking in HTML forms by setting the spellcheck attribute to false, like spellcheck="false". Let us check out an example:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Disable Spell Checking</title>
</head>
<body>
    <form>
        <p>
            <input type="text" spellcheck="false">
        </p>
        <p>
            <textarea spellcheck="false"></textarea>
        </p>
        <button type="reset">Reset</button>
    </form>
</body>
</html>
```

9. The <li> tag includes two attributes – type and value. The type attribute can be used to change the numbering type for any list item. The value attribute can change the number index.
10. Ans: Bootstrap Grid System is used for creating page layout through a series of rows and columns. These rows and columns can be used for housing your content.

11.

Bootstrap	Foundation
Bootstrap offers unlimited number of UI elements	In Foundation UI element options are very limited in numbers
Bootstraps uses pixels	Foundation use REMs
Bootstrap encourages to design for both desktop and mobile.	Foundation encourages to design mobile first
Bootstrap support LESS as its preprocessor	Foundation support Sass and Compass as its preprocessor

12/02/2022 11:14

12. Ans: To add badge to list group in Bootstrap you have to simply add within the <li> element.

13. Glyphicons are icon fonts that are used in web projects. Although Glyphicons Halflings aren't free and require licensing in general, they are available free of cost for Bootstrap projects. Add the following code anywhere you wish to use the Glyphicons:

14. Features of Flex Grid are:

- Importing
- Advanced Sizing
- Responsive Adjustments
- Column Alignment
- Source Ordering
- Sass Reference

15. Java is a complete programming language. In contrast, JavaScript is a coded program that can be introduced to HTML pages. These two languages are not at all inter-dependent and are designed for the different intent. Java is an object - oriented programming (OOPS) or structured programming language like C++ or C whereas JavaScript is a client-side scripting language.

16. Answer: Use the jQuery css() method

You can use the jQuery css() method to add new CSS properties to an element or modify the existing properties values dynamically using jQuery.

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>jQuery Add CSS Property Dynamically</title>
<script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
<script>
    $(document).ready(function(){
        $("h1").css("color", "red");
        $("p").css({
            "background-color": "yellowgreen",
            "font-weight": "bold"
        });
    });
</script>
</head>
<body>
    <h1>This is a heading</h1>
    <p>This is a paragraph.</p>
</body>
</html>
```

12/02/2022 11:14

17. isNan function returns true if the argument is not a number otherwise it is false.

18. <html>

```
<head>
<title>t1</title>
<script type="text/javascript">
        function addNode() { var newP = document.createElement("p");
        var textNode = document.createTextNode(" This is a new text node");
        newP.appendChild(textNode); document.getElementById("firstP").appendChild(newP); }
</script> </head>
<body> <p id="firstP">firstP<p> </body>
</html>
```

19. 'ViewState' is specific to a page in a session.
'SessionState' is specific to user specific data that can be accessed across all pages in the web application.

20. The parseInt() function is used to convert numbers between different bases. parseInt() takes the string to be converted as its first parameter, and the second parameter is the base of the given string.
In order to convert 4F (of base 16) to integer, the code used will be -
parseInt ("4F", 16);

21. "==" checks only for equality in value whereas "===" is a stricter equality test and returns false if either the value or the type of the two variables are different.

22. Taxonomy – {taxonomy}-{term}.php,taxonomy-{taxonomy}.php, taxonomy.php, archive.php, index,php

23. PHP version 5.0 or greater and MySQL version 5.1 or greater

24. Index.php and style.css

25. Adding the following line to your wp-config.php file: define ('WP_POST_REVISIONS', 3); Using a plugin

26. Add this code to wp-config.php file define('WP_ALLOW_MULTISITE',true);

27. Answer: cPanel is a Unix based web hosting control panel that provides a graphical interface and automation tools designed to simplify the process of hosting a web site. cPanel utilizes a 3 tier structure that provides functionality for administrators, resellers, and end-user website owners to control the various aspects of website and server administration through a standard web browser.

28. Answer:

- Run the exe installer
- Select admin port and remember this port
- Launch FileZilla Server Interface
- Enter port from above, enter (new) password for administration, click ok/connect
- Create a user and/or group with permissions to a home directory.
- Add additional directory and set the alias name to display within home directory (e.g. /AliasName)
- Complete

29. Answer:

12/02/2022 11:14

1. Web development is not necessarily web design
   One of the biggest misnomers out there is that web development is synonymous with web design, which is untrue.

   Designers are the creative individuals who are focused on the overall look and feel of a website; while developers are the analytical individuals who concentrate on the general performance aspects of the site. Some of this confusion may stem from the close relationship between front-end development and web design. Many web designers also learn the skills of front-end developers in order to become more well-rounded.

2. You are never 'finished' with a website
   A website is like a plant that needs constant nurturing. Just when you think it's perfect, you'll find a glitch that needs to be fixed or an element that the client wants added. Technology is constantly evolving so there will always be improvements to be made.

   Web developers do more than just write code

3. The truth is that web developers don't just sit and stare at a computer screen all day. While writing code is a big part of the job, interacting with designers, illustrators, copywriters and other personnel involved in the planning process is an essential piece of the puzzle.

30. page-about.php

Oral

1. What is an FTP Client?

Answer: An FTP Client is a program designed to transfer files between two computers. While most web browsers support FTP file downloads, to upload files and to perform other FTP tasks a dedicated FTP Client is needed. By using an FTP Client users can upload, download, delete, rename, move and copy files on a remote server. While FTP could be accessed via terminal, programs with a graphical user interface are preferred, and Filezilla Client represents an easy to use multiplatform solution. Filezilla is the most popular and easy to use FTP Client, it is feature rich and available for Windows, Mac and Linux.

2. What is an image map?

Image map lets you link to many different web pages using a single image. You can define shapes in images that you want to make part of an image mapping.

3. What is the advantage of collapsing white space?

White spaces are a blank sequence of space characters, which is treated as a single space character in HTML. Because the browser collapses multiple spaces into a single space, you can indent lines of text without worrying about multiple spaces. This enables you to organize the HTML code into a much more readable format.

4. If you see a web address on a magazine, to which web page does it point?

Every web page on the web can have a separate web address. Most of these addresses are relative to the top-most web page. The published web address that appears within magazines typically points this top-most page. From this top-level page, you can access all other pages within the website.

5. If the user's operating system does not support the needed character, how can the symbol be represented?

In cases wherein their operating system does not support a particular character, it is still possible to display that character by showing it as an image instead.

6. Why Bootstrap is used for Mobile Web development?

Ans: It is used for Mobile Web development because it has responsive designs and templates which are easy to use.

2/02/2022 11:8:14