

Score	Section I: True/False Write your answer T or F in the parentheses before each question number.

- ()1. A constant variable can be reassigned a new value.
- ()2. Arrays in C can store elements of different data types.
- ()3. C strings are terminated with a null character ('\0').
- ()4. The C language supports multiple inheritance.

Score	Section II: Multiple Choice

- The ____ character is automatically appended to all strings by the C compiler.
A. '\NULL' B. '\n' C. '\1' D. '\0'
- Programs that use the atoi() routine must include the ____ header file.
A. stdio.h B. string.h C. stdlib.h D. ctype.h
- A conditional expression uses the conditional operator, ____, and provides an alternate way of expressing a simple if-else statement.
A. -> B. ? C. ?: D. :

Score	Section III: What is the output of the following code snippet?

NO.1

```
#include <stdio.h>
void main() {
    float x = 100.1;
    double y = 100.1;
    if (x == y) printf("Python");
    else printf("Java");
}
```

Output :

Score	Section IV: Fill in the blanks 【1】

1. The program is to count the number of uppercase letters m and the number of lowercase letters n from a set of characters input by the keyboard, and output the larger of m, n.

```
#include <stdio.h>
void main(){
    int m = 0,n = 0;
    char c;
    while((c = getchar()) != '\n'){
        if(c >= 'A' && c <= 'Z') m++;
        if( __【1】__ ) n++;
    }
    printf("%d\n", m < n ? __【2】__);
}
```

【1】 :

【2】 :

Score	Section V: Programming

1. Write a C program to print all positive integers less than 100, that is divisible by 3, whose right most digit is 6.