

Feedback

- Allow control of experimental channels & timers/counters outside the Measurement Group
 - *To be debugged*
- General features: hooks, on-stop, repeat on condition
 - *Accepted on condition of discussion*
- User associated/independent with/of dial limits
 - *To be decided by Alba*
- Motors vs. PseudoMotor limits
 - *Sardana and Tango limits will be kept consistent, not be treated independently.*
- Relmac, relmaclib, addmaclib
 - *Try to reduce the macros*
- Error traceability for reload macros
 - *To be solved with preceding item*
- MS_env of nested Macros, pass the environment of the parent to the siblings
 - *To be done*
- Generalize DESY NeXus recorder
 - *Partners evaluate DESY NeXus recorder, DESY will aid the test deployment*



Feedback

- Improve experiment configuration GUI
 - *Needs detailed discussion*
- Instrument definition used by NeXus recorder shall be improved (#388)
 - *To be done*
- NeXus Path on expconf should override the path set by instrument (#236)
 - *To be done*
- Improve experiment configuration GUI, multiple clients to be refreshed on-the-fly
 - *To be done*
- Taurus access to the MS environment
 - *To be done*
- PseudoMotor drift correction
 - *To be discussed*
- Sardana configuration, general tool, general xml file syntax
 - *Under discussion*
- ScanInfo environment variable
 - *DESY makes a proposal*
- Continuous scans
 - *First version mid 2016 expected*



Feedback

- Recorder selection
 - *By ScanRecorder environment variable*
 - *By extension, if no ScanRecorder env, var. exists*
- API_EVENT_TIMEOUT, TRANSIENT CORBA
 - *Wait for Tango 9*
- Self.execMacro("ascan"...)
 - *Assure that self.ascan(...) or ascan(...) is possible*
- Not all environment variables should be visible to the users.
 - *IsXXX should have search pattern, Teresa looks into this matter*

