




AI-generated visual direction, not implemented software. Typography and microcopy in artwork are exploratory.

Resonance

A network you can feel.

Ink, mineral blue and quiet light. The Fold is the physical anchor inside a network that feels awake without becoming a dashboard.

Palette & type




Midnight
#0B1220



Mineral
#334155



Signal
blue
#3882F6



Porcelain
#EDE8DF



Vermilion
#D64532

Aa / 002

Light geometric display; regular-weight system sans for labels; tabular figures only where needed.

Visual principle

Connection becomes an interference pattern. The light resolves when the real exchange is verified; it does not simulate nonexistent peers.

Motion

Signal → Meet → Resolve. Slow, low-amplitude motion while an operation is pending; settle completely after confirmation. Pause decorative work when the window is hidden.

Keep it disciplined

No star maps with invented peers, pulsing every control, fake distance readings or low-contrast gray-on-black captions. This is not a trading terminal.

Build effort

Highest. A shader or layered animation needs careful energy, contrast and reduced-motion handling. A static light study is the first implementation milestone.

Same steps. Stronger character.

01 / Connect

Two wavefronts approach. Show the actual stage in text; the drawing is an abstract status metaphor, not network telemetry.

02 / Reveal

A single light ring resolves around the sculpture. Surface the receipt and ownership without adding a wall of statistics.

03 / Handoff

Two app identities face one another. Show both fingerprints explicitly; a calm central line confirms the approved transition.

Rules shared by all three directions

- The accepted journey stays intact. Launch automatically connects; there is no new “Keep running” gate or second claim introduced by a concept button.
- Use “Verifying this app”, “Connecting to a peer”, “Receipt confirmed” and “Preparing your Fold” for distinct real states. A rendering delay is not a network failure.
- The consent screen always compares numeric key fingerprints and explains the account-control change. The user signs their own copy; they do not transfer their NFT to another developer.
- Never imply verified human identity, invent peer counts, or use the Fold’s six ribbons as a peer count. Artwork captions remain exploratory; these rules govern implementation.
- Body and control text must stay readable at normal size. Keep status visible in words as well as color. Honor Reduce Motion; idle scenes should settle and stop consuming resources.
- Start with a static native screen, then add a bounded reveal. Reuse the real procedural Fold renderer; these new concept shapes are not replacement minted NFT images.