


00000000000000



00000000000000

Team Running Safety
Alexandra Miller-Browne
Inna Turshudzhyan
Rosy Chen
Nikita Gawande
Chris Considine



Comment	Description	Designator	Footprint	LibRef	Quantity
Arduino ISP	Header, 3-Pin, Dual row, Right Angle	A1	HDR2X3H	Header 3X2H	1
Bluetooth	Header, 4-Pin	B1	HDR1X4	Header 4	1
Button1	Header, 2-Pin, Dual row	BT1	HDR2X2	Header 2X2	1
Button2	Header, 2-Pin, Dual row	BT2	HDR2X2	Header 2X2	1
LED1	Typical INFRARED GaAs LED	D1	LED-0	LED0	1
LED2	Typical INFRARED GaAs LED	D2	LED-0	LED0	1
GSM_2.0		G1.1	DIP24	Component_1	1
Battery	Header, 3-Pin	P1	HDR1X3	Header 3	1
Res1	Resistor	R1	AXIAL-0.3	Res1	1
Res3	Resistor	R3	AXIAL-0.3	Res1	1
Res4	Resistor	R4	AXIAL-0.3	Res1	1
Res5	Resistor	R5	AXIAL-0.3	Res1	1
Res6	Resistor	R6	AXIAL-0.3	Res1	1
ATmega328P-AU	8-bit AVR Microcontroller	U1	32A_N	ATmega328P-AU	1