

Board of Education Annual Facilities Tour - Wednesday, October 18, 2023

Priority

Rank 1 (High) - 5 (Low)

5

Facilities Planning

Project Review Status

- **SED PROJECT STATUS:**

- If you have a question about the status of your project awaiting review, please consult our [status reports page](#) first. Upon receipt of your project, your project manager will call you to identify missing items, if necessary. Upon architectural/mechanical review, our A/Es will do likewise.

- **SED PROJECT REVIEW STATUS AS OF 10/11/2023:**

- **Architectural Review:**

- Average time for final architectural review will be about 14-16 weeks.
- The next architectural review will be 23-0004. It was logged into the review system on 07/03/23.

- **Engineering Review:**

- Average time for final engineering review will be about 14-16 weeks.
- The next engineering review will be 22-2472. It was logged into the review system on 06/28/23.
- The most recent submission has review number 23-0668. It was logged into the review system on 10/10/2023.
- The last review number assigned for 2022 was 22-2492. It was logged into the review system on 06/30/2023.

[Return to Facilities Planning Home Page](#)

Building Condition Survey and Visual Inspection

The 2019 Enacted Budget included changes to Education Laws §409-d (Comprehensive public school building safety program) and §3641 (Special apportionments and grants-in-aid to school districts). These are the sections of state law that relate to the five year cycle for building condition surveys (BCS) and the requirement for annual visual inspections (AVI).

Under the new statute, districts must conduct Building Condition Surveys (BCS) on a staggered schedule as assigned by the Commissioner in calendar years 2020 through 2024, and every five years on that same five year cycle thereafter. To develop the schedule, NYSED created five groupings within each of the State's Labor Market Regions (LMR). One for each year. Data regarding the number of instructional buildings per district was used to equally distribute the number of buildings to be surveyed in each BCS cohort year. Next, data from the 2015 Building Condition Survey was used to assign groups with the highest number of buildings identified as 'poor' or 'unsatisfactory' to BCS cohort years 2020 and 2021.

For some districts, the new schedule will stretch out the period between the intensive building condition surveys for several years. To address this, the legislature chose to partially reinstate the visual inspection requirement, although it is no longer annual. Under the new statute, districts whose place in the new Building Condition Survey cycle means that they have not yet conducted a building condition survey by the end of calendar year 2020, and then by the end of calendar year 2022, must conduct a visual inspection in those years. Otherwise and thereafter, visual inspections need only be conducted as deemed necessary by the Commissioner.

2020 BUILDING CONDITION SURVEY AND VISUAL INSPECTION (copied from Welcome webpage 11-16-2020)

ACTION REQUIRED: Must be completed by December 31, 2020 and submitted by March 1, 2021

2020 Building Condition Survey and 2020 Visual Inspections

The 2020 Building Condition Survey (BCS) and 2020 Visual Inspection (VI) districts deadlines are looming. These surveys and inspections must be completed by 12/31/20 and submitted by 03/01/21.

Although NYSED has requested that the deadline (which is in law) be extended, an extension has not yet been provided. In the absence of such response, we encourage all districts to prepare to complete their assigned BCSs and VIs timely. Districts assigned to the 2020 BCS grouping may lose the BCS reimbursement if there is no extension and the surveys are not completed according to the statutory timelines.

Please reference the website, **Building Condition Survey and Visual Inspection:**

<https://www.p12.nysed.gov/facplan/BldgCondSurv.htm>

- 2020-2024 Building Condition Survey - [Assignment List](#)  (115KB) (07/28/20)
- 2020 and 2022 Visual Inspection - [Assignment Lists](#)  (181 KB) (11/22/19)

ACTION REQUIRED: Due March 1, 2021

Submittal of 2020 Building Condition Survey

- Each BOCES and public school district that has been assigned to complete a Building Condition Survey for all normally occupied buildings in calendar year 2020, must submit the survey data electronically in the SED Monitoring and Vendor Performance System (SED Monitoring), which may be accessed at: <http://portal.nysed.gov>.
- Designated personnel should log on to the NYSED Business Portal using their existing State Education Department Delegated Administrator Account System (SEDDAS) account and password. Once logged in, click on the link to the "SED Monitoring and Vendor Performance System," then click on "Facilities," then click "2020 Building Condition Survey."
- If you have questions or problems accessing the business portal or the SED Monitoring and Vendor Performance System, contact the SEDDAS helpdesk at SEDDAS@nysed.gov
- Additional information regarding the 2020 Building Condition Survey including BOCES/public school district assignments, instructions and answers to frequently asked questions can be found on the Office of Facilities Planning [website](#).
- Questions regarding the submission of the 2020 Building Condition Survey can be directed to the NYSED Office of Facilities Planning at (518) 474-3906 or emscfp@nysed.gov.

2020-2024 Building Condition Survey

- 2020-2024 Building Condition Survey - [Assignment List](#)  (115KB) (07/28/20)
- 2020 Building Condition Survey - [Instructions](#)  (181KB) (10/16/20)
- 2020 Building Condition Survey - [Sample Document](#)  (3,165KB) (02/12/20)
- 2020 Building Condition Survey - [Sample Building & System Rating Information](#)  (53KB) 01/06/20
- Building Condition Survey - [Frequently Asked Questions](#)  (1,042KB) (01/06/20)

2020 and 2022 Visual Inspection

- 2020 and 2022 Visual Inspection - [Assignment List](#)  (181 KB) (11/22/19)
- 2020 Visual Inspection - [Instructions](#)  (167KB) (03/05/20)
- 2020 Visual Inspection - [Sample Document](#)  (1,952KB) (02/12/20)
- 2020 Visual Inspection - [Sample Building & System Rating Information](#)  (53KB) 01/29/20
- Visual Inspection - [Frequently Asked Questions](#)  (928KB) (01/29/20)

2022 Building Condition Survey

- [2022 Building Condition Survey](#) . The surveys are in a zip file and are district-by-district in pdf format.

2021 Building Condition Survey

- [2021 Building Condition Survey](#) . The surveys are in a zip file and are district-by-district in pdf format.

2020 Building Condition Survey

- [2020 Building Condition Survey](#) . The surveys are in a zip file and are district-by-district in pdf format.

2015 Building Condition Survey

- [2015 Building Condition Survey](#) . The surveys are in a zip file and are district-by-district in pdf format.

2013 Annual Visual Inspection

2013 BCS/AVI Report data is not available. (12/30/16)

Hewlett-Woodmere Union Free School District

	Prefunded Projects
	Capital Fund Projects 2015-2016
	*TBD* Projects (additional scope/information required)

Franklin Early Childhood Center - 001

Description of Work	FY 16/17	FY 17/18	FY 18/19	FY 19/20	FY 20/21	Inspection Comments
1.0 Site Utilities						
1.1 Water						
1.2 Site Sanitary						
1.3 Site Gas						
1.4 Site Fuel Oil						
1.5 Site Electrical			\$75,000			Provide added site lighting at parking, north and west sides
1.6 Drainage Systems						
1.7 Water Collection, Retainage	\$10,000					Investigate drainage issues outside Library and Gymnasium
2.0 Site Features						
2.1 Pavement						
2.2 Sidewalks	\$119,000					Replace select sidewalks around building
2.3 Playgrounds, Play Equipment			\$325,000			Replace/Upgrade existing playground equipment and surfacing
2.4 Athletic Fields, Structures						
3.0 Substructure						
3.1 Foundations						
4.0 Building Envelope						
4.1 Structural Floors			\$225,000			Replace Cupola and select gutters & fascias
4.2 Exterior Walls, Columns		\$300,000				Select repointing, masonry repairs around building
4.3 Chimneys		\$150,000				Select repointing, masonry repairs at existing chimney, upper floors
4.4 Parapets						
4.5 Exterior Doors				\$5,000		Replace HM exterior doors at northeast corner
4.6 Exterior Steps, Stairs, Ramps						
4.7 Fire Escapes						
4.8 Windows	\$286,000					Window replacement (all remaining original windows - allow for phasing)
4.9 Roof and Skylights				\$50,000		Replacement of existing skylights & curbs at gym & playscape areas
5.0 Interior Spaces						
5.1 Interior Bearing Walls				\$75,000		Investigate, resolve select interior ductwork issues
5.2 Interior Walls	\$225,000	\$225,000	\$225,000			Upgrade existing gang bathrooms throughout (Phased)
5.3 Carpet						
5.4 Resilient Tiles, Sheet Flg.				\$175,000		Replace VAT flooring in select areas
5.5 Hard Flooring						
5.6 Wood						
5.7 Ceilings		\$175,000				Replace conc. spline ceiling in select classrms., corridors
5.8 Lockers						
5.9 Interior Doors				\$500,000		Replace existing interior doors, hardware for fire ratings, ADA comp.
5.10 Interior Stairs						
5.11 Elevators & Lifts						
5.12 Interior Electrical					\$375,000	Upgrades of panel boards, transformer, main distribution
5.13 Lighting Fixtures						
5.14 Communications Systems					\$125,000	Provide wireless clock system throughout
5.15 Swimming Pool Systems						
6.0 Plumbing						
6.1 Water Distribution System		\$15,000				Provide backflow preventer on boiler cold water makeup line
6.2 Plumbing Drainage System						
6.3 Hot Water Heaters						
6.4 Plumbing Fixtures					\$225,000	Replace existing sinks & plumbing fixtures at classrooms
7.0 HVAC Systems						
7.1 HVAC Systems						
7.2 Heat Generating Systems		\$250,000				Replace Boiler and condensate return pumps (complete phased work)
7.3 Heating Fuel/Energy Systems						
7.4 Cooling Generating Sys.			\$3,500			Resolve Kitchen/Cafeteria ductwork outside building
7.5 Air Handling Equipment	\$2,450,000	\$2,450,000	\$2,450,000			Bldg-Wide HVAC Upgrades & Replacements (incl. \$7,350,000 proj.)
7.6 Piped Heating & Cooling Sys.						
7.7 Ducted Heating & Cooling						
7.8 HVAC Control Systems			\$200,000			Replace pneumatic system with DDC
8.0 Fire Safety Systems						
8.1 Fire Alarm Systems						
8.2 Smoke Detection Systems						
8.3 Fire Suppression Systems						
8.4 Emergency/Exit Ltg. Systems						
8.5 Emerg./Standby Power Sys.						
Work Subtotal	\$3,090,000	\$3,565,000	\$3,503,500	\$805,000	\$725,000	\$11,688,500
22% Professional Fees / Contingency:	\$679,800	\$784,300	\$770,770	\$177,100	\$159,500	
4% Inflation/yr:		\$173,972	\$341,942	\$117,852	\$141,520	
Construction Total	\$3,769,800	\$4,523,272	\$4,616,212	\$1,099,952	\$1,026,020	\$15,035,256

Hewlett Woodmere Union Free School District	
Construction Cost Totals	

Description of Work	FY 16/17	FY 17/18	FY 18/19	FY 19/20	FY 20/21	Building Subtotals
---------------------	----------	----------	----------	----------	----------	--------------------

[illegible]