

Cor

Version: 1 Aut

Predicts effec

1. Select

Table to ex

Select a set o

Select a Re

Select file

Select a P

Select file

2. Param

3. Run a

Run This m

4. Resul

No results yet, please run the module first.

Select a dataset...

Datasets

Preview

Organizer

Files

/

filename1

upload_datetime3

test_dataset2018-10-08 22:43:08

Final_2_dataset2018-08-18 22:40:45

FINAL2018-08-16 20:41:18

final2018-08-16 01:52:36

testdata2018-08-13 15:44:20

equi_101_strength2018-08-13 14:27:29

ms_demo2018-08-10 13:44:11

stats_demo2018-08-10 12:52:23

equi_1012018-08-09 15:45:25

phasefraction100_new2018-08-08 16:36:28

test_phase22018-08-08 16:19:26

test_phaseFraction2018-08-06 18:39:31

PhaseFraction2018-08-06 18:32:59

ex55.zip2018-08-02 18:28:16

test2018-08-02 18:24:25


statsTest.zip2018-08-02 18:19:30

Showing 1-16 of total 21

Showing 1-8 of total 20

Select

Close



is a surrogate
ective yield
e given its 3-D

d for composites
of 5: strength of
he model works
microstructures.

l is done by finite
a by multivariate
between principal
-point statistics
icture) and
(property). See
er, [Data-driven](#)
[Is for effective](#)
[partitioning of](#)
[materials](#).

atial information

d strength.