FORMATS: <u>TABULAR</u> <u>HIERARCHICAL</u>

T	a	b	le

Table Name

Admin

Column Name	Column	Column Null Option		
email	Datatype VARCHAR2(20)	•		
	· · ·		Attribute Is FK	Attribute Datatype
	email	Yes	No	VARCHAR(20)
cnic_no	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	cnic_no	No	No	VARCHAR(20)
position	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	position	No	No	VARCHAR(20)
passcode	CHAR(18)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	passcode	No	No	CHAR(18)

Cases

Column Name	Column Datatype	Column Null Option		
case id	CHAR(18)	NOT NULL		
_	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	case_id	Yes	No	CHAR(18)
name	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	name	No	No	VARCHAR(20)
category	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	category	No	No	VARCHAR(20)
target_amount	INTEGER	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	target_amount	No	No	INTEGER
link	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	link	No	No	VARCHAR(20)
Child Relationship FK Name	Child Relationship			

	Cardinality
for	One-to-Zero- One-or-More
of	One-to-One-or- More (P)

Child Relationship Parent to Child Phrase	Child Relationship Cardinality
for	One-to-Zero- One-or-More
of	One-to-One- or-More (P)

Donations

Column Name	Column Datatype	Column Null Option		
account_no	CHAR(18)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	account_no	Yes	Yes	CHAR(18)
email	VARCHAR2(20)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	email	Yes	Yes	VARCHAR(20)
case_id	CHAR(18)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	case_id	Yes	Yes	CHAR(18)
donated_amount	INTEGER	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	donated_amount	No	No	INTEGER

Parent Relationship FK Name	Relationship
has_donated	Cardinality One-to-Zero- One-or-More
for	One-to-Zero- One-or-More

Donor

Column Name	Column	Column Null		
	Datatype	Option		
account_no	CHAR(18)	NOT NULL		
	Attribute Name	Attribute Is	Attribute Is FK	Attribute Datatype
		PK		
	account_no	Yes	No	CHAR(18)
email	VARCHAR2(20)	NOT NULL		
	Attribute Name	Attribute Is	Attribute Is FK	Attribute Datatype
		PK		

MyEvent

Comp				
	email	Yes	Yes	VARCHAR(20)
visiting_address	CHAR(18)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
medals	visiting_address CHAR(18)	No NULL	No	CHAR(18)
inedats	Attribute Name		Attribute Is FK	Attribute Datatype
	medals	No	No	CHAR(18)
Child Relationship FK Name		110		CILII (10)
has_donated	One-to-Zero- One-or-More			
	Child Relationship Parent to Child Phrase has_donated	One-to-Zero-		
		One-or-More		
Parent Relationship FK Name	Parent Relationship Cardinality			
	One-to-Exactly-1			
registered_as	One-to-Exactly-1			
registered_as Column Name	Column Datatype	Column Null Option		
-	Column			
Column Name	Column Datatype	Option NOT NULL	Attribute Is FK	Attribute Datatype
Column Name	Column Datatype CHAR(18) Attribute Name	Option NOT NULL Attribute Is PK Yes	Attribute Is FK No	Attribute Datatype CHAR(18)
Column Name	Column Datatype CHAR(18) Attribute Name	Option NOT NULL Attribute Is PK Yes NULL Attribute Is		
Column Name event_id	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK	No Attribute Is FK	CHAR(18) Attribute Datatype
Column Name event_id name	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No	No	CHAR(18)
Column Name event_id	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No NULL	No Attribute Is FK	CHAR(18) Attribute Datatype
Column Name event_id name	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name name VARCHAR2(20)	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No NULL Attribute Is NULL Attribute Is	No Attribute Is FK No	CHAR(18) Attribute Datatype VARCHAR(20)
Column Name event_id name	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name name VARCHAR2(20) Attribute Name category DATE	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No NULL Attribute Is PK No NULL Attribute Is PK No	No Attribute Is FK No Attribute Is FK No	CHAR(18) Attribute Datatype VARCHAR(20) Attribute Datatype VARCHAR(20)
Column Name event_id name category	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name Name VARCHAR2(20) Attribute Name category DATE Attribute Name	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No NULL Attribute Is PK	No Attribute Is FK No Attribute Is FK No Attribute Is FK	CHAR(18) Attribute Datatype VARCHAR(20) Attribute Datatype VARCHAR(20) Attribute Datatype
Column Name event_id name category event_date	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name name VARCHAR2(20) Attribute Name category DATE Attribute Name event_date	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No	No Attribute Is FK No Attribute Is FK No	CHAR(18) Attribute Datatype VARCHAR(20) Attribute Datatype VARCHAR(20)
Column Name event_id name category	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name Name VARCHAR2(20) Attribute Name category DATE Attribute Name	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No NULL	No Attribute Is FK No Attribute Is FK No Attribute Is FK	CHAR(18) Attribute Datatype VARCHAR(20) Attribute Datatype VARCHAR(20) Attribute Datatype
Column Name event_id name category event_date	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name Name VARCHAR2(20) Attribute Name category DATE Attribute Name event_date VARCHAR2(20)	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No NULL Attribute Is	No Attribute Is FK No Attribute Is FK No Attribute Is FK No	CHAR(18) Attribute Datatype VARCHAR(20) Attribute Datatype VARCHAR(20) Attribute Datatype DATE
Column Name event_id name category event_date	Column Datatype CHAR(18) Attribute Name event_id VARCHAR2(20) Attribute Name name VARCHAR2(20) Attribute Name category DATE Attribute Name event_date VARCHAR2(20) Attribute Name	Option NOT NULL Attribute Is PK Yes NULL Attribute Is PK No NULL Attribute Is PK	No Attribute Is FK No Attribute Is FK No Attribute Is FK No Attribute Is FK	CHAR(18) Attribute Datatype VARCHAR(20) Attribute Datatype VARCHAR(20) Attribute Datatype DATE Attribute Datatype

MyUser

More (P)

	Child Relationship Parent to Child Phrase	Child Relationship Cardinality		
	at	One-to-One- or-More (P)		
	at	One-to-One- or-More (P)		
Column Name	Column Datatype	Column Null Option		
email	VARCHAR2(20)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	email	Yes	No	VARCHAR(20)
cnic_no	VARCHAR2(20)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	cnic_no	No	No	VARCHAR(20)
phone_number	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	phone_number	No	No	VARCHAR(20)
gender	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	gender	No	No	VARCHAR(20)
date_of_birth	DATE	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	date_of_birth	No	No	DATE
name	VARCHAR2()	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	name	No	No	VARCHAR()
passcode	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	passcode	No	No	VARCHAR(20)
Child Relationship FK Name	Child Relationship Cardinality			
registered as	One-to-Exactly-1			
as	One-to-One-or- More (P)			
requested	One-to-One-or- More (P)			
reported	One-to-One-or- More (P)			

Child Relationship	Child Relationship
Parent to Child Phrase	Cardinality
registered_as	One-to- Exactly-1
as	One-to-One- or-More (P)
requested	One-to-One- or-More (P)
reported	One-to-One- or-More (P)

ReportedCases

Column Name	Column Datatype	Column Null Option		
email	VARCHAR2(20)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	email	Yes	Yes	VARCHAR(20)
case_id	CHAR(18)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	case_id	Yes	Yes	CHAR(18)

Parent Re	Parent	
Name		Relationship
		Cardinality
reported		One-to-One-or-
		More (P)
of		One-to-One-or-
		More (P)

VisitRequests

Column Name	Column Datatype	Column Null Option		
email	VARCHAR2(20)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	email	Yes	Yes	VARCHAR(20)
event_id	CHAR(18)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	event_id	Yes	Yes	CHAR(18)

Parent Relationship FK Parent				
Name	Relationship			
	Cardinality			
requested	One-to-One-or-			
	More (P)			
at	One-to-One-or-			

More (P)

Volunteer

Column Name	Column Datatype	Column Null Option		
email	VARCHAR2(20)	NOT NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	email	Yes	Yes	VARCHAR(20)
position	VARCHAR2(20)	NULL		
	Attribute Name	Attribute Is PK	Attribute Is FK	Attribute Datatype
	position	No	No	VARCHAR(20)

Parent Relationship FK Parent
Name Relationship
Cardinality
as One-to-One-orMore (P)