Bertens Validation

Amin Adibi

23/03/2021

Validation

Missing Values




```
## # A tibble: 6 x 16
##   id       Age sex    fev1 packyears vascularDx year1 year1Sev year2 year2to3
##   <chr>  <dbl> <chr> <dbl>     <dbl> <lgl>      <dbl>    <dbl> <dbl>    <dbl>
## 1 100033    60 M      33.6        27 FALSE          0        0     1        2
## 2 100051    70 M      54.1        68 FALSE          1        0     1        3
## 3 100120    72 F      43.2        20 FALSE          0        0     3        4
## 4 100219    67 F      28.4        40 FALSE          1        0     1        1
## 5 100235    62 M      44.4        50 FALSE          1        0     0        0
## 6 100411    75 M      45.9        22 FALSE          1        1     0        3
## # ... with 6 more variables: Observed_Exac_in2to3 <dbl>,
## #   Observed_Exac_in2 <dbl>, year1FreqExacerbator <dbl>, year1HadExac <dbl>,
## #   predictedBertens <dbl>, predictedBertens1Yr <dbl>
```

Two years, Bertens vs History - all COPD

```
## Setting levels: control = 0, case = 1

## Setting direction: controls < cases
```




```
##
## Call:
## roc.default(response = eclipseComplete$Observed_Exac_in2to3,     predictor = eclipseComplete$predicte
##
## Data: eclipseComplete$predictedBertens in 599 controls (eclipseComplete$Observed_Exac_in2to3 0) < 125
## Area under the curve: 0.7357
## 95% CI: 0.7107-0.7607 (DeLong)

## Setting levels: control = 0, case = 1
## Setting direction: controls < cases
```




```
##
## Call:
## roc.default(response = eclipseComplete$Observed_Exac_in2to3,     predictor = eclipseComplete$year1Fr
##
## Data: eclipseComplete$year1FreqExacerbator in 599 controls (eclipseComplete$Observed_Exac_in2to3 0)
## Area under the curve: 0.6621
## 95% CI: 0.6435-0.6807 (DeLong)
```



```
## Note: When multiple decision curves are plotted, decision curves for 'All' are calculated using the p
```



Two years - Smokers

```
## Setting levels: control = 0, case = 1

## Setting direction: controls < cases
```




```
## Setting levels: control = 0, case = 1
## Setting direction: controls < cases
```








```
## Note: When multiple decision curves are plotted, decision curves for 'All' are calculated using the p
```



ACCEPT Severe

```
## Setting levels: control = 0, case = 1
```

```
## Setting direction: controls < cases
```




```
## Setting levels: control = 0, case = 1
## Setting direction: controls < cases
```








```
## Note: When multiple decision curves are plotted, decision curves for 'All' are calculated using the p
```




```
## Setting levels: control = 0, case = 1

## Setting direction: controls < cases
```




```
## Setting levels: control = 0, case = 1
## Setting direction: controls < cases
```








```
## Note: When multiple decision curves are plotted, decision curves for 'All' are calculated using the p
```