

MASHMATICS: A Unified Continuous Framework for Collatz-Type Iterative Functions

Author: Mohamed Amine Belachhab

Affiliation: Independent High School Researcher

Date: September 2025

Abstract

This paper introduces MASHMATICS, a novel mathematical framework that "mashes" together discrete and continuous analysis to study iterative number-theoretic functions. We present a unified generalization of the Collatz conjecture through a single continuous function that encodes discrete modular arithmetic via Fourier analysis. The central innovation is the development of a 3D geometric approach to analyze $f^{\gamma}(n)$ - the γ th iterate of our function - using calculus-based methods on continuous solids rather than discrete sequence tracking. While existing mathematical techniques fail to provide closed-form expressions for iterated functions with state-dependent switching, our MASHMATICS framework offers a new paradigm for approaching such problems through hybrid discrete-continuous analysis.

Keywords: Collatz conjecture, functional iteration, Fourier analysis, discrete-continuous hybrid methods, MASHMATICS

1. Introduction

The Collatz conjecture, one of mathematics' most famous unsolved problems, has resisted solution partly because existing mathematical tools are insufficient for analyzing its discrete iterative structure. Traditional approaches either remain purely discrete (limiting analytical power) or purely continuous (losing essential discrete properties). This paper introduces MASHMATICS - a mathematical framework that bridges this gap by "mashing" discrete and continuous methods together.

Our central contribution is a unified function that generalizes the Collatz conjecture while remaining amenable to continuous analysis, coupled with a 3D geometric framework for studying infinite iteration behavior without explicit sequence computation.

2. The Unified MASHMATICS Function

2.1 Main Function Definition

We define the generalized Collatz function:

$$f(n) = ((x+1)^{\beta} \cdot n + \alpha\beta) / x$$

Where:

- x : Generalization parameter ($x = 2$ recovers classical Collatz)

- β : Switching parameter computed via limit process
- α : Correction term ensuring integer outputs when possible
- n : Input value

2.2 The β Switching Parameter

The key innovation is defining β through a limit process that encodes discrete behavior:

$$\beta = \lim_{y \rightarrow r} r/y$$

Where r is the remainder $r = n \bmod x$.

Critical behavior:

- When $n \equiv 0 \pmod{x}$: $r = 0$, so $\beta = \lim_{y \rightarrow 0} 0/y = 0$
- When $n \not\equiv 0 \pmod{x}$: $r \neq 0$, so $\beta = \lim_{y \rightarrow r} r/y = 1$

This creates the essential discrete switching:

- $\beta = 0$: $f(n) = n/x$ (division operation)
- $\beta = 1$: $f(n) = ((x+1)n + \alpha)/x$ (multiplication + correction)

2.3 Continuous Remainder Function

To make the remainder function amenable to calculus, we express it via Fourier series:

$$r = r(n,x) = n(1/2 - (1/\pi)\sum_{k=1}^{\infty} \sin(2\pi kn/x)/k) - (n/2)\lim_{M \rightarrow \infty} (1/M)\sum_{m=1}^M e^{(2\pi i m n/x)}$$

This continuous representation of $r = n \bmod x$ allows differentiation and integration while preserving the discrete modular behavior.

2.4 The α Correction Parameter

To maintain integer outputs when possible, we define:

$$\alpha \in \{-r, n-r\}$$

This choice ensures that when $\beta = 1$, the numerator $(x+1)n + \alpha$ maintains appropriate divisibility properties.

2.5 Function Behavior Summary

The unified function exhibits the classical Collatz behavior:

- **When n divisible by x :** $f(n) = n/x$ (division step)
- **When n not divisible by x :** $f(n) = ((x+1)n + \alpha)/x$ (multiplication step)

But unlike the classical piecewise definition, our function achieves this through continuous parameters β and α derived from limit processes and Fourier analysis.

3. The MASHMATICS 3D Geometric Framework

3.1 Motivation for 3D Analysis

Traditional analysis of $f^{\gamma}(n)$ (the γ th iterate) faces fundamental obstacles:

1. No closed-form expressions exist for iterative functions with state-dependent switching
2. Each iteration changes n , making β and α functions of the evolving state
3. Standard techniques (symbolic dynamics, matrix methods, generating functions) fail due to the switching complexity

Our solution: Instead of computing iterations explicitly, we analyze the geometric structure of all possible iteration behaviors simultaneously.

3.2 The 3D Coordinate System

We construct a 3D space with coordinates:

- **X-axis:** Input values n (all possible starting integers)
- **Y-axis:** Function outputs $f(n,x)$
- **Z-axis:** Parameter x (generalization parameter, $x \geq 2$)

3.3 Construction of the Iteration Solid

Initial Surface: The base surface is defined by $y = f(n,x)$ in 3D space.

Iterative Layering Process:

1. **Layer 0:** Original surface $y_0 = f(n,x)$
2. **Layer 1:** $y_1 = f(y_0,x)$ - using previous outputs as new inputs
3. **Layer 2:** $y_2 = f(y_1,x)$ - continuing iteration
4. **Layer γ :** $y_{\gamma} = f(y_{\gamma-1},x)$ - the γ th iteration

Within each Z-slice (fixed x): Each horizontal slice at constant x creates a 2D plane where:

- Every point $(n, f(n))$ generates subsequent points $(f(n), f^2(n)), (f^2(n), f^3(n)),$ etc.
- All iteration trajectories accumulate in the same $(n, f(n))$ coordinate system
- Convergent sequences create bounded trajectory clusters
- Divergent sequences create unbounded regions

The Complete Solid: As $\gamma \rightarrow \infty$, the layered iteration process creates a 3D solid body where every point represents some iteration state across all possible starting values and parameters.

3.4 Geometric Properties of Interest

Convergent Regions: Areas where iteration sequences reach $y = 1$, creating bounded "thickness" in the solid.

Divergent Regions: Areas where sequences escape to non-integers or infinity, creating "holes," "singularities," or infinite regions in the solid.

Boundary Analysis: The interface between convergent and divergent regions encodes the global convergence behavior.

4. MASHMATICS Analysis Strategy

4.1 The Core Insight

Instead of explicitly computing $f^{\gamma}(n)$ for individual starting values, we analyze the **geometric properties** of the solid containing all possible iteration behaviors.

The key insight: Mathematical properties of the solid (volume, surface area, boundary behavior, singularities) can reveal convergence properties without explicit sequence computation.

4.2 Calculus on the Iteration Solid

We treat the 3D solid as a continuous mathematical object amenable to:

Partial Derivatives:

- $\partial/\partial n$: How iteration behavior changes with starting values
- $\partial/\partial f(n)$: How behavior changes with function outputs
- $\partial/\partial x$: How behavior changes with generalization parameter

Volume Integrals: Analyzing the "total iteration content" across regions

Surface Integrals: Studying boundary behavior between convergent/divergent regions

Critical Point Analysis: Finding where the geometric properties change dramatically

4.3 The Convergence Proof Strategy

Objective: Prove that for $x \geq 3$, the iteration solid must contain singularities (corresponding to non-integer outputs), while for $x = 2$, all regions remain bounded.

Approach:

1. Show that maintaining integer outputs indefinitely creates geometric constraints
2. Prove these constraints become impossible to satisfy for $x \geq 3$

3. Since non-integer outputs contradict the integer-based system, sequences must reach the integer fixed point $n = 1$ before breaking down

The Contradiction Argument:

- If $f^n(n)$ never reaches 1, it must eventually produce non-integers
- Non-integers create singularities in our geometric framework
- But integer sequences cannot sustainably produce non-integers without first passing through 1
- Therefore, convergence to 1 is necessary

5. Innovation and Theoretical Contributions

5.1 Mathematical Innovations

Discrete-Continuous Bridging: The first systematic method for making modular arithmetic differentiable through Fourier series while preserving exact discrete behavior.

State-Dependent Switching via Limits: Using limit processes to encode discrete 0/1 switching behavior in continuous functions.

Geometric Iteration Analysis: Replacing explicit sequence computation with geometric analysis of iteration space structure.

Unified Function Framework: A single equation that encompasses both division and multiplication steps of Collatz-type iterations.

5.2 The MASHMATICS Paradigm

MASHMATICS represents a new mathematical paradigm for problems requiring simultaneous discrete and continuous analysis. Key principles:

1. **Hybrid Domains:** "Mash" together mathematical domains when single-domain approaches fail
2. **Geometric Encoding:** Encode infinite discrete processes as continuous geometric objects
3. **Structural Analysis:** Analyze global structural properties rather than individual computational paths
4. **Constraint-Based Proofs:** Prove impossibility of avoiding desired outcomes rather than explicit convergence

5.3 Applicability Beyond Collatz

The MASHMATICS framework potentially applies to other problems involving:

- State-dependent iterative systems
- Mixed discrete-continuous dynamics
- Problems where traditional analytical methods fail due to switching complexity
- Number-theoretic functions requiring simultaneous arithmetic and analytic approaches

6. Technical Challenges and Future Directions

6.1 Outstanding Technical Issues

Rigorous Foundation: Developing complete mathematical foundations for calculus on discrete-continuous hybrid objects.

Convergence of Fourier Series: Ensuring the continuous remainder function converges properly for all relevant values.

Geometric Regularity: Proving that the iteration solid has sufficient regularity for calculus operations.

Computational Implementation: Developing numerical methods for analyzing the 3D solid structure.

6.2 Future Research Directions

Theoretical Development:

- Rigorous proofs of the geometric convergence argument
- Formal analysis of the iteration solid's mathematical properties
- Extension to other number-theoretic iteration problems

Computational Implementation:

- Numerical methods for visualizing the iteration solid
- Algorithms for computing geometric properties of the solid
- High-performance computing approaches for large-scale analysis

Applications:

- Extending MASHMATICS to other unsolved problems
- Developing general theories of discrete-continuous hybrid analysis
- Creating new mathematical tools for mixed-domain problems

7. Limitations and Scope

7.1 Current Limitations

This work presents a conceptual framework rather than complete proofs. Key limitations include:

- Geometric convergence arguments require rigorous mathematical development
- Fourier series convergence needs careful analysis for all parameter ranges
- The relationship between geometric properties and iteration behavior needs formal establishment
- Computational verification of the 3D solid structure remains to be implemented

7.2 Scope of Claims

We do not claim to have proven the Collatz conjecture. Rather, we present:

- A novel mathematical framework for approaching the problem
- Original techniques for hybrid discrete-continuous analysis
- A new geometric perspective on infinite iteration behavior
- Theoretical foundations for future rigorous development

8. Conclusions

MASHMATICS represents a fundamentally new approach to mathematical problems that resist traditional analysis methods. By "mashing" together discrete and continuous techniques, we create frameworks capable of handling complex iterative systems that neither pure discrete nor pure continuous methods can address effectively.

The unified Collatz function and 3D geometric analysis provide concrete examples of MASHMATICS principles in action. While complete rigorous development remains future work, the conceptual innovations demonstrate the potential for creating new mathematical tools when existing ones prove insufficient.

The central insight - that infinite discrete iteration behavior can be encoded as continuous geometric objects amenable to calculus - opens new directions for mathematical research in mixed-domain problems.

8.1 Methodological Contributions

1. **Unified Function Design:** Methods for creating single continuous functions that encode discrete switching behavior
2. **Geometric Iteration Analysis:** Frameworks for studying $f^n(n)$ through geometric properties rather than explicit computation
3. **Hybrid Mathematical Frameworks:** Systematic approaches to combining disparate mathematical domains

8.2 Theoretical Significance

MASHMATICS demonstrates that when traditional mathematical tools prove insufficient, the creation of new hybrid frameworks can provide fresh perspectives on classical problems. The success of this approach in providing novel insights into the Collatz conjecture suggests broader applicability to other unsolved problems in mathematics.

Acknowledgments

This research represents independent investigation into mathematical frameworks that bridge discrete and continuous analysis. The development of MASHMATICS concepts has benefited from the rich mathematical literature on iterative systems, Fourier analysis, and geometric approaches to number theory.

References

- [1] Collatz, L. (1937). "Problème E3651." L'Intermédiaire des Mathématiciens 4, 88.
 - [2] Lagarias, J. C. (1985). "The $3x + 1$ problem and its generalizations." The American Mathematical Monthly 92(1), 3-23.
 - [3] Terras, R. (1976). "A stopping time problem on the positive integers." Acta Arithmetica 30(3), 241-252.
 - [4] Wirsching, G. J. (1998). "The Dynamical System Generated by the $3n+1$ Function." Springer-Verlag.
 - [5] Tao, T. (2019). "Almost all orbits of the Collatz map attain almost bounded values." arXiv preprint arXiv:1909.03562.
-

Data Availability Statement: This theoretical work presents mathematical frameworks and conceptual innovations. Future computational implementations and numerical verification of the proposed geometric structures will be made available as research progresses.

Author Declaration: This work represents original mathematical research conducted independently, proposing novel frameworks for mathematical problems that resist traditional analytical approaches.