

vanilla-css3- fundamentals

01. internal css/background color

software, user interface, user experience

a tune of better world

virtual marketing

success

Source :

```
<!doctype html>
<html>
<head>
<style>
h1 {
background-color: pink;
}
</style>
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p> a tune of better world </p>
<h2> virtual marketing </h2>
<p> success </p>
</body>
</html>
```

save as

text.html

02a.internal css/font color

software, user interface, user experience

a tune of better world

virtual marketing

success

source :

```
<!doctype html>

<html>
  <head>
    <style>
      h1 {
        background-color: pink;
      }
      p {
        color: purple;
      }
    </style>
  <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p> success </p>
  </body>
</html>
```

02b.internal css/font size

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
  <head>
    <style>
      h1 {
        background-color: pink;
      }
      p {
        color: purple;
        font-size: 25px;
      }
    </style>
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p> success </p>
  </body>
</html>
```

02c.internal css/font family

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
  <head>
    <style>
      h1 {
        background-color: pink;
      }
      p {
        color: purple;
        font-size: 25px;
        font-family: helvetica;
      }
    </style>
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p> success </p>
  </body>
</html>
```

03a.internal css/multiple selectors and writing rule for more than one element

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>
<html>
<head>
<style>
h1,h2 {
background-color: pink;
}
p {
color: purple;
font-size: 25px;
font-family: helvetica;
}
</style>
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p> a tune of better world </p>
<h2> virtual marketing </h2>
<p> success </p>
</body>
</html>
```

03b.internal css/multiple selectors and writing rule for more than one element

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
  <head>
    <style>
      h1,h2 {
        background-color: pink;
      }
      h1,h2 {
        color: blue;
      }
      p {
        color: purple;
        font-size: 25px;
        font-family: helvetica;
      }
    </style>
  <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p> success </p>
  </body>
</html>
```

03c.internal css/multiple selectors and writing rule for more than one element

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
<head>
<style>

h1,h2 {
background-color: pink;
}

h1 {
color: blue;
}

<! virtual marketing is in not blue color because h2 is not selected in above coding>

p {
color: purple;
font-size: 25px;
font-family: helvetica;
}

</style>

<title> idol wave </title>

</head>

<body>

<h1> software, user interface, user experience </h1>
<p> a tune of better world </p>
<h2> virtual marketing </h2>
<p> success </p>
</body>

</html>
```

04a. add a line to header and border property (holl).

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
  <head>
    <style>
      h1,h2 {
        border: 1px solid black;
      }

      p {
        color: purple;
        font-size: 25px;
        font-family: helvetica;
      }
    </style>
  <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p> success </p>
  </body>
</html>
```

04b. add a line to header and border property (bottom).

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
  <head>
    <style>
      h1,h2 {
        border-bottom: 1px solid black;
      }
      p {
        color: purple;
        font-size: 25px;
        font-family: helvetica;
      }
    </style>
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p> success </p>
  </body>
</html>
```

04c. add a line to header and border property(top, bottom, left and right).

software, user interface, user experience

a tune of better world

virtual marketing

SUCCESS

thanks

the end

|

source:

```
<!doctype html>

<html>
  <head>
    <style>
      h1 {
        border-top: 3px solid blue;
      }
      h2 {
        border-bottom: 10px solid green;
      }
      h3 {
```

```
border-left: 15px solid red;  
}  
  
h4 {  
border-right: 5px solid pink ;  
}  
  
<! for output of border-right command another helping program will add in next>  
  
p {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
}  
  
</style>  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<h1> software, user interface, user experience </h1>  
  
<p> a tune of better world </p>  
  
<h2> virtual marketing </h2>  
  
<p> success </p>  
  
<h3> thanks </h3>  
  
<h4> the end </h4>  
  
</body>  
  
</html>
```

05a. inheritance and overriding

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
<head>
<style>
body {
color: green;
}
<! when we using body color then all body text will similar color>
</style>
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p> a tune of better world </p>
<h2> virtual marketing </h2>
<p> success </p>
</body>
</html>
```

05b. inheritance and overriding

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>

<html>
  <head>
    <style>
      body {
        color: green;
      }
      p {
        color: red;
      }
    </style>
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p> success </p>
  </body>
</html>
```

<!when we using body color then all body text will similar color
but when we again add a para color this call over overriding/writing
and para color will change. body color will same>

06. using classes in css

software, user interface, user experience

a tune of better world

virtual marketing

success

source:

```
<!doctype html>
```

```
<html>
```

```
<head>
```

```
<style>
body {
color: green;
}

p.blue {
color: blue;
font-size: 25px;
font-family: helvetica;
}

p.red {
color: red;
font-size: 25px;
font-family: helvetica;
}

</style>

<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="blue"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="red"> success </p>
</body>
</html>
```

07a. more on classes in css

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
<html>
<head>
<style>
body {
color: green;
}
p.blue {
color: blue;
font-size: 25px;
font-family: helvetica;
}
```

```
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}  
</style>  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<h1> software, user interface, user experience </h1>  
  
<p class="blue"> a tune of better world </p>  
  
<h2> virtual marketing </h2>  
  
<p class="red"> success </p>  
  
<blockquote>  
is a innitiative  
</blockquote>  
  
<!due to blockquote area will show as view in different position.>  
</body>  
</html>
```

07b. more on classes in css

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
body {
```

```
color: green;
```

```
}
```

```
.blue {
```

```
color: blue;
```

```
font-size: 25px;
```

```
font-family: helvetica;
```

```
}
```

```
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}  
</style>  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<h1> software, user interface, user experience </h1>  
  
<p class="blue"> a tune of better world </p>  
  
<h2> virtual marketing </h2>  
  
<p class="red"> success </p>  
  
<blockquote class="blue">  
  
is a innitiative  
  
</body>  
  
</html>
```

07c. more on classes in css

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
body {
```

```
color: green;
```

```
}
```

```
.blue {
```

```
color: blue;
```

```
font-size: 25px;
```

```
font-family: helvetica;
```

```
}
```

```
p.red {
```

```
color: red;
```

```
font-size: 25px;  
font-family: helvetica;  
}  
.underline {  
text-decoration: underline;  
}  
</style>  
<title> idol wave </title>  
</head>  
<body>  
<h1> software, user interface, user experience </h1>  
<p class="blue"> a tune of better world </p>  
<h2> virtual marketing </h2>  
<p class="red"> success </p>  
<blockquote class="blue underline">  
is a innitiative  
</body>  
</html>
```

07d. more on classes in css

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
<html>
<head>
<style>
body {
color: green;
}
.blue {
color: blue;
font-size: 25px;
```

```
font-family: helvetica;
}

p.red {
color: red;
font-size: 25px;
font-family: helvetica;
}

.underline {
text-decoration: underline;
}

</style>

<title> idol wave </title>

</head>

<body>

<h1> software, user interface, user experience </h1>

<p class="blue underline"> a tune of better world </p>

<h2> virtual marketing </h2>

<p class="red"> success </p>

<blockquote class="blue underline">

is a innitiative

</body>

</html>
```

08. more on classes in css

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
<html>
<head>
<style>
body {
color: green;
font-family: Verdana, Arial, Geneva, Arial Black;
}
.blue {
color: blue;
font-size: 25px;
font-family: helvetica;
```

```
}

p.red {
color: red;
font-size: 25px;
font-family: helvetica;
}

.underline {
text-decoration: underline;
}

</style>

<title> idol wave </title>

</head>

<body>

<h1> software, user interface, user experience </h1>

<p class="blue underline"> a tune of better world </p>

<h2> virtual marketing </h2>

<p class="red"> success </p>

<blockquote class="blue underline">

is a innitiative

</body>

</html>
```

09a. the font weight property (light)

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
<html>
<head>
<style>
body {
color: green;
font-family: Verdana, Arial, Geneva, Arial Black;
font-weight: lighter;
}
.blue {
color: blue;
font-size: 25px;
font-family: helvetica;
}
```

```
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}  
.underline {  
text-decoration: underline;  
}  
</style>  
<title> idol wave </title>  
</head>  
<body>  
<h1> software, user interface, user experience </h1>  
<p class="blue underline"> a tune of better world </p>  
<h2> virtual marketing </h2>  
<p class="red"> success </p>  
<blockquote class="blue underline">  
is a innitiative  
</body>  
</html>
```

09b. the font weight property (normal)

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
<html>
<head>
<style>
body {
color: green;
font-family: Verdana, Arial, Geneva, Arial Black;
font-weight: normal;
}
.blue {
color: blue;
font-size: 25px;
font-family: helvetica;
```

```
}

p.red {
color: red;
font-size: 25px;
font-family: helvetica;
}

.underline {
text-decoration: underline;
}

</style>

<title> idol wave </title>

</head>

<body>

<h1> software, user interface, user experience </h1>

<p class="blue underline"> a tune of better world </p>

<h2> virtual marketing </h2>

<p class="red"> success </p>

<blockquote class="blue underline">

is a innitiative

</body>

</html>
```

09c. the font weight property (bold)

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source:

```
<!doctype html>
<html>
<head>
<style>
body {
color: green;
font-family: Verdana, Arial, Geneva, Arial Black;
font-weight: bold;
}
.blue {
color: blue;
font-size: 25px;
```

```
font-family: helvetica;
}

p.red {
color: red;
font-size: 25px;
font-family: helvetica;
}

.underline {
text-decoration: underline;
}

</style>

<title> idol wave </title>

</head>

<body>

<h1> software, user interface, user experience </h1>

<p class="blue underline"> a tune of better world </p>

<h2> virtual marketing </h2>

<p class="red"> success </p>

<blockquote class="blue underline">

is a innitiative

</body>

</html>
```

09d. the font weight property (bolder)

software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiatve

source:

```
<!doctype html>
<html>
<head>
<style>
body {
color: green;
font-family: Verdana, Arial, Geneva, Arial Black;
font-weight: bolder;
}
.blue {
color: blue;
font-size: 25px;
font-family: helvetica;
```

```
}

p.red {
color: red;
font-size: 25px;
font-family: helvetica;
}

.underline {
text-decoration: underline;
}

</style>

<title> idol wave </title>

</head>

<body>

<h1> software, user interface, user experience </h1>

<p class="blue underline"> a tune of better world </p>

<h2> virtual marketing </h2>

<p class="red"> success </p>


<blockquote class="blue underline">

is a innitiative

</body>

</html>
```

10. external style sheet



software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
.blue {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.red {  
    color: red;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
.underline {  
    text-decoration: underline;  
}
```

save as **stylesheet.css**

html :


```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p class="blue underline"> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p class="red"> success </p>
    <blockquote class="blue underline">
      is a innitiative
    </blockquote>
  </body>
</html>
```

save as index.html

in a same folder with css.

11a. external style sheet-text-decoration property



software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: underline;  
}  
  
.blue {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}
```

save as stylesheet.css

html :


```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p class="blue underline"> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p class="red"> success </p>
    <blockquote class="blue underline">
      is a innitiative
    </blockquote>
  </body>
</html>
```

save as index.html

in a same folder with css.

11b. external style sheet-text-decoration property



~~software, user interface, user experience~~

a tune of better world

~~virtual marketing~~

~~success~~

is a innitiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: line-through;  
}  
  
.blue {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}
```



save as stylesheet.css

html :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="blue underline"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="red"> success </p>
<blockquote class="blue underline">
is a innitiative
</body>
</html>
```

save as index.html
in a same folder with css.

11c. external style sheet-text-decoration property



software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: overline;  
}  
  
.blue {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}
```

save as stylesheet.css

html :


```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p class="blue underline"> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p class="red"> success </p>
    <blockquote class="blue underline">
      is a innitiative
    </blockquote>
  </body>
</html>
```

save as index.html

in a same folder with css.

11d. external style sheet-text-decoration property



software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: underline overline;  
}  
  
.blue {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}
```

save as stylesheet.css

html :


```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="blue underline"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="red"> success </p>
<blockquote class="blue underline">
is a innitiative
</body>
</html>
```

save as index.html

in a same folder with css.

11e. external style sheet-text-decoration property



software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: underline overline;  
}  
  
.blue {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.red {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}
```

save as stylesheet.css

html :


```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p class="blue underline"> a tune of better world </p>
    <h2> virtual marketing </h2>
    <p class="red"> success </p>
    <blockquote class="blue underline">
      is a innitiative
    </blockquote>
  </body>
</html>
```

save as index.html

in a same folder with css.

12a. external style sheet-italic(start) fonts



software, user interface, user experience

a tune of better world

virtual marketing

success

is a innitiative

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1,h2 {  
    text-decoration: none;  
}  
  
p.para1 {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.para2 {  
    color: red;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.para3 {  
    color: purple;  
    font-size: 25px;  
    font-family: helvetica;  
}
```

save as stylesheet.css

html :



```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">

<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success </p>
<p class="para3"> is a innitiative </p>
</body>
</html>
```

save as index.html

in a same folder with css.

12b. external style sheet-italic fonts



software, user interface, user experience

a tune of better world

virtual marketing

success

is a initiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : italic;  
}
```

save as **stylesheet.css**

html :


```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success </p>
<p class="para3"> is a innitiative </p>
</body>
</html>
```

save as index.html

in a same folder with css.

12c. external style sheet-italic/oblique fonts



software, user interface, user experience

a tune of better world

virtual marketing

success

is a initiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
}
```

save as **stylesheet.css**

html :


```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success </p>
<p class="para3"> is a initiative </p>
</body>
</html>
```

save as index.html

in a same folder with css.

12d. external style sheet-italic fonts



software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

is a initiative

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1,h2 {  
    text-decoration: none;  
}  
  
p.para1 {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.para2 {  
    color: red;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.para3 {  
    color: purple;  
    font-size: 25px;  
    font-family: helvetica;  
    font-style : italic;  
}  
}save as stylesheet.css
```

html :


```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> is a good initiative </p>
</body>
</html>
```

save as index.html

in a same folder with css.

13a. web colors



software, user interface, user experience

a tune of better world

virtual marketing

success

Is a initiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;
```

```
font-weight: bolder;  
background-color : lime;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
}
```

save as stylesheet.css

html :


```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> is a good initiative </p>
</body>
</html>
```

save as index.html

in a same folder with css.

13b. web colors(rgb color code/hex-# color code)



software, user interface, user experience

a tune of better world

virtual marketing

success

is a initiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : rgb(240,20,235);
```

```
}

h1,h2 {
    text-decoration: none;
}

p.para1 {
    color: blue;
    font-size: 25px;
    font-family: helvetica;
}

p.para2 {
    color: red;
    font-size: 25px;
    font-family: helvetica;
}

p.para3 {
    color: purple;
    font-size: 25px;
    font-family: helvetica;
    font-style : oblique;
}
```

[save as stylesheet.css](#)

html :


```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> is a good initiative </p>
</body>
</html>
```

save as index.html

in a same folder with css.

13c. web colors(rgb color code/hex-# color code)



software, user interface, user experience

a tune of better world

virtual marketing

success

is a initiative

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;
```

```
}

h1,h2 {
    text-decoration: none;
}

p.para1 {
    color: blue;
    font-size: 25px;
    font-family: helvetica;
}

p.para2 {
    color: red;
    font-size: 25px;
    font-family: helvetica;
}

p.para3 {
    color: purple;
    font-size: 25px;
    font-family: helvetica;
    font-style : oblique;
}
```

[save as stylesheet.css](#)

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> is a good initiative </p>
</body>
</html>
```

save as index.html

in a same folder with css.

14. using inline style

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

is a good initiative

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;
```

```
font-family: helvetica;  
}
```

```
p.para2 {  
color: red;  
font-size: 25px;  
font-family: helvetica;  
}
```

```
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
}
```

save as stylesheet.css

html :

```
<!doctype html>  
<html>  
<head>  
<link rel="stylesheet" type="text/css" href="stylesheet.css">  
<title> idol wave </title>  
</head>  
<body>  
<h1> software, user interface, user experience </h1>
```

```
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> is a good initiative </p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

15. more on font sizes

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

is a good initiative

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
font-size: 25px;  
}  
  
h1 {  
text-decoration: none;  
font-size: 150%;
```

```
}

h2 {
    text-decoration: none;
    font-size: 1.2em;
}

p.para1 {
    color: blue;
    font-size: 25px;
    font-family: helvetica;
}

p.para2 {
    color: red;
    font-size: 25px;
    font-family: helvetica;
}

p.para3 {
    color: purple;
    font-size: 25px;
    font-family: helvetica;
    font-style : oblique;
}
```

save as **stylesheet.css**

html :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> is a good initiative </p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

16.line height property (space between two lines)

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

through quality service, we qualify ourselves in a competitive position.

so that you will select us for your better complacence.

in this era idea & proficiency, travelling faster & occupy own abode.

idol wave innovates something that surpasses ordinary expectations and since the information technology realm is already a highly incomparable space,

there is no saying just how far your endeavors can take you with us.

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;
```

```
}

p.para1 {
color: blue;
font-size: 25px;
font-family: helvetica;
}

p.para2 {
color: red;
font-size: 20px;
font-family: helvetica;
}

p.para3 {
color: purple;
font-size: 25px;
font-family: helvetica;
font-style : oblique;
line-height: 1.5em;
}
```

[save as stylesheet.css](#)

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
```

```
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position. <br>
so that you will select us for your better complacence. <br> in this era idea & proficiency,
travelling faster & occupy own abode.

<br>idol wave innovates something that surpasses ordinary expectations and since the
information <br> technology realm is already a highly incomparable space, <br> there is no
saying just how far your endeavors can take you with us. </p>
<p style="color: white; font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html
in a same folder with css.

17a.css box model-content

(margin-border-padding-content)

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.
idol wave innovates something that surpasses ordinary expectations and since the information
technology realm is already a highly incomparable space,
there is no saying just how far your endeavors can take you with us.*

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;
```

```
}

h1,h2 {
text-decoration: none;
}

p.para1 {
color: blue;
font-size: 25px;
font-family: helvetica;
}

p.para2 {
color: red;
font-size: 20px;
font-family: helvetica;
}

p.para3 {
color: purple;
font-size: 25px;
font-family: helvetica;
font-style : oblique;
line-height: 1.5em;
background-color: #e5e4d7;
}
```

save as **stylesheet.css**

html :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position. <br>
so that you will select us for your better complacence. <br> in this era idea & proficiency,
travelling faster & occupy own abode.

<br>idol wave innovates something that surpasses ordinary expectations and since the
information <br> technology realm is already a highly incomparable space, <br> there is no
saying just how far your endeavors can take you with us. </p>

<p style="color: white; font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

17b.css box model-padding-content

(margin-border-padding-content)

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.
idol wave innovates something that surpasses ordinary expectations and since the information
technology realm is already a highly incomparable space,
there is no saying just how far your endeavors can take you with us.*

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;
```

```
}

h1,h2 {
    text-decoration: none;
}

p.para1 {
    color: blue;
    font-size: 25px;
    font-family: helvetica;
}

p.para2 {
    color: red;
    font-size: 20px;
    font-family: helvetica;
}

p.para3 {
    color: purple;
    font-size: 25px;
    font-family: helvetica;
    font-style : oblique;
    line-height: 1.5em;
    background-color: #e5e4d7;
    padding: 40px;
}
```

save as **stylesheet.css**

html :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position. <br>
so that you will select us for your better complacence. <br> in this era idea & proficiency,
travelling faster & occupy own abode.

<br>idol wave innovates something that surpasses ordinary expectations and since the
information <br> technology realm is already a highly incomparable space, <br> there is no
saying just how far your endeavors can take you with us. </p>

<p style="color: white; font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

17c.css box model-border-padding-content

(margin-border-padding-content)

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.
idol wave innovates something that surpasses ordinary expectations and since the information
technology realm is already a highly incomparable space,
there is no saying just how far your endeavors can take you with us.*

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}
```

```
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position. <br>
so that you will select us for your better complacence. <br> in this era idea & proficiency,
travelling faster & occupy own abode.

<br>idol wave innovates something that surpasses ordinary expectations and since the
information <br> technology realm is already a highly incomparable space, <br> there is no
saying just how far your endeavors can take you with us. </p>

<p style="color: white; font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

18.css box model-margin–border–padding-content

(margin-border-padding-content)

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;
```

```
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

```
p.para4 {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
  
margin: 40px;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

[save as stylesheet.css](#)

[html :](#)

```
<!doctype html>  
<html>  
<head>  
<link rel="stylesheet" type="text/css" href="stylesheet.css">  
<title> idol wave </title>  
</head>
```



```
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.

</p>
<p class="para4"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html
in a same folder with css.

19a.css box model-margin-border-padding-content



source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {
```

```
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
p.para4 {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;
```

```
margin: 40px;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

save as **stylesheet.css**



html :

```
<!doctype html>  
  
<html>  
  
<head>  
  
<link rel="stylesheet" type="text/css" href="stylesheet.css">  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<h1> software, user interface, user experience </h1>  
  
<p class="para1"> a tune of better world </p>  
  
  
  
<h2> virtual marketing </h2>  
  
<p class="para2"> success of this initiation </p>  
  
</body>  
  
</html>
```

save as **index.html**

in a same folder with css.

19b.css box model-margin-border-padding-content



source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;
```

```
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
p.para4 {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
.imagec {  
display: block;  
margin-left: auto;  
margin-right: auto;  
}
```

save as stylesheet.css

html :

```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p class="para1"> a tune of better world </p>
    
    <h2> virtual marketing </h2>
    <p class="para2"> success of this initiation </p>
  </body>
</html>
```

save as index.html


in a same folder with css.

19c.css box model-margin-border-padding-content

external css

Name
index.html
logo.png
stylesheet.css

software, user interface, user experience
a tune of better world



virtual marketing
success of this initiation

source (css+html) –

external css :

```
body {  
color: green;
```

```
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
}  
  
p.para4 {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
background-color: #e5e4d7;  
padding: 40px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
.imagec {  
display: block;  
margin-left: auto;  
margin-right: auto;  
padding: 10px;  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

save as stylesheet.css

html :

```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <h1> software, user interface, user experience </h1>
    <p class="para1"> a tune of better world </p>
    
    <h2> virtual marketing </h2>
    <p class="para2"> success of this initiation </p>
  </body>
</html>
```

save as index.html

in a same folder with css.

20.css box model-margin–border–padding-content

software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

this is in line style

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {
```

```
text-decoration: none;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
}  
  
p.para3 {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
p.para4 {  
color: black;  
font-size: 25px;
```

```
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 200px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

save as stylesheet.css

html :

```
<!doctype html>  
  
<html>  
  
<head>  
  
<link rel="stylesheet" type="text/css" href="stylesheet.css">  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<h1> software, user interface, user experience </h1>  
  
<p class="para1"> a tune of better world </p>
```

```
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.


</p>
<p class="para4"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

21a.css background image property



software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1,h2 {  
    text-decoration: none;  
}  
  
p.para1 {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.para2 {  
    color: red;  
    font-size: 20px;  
    font-family: helvetica;  
}  
  
p.para3 {  
    color: purple;  
    font-size: 25px;  
    font-family: helvetica;  
    font-style : oblique;  
    line-height: 1.5em;
```

```
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

```
p.para4 {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
background-image: url(clouds.gif);  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.


</p>
<p class="para4"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

21b.css background image property



software, user interface, user experience

a tune of better world

virtual marketing

success of this *initiation*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

this is in line style

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
    background-image: url(clouds.gif);  
}  
  
h1,h2 {  
    text-decoration: none;  
}  
  
p.para1 {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.para2 {  
    color: red;  
    font-size: 20px;  
    font-family: helvetica;  
}  
  
p.para3 {  
    color: purple;  
    font-size: 25px;  
    font-family: helvetica;  
    font-style : oblique;
```

```
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

```
p.para4 {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
background-color: #e5e4d7;  
}
```

[save as stylesheet.css](#)

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="para2"> success of this <i> initiation </i></p>
<p class="para3"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.


</p>
<p class="para4"> through quality service, we qualify ourselves in a competitive position.<br>
so that you will select us for your better complacence.<br> in this era idea & proficiency,
travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

22a.css the id attribute(paragraph common use)



software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1,h2 {  
    text-decoration: none;  
}  
  
p.para1 {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.paragraph {  
    color: purple;  
    font-size: 25px;  
    font-family: helvetica;  
    font-style : oblique;  
    line-height: 1.5em;  
    background-color: #e5e4d7;  
    padding: 40px 40px 40px 160px;  
    border-color: black;  
    border-width: 2px;  
    border-style: solid;
```

```
background-image: url(clouds.gif);
}

p.para4 {
color: black;
font-size: 25px;
font-family: helvetica;
font-style : oblique;
line-height: 1.5em;
margin: 40px;
padding: 40px 40px 40px 200px;
border-color: black;
border-width: 2px;
border-style: solid;
background-color: #e5e4d7;
}
```

[save as stylesheet.css](#)

[html :](#)


```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
```

```
<p class="para1"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.<br> so that you will select us for your better complacence.<br> in this era idea & proficiency, travelling faster & occupy own abode.
</p>
<p class="para4"> through quality service, we qualify ourselves in a competitive position.<br> so that you will select us for your better complacence.<br> in this era idea & proficiency, travelling faster & occupy own abode.
</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html
in a same folder with css.

22b.css the id attribute (same as previous but page location with id)



software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1,h2 {  
    text-decoration: none;  
}  
  
#para1homepage {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
}  
  
p.paragraph {  
    color: purple;  
    font-size: 25px;  
    font-family: helvetica;  
    font-style : oblique;  
    line-height: 1.5em;  
    background-color: #e5e4d7;  
    padding: 40px 40px 40px 160px;  
    border-color: black;  
    border-width: 2px;  
    border-style: solid;
```

```
background-image: url(clouds.gif);  
}
```

```
#para4homepage {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
background-color: #e5e4d7;  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.



</p>
<p id="para4homepage"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

23a.css the text align property



source (css+html) –

external css :

```
body {
```

```
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;  
text-align: center;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
}  
  
.imagec {  
display: block;  
margin-left: auto;  
margin-right: auto;  
padding: 10px;  
background-color: silver;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
}
```

save as **stylesheet.css**



html :

```
<!doctype html>  
  
<html>  
  
<head>  
  
<link rel="stylesheet" type="text/css" href="stylesheet.css">  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<h1> software, user interface, user experience </h1>  
  
<p class="para1"> a tune of better world </p>  
  
  
  
<h2> virtual marketing </h2>  
  
<p class="para2"> success of this initiation </p>  
  
</body>  
  
</html>
```

save as **index.html**

in a same folder with css.

23b.css the text align property



source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
background-color : #ffcf79;  
}  
  
h1,h2 {  
text-decoration: none;  
text-align: center;  
}  
  
p.para1 {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
text-align: center;  
}  
  
p.para2 {  
color: red;  
font-size: 20px;  
font-family: helvetica;  
text-align: center;  
}  
  
.imagec {  
display: block;
```

```
margin-left: auto;  
margin-right: auto;  
padding: 10px;  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```


html :

```
<!doctype html>  
  
<html>  
  
<head>  
  
<link rel="stylesheet" type="text/css" href="stylesheet.css">  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<h1> software, user interface, user experience </h1>  
  
<p class="para1"> a tune of better world </p>  
  
  
  
<h2> virtual marketing </h2>  
  
<p class="para2"> success of this initiation </p>  
  
</body>  
  
</html>
```

save as index.html

in a same folder with css.

24a.css border property



software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.paragraph {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
background-image: url(clouds.gif);  
}  
  
#para4homepage {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: #00FF00;  
border-width: thick;  
<! border-color or color code we can write by – name, RGB, Hex code>  
<! border-width we can write by – px, thin, medium, thick>  
border-style: solid;  
background-color: #e5e4d7;  
}
```

save as stylesheet.css

html :


```
<!doctype html>  
<html>  
<head>  
<link rel="stylesheet" type="text/css" href="stylesheet.css">
```

```
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.<br> so that you will select us for your better complacence.<br> in this era idea & proficiency, travelling faster & occupy own abode.
</p>
<p id="para4homepage"> through quality service, we qualify ourselves in a competitive position.<br> so that you will select us for your better complacence.<br> in this era idea & proficiency, travelling faster & occupy own abode.
</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

24b.css border property



output for dashed -

software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

output for dotted –

software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

output for double –

software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

output for groove –

software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

output for ridge –

software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

output for inset –

software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

output for outset –

software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.paragraph {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
background-image: url(clouds.gif);  
}  
  
#para4homepage {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: #00FF00;  
border-width: thick;  
border-style: dashed;  
<! Border-style we can write – dashed, dotted, double, groove, ridge, inset, outset>  
background-color: #e5e4d7;  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.


</p>
<p id="para4homepage"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

25a.css border property



software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.paragraph {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
background-image: url(clouds.gif);  
border-radius: 20px;  
}  
  
#para4homepage {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: #00FF00;  
border-width: thick;  
border-style: dashed;  
background-color: #e5e4d7;  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.


</p>
<p id="para4homepage"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

25b.css border property



software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.paragraph {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
background-image: url(clouds.gif);  
border-bottom-left-radius: 40px;  
border-bottom-right-radius: 60px;  
border-top-left-radius: 60px;  
border-top-right-radius: 40px;  
}  
  
#para4homepage {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: #00FF00;  
border-width: thick;  
border-style: dashed;  
background-color: #e5e4d7;  
}
```

save as **stylesheet.css**


html :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.
</p>
<p id="para4homepage"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.
</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

25c.css border property



software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.paragraph {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
background-image: url(clouds.gif);  
border-bottom-style: dotted;  
border-right-style: dashed;  
border-left-style: dotted;  
border-top-style: dotted;  
}  
  
#para4homepage {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: #00FF00;  
border-width: thick;  
border-style: dashed;  
background-color: #e5e4d7;  
}
```

save as **stylesheet.css**


html :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.
</p>
<p id="para4homepage"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.
</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

25d.css border property



software, user interface, user experience

a tune of better world

virtual marketing

success of this initiation

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

*through quality service, we qualify ourselves in a competitive position.
so that you will select us for your better complacence.
in this era idea & proficiency, travelling faster & occupy own abode.*

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
}  
  
p.paragraph {  
color: purple;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;
```

```
border-style: solid;  
background-image: url(clouds.gif);  
border-bottom-color: blue;  
border-right-color: red;  
border-left-color: red;  
border-top-color: blue;  
}  
  
#para4homepage {  
color: black;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
margin: 40px;  
padding: 40px 40px 40px 200px;  
border-color: #00FF00;  
border-width: thick;  
border-style: dashed;  
background-color: #e5e4d7;  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<h2> virtual marketing </h2>
<p class="paragraph"> success of this <i> initiation </i></p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.


</p>
<p id="para4homepage"> through quality service, we qualify ourselves in a competitive
position.<br> so that you will select us for your better complacence.<br> in this era idea &
proficiency, travelling faster & occupy own abode.

</p>
<p style="color:white;font-size:25px;"> this is in line style</p>
</body>
</html>
```

save as index.html

in a same folder with css.

26a. css the div element (div class format only for html)



software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1,h2 {  
    text-decoration: none;  
    text-align: center;  
}  
  
#para1homepage {  
    color: blue;  
    font-size: 25px;  
    font-family: helvetica;  
    text-align: center;  
}  
  
p.paragraph {  
    color: purple;  
    text-align: center;  
    font-size: 25px;  
    font-family: helvetica;  
    font-style : oblique;  
    line-height: 1.5em;  
    background-color: #e5e4d7;  
    padding: 40px 40px 40px 160px;
```

```
border-color: black;  
border-width: 2px;  
border-style: solid;  
background-image: url(clouds.gif);  
border-bottom-color: blue;  
border-right-color: blue;  
border-left-color: blue;  
border-top-color: blue;  
}  
  
img.image {  
display: block;  
text-align:center;  
margin-left: auto;  
margin-right: auto;  
padding: 3px  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}
```

[save as stylesheet.css](#)


[html :](#)

```
<!doctype html>  
<html>  
<head>
```

```
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<div>
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<div>
<a> </a>
</div>
</div>
<div>
<h2> virtual marketing </h2>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.
</p>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.
</p>
</div>
</body>
</html>
```

this coding same as previous just div class adding
save as index.html in a same folder with css.

26b. css the div element (div class id)



software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
text-align: center;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
text-align: center;  
}  
  
p.paragraph {  
color: purple;  
text-align: center;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;
```

```
border-color: black;  
border-width: 2px;  
border-style: solid;  
background-image: url(clouds.gif);  
border-bottom-color: blue;  
border-right-color: blue;  
border-left-color: blue;  
border-top-color: blue;  
}  
  
img.image {  
display: block;  
text-align:center;  
margin-left: auto;  
margin-right: auto;  
padding: 3px  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
#divmain {  
color: red;  
}  
  
#divvirtual {  
color: red;  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <div>
      <div id="divmain">
        <h1> software, user interface, user experience </h1>
        <p id="para1homepage"> a tune of better world </p>
        <div>
          <a> </a>
        </div>
      </div>
      <div>
        <div id="divvirtual">
          <h2> virtual marketing </h2>
          <p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.
        </p>
        <p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.
      </div>
    </div>
```

```
</body>
```


```
</html>
```

save as index.html

in a same folder with css.

27a. css the span element highlight (html,css both)

(div is section and span is only in line)



software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
text-align: center;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
text-align: center;  
}  
  
p.paragraph {  
color: purple;  
text-align: center;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;
```

```
border-color: black;  
border-width: 2px;  
border-style: solid;  
background-image: url(clouds.gif);  
border-bottom-color: blue;  
border-right-color: blue;  
border-left-color: blue;  
border-top-color: blue;  
}  
  
img.image {  
display: block;  
text-align-center;  
margin-left: auto;  
margin-right: auto;  
padding: 3px  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
#divmain {  
color: red;  
}  
  
#divvirtual {  
color: red;  
}  
  
.highlight {
```

```
background-color: orange;
```

```
}
```

save as stylesheet.css

html :

```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <div>
      <div id="divmain">
        <h1> software, user interface, user experience </h1>
        <p id="para1homepage"> a tune of better world </p>
        <div>
          <a> </a>
        </div>
      </div>
    </div>
```


```
<div id="divvirtual">  
<h2> virtual marketing </h2>  
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so  
that you will select us for your better complacence. in this era idea & proficiency,<span  
class="highlight"> travelling faster & occupy own abode. </span>  
</p>  
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so  
that you will select us for your better complacence. in this era idea & proficiency, travelling  
faster & occupy own abode.  
</p>  
</div>  
</body>  
</html>
```

save as index.html

in a same folder with css.

27b. css the span element highlight (html,css both)

(div is section and span is only in line)



software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1,h2 {  
text-decoration: none;  
text-align: center;  
}  
  
#para1homepage {  
color: blue;  
font-size: 25px;  
font-family: helvetica;  
text-align: center;  
}  
  
p.paragraph {  
color: purple;  
text-align: center;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;
```

```
border-color: black;  
border-width: 2px;  
border-style: solid;  
background-image: url(clouds.gif);  
border-bottom-color: blue;  
border-right-color: blue;  
border-left-color: blue;  
border-top-color: blue;  
}  
  
img.image {  
display: block;  
text-align:center;  
margin-left: auto;  
margin-right: auto;  
padding: 3px  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
#divmain {  
color: red;  
}  
  
#divvirtual {  
color: red;  
}  
  
.highlight {
```

```
background-color: orange;  
}
```

save as **stylesheet.css**

html :

```
<!doctype html>  
  
<html>  
  
<head>  
  
<link rel="stylesheet" type="text/css" href="stylesheet.css">  
  
<title> idol wave </title>  
  
</head>  
  
<body>  
  
<div>  
  
<div id="divmain">  
  
<h1> software, user interface, user experience </h1>  
  
<p id="para1homepage"> a tune of better world </p>  
  
<div>  
  
<a> </a>  
  
</div>  
  
</div>  
  
<div>  
  
<div id="divvirtual">  
  
<h2> virtual marketing </h2>  
  
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so  
that you will select us for your better complacence. in this era idea & proficiency,<span  
class="highlight"> travelling faster & occupy own abode. </span>
```

```
</p>

<p class="paragraph">through quality service, we qualify ourselves in a competitive position.so  
that you will select us for your better complacence. in this era idea & proficiency,<span  
style="color: red"> travelling faster & occupy own abode.</span>


</p>
</div>
</body>
</html>
```

save as index.html

in a same folder with css.


28a. add content page and reuse some of our css classes

(linkup a new page with div id)



software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better
complacence. in this era idea & proficiency, travelling faster & occupy own abode.

more about

[about \(click here\)](#)

virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better
complacence. in this era idea & proficiency, travelling faster & occupy own abode.

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1 {  
    color: none;  
    text-decoration: none;  
    font-size: 150%;  
    text-align: center;  
}  
  
h2 {  
    color: none;  
    text-decoration: none;  
    font-size: 1.5em;  
    text-align: center;  
}  
  
h3 {  
    color: green;  
    text-decoration: none;  
    font-size: 150%;  
}  
  
#para1homepage {  
    color: blue;
```

```
font-size: 25px;  
font-family: helvetica;  
text-align: center;  
}  
  
img.image {  
display: block;  
text-align:center;  
margin-left: auto;  
margin-right: auto;  
padding: 3px  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
p.paragraph {  
color: black;  
text-align: center;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;  
border-style: solid;
```

```
background-image: url(clouds.gif);
border-color: blue;
}

.highlight {
background-color: orange;
}

#divmain {
color: green;
}

#divvirtual {
color: green;
}
```

[save as stylesheet.css](#)

html index :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<div>
<div id="divmain">
```

```
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<div>
<a> </a>
</div>
</div>
<div>
<div id="virtual">
<h2> virtual marketing </h2>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency,<span class="highlight"> travelling faster & occupy own abode. </span>
</p>
</div>
<h3> more about </h3>
<a href="about.html"> about (click here) </a>
</body>
</html>
```

save as index.html

in a same folder with css.

html about :

```
<!doctype html>
<html>
<head>
```


```
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<div>
<div id="virtual">
<h2> virtual marketing </h2>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency,<span style="color: red"> travelling faster & occupy own abode.</span>
</p>
</div>
</body>
</html>
```

save as index.html

in a same folder with css.

28b. add content page and reuse some of our css classes

(linkup a new page with div class content output same as like previous slide)



software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

more about

[about \(click here\)](#)

virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

source (css+html) –

external css :

```
body {  
color: green;  
font-family: Verdana, Arial, Geneva, Arial Black;  
font-weight: bolder;  
}  
  
h1 {  
color: none;  
text-decoration: none;  
font-size: 150%;  
text-align: center;  
}  
  
h2 {  
color: none;  
text-decoration: none;  
font-size: 1.5em;  
text-align: center;  
}  
  
h3 {  
color: green;  
text-decoration: none;  
font-size: 150%;  
}  
  
#para1homepage {  
color: blue;
```

```
font-size: 25px;  
font-family: helvetica;  
text-align: center;  
}  
  
img.image {  
display: block;  
text-align:center;  
margin-left: auto;  
margin-right: auto;  
padding: 3px  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
p.paragraph {  
color: black;  
text-align: center;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;  
border-style: solid;
```

```
background-image: url(clouds.gif);
border-color: blue;
}

.highlight {
background-color: orange;
}

#divmain {
color: green;
}

#divvirtual {
color: green;
}

.divcontent {
color: red;
}
```

[save as stylesheet.css](#)

html index :

```
<!doctype html>

<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
```

```
<div>
<div id="divmain">
<h1> software, user interface, user experience </h1>
<p id="para1homepage"> a tune of better world </p>
<div>
<a> </a>
</div>
</div>
<div>
<div id="virtual">
<h2> virtual marketing </h2>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency,<span class="highlight"> travelling faster & occupy own abode. </span>
</p>
</div>
<h3> more about </h3>
<a href="about.html"> about (click here) </a>
</body>
</html>
```

save as index.html

in a same folder with css.

html about :


```
<!doctype html>
<html>
```

```
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<div>
<div class="divcontent">
<h2> virtual marketing </h2>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency,<span style="color: red"> travelling faster & occupy own abode.</span>
</p>
</div>
</body>
</html>
```

save as about.html

in a same folder with css.

29. css special effects of links



<! first link color is green then hover or mouse catcher is orange and visited color is blue but first link color is not showing in this coding. it will solve in next>

software, user interface, user experience

a tune of better world



virtual marketing


through quality service, we qualify ourselves in a competitive position so that you will select us for your better
complacence. in this era idea & proficiency, travelling faster & occupy own abode.

more about

[about \(click here\)](#)

software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

more about

[about \(click here\)](#)

virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

software, user interface, user experience

a tune of better world



virtual marketing

through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency, travelling faster & occupy own abode.

more about

[about \(click here\)](#)

source (css+html) –

external css :

```
body {  
    color: green;  
    font-family: Verdana, Arial, Geneva, Arial Black;  
    font-weight: bolder;  
}  
  
h1 {  
    color: none;  
    text-decoration: none;  
    font-size: 150%;  
    text-align: center;  
}  
  
h2 {  
    color: none;  
    text-decoration: none;  
    font-size: 1.5em;  
    text-align: center;  
}  
  
h3 {  
    color: green;  
    text-decoration: none;  
    font-size: 150%;  
}  
  
#para1homepage {  
    color: blue;
```

```
font-size: 25px;  
font-family: helvetica;  
text-align: center;  
}  
  
img.image {  
display: block;  
text-align:center;  
margin-left: auto;  
margin-right: auto;  
padding: 3px  
background-color: silver;  
border-color: black;  
border-width: 2px;  
border-style: solid;  
}  
  
p.paragraph {  
color: black;  
text-align: center;  
font-size: 25px;  
font-family: helvetica;  
font-style : oblique;  
line-height: 1.5em;  
background-color: #e5e4d7;  
padding: 40px 40px 40px 160px;  
border-color: black;  
border-width: 2px;  
border-style: solid;
```

```
background-image: url(clouds.gif);
border-color: blue;
}

.highlight {
background-color: orange;
}

#divmain {
color: green;
}

#divvirtual {
color: green;
}

.divcontent {
color: red;
}

a:link {
color: green;
}

a:visited {
color: blue;
}

a:hover {
color: orange;
}
```

save as stylesheet.css

html index :

```
<!doctype html>

<html>
  <head>
    <link rel="stylesheet" type="text/css" href="stylesheet.css">
    <title> idol wave </title>
  </head>
  <body>
    <div>
      <div id="divmain">
        <h1> software, user interface, user experience </h1>
        <p id="para1homepage"> a tune of better world </p>
        <div>
          <a> </a>
        </div>
      </div>
      <div>
        <div id="virtual">
          <h2> virtual marketing </h2>
          <p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so that you will select us for your better complacence. in this era idea & proficiency,<span class="highlight"> travelling faster & occupy own abode. </span>
        </p>
      </div>
      <h3> more about </h3>
      <a href="about.html"> about (click here) </a>
    </body>
  </html>
```

save as index.html
in a same folder with css.

html about :

```
<!doctype html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="stylesheet.css">
<title> idol wave </title>
</head>
<body>
<div>
<div class="divcontent">
<h2> virtual marketing </h2>
<p class="paragraph"> through quality service, we qualify ourselves in a competitive position.so
that you will select us for your better complacence. in this era idea & proficiency,<span
style="color: red"> travelling faster & occupy own abode.</span>
</p>
</div>
</body>
</html>
```

save as about.html
in a same folder with css.

html5
to
vanilla-css3
and
javascript