

TP3 - Serveur Web, NFS et Samba sous Linux

Nom et Prénom : MOUTALIB MOHAMMED
AMINE

Partie 1 : Rappels Essentiels et Vérification de l'Infrastructure

```
server@ubuntu-server:~$ ip addr show enp0s8
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:cd:bb:72 brd ff:ff:ff:ff:ff:ff
    inet 192.168.100.10/24 brd 192.168.100.255 scope global enp0s8
        valid_lft forever preferred_lft forever
    inet6 fe80::a00:27ff:fed:bb72/64 scope link
        valid_lft forever preferred_lft forever
server@ubuntu-server:~$
```

```
client@ubuntu-client:~$ ip addr show enp0s8
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:f2:43:f2 brd ff:ff:ff:ff:ff:ff
    inet 192.168.100.100/24 brd 192.168.100.255 scope global dynamic noprefixroute enp0s8
        valid_lft 308sec preferred_lft 308sec
    inet6 fe80::a00:27ff:fef2:43f2/64 scope link
        valid_lft forever preferred_lft forever
```

```
client@ubuntu-client:~$ ping 192.168.100.10
PING 192.168.100.10 (192.168.100.10) 56(84) bytes of data.
64 bytes from 192.168.100.10: icmp_seq=1 ttl=64 time=0.553 ms
64 bytes from 192.168.100.10: icmp_seq=2 ttl=64 time=0.589 ms
64 bytes from 192.168.100.10: icmp_seq=3 ttl=64 time=0.603 ms
^C
-- 192.168.100.10 ping statistics --
3 packets transmitted, 3 received, 0% packet loss, time 2042ms
```

```
client@ubuntu-client:~$ ping server.lab.local
PING server.lab.local (192.168.100.10) 56(84) bytes of data.
64 bytes from server.lab.local (192.168.100.10): icmp_seq=1 ttl=64 time=0.354 ms
64 bytes from server.lab.local (192.168.100.10): icmp_seq=2 ttl=64 time=1.10 ms
64 bytes from server.lab.local (192.168.100.10): icmp_seq=3 ttl=64 time=0.327 ms
64 bytes from server.lab.local (192.168.100.10): icmp_seq=4 ttl=64 time=0.422 ms
^C
--- server.lab.local ping statistics ---
```

```

server@ubuntu-server:~$ sudo systemctl status isc-dhcp-server
[sudo] password for server:
• isc-dhcp-server.service - ISC DHCP IPv4 server
  Loaded: loaded (/usr/lib/systemd/system/isc-dhcp-server.service; enabled; preset: enabled)
  Active: active (running) since Fri 2025-12-26 19:00:59 UTC; 28min ago
    Docs: man:dhcpd(8)
   Main PID: 6064 (dhcpd)
      Tasks: 1 (limit: 2268)
     Memory: 3.8M (peak: 4.0M)
        CPU: 43ms
   CGroup: /system.slice/isc-dhcp-server.service
           └─6064 dhcpd -user dhcpd -group dhcpd -f -4 -pf /run/dhcp-server/dhcpd.pid -cf /etc/dhcp/dhcpd.conf enp0s8

Dec 26 19:06:15 ubuntu-server dhcpd[6064]: DHCPREQUEST for 192.168.100.100 from 08:00:27:f2:43:f2 (ubuntu-client) via enp0s8
Dec 26 19:06:15 ubuntu-server dhcpd[6064]: DHCPACK on 192.168.100.100 to 08:00:27:f2:43:f2 (ubuntu-client) via enp0s8
server@ubuntu-server:~$ sudo systemctl status bind9
• named.service - BIND Domain Name Server
  Loaded: loaded (/usr/lib/systemd/system/named.service; enabled; preset: enabled)
  Active: active (running) since Fri 2025-12-26 19:02:43 UTC; 28min ago
    Docs: man:named(8)
   Main PID: 6085 (named)
  Status: "running"
      Tasks: 5 (limit: 2268)
     Memory: 23.0M (peak: 23.3M)
        CPU: 375ms
   CGroup: /system.slice/named.service
           └─6085 /usr/sbin/named -f -u bind

Dec 26 19:15:15 ubuntu-server named[6085]: timed out resolving 'connectivity-check.ubuntu.com/AAAA/IN': 1.1.1.1#53
Dec 26 19:15:16 ubuntu-server named[6085]: timed out resolving 'connectivity-check.ubuntu.com/AAAA/IN': 8.8.8.8#53
Dec 26 19:15:25 ubuntu-server named[6085]: timed out resolving 'connectivity-check.ubuntu.com/A/IN': 1.1.1.1#53
Dec 26 19:15:25 ubuntu-server named[6085]: timed out resolving 'connectivity-check.ubuntu.com/A/IN': 8.8.8.8#53

server@ubuntu-server:~$ sudo systemctl start isc-dhcp-server
server@ubuntu-server:~$ sudo systemctl start bind9
server@ubuntu-server:~$

```

Partie 2 : Configuration d'un Serveur Web Apache

```

server@ubuntu-server:~$ sudo apt update
Hit:1 http://ma.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:3 http://ma.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Hit:4 http://ma.archive.ubuntu.com/ubuntu noble-backports InRelease
Fetched 126 kB in 2s (75.7 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
58 packages can be upgraded. Run 'apt list --upgradable' to see them.


```

```

server@ubuntu-server:~$ sudo systemctl status apache2
apache2.service - The Apache HTTP Server
  Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
  Active: active (running) since Fri 2025-12-26 19:38:01 UTC; 32s ago
    Docs: https://httpd.apache.org/docs/2.4/
   Main PID: 7056 (apache2)
      Tasks: 55 (limit: 2268)
     Memory: 5.1M (peak: 5.4M)
        CPU: 58ms
   CGroup: /system.slice/apache2.service
           └─7056 /usr/sbin/apache2 -k start
             └─7059 /usr/sbin/apache2 -k start
               └─7060 /usr/sbin/apache2 -k start

ec 26 19:38:01 ubuntu-server systemd[1]: Starting apache2.service - The Apache HTTP Server...
ec 26 19:38:01 ubuntu-server apachectl[7055]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, us
ec 26 19:38:01 ubuntu-server systemd[1]: Started apache2.service - The Apache HTTP Server.

```



```
<!DOCTYPE html>
<html lang="fr">
<head>
  <meta charset="UTF-8">
  <title>Site 1 - Lab local</title>
  <style>
    body { font-family: Arial; background: #e3f2fd;
      text-align: center; padding: 50px; }
    h1 { color: #1976d2; }
  </style>
</head>
</body>
</html>
<h1>Bienvenue sur Site 1</h1>
<p>Ce site est hébergé sur <strong>site1.lab.local</strong></p>
<p>Serveur Apache - TP3 Administration Réseau</p>
</body>
</html>
```

```

GNU nano 7.2 /var/www/site2/
<!DOCTYPE html>
<html lang="fr">
<head>
  <meta charset="UTF-8">
  <title>Site 2 - Lab Local</title>
  <style>
    body { font-family: Arial; background: #fff3e0;
          text-align: center; padding: 50px;}
    h1 { color: #57c00; }
  </style>
</head>
</body>
  <h1>Bienvenue sur Site 2</h1>
  <p>Ce site est hébergé sur <strong>site2.lab.local</strong></p>
  <p>Serveur Apache - TP3 Administration Réseau</p>
</body>
</html>

```

```

server@ubuntu-server:~$ sudo chown -R www-data:www-data /var/www/site1
server@ubuntu-server:~$ sudo chown -R www-data:www-data /var/www/site2
server@ubuntu-server:~$ sudo chmod -R 755 /var/www/site1
server@ubuntu-server:~$ sudo chmod -R 755 /var/www/site2
server@ubuntu-server:~$ sudo nano /etc/apache2/sites-available/site1.conf

```

```

GNU nano 7.2 /etc/apache2/sites-available/
<VirtualHost *:80>
  ServerName site1.lab.local
  ServerAdmin admin@lab.local
  DocumentRoot /var/www/site1

  ErrorLog ${APACHE_LOG_DIR}/site1_error.log
  CustomLog ${APACHE_LOG_DIR}/site1.access.log combined

  <Directory /var/www/site1>
    Options Indexes FollowSymLinks
    AllowOverride All
    Require all granted
  </Directory>
</VirtualHost>

```

```

GNU nano 7.2 /etc/apache2/sites-av
<VirtualHost *:80>
  ServerName site2.lab.local
  ServerAdmin admin@lab.local
  DocumentRoot /var/www/site2


  ErrorLog ${APACHE_LOG_DIR}/site2_error.log
  CustomLog ${APACHE_LOG_DIR}/site2_access.log combined

  <Directory /var/www/site2>
    Options Indexes FollowSumLinks
    AllowOverride All
    Require all granted
  </Directory>
</VirtualHost>

```

```
; BIND data file for local loopback interface
;
$TTL 604800
@ IN SOA server.lab.local. admin.lab.local. (
    3      ; Serial
    604800 ; Refresh
    86400  ; Retry
    2419200 ; Expire
    604800 ) ; Negative Cache TTL
;
@ IN NS server.lab.local.
server IN A 192.168.100.10
client IN A 192.168.100.100
www IN CNAME server
site1 IN A 192.168.100.10
site2 IN A 192.168.100.10
```

```
server@ubuntu-server:~$ sudo named-checkzone lab.local /etc/bind/db.lab.local
zone lab.local/IN: loaded serial 3
OK
server@ubuntu-server:~$ sudo systemctl reload bind9
server@ubuntu-server:~$
```



Partie 3 : Configuration d'un Serveur de Partage NFS

```
No VM guests are running outdated hypervisor (qemu) binaries on this host.
server@ubuntu-server:~$ sudo systemctl status nfs-kernel-server
• nfs-server.service - NFS server and services
   Loaded: loaded (/usr/lib/systemd/system/nfs-server.service; enabled; preset: enabled)
   Active: active (exited) since Sat 2025-12-27 07:25:04 UTC; 2min 40s ago
   Main PID: 15119 (code=exited, status=0/SUCCESS)
   CPU: 24ms

Dec 27 07:25:03 ubuntu-server systemd[1]: Starting nfs-server.service - NFS server and services...
Dec 27 07:25:03 ubuntu-server exportfs[15117]: exportfs: can't open /etc/exports for reading
Dec 27 07:25:04 ubuntu-server systemd[1]: Finished nfs-server.service - NFS server and services.
server@ubuntu-server:~$
```

```
GNU nano 7.2
Bienvenue sur le partage NFS !
```

```
• Command not found
server@ubuntu-server:~$ sudo chown -R nobody:nogroup /srv/nfs/partage
server@ubuntu-server:~$ sudo chmod -R 777 /srv/nfs/partage
server@ubuntu-server:~$ sudo nano /etc/exports
```

```
client@ubuntu-client:~$ sudo apt update
[sudo] password for client:
Hit:1 http://archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:5 http://archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:6 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [377 kB]
Get:7 http://archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
Get:8 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
```

```
client@ubuntu-client:~$ sudo apt install nfs-common
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  keyutils libevent-core-2.1-7t64 rpcbind
Suggested packages:
  open-iscsi watchdog
The following NEW packages will be installed:
  keyutils libevent-core-2.1-7t64 nfs-common rpcbind
0 upgraded, 4 newly installed, 0 to remove and 152 not upgraded.
Need to get 443 kB of archives.
After this operation, 1,497 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu noble/main amd64 libevent-core-2.1-7t64 amd64 2.1.12-stable-9ubuntu2 [91.3 kB]
Get:2 http://archive.ubuntu.com/ubuntu noble/main amd64 keyutils amd64 1:1.3-6ubuntu2 [54.5 kB]
```

```
client@ubuntu-client:~$ showmount -e 192.168.100.10
Export list for 192.168.100.10:
/srv/nfs/partage 192.168.100.0/24
client@ubuntu-client:~$
```

```

client@ubuntu-client:~$ showmount -e 192.168.100.10
Export list for 192.168.100.10:
client@ubuntu-client:~$ showmount -e 192.168.100.10
Export list for 192.168.100.10:
/srv/nfs/partage 192.168.100.0/24
client@ubuntu-client:~$ sudo mkdir -p /mnt/nfs_partage
client@ubuntu-client:~$ sudo mount 192.168.100.10:/srv/nfs/partage /mnt/nfs_partage
client@ubuntu-client:~$ df -h | grep nfs
192.168.100.10:/srv/nfs/partage 12G 5.0G 5.8G 47% /mnt/nfs_partage
client@ubuntu-client:~$ mount | grep nfs
192.168.100.10:/srv/nfs/partage on /mnt/nfs_partage type nfs4 (rw,relatime,vers=4.2,rsize=262144,wsiz=262144,namlen=255,hard,proto=tcp,timeo=600,retrans=2,sec=sys,clientaddr=192.168.100.100,local_lock=none,addr=192.168.100.10)
client@ubuntu-client:~$ ls -la /mnt/nfs_partage
total 12
drwxrwxrwx 2 nobody nogroup 4096 Dec 27 08:33
drwxr-xr-x 3 root root 4096 Dec 27 09:01 ..
-rwxrwxrwx 1 nobody nogroup 31 Dec 27 08:33 bienvenue.txt
client@ubuntu-client:~$
client@ubuntu-client:~$ cat /mnt/nfs_partage/bienvenue.txt
Bienvenue sur le partage NFS !
client@ubuntu-client:~$ echo "Test depuis le client" > /mnt/nfs_partage/test_client.txt
client@ubuntu-client:~$

```

```

server@ubuntu-server:~$ ls -la /srv/nfs/partage
total 16
drwxrwxrwx 2 nobody nogroup 4096 Dec 27 08:10
drwxr-xr-x 3 root root 4096 Dec 27 07:31 ..
-rwxrwxrwx 1 nobody nogroup 31 Dec 27 07:33 bienvenue.txt
-rw-rw-r-- 1 server server 22 Dec 27 08:10 test_client.txt
server@ubuntu-server:~$ cat /srv/nfs/partage/test_client.txt
Test depuis le client
server@ubuntu-server:~$

```

Configuration d'un Serveur de Partage Samba

```

• smbd.service - Samba SMB Daemon
  Loaded: loaded (/usr/lib/systemd/system/smbd.service; enabled; preset: enabled)
  Active: active (running) since Sat 2025-12-27 08:47:23 UTC; 55s ago
    Docs: man:smbd(8)
           man:samba(7)
           man:smb.conf(5)
  Main PID: 17089 (smbd)
    Status: "smbd: ready to serve connections..."
     Tasks: 3 (limit: 2268)
  Memory: 10.2M (peak: 10.4M)
     CPU: 210ms
  CGroup: /system.slice/smbd.service
          └─17089 /usr/sbin/smbd --foreground --no-process-group
            └─17092 "smbd: notifyd"
              └─17093 "smbd: cleanupd"

Dec 27 08:47:23 ubuntu-server systemd[1]: Starting smbd.service - Samba SMB Daemon...
Dec 27 08:47:23 ubuntu-server (smbd)[17089]: smbd.service: Referenced but unset environment variable evaluates to an empty string: SMBDOPTIONS
Dec 27 08:47:23 ubuntu-server systemd[1]: Started smbd.service - Samba SMB Daemon.
server@ubuntu-server:~$

server@ubuntu-server:~$ sudo systemctl status nmbd
• nmbd.service - Samba NMB Daemon
  Loaded: loaded (/usr/lib/systemd/system/nmbd.service; enabled; preset: enabled)
  Active: active (running) since Sat 2025-12-27 08:47:25 UTC; 1min 37s ago
    Docs: man:nmbd(8)
           man:samba(7)
           man:smb.conf(5)
  Main PID: 17157 (nmbd)
    Status: "nmbd: ready to serve connections..."
     Tasks: 1 (limit: 2268)
  Memory: 3.1M (peak: 3.4M)
     CPU: 195ms
  CGroup: /system.slice/nmbd.service
          └─17157 /usr/sbin/nmbd --foreground --no-process-group

Dec 27 08:47:25 ubuntu-server systemd[1]: Starting nmbd.service - Samba NMB Daemon...
Dec 27 08:47:25 ubuntu-server (nmbd)[17157]: nmbd.service: Referenced but unset environment variable evaluates to an empty string: NMBDOPTIONS
Dec 27 08:47:25 ubuntu-server systemd[1]: Started nmbd.service - Samba NMB Daemon.
server@ubuntu-server:~$

server@ubuntu-server:~$ smbd --version
Version 4.19.5-Ubuntu
server@ubuntu-server:~$

```



```
server@ubuntu-server:~$ sudo mkdir -p /srv/samba/public
server@ubuntu-server:~$ sudo chmod 777 /srv/samba/public
server@ubuntu-server:~$ sudo mkdir -p /srv/samba/prive
server@ubuntu-server:~$ sudo chmod 770 /srv/samba/prive
server@ubuntu-server:~$ sudo chown root:sambashare /srv/samba/prive
server@ubuntu-server:~$ echo "Partage public samba" | sudo tee /srv/samba/public/info.txt
Partage public samba
server@ubuntu-server:~$ echo "Partage prive securise" | sudo tee /srv/samba/prive/confidentiel.txt
Partage prive securise
server@ubuntu-server:~$
```

```
[Public]
comment = Partage Public samba
path = /srv/samba/public
browseable = yes
read only = no
guest ok = yes
create mask 0777
directory mask = 0777
```

```
[Prive]
comment = Partage Prive Securise
path = /srv/samba/prive
browseable = yes
read only = no
guest ok = no
valid users = @sambashare
create mask = 0770
directory mask = 0770
```

```
server@ubuntu-server:~$
```

```
server@ubuntu-server:~$ sudo adduser sambauser
info: Adding user `sambauser' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group `sambauser' (1001) ...
info: Adding new user `sambauser' (1001) with group `sambauser (1001)' ...
info: Creating home directory `/home/sambauser' ...
info: Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for sambauser
Enter the new value, or press ENTER for the default
  Full Name []:
  Room Number []: ^[[A^[[A^[[A
  Work Phone []:
fatal: `/bin/chfn sambauser' returned error code 1. Exiting.
server@ubuntu-server:~$
server@ubuntu-server:~$ n: '
server@ubuntu-server:~$ sudo usermod -aG sambashare sambauser
server@ubuntu-server:~$ sudo smbpasswd -a sambauser
New SMB password:
Retype new SMB password:
Added user sambauser.
server@ubuntu-server:~$ sudo smbpasswd -e sambauser
Enabled user sambauser.
server@ubuntu-server:~$
```

```

[Public]
comment = Partage Public samba
directory mask = 0777
guest ok = Yes
path = /srv/samba/public
read only = No

[Prive]
comment = Partage Prive Securise
create mask = 0770
directory mask = 0770
path = /srv/samba/prive
read only = No
valid users = @sambashare
server@ubuntu-server:~$ sudo systemctl restart smbd
server@ubuntu-server:~$ sudo systemctl restart nmbd
server@ubuntu-server:~$ sudo systemctl status smbd
• smbd.service - Samba SMB Daemon
   Loaded: loaded (/usr/lib/systemd/system/smbd.service; enabled; preset: enabled)
   Active: active (running) since Sat 2025-12-27 09:22:05 UTC; 30s ago
     Docs: man:smbd(8)
           man:samba(7)
           man:smb.conf(5)
   Process: 17422 ExecCondition=/usr/share/samba/is-configured smb (code=exited, status=0/SUCCESS)
  Main PID: 17425 (smbd)
    Status: "smbd: ready to serve connections..."
     Tasks: 3 (limit: 2268)
  Memory: 7.5M (peak: 7.8M)
     CPU: 106ms
   CGroup: /system.slice/smbd.service
           └─17425 /usr/sbin/smbd --foreground --no-process-group
             └─17428 "smbd: notifyd" ;
               └─17429 "smbd: cleanupd" ;

Dec 27 09:22:05 ubuntu-server systemd[1]: Starting smbd.service - Samba SMB Daemon...
Dec 27 09:22:05 ubuntu-server (smbd)[17425]: smbd.service: Referenced but unset environment variable evaluates to an empty string: SMBSERVER
Dec 27 09:22:05 ubuntu-server systemd[1]: Started smbd.service - Samba SMB Daemon.
server@ubuntu-server:~$

```

```

client@ubuntu-client:~$ sudo apt install smbclient cifs-utils
[sudo] password for client:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  python3-gpg python3-ldb python3-markdown python3-samba python3-talloc python3-tdb samba-common samba-common-bin
  samba-dsdb-modules
Suggested packages:
  winbind python-markdown-doc heimdal-clients python3-dnspython
The following NEW packages will be installed:
  cifs-utils python3-gpg python3-ldb python3-markdown python3-samba python3-talloc python3-tdb samba-common
  samba-common-bin samba-dsdb-modules smbclient
0 upgraded, 11 newly installed, 0 to remove and 152 not upgraded.
Need to get 5,474 kB of archives.
After this operation, 29.5 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 cifs-utils amd64 2:7.0-2ubuntu0.2 [96.6 kB]
Get:2 http://archive.ubuntu.com/ubuntu noble/main amd64 python3-gpg amd64 1.18.0-4.1ubuntu4 [209 kB]
Get:3 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 python3-ldb amd64 2:2.8.0+samba4.19.5+dfsg-4ubuntu9.4
1.8 kB]
Get:4 http://archive.ubuntu.com/ubuntu noble/main amd64 python3-markdown all 3.5.2-1 [72.0 kB]

```

```

client@ubuntu-client:~$ smbclient -L //192.168.100.10 -N

      Sharename      Type      Comment
      -----      -
      print$         Disk      Printer Drivers
      Public          Disk      Partage Public samba
      Prive           Disk      Partage Prive Securise
      IPC$            IPC       IPC Service (ubuntu-server server (Samba, Ubuntu))
SMB1 disabled -- no workgroup available

```

```
client@ubuntu-client:~$ smbclient //192.168.100.10/Public -N
Try "help" to get a list of possible commands.
smb: \> ls
.                D            0   Sat Dec 27 09:57:30 2025
..               D            0   Sat Dec 27 09:57:30 2025
info.txt         N            21   Sat Dec 27 09:57:30 2025

11758760 blocks of size 1024. 5865836 blocks available
smb: \> get info.txt
getting file \info.txt of size 21 as info.txt (2.1 KiloBytes/sec) (average 2.1 KiloBytes/sec)
smb: \> exit
client@ubuntu-client:~$
```

```
client@ubuntu-client:~$ sudo mkdir -p /mnt/samba_public
[sudo] password for client:
client@ubuntu-client:~$ sudo mkdir -p /mnt/samba_priv
client@ubuntu-client:~$ sudo mount -t cifs //192.168.100.10/public /mnt/samba_public -o guest
mount: (hint) your fstab has been modified, but systemd still uses
the old version; use 'systemctl daemon-reload' to reload.
client@ubuntu-client:~$ sudo mount -t cifs //192.168.100.10/priv /mnt/samba_priv -o username=sambauser
Password for sambauser@//192.168.100.10/priv:
mount: (hint) your fstab has been modified, but systemd still uses
the old version; use 'systemctl daemon-reload' to reload.
client@ubuntu-client:~$
```

```
client@ubuntu-client:~$ echo "Test client public" > /mnt/samba_public/test.txt
bash: /mnt/samba_public/test.txt: Permission denied
client@ubuntu-client:~$ echo "Test client public" > /mnt/samba_public/test.txt
bash: /mnt/samba_public/test.txt: Permission denied
client@ubuntu-client:~$ cat /mnt/samba_public/test.txt
cat: /mnt/samba_public/test.txt: No such file or directory
client@ubuntu-client:~$ ^C
client@ubuntu-client:~$
```

```
client@ubuntu-client:~$ echo "Test client public" | sudo tee /mnt/samba_public/test.txt
[sudo] password for client:
Test client public
client@ubuntu-client:~$ echo "Document Confidentiel" | sudo tee /mnt/samba_public/test.txt
tee: /mnt/samba_public/test.txt: Permission denied
Document Confidentiel
client@ubuntu-client:~$
```

```
ls: cannot open directory '/srv/samba/priv': Permission denied
server@ubuntu-server:~$ ls -la /srv/samba/public
total 16
drwxrwxrwx 2 root  root  4096 Dec 27 15:36 
drwxr-xr-x 4 root  root  4096 Dec 27 08:55 ..
-rw-r--r-- 1 root  root   21 Dec 27 08:57 info.txt
-rwxr--r-- 1 nobody nogroup 19 Dec 27 10:42 test.txt
server@ubuntu-server:~$ ls -la /srv/samba/priv
ls: cannot open directory '/srv/samba/priv': Permission denied
server@ubuntu-server:~$
```