

Canada

Statistics Canada

Canadian Tobacco, Alcohol and Drugs Survey, 2017: Person file

Study Documentation

September 21, 2020

Metadata Production

| | |
|-----------------------------|-----------------------------|
| Metadata Producer(s) | Scholars Portal , OCUL |
| Production Date | September 22, 2018 |
| Version | 2018-11-22 |
| Identification | CTADS-82M0020-E-2017-person |

Table of Contents

| | |
|--|--------------------|
| Overview..... | 4 |
| Scope & Coverage..... | 4 |
| Producers & Sponsors..... | 5 |
| Sampling..... | 5 |
| Data Collection..... | 5 |
| Accessibility..... | 6 |
| Rights & Disclaimer..... | 6 |
| Files Description..... | 7 |
| ctas_2017_per_en..... | 7 |
| Variables Group(s)..... | 8 |
| Administration Variables..... | 8 |
| Alcohol Status..... | 8 |
| Cannabis..... | 8 |
| Derived Variables - Household..... | 10 |
| Derived Variables - Person..... | 10 |
| Drinking Behaviour..... | 11 |
| Drug Use..... | 12 |
| E-cigarette Use..... | 13 |
| Effects of Drug Use on Life..... | 15 |
| Exposure to Second-hand Smoke..... | 16 |
| Health Professionals..... | 16 |
| Health Status..... | 16 |
| Household Smoking..... | 17 |
| Labour Force..... | 17 |
| Monthly Pattern..... | 18 |
| Perception of Harm..... | 18 |
| Smoking Behaviour..... | 18 |
| Smoking Cessation..... | 19 |
| Smoking Status..... | 21 |
| Menthol..... | 21 |
| Source of Cigarettes..... | 21 |
| Source of Drugs..... | 22 |
| Tobacco Products..... | 23 |
| Weekly Pattern..... | 24 |
| Who's Assist..... | 24 |
| Weight Variables..... | 24 |
| Bootstrap replicate weights..... | 24 |
| Smoking Cigarettes..... | 24 |
| Drinking..... | 25 |
| Cigars..... | 26 |
| Cocaine..... | 27 |
| Stimulants..... | 27 |
| Pain Relievers..... | 28 |
| Sedatives..... | 29 |
| Hallucinogens..... | 30 |
| Amphetamines, Speed, Methamphetamines or Crystal Meth..... | 30 |
| Ecstasy..... | 30 |
| Solvents..... | 31 |
| Heroin..... | 31 |
| Salvia..... | 31 |
| Pharmaceuticals..... | 31 |
| Inhalants..... | 32 |
| Drinking..... | 32 |
| Smuggled Cigarettes..... | 32 |

| | |
|--|--------------------|
| Codeine..... | 33 |
| Oxycodone..... | 33 |
| Opioid..... | 33 |
| Variables Description..... | 34 |
| ctas_2017_per_en..... | 35 |

Canadian Tobacco, Alcohol and Drugs Survey, 2017: Person file (CTADS 2017 person file)

Enquête canadienne sur le tabac, l'alcool et les drogues, 2017: Fichier annuel des personnes

| Overview | |
|--|---|
| Type | Canadian Tobacco, Alcohol and Drugs Survey |
| Identification | CTADS-82M0020-E-2017-person |
| Version | Production Date: 2018 2018-11-22 Notes V1 |
| Series | Statistics Canada has conducted smoking surveys on an ad hoc basis on behalf of Health Canada since the 1960s. These surveys have been done as supplements to the Canadian Labour Force Survey and as random digit dialling telephone surveys. In February 1994, a change in legislation was passed which allowed a reduction in cigarette taxes. Since there was no survey data from immediately before this legislative change, it was difficult for Health Canada or other interested analysts to measure exactly the impact of the change. As Health Canada wants to be able to monitor the consequences of legislative changes and anti-smoking policies on smoking behaviour, the Canadian Tobacco Use Monitoring Survey (CTUMS) was designed to provide Health Canada and its partners/stakeholders with continual and reliable data on tobacco use and related issues. Since 1999, two CTUMS files have been released every year: a file with data collected from February to June and a file with the July to December data. Additionally, there has also been a yearly summary. This process was changed for the 2011 release. There is now only an annual file released each year. As of 2013, new content, covering alcohol use as well as prescription and non-prescription drug use, was added to the Canadian Tobacco Use Monitoring Survey (CTUMS). Therefore, the survey is now entitled Canadian Tobacco, Alcohol and Drugs Survey (CTADS). |
| Abstract The Canadian Tobacco, Alcohol and Drugs Survey (CTADS) is a biennial general population survey of tobacco, alcohol and drug use among Canadians aged 15 years and older. It replaces the Canadian Tobacco Use Monitoring Survey (CTUMS), which was conducted from 1999 to 2012, and the Canadian Alcohol and Drug Use Monitoring Survey (CADUMS), which was conducted from 2008 to 2012. The CTADS merged the core tobacco content from CTUMS and the core drug and alcohol content from CADUMS, resulting in more efficient data collection and providing a tool to monitor and compare the use of multiple products and substances with addictive properties. The CTADS is conducted by Statistics Canada on behalf of Health Canada. | |
| Kind of Data | Survey data |
| Unit of Analysis | Individual |

| Scope & Coverage | |
|---|--|
| Keywords | Addiction, Age, Age groups, Cigarettes, Cigars, Drugs, Former smokers, Health, Health professionals, Medical checkups, Nicotine, Non-smokers, Second-hand, Smoke, Smoking cessation, Teenage smoking, Tobacco products, Tobacco use, Youth |
| Topics | Health, Lifestyle and social conditions |
| Time Period(s) | 2017 |
| Countries | Canada |
| Geographic Coverage Canada, Provinces | |

Universe

Included: Population of Canada aged 15 years and over Excluded: Residents of Yukon, Northwest Territories and Nunavut, as well as full-time residents of institutions and residents without phones.

Producers & Sponsors

| | |
|--------------------------------|-------------------|
| Primary Investigator(s) | Statistics Canada |
| Other Producer(s) | Statistics Canada |

Sampling**Sampling Procedure**

The sample design is a special two-phase stratified random sample of telephone numbers. The two-phase design is used to increase the representation of individuals belonging to the 15 to 19 and 20 to 24 age groups.

Response Rate

The household response rate for the CTADS 2017 was 50.7%. The person response rate was 70.4%.

Weighting

For the microdata file, statistical weights were placed on each record to represent the number of sampled persons that the record represents. One weight was calculated for each household and a separate weight was calculated and provided on a different file, for each person. The principle behind estimation in a probability sample is that each person in the sample "represents", besides himself or herself, several other persons not in the sample. For example, in a simple random 2% sample of the population, each person in the sample represents 50 persons in the population. The weighting phase is a step which calculates this number (or weight) for each record. This weight, which appears on the microdata file, must be used to derive meaningful estimates from the survey. For example, if the number of people in Canada who smoke daily is to be estimated, it is done by selecting the records referring to those individuals in the sample with that characteristic (SS_Q10 = 1) and summing the weights entered on those records. Details of the method used to calculate these weights are presented in Chapter 11.0.

Data Collection

| | |
|------------------------------|---|
| Data Collection Dates | start 2017-02-01 end 2017-12-31 |
| Time Period(s) | Reference Year: start 2017-02-01 Reference Year: end 2017-12-31 |
| Data Collection Mode | Data were collected using computer-assisted telephone interviewing (CATI). The CATI system has a number of generic modules which can be quickly adapted to most types of surveys. A front-end module contains a set of standard response codes for dealing with all possible call outcomes, as well as the associated scripts to be read by the interviewers. |

Questionnaires

Structured Questionnaire

Other Processing

Qualitative testing was used to test new and revised content. A total of fifteen cognitive interviews were conducted, within which the test questionnaire was administered face-to-face with participants, to determine if the content was relevant and well understood. Collection instrument - The following modules were added to the 2017 questionnaire: Household Vaping (HV), Cessation Methods (CM), Health Professionals (HP), Perception of Harm (POH), Other drugs and substances (ODS), Aboriginal and Education Highest Degree. Some questions were added or modified in the following existing modules: Electronic Cigarette (ELC), Tobacco Products (TP), Other Cessation Methods (OM) and Cannabis (CAN) modules. Questions in the Purchasing Patterns (PP) module were reordered.

| Accessibility | |
|---|--|
| Access Authority | Data Liberation Initiative (DLI) (Statistics Canada) , http://www.statcan.gc.ca/eng/dli/dli |
| Contact(s) | Data Liberation Initiative (DLI) (Statistics Canada) , http://www.statcan.gc.ca/eng/dli/dli |
| Distributor(s) | Data Liberation Initiative |
| <u>Citation Requirements</u> Statistics Canada hereby grants to the Licensee a non-exclusive, non-assignable and non-transferable licence to use the Microdata files and related documentation for statistical and research purposes. The Microdata files shall not be used for any other purposes without the prior written consent of Statistics Canada. (Appendix 1, Section 6, DLI Licence Agreement - Microdata Files) | |

| Rights & Disclaimer | |
|--------------------------------|---------------------------------------|
| Copyright | Copyright (c) Statistics Canada, 2018 |

Files Description

Dataset contains 1 file(s)

| ctas_2017_per_en | |
|------------------|-------|
| # Cases | 16349 |
| # Variable(s) | 407 |

Variables Group(s)

Dataset contains 47 group(s)

| Group Administration Variables | | | | | | | |
|--------------------------------|----------|--|------------|-------------|-------|---------|--|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | PUMFID | Randomly generated sequence number for the public use microdata file | continuous | numeric-5.0 | 16349 | 0 | - |
| 2 | REFYEAR | Survey year | discrete | numeric-4.0 | 16349 | 0 | - |
| 3 | REFMONTH | Survey month | discrete | numeric-2.0 | 16349 | 0 | - |
| 4 | PROV | Province of the selected respondent | discrete | numeric-2.0 | 16349 | 0 | - |
| 5 | LP_01 | English or French | discrete | numeric-1.0 | 6634 | 9715 | Would you prefer that I speak in English or in French? |
| 6 | VERDATE | Version date of when the file was created | discrete | character-9 | 16349 | 0 | - |

| Group Alcohol Status | | | | | | | |
|----------------------|----------|-----------------|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | ALCSTAT3 | Drinking status | discrete | numeric-1.0 | 16161 | 188 | - |

| Group Cannabis | | | | | | | |
|----------------|----------|--|----------|-------------|-------|---------|---|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | CAN_010 | Used marijuana - ever | discrete | numeric-1.0 | 16126 | 223 | During your lifetime, have you ever used or tried marijuana? |
| 2 | CAN_020 | Used marijuana - num times | discrete | numeric-1.0 | 7028 | 9321 | Have you used marijuana just once or more than once? |
| 3 | CAN_030 | Used marijuana - 12 mo. | discrete | numeric-1.0 | 7026 | 9323 | During the past 12 months have you used marijuana? |
| 4 | CAN_032A | How used marijuana - smoked - 12 mo. | discrete | numeric-1.0 | 3477 | 12872 | During the past 12 months, have you used or tried marijuana or cannabis the following way: Smoked a joint, bong, pipe or blunt? |
| 5 | CAN_032B | How used marijuana - mixed with tobacco - 12 mo. | discrete | numeric-1.0 | 3467 | 12882 | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Mixed or combined it with tobacco in a joint (also known as a spliff) or in a bong or in a pipe (also known as "yacht" or "popper" or "topper") for smoking? |
| 6 | CAN_032C | How used marijuana - chasing - 12 mo. | discrete | numeric-1.0 | 3478 | 12871 | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Smoked a joint and right after smoked a tobacco product such as a cigarette, cigar, or cigarillo (also known as chasing)? |
| 7 | CAN_032D | How used marijuana - eaten - 12 mo. | discrete | numeric-1.0 | 3478 | 12871 | During the past 12 months have you used or tried marijuana or cannabis the following way: Eaten it in food such as brownies, cake, cookies or candy? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|--|------------|-------------|-------|---------|--|
| 8 | CAN_032E | How used marijuana - drink- 12 mo. | discrete | numeric-1.0 | 3479 | 12870 | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Drunk it in tea, cola, alcohol or other drinks? |
| 9 | CAN_032F | How used marijuana - vaporized - 12 mo. | discrete | numeric-1.0 | 3479 | 12870 | (During the past 12 months have you used or tried marijuana or cannabis the following way:) Vaporized it with a vapouriser, vape pen or e-cigarette? |
| 10 | CAN_032G | How used marijuana - dabbed - 12 mo. | discrete | numeric-1.0 | 3476 | 12873 | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Dabbed it? |
| 11 | CAN_037 | Where usually get marijuana - 12 mo. | discrete | numeric-2.0 | 3390 | 12959 | In the past 12 months, where did you usually get the marijuana or cannabis you used? |
| 12 | CAN_038 | Driven within 2 hours of using marijuana - 12 mo. | discrete | numeric-1.0 | 3473 | 12876 | In the past 12 months, have you driven a motor vehicle within 2 hours of using marijuana? |
| 13 | CAN_040 | Used marijuana - 3 mo. | discrete | numeric-1.0 | 3476 | 12873 | During the past three months have you used marijuana? |
| 14 | CAN_050 | Frequency of using marijuana - 3 mo. | discrete | numeric-1.0 | 2348 | 14001 | During the past three months how often did you use marijuana? |
| 15 | CAN_060 | Age first used - marijuana | continuous | numeric-2.0 | 5902 | 10447 | How old were you when you tried or started using marijuana? |
| 16 | CAN_064 | Used marijuana for medical purposes - 12 mo. | discrete | numeric-1.0 | 7023 | 9326 | In the past 12 months, have you used or tried marijuana (hashish, hash oil or other cannabis derivatives) for medical purposes? |
| 17 | CAN_066 | Main medical condition used marijuana for | discrete | numeric-2.0 | 1004 | 15345 | For what main medical condition did you use marijuana? |
| 18 | CAN_070 | Had strong desire to use marijuana - ever | discrete | numeric-1.0 | 5925 | 10424 | Have you ever had a strong desire or urge to use marijuana? |
| 19 | CAN_080 | Frequency of strong desire to use marijuana - 3 mo. | discrete | numeric-1.0 | 813 | 15536 | During the past three months how often have you had a strong desire or urge to use marijuana? |
| 20 | CAN_090 | Marijuana use led to health, social, legal or financial problems | discrete | numeric-1.0 | 5926 | 10423 | Has your use of marijuana ever led to health, social, legal or financial problems? |
| 21 | CAN_100 | Frequency that marij use led to health/ soc/legal/financial prob | discrete | numeric-1.0 | 347 | 16002 | During the past three months, how often has your use of marijuana led to health, social, legal or financial problems? |
| 22 | CAN_110 | Marijuana use affected ability to do expected tasks | discrete | numeric-1.0 | 5920 | 10429 | Have you ever found you could not do what was normally expected of you because of your use of marijuana? |
| 23 | CAN_120 | Frequency marijuana use affected ability to do expected tasks | discrete | numeric-1.0 | 607 | 15742 | During the past three months, how often have you found you could not do what was normally expected of you because of your use of marijuana? |
| 24 | CAN_130 | Friend/relative/other expressed concern about marijuana use - ever | discrete | numeric-1.0 | 5925 | 10424 | Has a friend or relative or anyone else ever expressed concern about your use of marijuana? |
| 25 | CAN_140 | Concern expressed about marijuana use - 3 mo. | discrete | numeric-1.0 | 758 | 15591 | Was this concern expressed during the past three months? |
| 26 | CAN_150 | Tried to reduce / stop marijuana use but unable to - ever | discrete | numeric-1.0 | 5917 | 10432 | Have you ever tried to control, cut down or stop using marijuana but discovered that you were not able to do so? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|---|----------|-------------|-------|---------|---|
| 27 | CAN_160 | Tried to reduce / stop marijuana use - 3 mo. | discrete | numeric-1.0 | 247 | 16102 | Have you tried to do this during the past three months? |
| 28 | CANLIFEX | Cannabis use in lifetime excluding one-time use | discrete | numeric-1.0 | 16123 | 226 | - |
| 29 | CAN12M | Cannabis use - 12 mo. | discrete | numeric-1.0 | 16121 | 228 | - |
| 30 | CAN3M | Cannabis use - 3 mo. | discrete | numeric-1.0 | 16092 | 257 | - |
| 31 | CANFREQ3 | Frequency of cannabis use - 3 mo. | discrete | numeric-1.0 | 16087 | 262 | - |
| 32 | CANPAT | Cannabis use status - three categories | discrete | numeric-1.0 | 16121 | 228 | - |
| 33 | ASCAN1 | Freq of cannabis use in the past 3 mo. | discrete | numeric-1.0 | 16043 | 306 | - |
| 34 | ASCAN2 | Freq of strong desire / urge to use cannabis - 3 mo. | discrete | numeric-2.0 | 16067 | 282 | - |
| 35 | ASCAN3 | Freq of health, soc, legal / finan prob due to cannabis use - 3 mo. | discrete | numeric-2.0 | 16067 | 282 | - |
| 36 | ASCAN4 | Freq of failure to do normal tasks due to cannabis use - 3 mo. | discrete | numeric-2.0 | 16068 | 281 | - |
| 37 | ASCAN5 | Relative or friend expressed concern about cannabis use | discrete | numeric-2.0 | 16070 | 279 | - |
| 38 | ASCAN6 | Failed to control cannabis use | discrete | numeric-2.0 | 16065 | 284 | - |
| 39 | ASISTCN3 | Risk level for prob. - cannabis consump. - 3 categories | discrete | numeric-1.0 | 16022 | 327 | - |
| 40 | ASISTCN2 | Risk level for prob. - cannabis consump. - 2 categories | discrete | numeric-1.0 | 16022 | 327 | - |

Group Derived Variables - Household

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|---|----------|-------------|-------|---------|----------|
| 1 | HDSIZE | Number of people in the household | discrete | numeric-1.0 | 15913 | 436 | - |
| 2 | AGE0014 | Number of children in household aged 0-14 | discrete | numeric-1.0 | 16349 | 0 | - |
| 3 | AGE1524 | Number of household members (including respondent) aged 15-24 | discrete | numeric-1.0 | 16349 | 0 | - |
| 4 | AGE2544 | Number of household members (including respondent) aged 25-44 | discrete | numeric-1.0 | 16349 | 0 | - |
| 5 | AGE45PL | Number of household members (including respondent) aged 45 plus | discrete | numeric-1.0 | 16349 | 0 | - |
| 6 | HHTYPE | Type of household, based on roster age composition | discrete | numeric-2.0 | 16349 | 0 | - |

Group Derived Variables - Person

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
|---|------|-------|------|--------|-------|---------|----------|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|--|------------|-------------|-------|---------|---|
| 1 | DVURBAN | Characteristics of community where the respondent lives | discrete | numeric-1.0 | 16349 | 0 | - |
| 2 | DVAGE | Age of respondent | continuous | numeric-3.0 | 16349 | 0 | For statistical purposes only, may we confirm your age, as of today? |
| 3 | SEX | Respondent's sex | discrete | numeric-1.0 | 16349 | 0 | - |
| 4 | DVMARST | Grouped marital status of respondent from household roster | discrete | numeric-1.0 | 16300 | 49 | - |
| 5 | EHG1_01 | Highest certificate, diploma or degree completed | discrete | numeric-2.0 | 16029 | 320 | What is the highest certificate, diploma or degree that you have completed? |
| 6 | AS_01 | Aboriginal status | discrete | numeric-1.0 | 16048 | 301 | Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians. |
| 7 | CIG30 | Use of cigarette in the past 30 days | discrete | numeric-1.0 | 16349 | 0 | - |
| 8 | LCIGAR30 | Use of little cigars/cigarillos in the past 30 days | discrete | numeric-1.0 | 16287 | 62 | - |
| 9 | CIGAR30 | Use of cigars in the past 30 days | discrete | numeric-1.0 | 16291 | 58 | - |
| 10 | SLTOB30 | Use of smokeless tobacco in the past 30 days | discrete | numeric-1.0 | 16291 | 58 | - |
| 11 | PIPE30 | Use of tobacco pipe in the past 30 days | discrete | numeric-1.0 | 16291 | 58 | - |
| 12 | WATERP30 | Use of tobacco water-pipe in the past 30 days | discrete | numeric-1.0 | 16287 | 62 | - |
| 13 | ECIG30 | Use an e-cigarette in the past 30 days | discrete | numeric-1.0 | 16283 | 66 | - |
| 14 | QUITATT | Number of quit attempts more than 24H - Past 12 months | discrete | numeric-1.0 | 2315 | 14034 | - |
| 15 | ECIGC30 | Use tobacco and e-cigarette in the past 30 days | discrete | numeric-1.0 | 16314 | 35 | - |
| 16 | ECIGT30 | Use tobacco products (including e-cigarette) in the past 30 days | discrete | numeric-1.0 | 6788 | 9561 | - |

Group Drinking Behaviour

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|---|------------|-------------|-------|---------|--|
| 1 | ALC_10 | Drank alcoholic beverages - 12 mo. | discrete | numeric-2.0 | 16165 | 184 | How often did you drink alcoholic beverages during the past 12 months? |
| 2 | ALC_20 | Have had a drink | discrete | numeric-1.0 | 4278 | 12071 | Have you ever had a drink? |
| 3 | ALC_30 | Age - started drinking alcoholic beverages | continuous | numeric-2.0 | 13165 | 3184 | Not counting small sips, how old were you when you started drinking alcoholic beverages? |
| 4 | ALC_40 | Number of drinks consumed on those days - 12 mo. | continuous | numeric-2.0 | 11689 | 4660 | During the past 12 months, on those days when you drank, how many drinks did you usually have? |
| 5 | ALC_50 | Frequency of drinking four or more drinks on one occasion -12 mo. | discrete | numeric-2.0 | 6075 | 10274 | During the past 12 months, how often have you had four or more drinks on one occasion? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|---|------------|-------------|-------|---------|--|
| 6 | ALC_60 | Frequency of drinking five or more drinks on one occasion - 12 mo. | discrete | numeric-2.0 | 9839 | 6510 | During the past 12 months, how often have you had five or more drinks on one occasion? |
| 7 | ALC_70 | Number of drinks consumed - 30 days | continuous | numeric-2.0 | 11763 | 4586 | During the past 30 days, on those days when you drank, how many drinks did you usually have? |
| 8 | AW_10 | Had beer, wine, liquor or any other alcoholic beverage - 7 days | discrete | numeric-1.0 | 9842 | 6507 | Now, thinking back over the past seven (7) days, did you have a drink of beer, wine, liquor or any other alcoholic beverage? |
| 9 | UNDERAGE | Below legal drinking age in province of residence | discrete | numeric-1.0 | 16349 | 0 | - |
| 10 | ALC12M | Alcohol use - 12 mo. | discrete | numeric-1.0 | 16165 | 184 | - |
| 11 | ALCLIFE | Alcohol use in lifetime | discrete | numeric-1.0 | 16161 | 188 | - |
| 12 | QFVOL | Estimated total num standard drinks - 12 mo. | discrete | numeric-5.0 | 15950 | 399 | - |
| 13 | QFVOLWK | Estimated num standard drinks per week - 12 mo. | discrete | numeric-6.2 | 15950 | 399 | - |
| 14 | QFVOLDAY | Estimated num standard drinks per day - 12 mo. | discrete | numeric-5.2 | 15950 | 399 | - |
| 15 | FIVEMN | Drank 5 or more drinks in a single sitting once a month or more often | discrete | numeric-1.0 | 16107 | 242 | - |
| 16 | ALDAILY | Daily drinking - 12 mo. | discrete | numeric-1.0 | 16165 | 184 | - |
| 17 | FIVEWK | Drank 5 or more drinks in a single sitting once a week or more often | discrete | numeric-1.0 | 16107 | 242 | - |
| 18 | AHEAVYMN | Heavy monthly alcohol use once per month / more often - 12 mo. | discrete | numeric-1.0 | 16105 | 244 | - |
| 19 | AHEAVYWK | Heavy weekly alcohol use once per week / more often - 12 mo. | discrete | numeric-1.0 | 16102 | 247 | - |
| 20 | NUMDRNKS | Usually drinks 5 or more drinks per occasion-total population - 12 mo. | discrete | numeric-1.0 | 15950 | 399 | - |
| 21 | ALCSTAT6 | Drinking pattern: 6 categories | discrete | numeric-2.0 | 15461 | 888 | - |
| 22 | LRDGCHRC | Exceeded low-risk drinking guideline - chronic effects- tot. popl'n | discrete | numeric-1.0 | 15884 | 465 | - |
| 23 | LRDGCH12 | Exceeded low-risk drinking guideline- chronic effects- current drinkers | discrete | numeric-1.0 | 11623 | 4726 | - |
| 24 | LRDGACUT | Exceeded low-risk drinking guideline - acute effects - tot. popl'n | discrete | numeric-1.0 | 15861 | 488 | - |
| 25 | LRDGAC12 | Exceeded low-risk drinking guideline -acute effects: current drinkers | discrete | numeric-1.0 | 11600 | 4749 | - |

Group Drug Use

| Subgroup(s) | | Cocaine , Stimulants , Pain Relievers , Sedatives , Hallucinogens , Amphetamines, Speed, Methamphetamines or Crystal Meth , Ecstasy , Solvents , Heroin , Salvia , Pharmaceuticals , Inhalants , Codeine , Oxycodone , Opioid | | | | | |
|-------------|----------|---|----------|-------------|-------|---------|---|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | ODS_10 | Used drug without knowing what it was - 12 mo. | discrete | numeric-1.0 | 16115 | 234 | During the past 12 months, have you used a drug or substance to get high without knowing what it was? |
| 2 | HER12M | Heroin use - 12 mo. | discrete | numeric-1.0 | 16117 | 232 | - |
| 3 | ANY11DYR | Used at least 1 of 11 drugs to get high - include cannabis - 12 mo. | discrete | numeric-1.0 | 15931 | 418 | - |
| 4 | ANY10DYR | Used at least 1 of 10 drugs to get high excluding cannabis - 12 mo. | discrete | numeric-1.0 | 15880 | 469 | - |
| 5 | IL6D12 | Used at least 1 of 6 drugs including cannabis - 12 mo. | discrete | numeric-1.0 | 16095 | 254 | - |
| 6 | IL5D12 | Used at least 1 of 5 drugs - 12 mo. excluding cannabis | discrete | numeric-1.0 | 16093 | 256 | - |
| 7 | IL6D12XS | Used at least 1 of 6 drugs - 12 mo. including cannabis | discrete | numeric-1.0 | 16099 | 250 | - |
| 8 | IL5D12XS | Used at least 1 of 5 drugs - 12 mo. excluding cannabis | discrete | numeric-1.0 | 16099 | 250 | - |
| 9 | ANY12DLF | Used at least 1 of 12 drugs in lifetime to get high | discrete | numeric-1.0 | 15995 | 354 | - |
| 10 | ANY11DLF | Used at least 1 of 11 drugs in lifetime -exclu cannabis includ cocaine | discrete | numeric-1.0 | 15921 | 428 | - |
| 11 | ANY9DLF | Used at least 1 of 9 drugs include cannabis exclu pharmaceutical abuse | discrete | numeric-1.0 | 16110 | 239 | - |
| 12 | ANY8DLF | Used at least 1 of 8 drugs, exclude cannabis and pharmaceutical abuse | discrete | numeric-1.0 | 16102 | 247 | - |
| 13 | IL6DLXS | Used at least 1 of 6 drugs - lifetime | discrete | numeric-1.0 | 16115 | 234 | - |
| 14 | IL5DLXS | Used at least 1 of 5 drugs - lifetime excluding cannabis and salvia | discrete | numeric-1.0 | 16109 | 240 | - |
| 15 | IL6DL | Used at least 1 of 6 drugs | discrete | numeric-1.0 | 16113 | 236 | - |
| 16 | IL5DL | Used at least 1 of 5 drugs - lifetime | discrete | numeric-1.0 | 16105 | 244 | - |

Group E-cigarette Use

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|--|----------|-------------|-------|---------|--|
| 1 | ELC_110 | Used e-cigarette - ever | discrete | numeric-1.0 | 15634 | 715 | Have you ever tried an electronic cigarette, also known as an e-cigarette? |
| 2 | ELC_115 | Frequency of use - e-cigarette - current | discrete | numeric-1.0 | 3711 | 12638 | At the present time, do you use an electronic cigarette, also known as an e-cigarette every day, occasionally or not at all? |
| 3 | ELC_120 | Used e-cigarette - 30 days | discrete | numeric-1.0 | 3492 | 12857 | In the past 30 days did you use an electronic cigarette, also known as an e-cigarette? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|---|------------|-------------|-------|---------|---|
| 4 | ELC_125 | Frequency of use - e-cigarette - 30 days | discrete | numeric-1.0 | 603 | 15746 | During the past 30 days, did you use an electronic cigarette, also known as an ecigarette every day? |
| 5 | ELC_127 | Used e-cigarette - 30 days - how many days | continuous | numeric-2.0 | 541 | 15808 | On how many of the past 30 days did you use an e-cigarette? |
| 6 | ELC_129 | Age first used - e-cigarette | continuous | numeric-2.0 | 816 | 15533 | At what age did you use your first e-cigarette? |
| 7 | ELC_130 | Last time used an e-cigarette - contained nicotine | discrete | numeric-1.0 | 3709 | 12640 | The last time you used an e-cigarette, did it contain nicotine? |
| 8 | ELC_136 | Last time used an e-cigarette - flavour | discrete | numeric-2.0 | 2880 | 13469 | The last time you used an e-cigarette, what flavour was it? |
| 9 | ELC_150 | Used e-cigarette when unable to smoke cigarettes | discrete | numeric-1.0 | 1460 | 14889 | Sometimes smokers use e-cigarettes even when they are not attempting to quit smoking. Have you ever used e-cigarettes when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?) |
| 10 | ELC_160A | Reason use e-cigarette - they are affordable | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They are affordable |
| 11 | ELC_160B | Reason use e-cigarette - can use them where smoking not allowed | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - I can use them at times when or places where smoking isn't allowed |
| 12 | ELC_160C | Reason use e-cigarette - less harmful to me than cigarettes | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They might be less harmful to me than smoking cigarettes |
| 13 | ELC_160D | Reason use e-cigarette - less harmful to other people than cigarettes | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They might be less harmful to people around me than cigarettes |
| 14 | ELC_160E | Reason use e-cigarette - flavours | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They come in flavours I like |
| 15 | ELC_160F | Reason use e-cigarette - help people quit smoking | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - Using e-cigarettes helps people quit smoking cigarettes |
| 16 | ELC_160G | Reason use e-cigarette - don't smell | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - E-cigarettes don't smell |
| 17 | ELC_160H | Reason use e-cigarette - feels like smoking a regular cigarette | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - Using an e-cigarette feels like smoking a regular cigarette |
| 18 | ELC_160I | Reason use e-cigarette - more acceptable to non-tobacco users | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - E-cigarettes are more acceptable to non-tobacco users |
| 19 | ELC_160J | Reason use e-cigarette - curious | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|-----------------------------------|----------|-------------|-------|---------|---|
| | | | | | | | apply to you? - Curious - want to know how it tastes |
| 20 | ELC_160K | Reason use e-cigarette - pregnant | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - I was switching from cigarettes because I am pregnant |
| 21 | ELC_160L | Reason use e-cigarette - other | discrete | numeric-1.0 | 3672 | 12677 | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - Other |
| 22 | ELC_170 | Where e-cigarettes are obtained | discrete | numeric-2.0 | 3657 | 12692 | Where do you usually get the e-cigarettes you use? |

Group Effects of Drug Use on Life

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|--|----------|-------------|-------|---------|---|
| 1 | DHA_10 | Drug affects friendships or social life - 12 mo. | discrete | numeric-1.0 | 3603 | 12746 | During the past 12 months, was there ever a time that you felt your drug use had a harmful effect: ...on your friendships or social life? |
| 2 | DHA_20 | Drug affects physical health - 12 mo. | discrete | numeric-1.0 | 3598 | 12751 | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your physical health? |
| 3 | DHA_30 | Drug affects home life or marriage - 12 mo. | discrete | numeric-1.0 | 3603 | 12746 | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your home life or marriage? |
| 4 | DHA_40 | Drug affects work, studies, or employment opportunities - 12mo. | discrete | numeric-1.0 | 3599 | 12750 | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your work, studies, or employment opportunities? |
| 5 | DHA_50 | Drug affects financial position - 12 mo. | discrete | numeric-1.0 | 3599 | 12750 | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your financial position? |
| 6 | DHA_60 | Had legal problems because of drug use - 12 mo. | discrete | numeric-1.0 | 3601 | 12748 | During the past 12 months, was there ever a time when you had legal problems because of your drug use? |
| 7 | DHA_70 | Had housing problems because of drug use - 12 mo. | discrete | numeric-1.0 | 3601 | 12748 | (During the past 12 months,) was there ever a time when you had housing problems because of your drug use? |
| 8 | DHA_80 | Had difficulty learning things because of drug use - 12 mo. | discrete | numeric-1.0 | 3596 | 12753 | (During the past 12 months,) was there ever a time when you had difficulty learning things because of your drug use? |
| 9 | DHAR12M1 | Harm to friendships or social life - due to drug use - 12 mo. | discrete | numeric-1.0 | 12452 | 3897 | - |
| 10 | DHAR12M2 | Harm to physical health - due to drug use - 12 mo. | discrete | numeric-1.0 | 12447 | 3902 | - |
| 11 | DHAR12M3 | Harm to home life / marriage - due to drug use - 12 mo. | discrete | numeric-1.0 | 12452 | 3897 | - |
| 12 | DHAR12M4 | Harm to work, studies, or employ. opportun. - due to drug use - 12 mo. | discrete | numeric-1.0 | 12448 | 3901 | - |
| 13 | DHAR12M5 | Harm to financial position - due to drug use - 12 mo. | discrete | numeric-1.0 | 12448 | 3901 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|--|----------|-------------|-------|---------|----------|
| 14 | DHAR12M6 | Legal problems - due to drug use - 12 mo. | discrete | numeric-1.0 | 12450 | 3899 | - |
| 15 | DHAR12M7 | Harm housing problems - due to drug use - 12 mo. | discrete | numeric-1.0 | 12450 | 3899 | - |
| 16 | DHAR12M8 | Difficulty learning things - due to drug use - 12 mo. | discrete | numeric-1.0 | 12445 | 3904 | - |
| 17 | DHAR12 | One or more types of harms - one's own drug use - 12 mo. | discrete | numeric-1.0 | 12446 | 3903 | - |

Group Exposure to Second-hand Smoke

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--|----------|-------------|-------|---------|--|
| 1 | EX_130 | Excluding own smoking, were exposed to second hand smoke in past month | discrete | numeric-1.0 | 16169 | 180 | Overall, [excluding your own smoking] in the past month how often were you exposed to second-hand smoke? |

Group Health Professionals

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--|----------|-------------|-------|---------|---|
| 1 | HP_010 | Seen a doctor - 12 mo. | discrete | numeric-1.0 | 2424 | 13925 | In the past 12 months, did you see a doctor? |
| 2 | HP_020 | Doctor advised reduce or quit smoking - 12 mo. | discrete | numeric-1.0 | 1890 | 14459 | In the past 12 months, did the doctor advise you to reduce or quit smoking? |
| 3 | HP_031 | Doctor provided info on quit smoking aids - 12 mo. | discrete | numeric-1.0 | 781 | 15568 | (In the past 12 months,) did the doctor provide you with information on quit smoking aids such as the patch, a product like "Zyban", "Wellbutrin", "Champix" or counselling programs? |
| 4 | HP_040 | Seen a dentist - 12 mo. | discrete | numeric-1.0 | 2428 | 13921 | In the past 12 months, did you see a dentist or dental hygienist? |
| 5 | HP_050 | Dentist advised reduce or quit smoking - 12 mo. | discrete | numeric-1.0 | 1527 | 14822 | (In the past 12 months,) did they (the dentist or dental hygienist) advise you to reduce or quit smoking? |
| 6 | HP_061 | Dentist provided info on quit smoking aids - 12 mo. | discrete | numeric-1.0 | 380 | 15969 | (In the past 12 months,) did they (the dentist or dental hygienist) provide you with information on quit smoking aids such as the patch, a product like "Zyban", "Wellbutrin", "Champix" or counselling programs? |
| 7 | HP_100 | Talked to a pharmacist - 12 mo. | discrete | numeric-1.0 | 2429 | 13920 | In the past 12 months, did you talk with a pharmacist? |
| 8 | HP_110 | Pharmacist advised reduce or quit smoking - 12 mo. | discrete | numeric-1.0 | 1281 | 15068 | (In the past 12 months,) did the pharmacist advise you to reduce or quit smoking? |
| 9 | HP_121 | Pharmacist provided info on quit smoking aids - 12 mo. | discrete | numeric-1.0 | 182 | 16167 | (In the past 12 months,) did the pharmacist provide you with information on quit smoking aids such as the patch, a product like "Zyban", "Wellbutrin", "Champix" or counselling programs? |

Group Health Status

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
|---|------|-------|------|--------|-------|---------|----------|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|---------------|----------|-------------|-------|---------|---|
| 1 | HWB_01 | Health | discrete | numeric-1.0 | 16334 | 15 | In general, would you say your health is...? |
| 2 | HWB_10 | Mental health | discrete | numeric-1.0 | 16316 | 33 | In general, would you say your mental health is...? |

Group Household Smoking

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|--------|---|------------|-------------|-------|---------|---|
| 1 | HS_10 | Anyone in household smokes cigarettes | discrete | numeric-1.0 | 16346 | 3 | [Do you/Does anyone in your household] smoke cigarettes? |
| 2 | HS_20 | Num people smoke cigarettes inside home daily | continuous | numeric-2.0 | 16343 | 6 | How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors. |
| 3 | HS_30 | Num cigarettes smoked inside home per day | discrete | numeric-1.0 | 711 | 15638 | On a typical day, how many cigarettes are smoked inside your home? |
| 4 | HS_40 | Smoking cigarettes allowed inside home | discrete | numeric-1.0 | 15587 | 762 | Is smoking cigarettes allowed inside your home? |
| 5 | HS_50 | Smoking cigarettes inside home is restricted | discrete | numeric-1.0 | 1211 | 15138 | Is smoking cigarettes inside your home restricted in any way? |
| 6 | HS_60A | Smoking inside home - allowed in certain rooms only | discrete | numeric-1.0 | 557 | 15792 | How is smoking cigarettes restricted inside your home? - Allowed in certain rooms only |
| 7 | HS_60B | Smoking inside home - restricted in the presence of young children | discrete | numeric-1.0 | 557 | 15792 | How is smoking cigarettes restricted inside your home? - Restricted in the presence of young children |
| 8 | HS_60C | Smoking inside - only if windows are open/another type of ventilation | discrete | numeric-1.0 | 557 | 15792 | How is smoking cigarettes restricted inside your home? - Allowed only if windows are open or with another type of ventilation |
| 9 | HS_60D | Smoking inside your home - other restriction(s) | discrete | numeric-1.0 | 557 | 15792 | How is smoking cigarettes restricted inside your home? - Other restriction(s) |
| 10 | HV_01 | Using e-cigarettes allowed inside home | discrete | numeric-1.0 | 16036 | 313 | Is using e-cigarettes allowed inside your home? |
| 11 | HV_02 | Num people use e-cigarettes inside home daily | continuous | numeric-2.0 | 1872 | 14477 | How many people use e-cigarettes inside your home every day or almost every day? Include all household members and visitors. |

Group Labour Force

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|--|----------|-------------|-------|---------|--|
| 1 | LMAM_01 | Worked at a job or business last week | discrete | numeric-1.0 | 16103 | 246 | The following questions concern your activities last week. By last week, I mean the week beginning on ^REFBEGE, and ending ^REFENDE. Last week, did you work at a job or business? (regardless of the number of hours) |
| 2 | LMAM_02 | Absent from job or business | discrete | numeric-1.0 | 6684 | 9665 | Last week, did you have a job or business from which you were absent? |
| 3 | LMAM_03 | Reason for absence from work last week | discrete | numeric-2.0 | 637 | 15712 | What was the main reason you were absent from work last week? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|---------------------------|----------|-------------|-------|---------|--|
| 4 | LMA3_10 | Employee or self-employed | discrete | numeric-1.0 | 9959 | 6390 | Were you an employee or self-employed? |

Group Monthly Pattern

| | |
|--------------------|----------|
| Subgroup(s) | Drinking |
|--------------------|----------|

Group Perception of Harm

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|---|----------|-------------|-------|---------|--|
| 1 | POH_010 | Risk perception - smoke cigarettes once in a while | discrete | numeric-1.0 | 15964 | 385 | How much do you think people risk harming themselves when they do each of the following activities: Smoke cigarettes once in a while? |
| 2 | POH_020 | Risk perception - smoke cigarettes on a regular basis | discrete | numeric-1.0 | 16056 | 293 | (How much do you think people risk harming themselves when they do each of the following activities:) Smoke cigarettes on a regular basis? |
| 3 | POH_030 | Risk perception - use an e-cigarette once in a while | discrete | numeric-1.0 | 14202 | 2147 | (How much do you think people risk harming themselves when they do each of the following activities:) Use an e-cigarette once in a while? |
| 4 | POH_040 | Risk perception - use an e-cigarette on a regular basis | discrete | numeric-1.0 | 14098 | 2251 | (How much do you think people risk harming themselves when they do each of the following activities:) Use an e-cigarette on a regular basis? |
| 5 | POH_050 | Risk perception - smoke a tobacco water-pipe once in a while | discrete | numeric-1.0 | 13236 | 3113 | How much do you think people risk harming themselves when they do each of the following activities: Smoke a tobacco water-pipe (sheesha, hookah) once in a while? |
| 6 | POH_060 | Risk perception - smoke a tobacco water-pipe on a regular basis | discrete | numeric-1.0 | 13293 | 3056 | (How much do you think people risk harming themselves when they do each of the following activities:) Smoke a tobacco water-pipe (sheesha, hookah) on a regular basis? |
| 7 | POH_070 | Risk perception - for baby - smoke cigarettes while pregnant | discrete | numeric-1.0 | 16009 | 340 | How much do you think people risk harming their baby when they do each of the following activities: Smoke cigarettes while pregnant? |
| 8 | POH_080 | Risk perception - for baby - use an e-cigarette while pregnant | discrete | numeric-1.0 | 14522 | 1827 | (How much do you think people risk harming their baby when they do each of the following activities:) Use an e-cigarette while pregnant? |

Group Smoking Behaviour

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|-------|------------------------------------|----------|-------------|-------|---------|---|
| 1 | SS_10 | Frequency - smoking - present time | discrete | numeric-1.0 | 16349 | 0 | At the present time, do you smoke cigarettes every day, occasionally or not at all? |
| 2 | SS_20 | Smoked cigarettes - 30 days | discrete | numeric-1.0 | 14976 | 1373 | In the past 30 days, did you smoke any cigarettes? |
| 3 | SS_30 | Smoked daily - 30 days | discrete | numeric-1.0 | 2211 | 14138 | During the past 30 days, did you smoke every day? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|---|------------|-------------|-------|---------|---|
| 4 | SS_40 | Smoked at least 100 cigarettes - lifetime | discrete | numeric-1.0 | 16349 | 0 | Have you smoked at least 100 cigarettes in your life? |
| 5 | PS_10 | Ever smoked whole cigarette | discrete | numeric-1.0 | 11901 | 4448 | Have you ever smoked a whole cigarette? |
| 6 | PS_20 | Ever smoked cigarettes daily | discrete | numeric-1.0 | 3010 | 13339 | Have you ever smoked cigarettes daily? |
| 7 | PS_30 | Age smoked first cigarette | continuous | numeric-2.0 | 6424 | 9925 | At what age did you smoke your first cigarette? |
| 8 | PS_40 | Age first smoked daily | continuous | numeric-2.0 | 3518 | 12831 | At what age did you begin to smoke cigarettes daily? |
| 9 | SB_10 | Time between waking up and smoking first cigarette | discrete | numeric-1.0 | 1361 | 14988 | How soon after you wake up do you smoke your first cigarette? |
| 10 | DVAVCIG7 | Determines avg num cigarettes smoked per day - past week | continuous | numeric-2.0 | 2068 | 14281 | - |
| 11 | DVNDSMK | Determines num days respondent smoked cigarettes - past week | continuous | numeric-2.0 | 2068 | 14281 | - |
| 12 | DVCIGWK | Determines total num cigarettes smoked per week | continuous | numeric-3.0 | 2068 | 14281 | - |
| 13 | DVAVCIGD | Determines avg num cigarettes smoked on the days respondents smoked | continuous | numeric-2.0 | 2068 | 14281 | - |
| 14 | DVDAILY | Determines avg num cigarettes smoked for the daily smokers | continuous | numeric-2.0 | 1298 | 15051 | - |
| 15 | DVSMKPTN | Describes the pattern of smoking - 7 days | discrete | numeric-1.0 | 2068 | 14281 | - |
| 16 | DVYRSSMK | Number of years the respondent smoked | continuous | numeric-2.0 | 2211 | 14138 | - |

Group Smoking Cessation

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--|------------|-------------|-------|---------|--|
| 1 | SC_010 | Stopped smoking - how long | discrete | numeric-1.0 | 2191 | 14158 | When did you stop smoking? |
| 2 | SC_020 | Month stopped smoking | discrete | numeric-2.0 | 210 | 16139 | In what month did you stop smoking? |
| 3 | SC_030 | Main reason quit smoking | discrete | numeric-2.0 | 216 | 16133 | What was your main reason to quit smoking? |
| 4 | SC_040 | Num attempts to stop smoking before stopped for good | continuous | numeric-2.0 | 2116 | 14233 | Approximately, how many attempts to quit did you make before you quit smoking for good? |
| 5 | SC_050 | Num daily cigarettes at time quit smoking | continuous | numeric-2.0 | 2114 | 14235 | On average, how many cigarettes were you smoking per day at the time you quit? |
| 6 | SC_060 | Seriously considering quitting smoking in next 6 mo. | discrete | numeric-1.0 | 2171 | 14178 | Are you seriously considering quitting smoking within the next 6 months? |
| 7 | SC_070 | Seriously considering quitting smoking in next 30 days | discrete | numeric-1.0 | 1302 | 15047 | Are you seriously considering quitting smoking within the next 30 days? |
| 8 | SC_080 | Num times stopped smoking for 24 hrs because trying to quit - 12 mo. | continuous | numeric-2.0 | 2315 | 14034 | In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|--------|---|------------|-------------|-------|---------|---|
| 9 | SC_090 | Num attempts to stop smoking that lasted min 1 week | continuous | numeric-2.0 | 1182 | 15167 | How many of these attempts lasted at least one week? |
| 10 | SC_100 | Main reason began to smoke again | discrete | numeric-2.0 | 1043 | 15306 | What was the main reason you began to smoke again? |
| 11 | SC_110 | Tried to quit smoking - ever | discrete | numeric-1.0 | 1155 | 15194 | Have you ever tried to quit smoking? |
| 12 | CM_10 | Tried to quit smoking - past 2 years | discrete | numeric-1.0 | 622 | 15727 | Have you tried to quit smoking in the past 2 years? |
| 13 | CM_20 | Used nicotine patch to quit smoking - past 2 years | discrete | numeric-1.0 | 1736 | 14613 | In the past 2 years, did you use a nicotine patch to quit smoking? |
| 14 | CM_40 | Used nicotine gum to quit smoking - past 2 years | discrete | numeric-1.0 | 1736 | 14613 | (In the past 2 years), did you use nicotine gum such as "Nicorette" to quit smoking? |
| 15 | CM_43 | Used e-cigarette to quit smoking - past 2 years | discrete | numeric-1.0 | 1735 | 14614 | (In the past 2 years), did you use an e-cigarette to quit smoking? |
| 16 | CM_61 | Used medication to quit smoking - past 2 years | discrete | numeric-1.0 | 1734 | 14615 | (In the past 2 years), did you use a medication such as "Zyban", "Wellbutrin" or "Champix" to quit smoking? |
| 17 | CM_81A | Reasons for not using cess meth - Concerned about side effects | discrete | numeric-1.0 | 782 | 15567 | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - You |
| 18 | CM_81B | Reasons for not using cess meth - Didn't believe products work | discrete | numeric-1.0 | 782 | 15567 | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - You didn't believe these products work |
| 19 | CM_81C | Reasons for not using cess meth - Didn't have enough info | discrete | numeric-1.0 | 782 | 15567 | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - You didn't have enough information about these products |
| 20 | CM_81D | Reasons for not using cess meth - Cost too much | discrete | numeric-1.0 | 782 | 15567 | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - They cost too much |
| 21 | CM_81E | Reasons for not using cess meth - Some other reason | discrete | numeric-1.0 | 782 | 15567 | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - Some other reason |
| 22 | OM_030 | Make deal with a friend to quit smoking together - past 2 years | discrete | numeric-1.0 | 1752 | 14597 | In the past 2 years, did you make a deal with a friend or family member to quit smoking together? |
| 23 | OM_070 | Reduced cigarettes smoked as a strategy to quit - past 2 years | discrete | numeric-1.0 | 1742 | 14607 | In the past 2 years, did you reduce the number of cigarettes you smoked as a strategy to quit? |
| 24 | OM_099 | Services offered-1-800 telephone quit-lines & other smoker help lines | discrete | numeric-1.0 | 1748 | 14601 | Are you aware of 1-800 telephone quit-lines or other smoker help lines available to help you quit smoking? |
| 25 | OM_100 | Used a 1-800 quitline or a smokers helpline | discrete | numeric-1.0 | 1392 | 14957 | Did you use a 1-800 quitline or a smokers helpline? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|---------|--|----------|-------------|-------|---------|---|
| 26 | OM_130 | Tried to quit smoking without preparation or help - past 2 years | discrete | numeric-1.0 | 254 | 16095 | In the past 2 years, did you try to quit smoking on your own without special preparation or help? |
| 27 | STOPSMK | Number of months since survey date former smoker stopped smoking | discrete | numeric-2.0 | 2185 | 14164 | - |

Group Smoking Status

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--|----------|-------------|-------|---------|----------|
| 1 | DVSS1 | Smoking Status Type 1 - Traditional definition | discrete | numeric-1.0 | 16349 | 0 | - |
| 2 | DVSS2 | Smoking Status Type 2 - Detailed, using traditional definition | discrete | numeric-2.0 | 16347 | 2 | - |
| 3 | DVSS1 | Smoking Status Type 1 - Using 30 days definition | discrete | numeric-1.0 | 16349 | 0 | - |
| 4 | DVSS1M | Smoking Status Type 1 with Menthol - Using 30 days definition | discrete | numeric-1.0 | 16283 | 66 | - |
| 5 | DVSS2 | Smoking Status Type 2 - Detailed, using 30 days definition | discrete | numeric-2.0 | 16347 | 2 | - |
| 6 | DVSS2M | Smoking Status Type 2 with menthol- Detailed, using 30 days definition | discrete | numeric-2.0 | 16283 | 66 | - |

Group Menthol

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|-------------------------------------|----------|-------------|-------|---------|---|
| 1 | MNTH_01 | Ever smoked menthol cigarette | discrete | numeric-1.0 | 6482 | 9867 | Have you ever tried smoking a menthol cigarette? |
| 2 | MNTH_02 | Smoked menthol cigarettes - 30 days | discrete | numeric-1.0 | 3974 | 12375 | In the past 30 days have you smoked any menthol cigarettes? |
| 3 | MNTH_03 | Usual brand of cigarette is menthol | discrete | numeric-1.0 | 206 | 16143 | Is your usual brand of cigarette a menthol cigarette? |

Group Source of Cigarettes

| Subgroup(s) | | Smuggled Cigarettes | | | | | |
|-------------|--------|---|----------|-------------|-------|---------|---|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | CA_10 | Where cigarettes are obtained, and from whom | discrete | numeric-2.0 | 2225 | 14124 | Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?) |
| 2 | PP_010 | Bought cigarettes on a First Nations Reserve - 6 mo. | discrete | numeric-1.0 | 2236 | 14113 | In the past six months, did you buy cigarettes on a First Nations Reserve? |
| 3 | PP_025 | Amt of cigarettes bought most recently from First Nations Reserve | discrete | numeric-1.0 | 260 | 16089 | The last time you bought cigarettes that came from a First Nations Reserve, how much did you buy? Was it...? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--|----------|-------------|-------|---------|--|
| 4 | PP_030 | Cigarettes bought at store or gas station - 6 mo. | discrete | numeric-1.0 | 2234 | 14115 | In the past six months, did you buy cigarettes from a store or gas station, that was not on a First Nations Reserve? |
| 5 | PP_045 | Bought cigarettes believed to have been smuggled - 6 mo. | discrete | numeric-1.0 | 2223 | 14126 | - |
| 6 | PP_120 | Quantity smuggled cigarettes bought most recently | discrete | numeric-1.0 | 49 | 16300 | - |

Group Source of Drugs

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|---------|--|----------|-------------|-------|---------|--|
| 1 | PR_100A | Obtained pain relievers - pharmacist no prescription - 12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a pharmacist, without a prescription |
| 2 | PR_100B | Obtained pain relievers - prescription for self - for pain - 12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a prescription written for you for pain |
| 3 | PR_100C | Obtained pain relievers - friend / relative - 12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a friend or relative |
| 4 | PR_100D | Obtained pain relievers - drug dealer / stranger - 12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a drug dealer or other stranger |
| 5 | PR_100E | Obtained pain relievers - Internet - 12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From the internet |
| 6 | PR_100F | Obtained pain relievers - deceiv. doctor to obtain a prescript -12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From deceiving a doctor to obtain a prescription |
| 7 | PR_100G | Obtained pain relievers - forging a prescription - 12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From forging a prescription |
| 8 | PR_100H | Obtained pain relievers - multiple doctors for prescript. - 12 mo. | discrete | numeric-1.0 | 1888 | 14461 | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From purposely going to more than one doctor for prescriptions |
| 9 | PR_110 | Gave away / sold pain reliever medication prescribed to self - 12 mo. | discrete | numeric-1.0 | 5490 | 10859 | During the past 12 months, did you ever give away or sell pain reliever medication that was prescribed for you? |
| 10 | SED_50A | Obtained sedatives - pharmacist no prescription - 12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a pharmacist, without a prescription |
| 11 | SED_50B | Obtained sedatives - prescription for self - 12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|---------|---|----------|-------------|-------|---------|--|
| | | | | | | | how did you obtain them? Was it...? - From a prescription written for you |
| 12 | SED_50C | Obtained sedatives - friend / relative - 12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a friend or relative |
| 13 | SED_50D | Obtained sedatives - drug dealer / stranger - 12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a drug dealer or other stranger |
| 14 | SED_50E | Obtained sedatives - Internet - 12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From the internet |
| 15 | SED_50F | Obtained sedatives - deceiv. doctor to obtain a prescript -12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From deceiving a doctor to obtain a prescription |
| 16 | SED_50G | Obtained sedatives - forging prescription - 12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From forging a prescription |
| 17 | SED_50H | Obtained sedatives - multiple doctors for prescript. - 12 mo. | discrete | numeric-1.0 | 1603 | 14746 | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From purposely going to more than one doctor for prescriptions |
| 18 | SED_60 | Gave away / sold sedatives prescribed to self -12 mo. | discrete | numeric-1.0 | 1469 | 14880 | During the past 12 months, did you ever give away or sell sedative medication that was prescribed for you? |

Group Tobacco Products

| Subgroup(s) | | Cigars | | | | | |
|-------------|--------|---------------------------------------|------------|-------------|-------|---------|--|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | TP_034 | Ever smoked a tobacco pipe | discrete | numeric-1.0 | 16291 | 58 | Have you ever tried smoking a tobacco pipe? |
| 2 | TP_040 | Smoked pipe - 30 days | discrete | numeric-1.0 | 1269 | 15080 | In the past 30 days, did you smoke a pipe? |
| 3 | TP_043 | Age smoked first tobacco pipe | continuous | numeric-2.0 | 71 | 16278 | At what age did you smoke your first tobacco pipe? |
| 4 | TP_050 | Used chewing tobacco - ever | discrete | numeric-1.0 | 16293 | 56 | Have you ever tried chewing tobacco, pinch or snuff? |
| 5 | TP_060 | Used chewing tobacco - 30 days | discrete | numeric-1.0 | 1567 | 14782 | In the past 30 days, did you use any chewing tobacco, pinch or snuff? |
| 6 | TP_061 | Used chewing tobacco - type - 30 days | discrete | numeric-1.0 | 183 | 16166 | Was the chewing tobacco, pinch or snuff plain, flavoured or both? |
| 7 | TP_063 | Age first used chewing tobacco | continuous | numeric-2.0 | 184 | 16165 | At what age did you use your first chewing tobacco, pinch or snuff? |
| 8 | TP_070 | Used tobacco water-pipe - ever | discrete | numeric-1.0 | 16290 | 59 | Have you ever tried a tobacco water-pipe, also known as a hookah, sheesha, nargeelay, hubble-bubble, or gouza, to smoke tobacco? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|---------|---|------------|-------------|-------|---------|--|
| 9 | TP_080 | Used tobacco water-pipe - 30 days | discrete | numeric-1.0 | 2069 | 14280 | In the past 30 days have you smoked a tobacco water-pipe? |
| 10 | TP_090A | Smoked in water-pipe - flavoured tobacco - 30 days | discrete | numeric-1.0 | 198 | 16151 | What type of tobacco did you smoke in the water-pipe? - Flavoured tobacco |
| 11 | TP_090B | Smoked in water-pipe - regular tobacco - 30 days | discrete | numeric-1.0 | 198 | 16151 | What type of tobacco did you smoke in the water-pipe? - Regular tobacco |
| 12 | TP_090C | Smoked in water-pipe - a product other than tobacco | discrete | numeric-1.0 | 198 | 16151 | What type of tobacco did you smoke in the water-pipe? - A product other than tobacco |
| 13 | TP_093 | Age first smoked - tobacco water-pipe | continuous | numeric-2.0 | 198 | 16151 | At what age did you smoke your first tobacco water-pipe? |
| 14 | TP_100 | Perception of tobacco water-pipe | discrete | numeric-1.0 | 190 | 16159 | Do you believe that smoking tobacco in a water-pipe is ...? |
| 15 | TOB30 | Use of tobacco in the past 30 days | discrete | numeric-1.0 | 16229 | 120 | - |

Group Weekly Pattern

| | |
|-------------|-------------------------------|
| Subgroup(s) | Smoking Cigarettes , Drinking |
|-------------|-------------------------------|

Group Who's Assist

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|----------|--------------------------------|------------|-------------|-------|---------|----------|
| 1 | ASISTCAN | Summary score for WHO's ASSIST | continuous | numeric-2.0 | 16022 | 327 | - |

Group Weight Variables

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|---------------------------|------------|--------------|-------|---------|----------|
| 1 | WTPP | Survey weight of a person | continuous | numeric-10.4 | 16349 | 0 | - |

Group Bootstrap replicate weights

Group Smoking Cigarettes

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|---------------------------------------|------------|-------------|-------|---------|--|
| 1 | WP_10A | Number of cigarettes smoked Monday | continuous | numeric-2.0 | 2141 | 14208 | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Monday |
| 2 | WP_10B | Number of cigarettes smoked Tuesday | continuous | numeric-2.0 | 2122 | 14227 | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Tuesday |
| 3 | WP_10C | Number of cigarettes smoked Wednesday | continuous | numeric-2.0 | 2122 | 14227 | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Wednesday |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--------------------------------------|------------|-------------|-------|---------|---|
| 4 | WP_10D | Number of cigarettes smoked Thursday | continuous | numeric-2.0 | 2112 | 14237 | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Thursday |
| 5 | WP_10E | Number of cigarettes smoked Friday | continuous | numeric-2.0 | 2106 | 14243 | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Friday |
| 6 | WP_10F | Number of cigarettes smoked Saturday | continuous | numeric-2.0 | 2135 | 14214 | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Saturday |
| 7 | WP_10G | Number of cigarettes smoked Sunday | continuous | numeric-2.0 | 2139 | 14210 | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Sunday |

Group Drinking

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|--|------------|-------------|-------|---------|---|
| 1 | AW_20A | Number of drinks Monday | continuous | numeric-2.0 | 6202 | 10147 | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Monday |
| 2 | AW_20B | Number of drinks Tuesday | continuous | numeric-2.0 | 6192 | 10157 | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Tuesday |
| 3 | AW_20C | Number of drinks Wednesday | continuous | numeric-2.0 | 6164 | 10185 | Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Wednesday |
| 4 | AW_20D | Number of drinks Thursday | continuous | numeric-2.0 | 6164 | 10185 | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Thursday |
| 5 | AW_20E | Number of drinks Friday | continuous | numeric-2.0 | 6171 | 10178 | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Friday |
| 6 | AW_20F | Number of drinks Saturday | continuous | numeric-2.0 | 6182 | 10167 | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Saturday |
| 7 | AW_20G | Number of drinks Sunday | continuous | numeric-2.0 | 6202 | 10147 | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Sunday |
| 8 | ALCLEV4 | Estimated daily alc. consump. level - 12 mo. - 4 cat | discrete | numeric-1.0 | 15950 | 399 | - |
| 9 | ALCLEV3 | Estimated daily alc. consump. level - 12 mo. - 3 cat | discrete | numeric-1.0 | 15950 | 399 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|--|------------|-------------|-------|---------|----------|
| 10 | ALCLEV2 | Estimated daily alc. consump. level - 12 mo. - 2 cat | discrete | numeric-1.0 | 15950 | 399 | - |
| 11 | ALC7D | Total number of standard drinks in the past 7 days | continuous | numeric-3.0 | 15823 | 526 | - |
| 12 | ALCLEVD | Avg num standard drinks per day - 7 days - drinking wheel | continuous | numeric-5.2 | 15823 | 526 | - |
| 13 | ALCLEV4D | Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel | discrete | numeric-1.0 | 15823 | 526 | - |
| 14 | ALCLEV3D | Estimated daily alc. consump. level - 7 days - 3 cat. drinking wheel | discrete | numeric-1.0 | 15823 | 526 | - |
| 15 | ALCLEV2D | Estimated daily alc. consump. level - 7 days - 2 cat. drinking wheel | discrete | numeric-1.0 | 15823 | 526 | - |
| 16 | SUN | Number of drinks - Sunday | continuous | numeric-2.0 | 15933 | 416 | - |
| 17 | MON | Number of drinks - Monday | continuous | numeric-2.0 | 15935 | 414 | - |
| 18 | TUES | Number of drinks - Tuesday | continuous | numeric-2.0 | 15925 | 424 | - |
| 19 | WED | Number of drinks - Wednesday | continuous | numeric-2.0 | 15896 | 453 | - |
| 20 | THURS | Number of drinks - Thursday | continuous | numeric-2.0 | 15899 | 450 | - |
| 21 | FRI | Number of drinks - Friday | continuous | numeric-2.0 | 15896 | 453 | - |
| 22 | SAT | Number of drinks - Saturday | continuous | numeric-2.0 | 15916 | 433 | - |
| 23 | AHEAVYWK | Heavy weekly alcohol use once per week / more often - 12 mo. | discrete | numeric-1.0 | 16102 | 247 | - |

Group Cigars

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--|------------|-------------|-------|---------|--|
| 1 | TP_017 | Ever smoked little cigar / cigarillo | discrete | numeric-1.0 | 16289 | 60 | Have you ever tried smoking a little cigar or cigarillo? |
| 2 | TP_021 | Smoked little cigar / cigarillo - 30 days | discrete | numeric-1.0 | 4930 | 11419 | In the past 30 days, did you smoke any little cigars or cigarillos? |
| 3 | TP_022 | Smoked little cigars / cigarillos - type - 30 days | discrete | numeric-1.0 | 339 | 16010 | Were these (little cigars or cigarillos) plain, flavoured or both? |
| 4 | TP_023 | Age smoked first little cigar or cigarillo | continuous | numeric-2.0 | 340 | 16009 | At what age did you smoke your first little cigar or cigarillo? |
| 5 | TP_024 | Smoked cigar - ever | discrete | numeric-1.0 | 16292 | 57 | Have you ever tried smoking a cigar not including little cigars or cigarillos? |
| 6 | TP_027 | Smoked cigars - 30 days | discrete | numeric-1.0 | 3905 | 12444 | In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)? |
| 7 | TP_028 | Smoked cigars - type | discrete | numeric-1.0 | 215 | 16134 | Were these cigars plain, flavoured or both? |
| 8 | TP_029 | Age first smoked - cigar | continuous | numeric-2.0 | 218 | 16131 | At what age did you smoke your first cigar (not including little cigars or cigarillos)? |

| Group Cocaine | | | | | | | |
|----------------------|--------|--------------------------|------------|-------------|-------|---------|--|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | COC_10 | Used cocaine - ever | discrete | numeric-1.0 | 16119 | 230 | Have you ever used or tried cocaine (crack, freebase, powder or snow)? |
| 2 | COC_20 | Age first used - cocaine | continuous | numeric-2.0 | 1206 | 15143 | How old were you when you tried or started using cocaine or crack? |
| 3 | COC_30 | Used cocaine - 12 mo. | discrete | numeric-1.0 | 1221 | 15128 | Have you used or tried cocaine or crack during the past 12 months? |
| 4 | COC12M | Cocaine use - 12 mo. | discrete | numeric-1.0 | 16119 | 230 | - |

| Group Stimulants | | | | | | | |
|-------------------------|---------|---|----------|-------------|-------|---------|---|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | STI_10 | Used stimulants - 12 mo. | discrete | numeric-1.0 | 16120 | 229 | During the past 12 months have you used any stimulants? |
| 2 | STI_15 | Frequency of use - stimulants - 12 mo. | discrete | numeric-2.0 | 625 | 15724 | During the past 12 months how often have you used any stimulants? |
| 3 | STI_20 | Used stimulants - prescribed for self - 12 mo. | discrete | numeric-1.0 | 627 | 15722 | Thinking about all the stimulants you used during the past 12 months, were they prescribed for you? |
| 4 | STI_30 | Used stimulants - ever took more than prescribed - 12 mo | discrete | numeric-1.0 | 481 | 15868 | Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the stimulants you have used during the past 12 months, did you ever take more pills or take them more often than you were supposed to? |
| 5 | STI_40 | Used stimulants to get high - 12 mo. | discrete | numeric-1.0 | 624 | 15725 | During the past 12 months, did you ever use stimulants only for the experience, the feeling they caused or to get high? |
| 6 | STI_50 | Used stimulants for reasons other than pain relief - 12 mo. | discrete | numeric-1.0 | 481 | 15868 | During the past 12 months, did you ever use stimulants for reasons other than why they were prescribed, for example, to study, to stay alert, to decrease your appetite or for any other reason? |
| 7 | STI_60A | Used stimulants - pharmacists no prescription - 12 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a pharmacist, without a prescription |
| 8 | STI_60B | Used stimulants - prescription for self - 20 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a prescription written for you |
| 9 | STI_60C | Used stimulants - friend / relative - 20 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a friend or relative |
| 10 | STI_60D | Used stimulants - drug dealer / stranger - 12 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a drug dealer or other stranger |
| 11 | STI_60E | Used stimulants - Internet - 12 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From the internet |
| 12 | STI_60F | Used stimulants - deceiving a doctor - 12 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|---|----------|-------------|-------|---------|--|
| | | | | | | | how did you obtain them? Was it...? - From deceiving a doctor to obtain a prescription |
| 13 | STI_60G | Used stimulants - forging prescription - 12 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From forging a prescription |
| 14 | STI_60H | Used stimulants - multiple doctors - 12 mo. | discrete | numeric-1.0 | 618 | 15731 | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From purposely going to more than one doctor for prescriptions |
| 15 | STI_70 | Gave away / sold stimulants prescribed to self - 12 mo. | discrete | numeric-1.0 | 481 | 15868 | During the past 12 months, did you ever give away or sell stimulant medication that was prescribed for you? |
| 16 | STIMND | Used stimulants not as directed - 12 mo. | discrete | numeric-1.0 | 16120 | 229 | - |
| 17 | STIMHIGH | Used stimulants to get high -12 mo. | discrete | numeric-1.0 | 16117 | 232 | - |
| 18 | STIMOTH | Used stimulants for other reasons - 12 mo. | discrete | numeric-1.0 | 15974 | 375 | - |
| 19 | STIMABUS | Abused stimulants - 12 mo. | discrete | numeric-1.0 | 16043 | 306 | - |

Group Pain Relievers

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|---|----------|-------------|-------|---------|--|
| 1 | PR_005 | Used pain relievers - ever | discrete | numeric-1.0 | 16025 | 324 | Have you ever used any such pain relieving products? |
| 2 | PR_025 | Used fentanyl products - 12 mo. | discrete | numeric-1.0 | 5726 | 10623 | During the past 12 months, have you used any fentanyl products? |
| 3 | PR_040 | Frequency of use - pain relievers - 12 mo. | discrete | numeric-2.0 | 1897 | 14452 | During the past 12 months, how often have you used any such pain relievers? |
| 4 | PR_050 | Used pain relievers - prescribed for self -12 mo. | discrete | numeric-1.0 | 1901 | 14448 | Thinking about all the pain relievers you have used during the past 12 months, were they prescribed for you? |
| 5 | PR_060 | Used pain relievers - ever took more than prescribed - 12 mo. | discrete | numeric-1.0 | 1628 | 14721 | Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the pain relievers you have used during the past 12 months, did you ever take more pills, or take them more often than you were supposed to? |
| 6 | PR_065 | Used pain relievers to get high - ever | discrete | numeric-1.0 | 5764 | 10585 | Did you ever use pain relievers only for the experience, the feeling they caused, or to get high? |
| 7 | PR_070 | Used pain relievers to get high - 12 mo. | discrete | numeric-1.0 | 268 | 16081 | During the past 12 months, did you ever use pain relievers only for the experience, the feeling they caused, or to get high? |
| 8 | PR_075 | Used pain relievers for reasons other than pain relief - ever | discrete | numeric-1.0 | 5766 | 10583 | Did you ever use pain relievers for reasons other than pain relief, for example, to feel better (improve mood), to cope with stress or problems, or any other reason? |
| 9 | PR_080 | Used pain relievers for reasons other than pain relief - 12 mo. | discrete | numeric-1.0 | 230 | 16119 | During the past 12 months, did you ever use pain relievers for reasons other than pain relief, for example, to feel better |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|----------|---|------------|-------------|-------|---------|---|
| | | | | | | | (improve mood), to cope with stress or problems, or any other reason? |
| 10 | PR_083 | Frequency of use - pain relievers - other reasons - 12 mo. | discrete | numeric-2.0 | 125 | 16224 | During the past 12 months, how often have you used any such pain relievers? (Only for the experience, the feeling they caused, to get high or for reasons other than pain relief.) |
| 11 | PR_085 | Ever tampered with a pain reliever product before taking it | discrete | numeric-1.0 | 5766 | 10583 | Did you ever tamper with a pain reliever product before taking it, [for example, by crushing tablets to swallow, snort or inject, not counting for ease of swallowing or to take a lower dose/for example, by crushing tablets to swallow, snort or inject]? |
| 12 | PR_090 | Tampered with a pain reliever product before taking it - 12 mo. | discrete | numeric-1.0 | 86 | 16263 | During the past 12 months, did you ever tamper with a pain reliever product before taking it, ^DT_D090E? |
| 13 | PR_095 | Age first used - pain relievers other than pain relief | continuous | numeric-2.0 | 338 | 16011 | How old were you when you tried or started using pain relievers only for the experience, the feeling they caused, or to get high or for reasons other than pain relief, for example, to feel better (improve mood), to cope with stress or problems, or any other reason? |
| 14 | PAINND | Used pain relievers not as directed - 12 mo. | discrete | numeric-1.0 | 15953 | 396 | - |
| 15 | PAIN12M | Used pain relievers - 12 mo. | discrete | numeric-1.0 | 15956 | 393 | - |
| 16 | PAINHIGH | Used pain relievers to get high - 12 mo. | discrete | numeric-1.0 | 16015 | 334 | - |
| 17 | PAINOTH | Used pain relievers for other reasons - 12 mo. | discrete | numeric-1.0 | 16017 | 332 | - |
| 18 | PAINTMPR | Tampered with pain relievers before taking them - 12 mo. | discrete | numeric-1.0 | 16017 | 332 | - |
| 19 | PAINABUS | Abused pain relievers - 12 mo. | discrete | numeric-1.0 | 16014 | 335 | - |
| 20 | HERPNA11 | Used heroin and/or abused pain relievers - 12 mo. | discrete | numeric-1.0 | 15980 | 369 | - |

Group Sedatives

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|---|----------|-------------|-------|---------|--|
| 1 | SED_05 | Used sedatives - 12 mo. | discrete | numeric-1.0 | 16097 | 252 | During the past 12 months have you used any sedatives? |
| 2 | SED_10 | Used sedatives - frequency - 12 mo. | discrete | numeric-2.0 | 1604 | 14745 | During the past 12 months how often have you used any sedatives? |
| 3 | SED_20 | Used sedatives - prescribed for self - 12 mo. | discrete | numeric-1.0 | 1605 | 14744 | Thinking about all the sedatives you have used during the past 12 months, were they prescribed for you? |
| 4 | SED_30 | Used sedatives - took more than prescribed - 12 mo. | discrete | numeric-1.0 | 1472 | 14877 | Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the sedatives you have used during the past 12 months, did you ever take more pills or take them more often than you were supposed to? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|--|----------|-------------|-------|---------|--|
| 5 | SED_40 | Used sedatives take to get high - 12 mo. | discrete | numeric-1.0 | 1609 | 14740 | During the past 12 months, did you ever use sedatives only for the experience, the feeling they caused or to get high? |
| 6 | SEDND | Used sedatives not as directed - 12 mo. | discrete | numeric-1.0 | 16097 | 252 | - |
| 7 | SEDHIGH | Used sedatives to get high - 12 mo. | discrete | numeric-1.0 | 16097 | 252 | - |

Group Hallucinogens

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|----------|--|------------|-------------|-------|---------|---|
| 1 | HAL_10 | Used hallucinogens - ever | discrete | numeric-1.0 | 16116 | 233 | Have you ever used or tried hallucinogens such as PCP, LSD, acid, magic mushrooms, mescaline or angel dust? |
| 2 | HAL_20 | Age first used - hallucinogens | continuous | numeric-2.0 | 1654 | 14695 | How old were you when you tried or started using hallucinogens? |
| 3 | HAL_30 | Used hallucinogens - 12 mo. | discrete | numeric-1.0 | 1667 | 14682 | Have you used or tried hallucinogens during the past 12 months? |
| 4 | HAL12M | Hallucinogens use - 12 mo. | discrete | numeric-1.0 | 16114 | 235 | - |
| 5 | IL3D12 | Used at least 1 of speed/ meth, hallucinogens, heroin - 12 mo. | discrete | numeric-1.0 | 16102 | 247 | - |
| 6 | HALSALVL | Hallucinogens and/or salvia use - lifetime | discrete | numeric-1.0 | 16111 | 238 | - |

Group Amphetamines, Speed, Methamphetamines or Crystal Meth

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|----------|--|------------|-------------|-------|---------|---|
| 1 | MET_10 | Used amphetamines, speed, methamphetamine or crystal meth | discrete | numeric-1.0 | 16110 | 239 | Have you ever used or tried amphetamines, speed, methamphetamine or crystal meth? |
| 2 | MET_20 | Age first used - speed or meth | continuous | numeric-2.0 | 402 | 15947 | How old were you when you tried or started using speed or meth? |
| 3 | MET_30 | Used speed or meth - 12 mo. | discrete | numeric-1.0 | 408 | 15941 | Have you used or tried speed or meth during the past 12 months? |
| 4 | SPMETH12 | Speed and/or methamphetamine use - 12 mo. | discrete | numeric-1.0 | 16110 | 239 | - |
| 5 | IL3D12 | Used at least 1 of speed/ meth, hallucinogens, heroin - 12 mo. | discrete | numeric-1.0 | 16102 | 247 | - |
| 6 | AMPH412M | Used at least 1 of 4 amphetamines - 12 mo. | discrete | numeric-1.0 | 16026 | 323 | - |
| 7 | AMPH312M | Used at least 1 of 3 amphetamines - 12 mo. | discrete | numeric-1.0 | 16018 | 331 | - |
| 8 | AMP3L | Used at least 1 of 3 amphetamines - lifetime | discrete | numeric-1.0 | 16109 | 240 | - |

Group Ecstasy

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
|---|------|-------|------|--------|-------|---------|----------|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|--------------------------------------|------------|-------------|-------|---------|--|
| 1 | XTC_10 | Used Ecstasy | discrete | numeric-1.0 | 16109 | 240 | Have you ever used or tried Ecstasy (MDMA, E, Xtc, Adam, X)? |
| 2 | XTC_20 | Age - tried or started using Ecstasy | continuous | numeric-2.0 | 1002 | 15347 | How old were you when you tried or started using Ecstasy? |
| 3 | XTC_30 | Used ecstasy - 12 mo. | discrete | numeric-1.0 | 1007 | 15342 | Have you used or tried Ecstasy during the past 12 months? |
| 4 | XTC12M | Ecstasy use - 12 mo. | discrete | numeric-1.0 | 16109 | 240 | - |

Group Solvents

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|---------------------------|------------|-------------|-------|---------|--|
| 1 | GLU_10 | Sniffed solvents - ever | discrete | numeric-1.0 | 16115 | 234 | Have you ever sniffed glue, gasoline or other solvents? |
| 2 | GLU_20 | Age first used - solvents | continuous | numeric-2.0 | 111 | 16238 | How old were you when you first tried sniffing glue, gasoline or other solvents? |
| 3 | GLU_30 | Sniffed solvents -12 mo. | discrete | numeric-1.0 | 111 | 16238 | Have you sniffed glue, gasoline or other solvents during the past 12 months? |

Group Heroin

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|----------|--|------------|-------------|-------|---------|--|
| 1 | HER_10 | Used heroin - ever | discrete | numeric-1.0 | 16117 | 232 | Have you ever used or tried heroin (horse, junk, smack)? |
| 2 | HER_20 | Age first used - heroin | continuous | numeric-2.0 | 61 | 16288 | How old were you when you tried or started using heroin? |
| 3 | HER_30 | Used heroin -12 mo. | discrete | numeric-1.0 | 61 | 16288 | Have you used or tried heroin during the past 12 months? |
| 4 | IL3D12 | Used at least 1 of speed/ meth, hallucinogens, heroin - 12 mo. | discrete | numeric-1.0 | 16102 | 247 | - |
| 5 | HERPNA11 | Used heroin and/or abused pain relievers - 12 mo. | discrete | numeric-1.0 | 15980 | 369 | - |

Group Salvia

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|----------|--|------------|-------------|-------|---------|--|
| 1 | SAL_10 | Used Salvia - ever | discrete | numeric-1.0 | 16111 | 238 | Have you ever used or tried Salvia (Salvia Divinorum, Divine Sage, Magic Mint, Sally D)? |
| 2 | SAL_20 | Age first used - Salvia | continuous | numeric-2.0 | 473 | 15876 | How old were you when you tried or started using Salvia? |
| 3 | SAL_30 | Used Salvia - 12 mo. | discrete | numeric-1.0 | 477 | 15872 | Have you used or tried Salvia during the past 12 months? |
| 4 | SALV12M | Salvia use - 12 mo. | discrete | numeric-1.0 | 16111 | 238 | - |
| 5 | HALSALVL | Hallucinogens and/or salvia use - lifetime | discrete | numeric-1.0 | 16111 | 238 | - |

Group Pharmaceuticals

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
|---|------|-------|------|--------|-------|---------|----------|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|----------|--|----------|-------------|-------|---------|----------|
| 1 | PHAR12M | Used pharmaceuticals - 12 mo. | discrete | numeric-1.0 | 15945 | 404 | - |
| 2 | PHARND | Used pharmaceuticals not as directed -12 mo. | discrete | numeric-1.0 | 15898 | 451 | - |
| 3 | PHARHIGH | Used pharmaceuticals to get high - 12 mo. | discrete | numeric-1.0 | 15951 | 398 | - |
| 4 | PHARABUS | Abused pharmaceuticals - 12 mo. | discrete | numeric-1.0 | 15888 | 461 | - |

Group Inhalants

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|--------|-----------------------|----------|-------------|-------|---------|----------|
| 1 | INH12M | Inhalant use - 12 mo. | discrete | numeric-1.0 | 16115 | 234 | - |

Group Drinking

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|----------|---|----------|-------------|-------|---------|----------|
| 1 | FIVEMN | Drank 5 or more drinks in a single sitting once a month or more often | discrete | numeric-1.0 | 16107 | 242 | - |
| 2 | AHEAVYMN | Heavy monthly alcohol use once per month / more often - 12 mo. | discrete | numeric-1.0 | 16105 | 244 | - |

Group Smuggled Cigarettes

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---------|--|----------|-------------|-------|---------|---|
| 1 | PP_110A | Where bought smuggled cigarettes - store | discrete | numeric-1.0 | 44 | 16305 | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a store (excluding on a First Nations Reserve) |
| 2 | PP_110B | Where bought smuggled cigarettes - First Nations Reserve | discrete | numeric-1.0 | 44 | 16305 | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - On a First Nations Reserve |
| 3 | PP_110C | Where bought smuggled cigarettes - delivery service | discrete | numeric-1.0 | 44 | 16305 | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a delivery service |
| 4 | PP_110D | Where bought smuggled cigarettes - co-worker | discrete | numeric-1.0 | 44 | 16305 | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a co-worker |
| 5 | PP_110E | Where bought smuggled cigarettes - family member | discrete | numeric-1.0 | 44 | 16305 | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a family member |
| 6 | PP_110F | Where bought smuggled cigarettes - friend | discrete | numeric-1.0 | 44 | 16305 | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a friend (not a co-worker) |
| 7 | PP_110G | Where bought smuggled cigarettes - other - specify | discrete | numeric-1.0 | 44 | 16305 | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - Other - Specify |
| 8 | PP_140 | How easy or difficult - to buy smuggled cigarettes | discrete | numeric-1.0 | 42 | 16307 | How easy or difficult was it for you to buy these cigarettes? Would you say it was...? |

| Group Codeine | | | | | | | |
|----------------------|--------|-------------------------------|----------|-------------|-------|---------|--|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | PR_010 | Used codeine products -12 mo. | discrete | numeric-1.0 | 5718 | 10631 | During the past 12 months, have you used any codeine products like Tylenol #3, Tylenol #1, 292's or 222's? |

| Group Oxycodone | | | | | | | |
|------------------------|--------|----------------------------------|----------|-------------|-------|---------|---|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | PR_020 | Used oxycodone products - 12 mo. | discrete | numeric-1.0 | 5728 | 10621 | During the past 12 months, have you used any oxycodone products such as Percocet or Percodan? |

| Group Opioid | | | | | | | |
|---------------------|--------|-------------------------------------|----------|-------------|-------|---------|--|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | PR_030 | Used other opioid products - 12 mo. | discrete | numeric-1.0 | 5729 | 10620 | During the past 12 months, have you used any other opioid products such as hydromorphone, Dilaudid, HydromorphContin, morphine, MS Contin, or Demerol? |

Variables Description

Dataset contains 407 variable(s)

| File : ctas_2017_per_en | | | | |
|---|-----------------------|---|------------|-----------------------|
| # PUMFID: Randomly generated sequence number for the public use microdata file | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 1000-36973] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16349 /-] [Invalid=0 /-] [Mean=18927.221 /-] [StdDev=10362.455 /-] | | |
| Universe | | All households | | |
| Value | Label | Cases | Percentage | |
| 99996 | Valid skip | | | |
| 99997 | Don't know | | | |
| 99998 | Refusal | | | |
| 99999 | Not stated | | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # REFYEAR: Survey year | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 2017-2017] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16349 / 30291071.179] [Invalid=0 / 0] | | |
| Universe | | All households | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 2017 | 2017 | 16349 | 30291071.2 | 100.0% |
| 9996 | Valid skip | 0 | 0.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 0 | 0.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # REFMONTH: Survey month | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16349 / 30291071.179] [Invalid=0 / 0] | | |
| Universe | | All households | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | January | 0 | 0.0 | |
| 2 | February | 1360 | 5026943.5 | 16.6% |
| 3 | March and April | 3000 | 5031651.0 | 16.6% |
| 5 | May and June | 2934 | 5042685.2 | 16.6% |
| 7 | July and August | 2800 | 5053216.3 | 16.7% |
| 9 | September and October | 3111 | 5063903.7 | 16.7% |
| 11 | November and December | 3144 | 5072671.5 | 16.7% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 0 | 0.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PROV: Province of the selected respondent | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 10-62] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16349 / 30291071.179] [Invalid=0 / 0] | | |
| Universe | | All households | | |

File : ctas_2017_per_en

PROV: Province of the selected respondent

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|---------------------------|-------|------------|-----------------------|
| 10 | Newfoundland and Labrador | 1355 | 448356.5 | 1.5% |
| 11 | Prince Edward Island | 1080 | 124079.5 | 0.4% |
| 12 | Nova Scotia | 1240 | 807670.8 | 2.7% |
| 13 | New Brunswick | 1514 | 635922.0 | 2.1% |
| 24 | Quebec | 2080 | 6987202.7 | 23.1% |
| 35 | Ontario | 3636 | 11762743.3 | 38.8% |
| 46 | Manitoba | 1368 | 1066340.7 | 3.5% |
| 47 | Saskatchewan | 1197 | 923699.2 | 3.0% |
| 48 | Alberta | 1444 | 3478010.3 | 11.5% |
| 59 | British Columbia | 1435 | 4057046.2 | 13.4% |
| 60 | Yukon | 0 | 0.0 | |
| 61 | Northwest Territories | 0 | 0.0 | |
| 62 | Nunavut | 0 | 0.0 | |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DVURBAN: Characteristics of community where the respondent lives

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All households |
| Notes | The category 'Population centre' is historically comparable to 'Urban' which was used in previous years for CTUMS. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------------------|-------|------------|-----------------------|
| 1 | Population centre | 12122 | 24161686.8 | 79.8% |
| 2 | Rural | 4227 | 6129384.4 | 20.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HDSIZE: Number of people in the household

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=15913 / 29863196.966] [Invalid=436 / 427874.212] |
| Universe | All households |
| Notes | Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05. This variable has changed name between CTADS 2015 and CTADS 2017. It went from HHSIZE to HDSIZE. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|----------|-------|------------|-----------------------|
| 1 | 1 person | 1581 | 4788277.2 | 16.0% |
| 2 | 2 people | 3221 | 11350565.5 | 38.0% |
| 3 | 3 people | 4455 | 5444405.9 | 18.2% |

File : ctas_2017_per_en

HDSIZE: Number of people in the household

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------------|-------|-----------|-----------------------|
| 4 | 4 people | 5230 | 6888704.2 | 23.1% |
| 5 | 5 people or more | 1426 | 1391244.2 | 4.7% |
| 6 | Valid skip | 436 | 427874.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AGE0014: Number of children in household aged 0-14

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All households |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------------|-------|------------|-----------------------|
| 0 | None | 12080 | 22524119.4 | 74.4% |
| 1 | One | 2722 | 3704397.1 | 12.2% |
| 2 | Two or more | 1547 | 4062554.7 | 13.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AGE1524: Number of household members (including respondent) aged 15-24

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All households |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------------|-------|------------|-----------------------|
| 0 | None | 3796 | 21620296.1 | 71.4% |
| 1 | One | 7648 | 4577323.9 | 15.1% |
| 2 | Two or more | 4905 | 4093451.2 | 13.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AGE2544: Number of household members (including respondent) aged 25-44

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All households |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------------|-------|------------|-----------------------|
| 0 | None | 10763 | 17033101.6 | 56.2% |
| 1 | One | 3557 | 6036465.0 | 19.9% |
| 2 | Two or more | 2029 | 7221504.5 | 23.8% |

File : ctas_2017_per_en

AGE2544: Number of household members (including respondent) aged 25-44

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AGE45PL: Number of household members (including respondent) aged 45 plus

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All households |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------------|-------|------------|-----------------------|
| 0 | None | 3784 | 8999334.6 | 29.7% |
| 1 | One | 3965 | 6755771.3 | 22.3% |
| 2 | Two or more | 8600 | 14535965.3 | 48.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HHTYPE: Type of household, based on roster age composition

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All households |
| Notes | Derived from roster entries (e.g. adults only, adults with young children, etc) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|--|-------|-----------|-----------------------|
| 1 | Households with only 18-19 year old members | 20 | 26737.2 | 0.1% |
| 2 | Households with only 20-24 year old members | 620 | 453815.3 | 1.5% |
| 3 | Households with only 25-44 year old members | 488 | 3227471.6 | 10.7% |
| 4 | Households with only 45-64 year old members | 1183 | 4702876.3 | 15.5% |
| 5 | Households with only 65+ year old members | 854 | 4698037.7 | 15.5% |
| 6 | Households with adults and children aged 0-11 only | 1025 | 4483370.6 | 14.8% |
| 7 | Households with adults and children aged 12-19 only | 6295 | 4852947.5 | 16.0% |
| 8 | Households with adults, young children and teens 0-19 only | 1633 | 1818766.7 | 6.0% |
| 9 | Other compositions | 4231 | 6027048.2 | 19.9% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : ctas_2017_per_en

HS_10: Anyone in household smokes cigarettes

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16346 / 30290008.725] [Invalid=3 / 1062.453] |
| Universe | Household respondent |
| Literal question | [Do you/Does anyone in your household] smoke cigarettes? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 3773 | 6247356.0 | 20.6% |
| 2 | No | 12573 | 24042652.7 | 79.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 3 | 1062.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HS_20: Num people smoke cigarettes inside home daily

| | |
|-----------------------------------|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*] |
| Statistics [NW/ W] | [Valid=16343 / 30283646.698] [Invalid=6 / 7424.481] [Mean=0.0702 / 0.0803] [StdDev=0.38 / 0.382] |
| Universe | Household respondent |
| Literal question | How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors. |
| Interviewer's instructions | Smoking inside the home excludes smoking inside the garage, whether attached or detached. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 3 | 4352.0 | |
| 98 | Refusal | 3 | 3072.4 | |
| 99 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HS_30: Num cigarettes smoked inside home per day

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=711 / 1562457.279] [Invalid=15638 / 28728613.9] |
| Universe | HS_Q20=(01:15) |
| Literal question | On a typical day, how many cigarettes are smoked inside your home? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-----------------------|-------|------------|-----------------------|
| 1 | 1 to 10 cigarettes | 333 | 587994.2 | 37.6% |
| 2 | 11 to 20 cigarettes | 197 | 407544.4 | 26.1% |
| 3 | 21 to 30 cigarettes | 117 | 472353.3 | 30.2% |
| 4 | 31 to 40 cigarettes | 28 | 14486.1 | 0.9% |
| 5 | 41 or more cigarettes | 36 | 80079.3 | 5.1% |
| 6 | Valid skip | 15603 | 28676532.8 | |
| 7 | Don't know | 27 | 43954.8 | |
| 8 | Refusal | 2 | 701.8 | |
| 9 | Not stated | 6 | 7424.5 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : ctas_2017_per_en

HS_40: Smoking cigarettes allowed inside home

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=15587 / 28562320.08] [Invalid=762 / 1728751.099] |
| Universe | HS_Q20=(00, DK or RF) |
| Literal question | Is smoking cigarettes allowed inside your home? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 477 | 1095943.9 | 3.8% |
| 2 | No | 15110 | 27466376.1 | 96.2% |
| 6 | Valid skip | 740 | 1607113.9 | |
| 7 | Don't know | 18 | 116429.7 | |
| 8 | Refusal | 4 | 5207.5 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HS_50: Smoking cigarettes inside home is restricted

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=1211 / 2669404.918] [Invalid=15138 / 27621666.26] |
| Universe | HS_Q20=(01:15) and HS_Q40=1 |
| Literal question | Is smoking cigarettes inside your home restricted in any way? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 560 | 1138610.4 | 42.7% |
| 2 | No | 651 | 1530794.5 | 57.3% |
| 6 | Valid skip | 15110 | 27466376.1 | |
| 7 | Don't know | 5 | 33006.6 | |
| 8 | Refusal | 1 | 646.3 | |
| 9 | Not stated | 22 | 121637.2 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HS_60A: Smoking inside home - allowed in certain rooms only

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=557 / 1137890.182] [Invalid=15792 / 29153180.997] |
| Universe | HS_Q50=1 |
| Literal question | How is smoking cigarettes restricted inside your home? - Allowed in certain rooms only |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 358 | 556332.5 | 48.9% |
| 2 | No | 199 | 581557.7 | 51.1% |
| 6 | Valid skip | 15761 | 28997170.7 | |
| 7 | Don't know | 3 | 720.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 28 | 155290.1 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HS_60B: Smoking inside home - restricted in the presence of young children

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=557 / 1137890.182] [Invalid=15792 / 29153180.997] |

File : ctas_2017_per_en

HS_60B: Smoking inside home - restricted in the presence of young children

| | |
|-------------------------|---|
| Universe | HS_Q50=1 |
| Literal question | How is smoking cigarettes restricted inside your home? - Restricted in the presence of young children |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 177 | 381809.4 | 33.6% |
| 2 | No | 380 | 756080.8 | 66.4% |
| 6 | Valid skip | 15761 | 28997170.7 | |
| 7 | Don't know | 3 | 720.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 28 | 155290.1 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HS_60C: Smoking inside - only if windows are open/another type of ventilation

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=557 / 1137890.182] [Invalid=15792 / 29153180.997] |
| Universe | HS_Q50=1 |
| Literal question | How is smoking cigarettes restricted inside your home? - Allowed only if windows are open or with another type of ventilation |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 280 | 492201.1 | 43.3% |
| 2 | No | 277 | 645689.1 | 56.7% |
| 6 | Valid skip | 15761 | 28997170.7 | |
| 7 | Don't know | 3 | 720.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 28 | 155290.1 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HS_60D: Smoking inside your home - other restriction(s)

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=557 / 1137890.182] [Invalid=15792 / 29153180.997] |
| Universe | HS_Q50=1 |
| Literal question | How is smoking cigarettes restricted inside your home? - Other restriction(s) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 88 | 372233.7 | 32.7% |
| 2 | No | 469 | 765656.5 | 67.3% |
| 6 | Valid skip | 15761 | 28997170.7 | |
| 7 | Don't know | 3 | 720.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 28 | 155290.1 | |



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HV_01: Using e-cigarettes allowed inside home

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16036 / 29550097.793] [Invalid=313 / 740973.386] |
| Universe | All household respondents |
| Literal question | Is using e-cigarettes allowed inside your home? |

File : ctas_2017_per_en

HV_01: Using e-cigarettes allowed inside home

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|---|
| 1 | Yes | 1874 | 3499548.5 |  11.8% |
| 2 | No | 14162 | 26050549.3 |  88.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 299 | 700508.1 | |
| 8 | Refusal | 14 | 40465.3 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HV_02: Num people use e-cigarettes inside home daily

| | |
|---------------------------|--|
| Information | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] |
| Statistics [NW/ W] | [Valid=1872 / 3494228.335] [Invalid=14477 / 26796842.844] [Mean=0.298 / 0.211] [StdDev=0.635 / 0.494] |
| Universe | HV_Q01 = 1 |
| Literal question | How many people use e-cigarettes inside your home every day or almost every day? Include all household members and visitors. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14162 | 26050549.3 | |
| 97 | Don't know | 2 | 5320.2 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 313 | 740973.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DVAGE: Age of respondent



| | |
|---------------------------|--|
| Information | [Type= continuous] [Format=numeric] [Range= 15-85] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] [Mean=31.295 / 46.416] [StdDev=17.784 / 18.5] |
| Universe | All respondents |
| Literal question | For statistical purposes only, may we confirm your age, as of today? |
| Notes | Derived from PA_Q01. Ages greater than 85 were recoded to 85. |

| Value | Label | Cases | Percentage |
|-------|------------|-------|------------|
| 996 | Valid skip | | |
| 997 | Don't know | | |
| 998 | Refusal | | |
| 999 | Not stated | | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SEX: Respondent's sex

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|---|
| 1 | Male | 7847 | 14949551.5 |  49.4% |
| 2 | Female | 8502 | 15341519.7 |  50.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |

File : ctas_2017_per_en

SEX: Respondent's sex

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DVMARST: Grouped marital status of respondent from household roster

| | |
|-----------------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| Statistics [NW/ W] | [Valid=16300 / 30165403.866] [Invalid=49 / 125667.312] |
| Universe | All respondents |
| Interviewer's instructions | Read categories to respondent. If a Quebec respondent answers "civil union", code to the "married" category. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|----------------------------|-------|------------|-----------------------|
| 1 | Living common-law/Married | 4409 | 18340340.9 | 60.8% |
| 2 | Widowed/Divorced/Separated | 1141 | 3318448.8 | 11.0% |
| 3 | Single, never married | 10750 | 8506614.2 | 28.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 49 | 125667.3 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LP_01: English or French

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| Statistics [NW/ W] | [Valid=6634 / 17202897.328] [Invalid=9715 / 13088173.851] |
| Universe | All respondents |
| Literal question | Would you prefer that I speak in English or in French? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | English | 5804 | 13402180.3 | 77.9% |
| 2 | French | 830 | 3800717.0 | 22.1% |
| 3 | Other | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 9715 | 13088173.9 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWB_01: Health

| | |
|-----------------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=16334 / 30252704.542] [Invalid=15 / 38366.637] |
| Universe | All respondents |
| Literal question | In general, would you say your health is...? |
| Interviewer's instructions | Read categories to respondent. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-----------|-------|------------|-----------------------|
| 1 | Excellent | 4448 | 7803425.1 | 25.8% |
| 2 | Very good | 6745 | 11526820.7 | 38.1% |

File : ctas_2017_per_en

HWB_01: Health

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|-----------|-----------------------|
| 3 | Good | 4143 | 8263332.7 | 27.3% |
| 4 | Fair | 826 | 2096664.1 | 6.9% |
| 5 | Poor | 172 | 562462.0 | 1.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 12 | 32038.9 | |
| 8 | Refusal | 3 | 6327.7 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HWB_10: Mental health

| | |
|----------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=16316 / 30177742.745] [Invalid=33 / 113328.434] |
| Universe | All respondents |
| Literal question | In general, would you say your mental health is...? |
| Interviewer's instructions | Read categories to respondent. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Excellent | 5473 | 11198181.4 | 37.1% |
| 2 | Very good | 5753 | 10545095.8 | 34.9% |
| 3 | Good | 3820 | 6696162.4 | 22.2% |
| 4 | Fair | 1037 | 1296058.6 | 4.3% |
| 5 | Poor | 233 | 442244.5 | 1.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 24 | 67096.2 | |
| 8 | Refusal | 9 | 46232.2 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SS_10: Frequency - smoking - present time

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] |
| Universe | All respondents |
| Literal question | At the present time, do you smoke cigarettes every day, occasionally or not at all? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|--------------|-------|------------|-----------------------|
| 1 | Every day | 1373 | 3267957.6 | 10.8% |
| 2 | Occasionally | 873 | 1296866.8 | 4.3% |
| 3 | Not at all | 14103 | 25726246.7 | 84.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SS_20: Smoked cigarettes - 30 days

| | |
|-------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|--|



File : ctas_2017_per_en

SS_20: Smoked cigarettes - 30 days

Statistics [NW/ W] [Valid=14976 / 27023113.562] [Invalid=1373 / 3267957.617]

Universe SS_Q10=(2,3, DK, RF)

Literal question In the past 30 days, did you smoke any cigarettes?

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|---|
| 1 | Yes | 838 | 1369700.4 |  5.1% |
| 2 | No | 14138 | 25653413.1 |  94.9% |
| 6 | Valid skip | 1373 | 3267957.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



SS_30: Smoked daily - 30 days

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=2211 / 4637658.048] [Invalid=14138 / 25653413.131]

Universe SS_Q10=1 or SS_Q20=1

Literal question During the past 30 days, did you smoke every day?

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|---|
| 1 | Yes | 1345 | 3299129.8 |  71.1% |
| 2 | No | 866 | 1338528.3 |  28.9% |
| 6 | Valid skip | 14138 | 25653413.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



SS_40: Smoked at least 100 cigarettes - lifetime

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=16349 / 30291071.179] [Invalid=0 / 0]

Universe All respondents

Literal question Have you smoked at least 100 cigarettes in your life?

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|---|
| 1 | Yes | 4120 | 12146798.2 |  40.1% |
| 2 | No | 12229 | 18144272.9 |  59.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PS_10: Ever smoked whole cigarette

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=11901 / 17928787.711] [Invalid=4448 / 12362283.468]

Universe SS_Q10=3 and SS_Q40=2

File : ctas_2017_per_en

PS_10: Ever smoked whole cigarette

Literal question Have you ever smoked a whole cigarette?

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 2105 | 4546852.3 | 25.4% |
| 2 | No | 9796 | 13381935.4 | 74.6% |
| 6 | Valid skip | 4448 | 12362283.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PS_20: Ever smoked cigarettes daily

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3010 / 9011192.356] [Invalid=13339 / 21279878.823]

Universe (SS_Q10=2 and (SS_Q20=2 or SS_Q30=2)) or (SS_Q10=3 and SS_Q40=1)

Literal question Have you ever smoked cigarettes daily?

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 2245 | 7745966.1 | 86.0% |
| 2 | No | 765 | 1265226.3 | 14.0% |
| 6 | Valid skip | 13337 | 21278561.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2 | 1317.5 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PS_30: Age smoked first cigarette

Information [Type= continuous] [Format=numeric] [Range= 4-53] [Missing=*]

Statistics [NW/ W] [Valid=6424 / 16545568.759] [Invalid=9925 / 13745502.419] [Mean=16.011 / 16.431] [StdDev=3.581 / 4.253]

Universe SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1) or PS_Q10=1

Literal question At what age did you smoke your first cigarette?

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 9796 | 13381935.4 | |
| 97 | Don't know | 119 | 355555.6 | |
| 98 | Refusal | 6 | 6301.5 | |
| 99 | Not stated | 4 | 1709.9 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PS_40: Age first smoked daily

Information [Type= continuous] [Format=numeric] [Range= 6-72] [Missing=*]

Statistics [NW/ W] [Valid=3518 / 10718431.044] [Invalid=12831 / 19572640.135] [Mean=17.82 / 18.471] [StdDev=4.314 / 4.675]

Universe SS_Q10=1 or PS_Q20=1

Literal question At what age did you begin to smoke cigarettes daily?

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 12731 | 19277147.5 | |
| 97 | Don't know | 97 | 293407.8 | |

File : ctas_2017_per_en

PS_40: Age first smoked daily

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 98 | Refusal | 2 | 2011.3 | |
| 99 | Not stated | 1 | 73.6 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MNTH_01: Ever smoked menthol cigarette

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=6482 / 16695362.926] [Invalid=9867 / 13595708.253] |
| Universe | DV_SSTAT=(1,2,3) or (DV_SSTAT=4 and PS_Q10=1) |
| Literal question | Have you ever tried smoking a menthol cigarette? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 3975 | 10326398.7 | 61.9% |
| 2 | No | 2507 | 6368964.2 | 38.1% |
| 6 | Valid skip | 9796 | 13381935.4 | |
| 7 | Don't know | 64 | 211732.1 | |
| 8 | Refusal | 1 | 144.0 | |
| 9 | Not stated | 6 | 1896.7 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MNTH_02: Smoked menthol cigarettes - 30 days

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=3974 / 10326336.964] [Invalid=12375 / 19964734.215] |
| Universe | MNTH_Q01 = 1 |
| Literal question | In the past 30 days have you smoked any menthol cigarettes? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 208 | 433752.5 | 4.2% |
| 2 | No | 3766 | 9892584.5 | 95.8% |
| 6 | Valid skip | 12303 | 19750899.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 72 | 213834.6 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MNTH_03: Usual brand of cigarette is menthol

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=206 / 432009.442] [Invalid=16143 / 29859061.737] |
| Universe | MNTH_Q01 = 1 AND MNTH_Q02 = 1 |
| Literal question | Is your usual brand of cigarette a menthol cigarette? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 63 | 126323.4 | 29.2% |
| 2 | No | 143 | 305686.0 | 70.8% |
| 6 | Valid skip | 16069 | 29643484.1 | |
| 7 | Don't know | 2 | 1743.0 | |
| 8 | Refusal | 0 | 0.0 | |

File : ctas_2017_per_en

MNTH_03: Usual brand of cigarette is menthol

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 9 | Not stated | 72 | 213834.6 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WP_10A: Number of cigarettes smoked Monday

| | |
|---------------------------|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
| Statistics [NW/ W] | [Valid=2141 / 4499957.796] [Invalid=14208 / 25791113.383] [Mean=8.091 / 9.844] [StdDev=8.727 / 8.897] |
| Universe | SS_10=1 or SS_20=1 |
| Literal question | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Monday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 14 | 10381.6 | |
| 98 | Refusal | 1 | 1859.4 | |
| 99 | Not stated | 55 | 125459.2 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WP_10B: Number of cigarettes smoked Tuesday

| | |
|---------------------------|--|
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
| Statistics [NW/ W] | [Valid=2122 / 4475123.832] [Invalid=14227 / 25815947.347] [Mean=8.19 / 9.831] [StdDev=8.969 / 8.959] |
| Universe | SS_10=1 or SS_20=1 |
| Literal question | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Tuesday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 27 | 82008.5 | |
| 98 | Refusal | 1 | 672.3 | |
| 99 | Not stated | 61 | 79853.5 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WP_10C: Number of cigarettes smoked Wednesday

| | |
|---------------------------|--|
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
| Statistics [NW/ W] | [Valid=2122 / 4480534.47] [Invalid=14227 / 25810536.709] [Mean=8.241 / 10.073] [StdDev=8.986 / 8.922] |
| Universe | SS_10=1 or SS_20=1 |
| Literal question | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Wednesday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 18 | 26757.5 | |
| 98 | Refusal | 1 | 387.1 | |
| 99 | Not stated | 70 | 129979.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WP_10D: Number of cigarettes smoked Thursday

| | |
|---------------------------|--|
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
| Statistics [NW/ W] | [Valid=2112 / 4358821.636] [Invalid=14237 / 25932249.543] [Mean=8.249 / 10.034] [StdDev=8.783 / 8.771] |

File : ctas_2017_per_en

WP_10D: Number of cigarettes smoked Thursday

| | |
|-------------------------|---|
| Universe | SS_10=1 or SS_20=1 |
| Literal question | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Thursday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 11 | 8888.5 | |
| 98 | Refusal | 1 | 387.1 | |
| 99 | Not stated | 87 | 269560.9 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WP_10E: Number of cigarettes smoked Friday

| | |
|---------------------------|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
| Statistics [NW/ W] | [Valid=2106 / 4367287.643] [Invalid=14243 / 25923783.535] [Mean=8.696 / 11.188] [StdDev=8.883 / 10.972] |
| Universe | SS_10=1 or SS_20=1 |
| Literal question | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Friday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 37 | 97988.6 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 68 | 172381.8 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WP_10F: Number of cigarettes smoked Saturday

| | |
|---------------------------|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
| Statistics [NW/ W] | [Valid=2135 / 4460620.627] [Invalid=14214 / 25830450.551] [Mean=8.922 / 11.116] [StdDev=9.075 / 9.42] |
| Universe | SS_10=1 or SS_20=1 |
| Literal question | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Saturday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 18 | 30686.1 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 58 | 146351.3 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WP_10G: Number of cigarettes smoked Sunday

| | |
|---------------------------|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
| Statistics [NW/ W] | [Valid=2139 / 4421079.767] [Invalid=14210 / 25869991.411] [Mean=8.11 / 10.223] [StdDev=8.725 / 9.055] |
| Universe | SS_10=1 or SS_20=1 |
| Literal question | Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Sunday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 27 | 115505.9 | |

File : ctas_2017_per_en

WP_10G: Number of cigarettes smoked Sunday

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 45 | 101072.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SB_10: Time between waking up and smoking first cigarette

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| Statistics [NW/ W] | [Valid=1361 / 3236322.478] [Invalid=14988 / 27054748.701] |
| Universe | SS_Q10=1 |
| Literal question | How soon after you wake up do you smoke your first cigarette? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|----------------------|-------|------------|-----------------------|
| 1 | Within 5 minutes | 236 | 492667.0 | 15.2% |
| 2 | 6 to 30 minutes | 415 | 1114486.8 | 34.4% |
| 3 | 31 to 60 minutes | 296 | 750402.4 | 23.2% |
| 4 | More than 60 minutes | 414 | 878766.3 | 27.2% |
| 6 | Valid skip | 14976 | 27023113.6 | |
| 7 | Don't know | 8 | 13483.5 | |
| 8 | Refusal | 1 | 2049.9 | |
| 9 | Not stated | 3 | 16101.8 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CA_10: Where cigarettes are obtained, and from whom

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 2-15] [Missing=*] |
| Statistics [NW/ W] | [Valid=2225 / 4518202.086] [Invalid=14124 / 25772869.093] |
| Universe | SS_Q10=(1 or 2) |
| Literal question | Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|--|-------|------------|-----------------------|
| 2 | I buy them at a small grocery / corner store | 1535 | 3224346.4 | 71.4% |
| 3 | I buy them at a supermarket | 70 | 341584.9 | 7.6% |
| 5 | I buy them at another kind of store | 148 | 288762.6 | 6.4% |
| 6 | I buy them from a friend or someone else | 88 | 67479.7 | 1.5% |
| 8 | I buy them from the internet | 0 | 0.0 | |
| 9 | My brother or sister gives them to me | 0 | 0.0 | |
| 10 | My mother or father gives them to me | 0 | 0.0 | |
| 11 | A friend or someone else gives them to me | 253 | 302893.7 | 6.7% |
| 12 | I take them from my mother, father or siblings | 5 | 1280.2 | 0.0% |
| 13 | I buy them from a First Nations Reserve | 15 | 20842.6 | 0.5% |
| 14 | I buy them on a First Nations Reserve | 40 | 105529.3 | 2.3% |
| 15 | Other | 71 | 165482.8 | 3.7% |
| 96 | Valid skip | 14103 | 25726246.7 | |
| 97 | Don't know | 9 | 20053.0 | |
| 98 | Refusal | 4 | 1841.0 | |
| 99 | Not stated | 8 | 24728.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : ctas_2017_per_en

PP_010: Bought cigarettes on a First Nations Reserve - 6 mo.

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=2236 / 4533177.272] [Invalid=14113 / 25757893.906] |
| Universe | SS_Q10 = (1,2) |
| Literal question | In the past six months, did you buy cigarettes on a First Nations Reserve? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 262 | 400527.8 | 8.8% |
| 2 | No | 1974 | 4132649.4 | 91.2% |
| 6 | Valid skip | 14103 | 25726246.7 | |
| 7 | Don't know | 2 | 6918.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 8 | 24728.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PP_025: Amt of cigarettes bought most recently from First Nations Reserve

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=260 / 398707.035] [Invalid=16089 / 29892364.143] |
| Universe | SS_Q10 = (1,2) AND PP_Q010 = 1 |
| Literal question | The last time you bought cigarettes that came from a First Nations Reserve, how much did you buy? Was it...? |
| Notes | Source: CTADS 2015: PP_Q090 |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|---------------------------|-------|------------|-----------------------|
| 1 | A pack of 20 cigarettes | 34 | 17847.7 | 4.5% |
| 2 | A pack of 25 cigarettes | 105 | 158927.6 | 39.9% |
| 3 | A bag of 200 cigarettes | 11 | 25207.4 | 6.3% |
| 4 | A carton (200 cigarettes) | 79 | 153528.4 | 38.5% |
| 5 | Some other quantity | 31 | 43196.0 | 10.8% |
| 6 | Valid skip | 16077 | 29858896.2 | |
| 7 | Don't know | 2 | 1820.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 10 | 31647.2 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

| # PP_030: Cigarettes bought at store or gas station - 6 mo. | | | | |
|---|---|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2234 / 4537807.113] [Invalid=14115 / 25753264.065] | | | |
| Universe | SS_Q10 = (1,2) | | | |
| Literal question | In the past six months, did you buy cigarettes from a store or gas station, that was not on a First Nations Reserve? | | | |
| Interviewer's instructions | Examples of stores are: supermarkets, grocery, convenience, and duty-free stores. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1763 | 3780666.8 | 83.3% |
| 2 | No | 471 | 757140.3 | 16.7% |
| 6 | Valid skip | 14103 | 25726246.7 | |
| 7 | Don't know | 3 | 1455.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 9 | 25561.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PP_045: Bought cigarettes believed to have been smuggled - 6 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2223 / 4521467.799] [Invalid=14126 / 25769603.38] | | | |
| Universe | SS_Q10 = (1,2) | | | |
| Notes | Source: CTADS 2015: PP_Q020 | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 51 | 80968.4 | 1.8% |
| 2 | No | 2172 | 4440499.4 | 98.2% |
| 6 | Valid skip | 14103 | 25726246.7 | |
| 7 | Don't know | 8 | 6912.2 | |
| 8 | Refusal | 2 | 5264.0 | |
| 9 | Not stated | 13 | 31180.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PP_110A: Where bought smuggled cigarettes - store | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=44 / 76173.909] [Invalid=16305 / 30214897.269] | | | |
| Universe | SS_Q10 = (1,2) AND PP_Q045 = 1 | | | |
| Literal question | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a store (excluding on a First Nations Reserve) | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 44 | 76173.9 | 100.0% |
| 6 | Valid skip | 16275 | 30166746.1 | |
| 7 | Don't know | 1 | 250.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 29 | 47900.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PP_110B: Where bought smuggled cigarettes - First Nations Reserve | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=44 / 76173.909] [Invalid=16305 / 30214897.269] | | | |

| # PP_110B: Where bought smuggled cigarettes - First Nations Reserve | | | | |
|---|------------|--|------------|-------------------------------|
| Universe | | SS_Q10 = (1,2) AND PP_Q045 = 1 | | |
| Literal question | | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - On a First Nations Reserve | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 6 | 16812.4 | <div><div></div></div> 22.1% |
| 2 | No | 38 | 59361.5 | <div><div></div></div> 77.9% |
| 6 | Valid skip | 16275 | 30166746.1 | |
| 7 | Don't know | 1 | 250.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 29 | 47900.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PP_110C: Where bought smuggled cigarettes - delivery service | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=44 / 76173.909] [Invalid=16305 / 30214897.269] | | |
| Universe | | SS_Q10 = (1,2) AND PP_Q045 = 1 | | |
| Literal question | | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a delivery service | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 44 | 76173.9 | <div><div></div></div> 100.0% |
| 6 | Valid skip | 16275 | 30166746.1 | |
| 7 | Don't know | 1 | 250.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 29 | 47900.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PP_110D: Where bought smuggled cigarettes - co-worker | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=44 / 76173.909] [Invalid=16305 / 30214897.269] | | |
| Universe | | SS_Q10 = (1,2) AND PP_Q045 = 1 | | |
| Literal question | | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a co-worker | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 44 | 76173.9 | <div><div></div></div> 100.0% |
| 6 | Valid skip | 16275 | 30166746.1 | |
| 7 | Don't know | 1 | 250.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 29 | 47900.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PP_110E: Where bought smuggled cigarettes - family member | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=44 / 76173.909] [Invalid=16305 / 30214897.269] | | |
| Universe | | SS_Q10 = (1,2) AND PP_Q045 = 1 | | |
| Literal question | | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a family member | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |

| # PP_110E: Where bought smuggled cigarettes - family member | | | | | |
|---|---|-------|------------|-----------------------|--|
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 2 | No | 44 | 76173.9 | <div></div> 100.0% | |
| 6 | Valid skip | 16275 | 30166746.1 | | |
| 7 | Don't know | 1 | 250.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 29 | 47900.6 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # PP_110F: Where bought smuggled cigarettes - friend | | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | | |
| Statistics [NW/ W] | [Valid=44 / 76173.909] [Invalid=16305 / 30214897.269] | | | | |
| Universe | SS_Q10 = (1,2) AND PP_Q045 = 1 | | | | |
| Literal question | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a friend (not a co-worker) | | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 31 | 50848.4 | <div></div> 66.8% | |
| 2 | No | 13 | 25325.5 | | |
| 6 | Valid skip | 16275 | 30166746.1 | <div></div> 33.2% | |
| 7 | Don't know | 1 | 250.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 29 | 47900.6 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # PP_110G: Where bought smuggled cigarettes - other - specify | | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | | |
| Statistics [NW/ W] | [Valid=44 / 76173.909] [Invalid=16305 / 30214897.269] | | | | |
| Universe | SS_Q10 = (1,2) AND PP_Q045 = 1 | | | | |
| Literal question | Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - Other - Specify | | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 9 | 23549.0 | <div></div> 30.9% | |
| 2 | No | 35 | 52624.9 | <div></div> 69.1% | |
| 6 | Valid skip | 16275 | 30166746.1 | | |
| 7 | Don't know | 1 | 250.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 29 | 47900.6 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # PP_120: Quantity smuggled cigarettes bought most recently | | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] | | | | |
| Statistics [NW/ W] | [Valid=49 / 79207.646] [Invalid=16300 / 30211863.532] | | | | |
| Universe | SS_Q10 = (1,2) AND PP_Q045 = 1 | | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | A pack of 20 cigarettes | 7 | 2714.2 | <div></div> 3.4% | |
| 2 | A pack of 25 cigarettes | 10 | 31045.6 | <div></div> 39.2% | |
| 3 | A bag of 200 cigarettes | 0 | 0.0 | | |
| 4 | A carton (200 cigarettes) | 17 | 36703.7 | <div></div> 46.3% | |
| 5 | Some other quantity | 15 | 8744.2 | <div></div> 11.0% | |

| # PP_120: Quantity smuggled cigarettes bought most recently | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 6 | Valid skip | 16275 | 30166746.1 | |
| 7 | Don't know | 2 | 1760.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 23 | 43356.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PP_140: How easy or difficult - to buy smuggled cigarettes | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=42 / 62927.415] [Invalid=16307 / 30228143.764] | | | |
| Universe | SS_Q10 = (1,2) AND PP_Q045 = 1 | | | |
| Literal question | How easy or difficult was it for you to buy these cigarettes? Would you say it was...? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Very easy | 27 | 29150.1 | 46.3% |
| 2 | Easy | 15 | 33777.3 | 53.7% |
| 3 | Difficult | 0 | 0.0 | |
| 4 | Very difficult | 0 | 0.0 | |
| 6 | Valid skip | 16275 | 30166746.1 | |
| 7 | Don't know | 3 | 505.9 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 29 | 60891.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_010: Stopped smoking - how long | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2191 / 7769224.809] [Invalid=14158 / 22521846.37] | | | |
| Universe | SS_Q10=3 and SS_Q40=1 | | | |
| Literal question | When did you stop smoking? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Less than 1 year ago | 216 | 461751.1 | 5.9% |
| 2 | 1 to 2 years ago | 199 | 520830.3 | 6.7% |
| 3 | 3 to 5 years ago | 204 | 663355.4 | 8.5% |
| 4 | More than 5 years ago | 1572 | 6123288.0 | 78.8% |
| 6 | Valid skip | 14147 | 22493612.2 | |
| 7 | Don't know | 4 | 21942.1 | |
| 8 | Refusal | 4 | 991.6 | |
| 9 | Not stated | 3 | 5300.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_020: Month stopped smoking | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=210 / 460468.068] [Invalid=16139 / 29830603.111] | | | |
| Universe | SS_Q10=3 and SS_Q40=1 and SC_Q010=1 | | | |
| Literal question | In what month did you stop smoking? | | | |

| # SC_020: Month stopped smoking | | | | |
|---|--------------------------------------|--|------------|------------------------------|
| Interviewer's instructions | | Select the month. | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | January | 27 | 52801.0 | <div><div></div></div> 11.5% |
| 2 | February | 16 | 42122.9 | <div><div></div></div> 9.1% |
| 3 | March | 16 | 13400.6 | <div><div></div></div> 2.9% |
| 4 | April | 12 | 24060.4 | <div><div></div></div> 5.2% |
| 5 | May | 14 | 58536.1 | <div><div></div></div> 12.7% |
| 6 | June | 14 | 38680.5 | <div><div></div></div> 8.4% |
| 7 | July | 15 | 23315.5 | <div><div></div></div> 5.1% |
| 8 | August | 20 | 18501.1 | <div><div></div></div> 4.0% |
| 9 | September | 22 | 105262.0 | <div><div></div></div> 22.9% |
| 10 | October | 18 | 44770.0 | <div><div></div></div> 9.7% |
| 11 | November | 18 | 26182.6 | <div><div></div></div> 5.7% |
| 12 | December | 18 | 12835.2 | <div><div></div></div> 2.8% |
| 96 | Valid skip | 16122 | 29801085.9 | |
| 97 | Don't know | 5 | 973.1 | |
| 98 | Refusal | 1 | 309.9 | |
| 99 | Not stated | 11 | 28234.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_030: Main reason quit smoking | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=216 / 461751.112] [Invalid=16133 / 29829320.067] | | |
| Universe | | SS_Q10=3 and SS_Q40=1 and SC_Q010=1 | | |
| Literal question | | What was your main reason to quit smoking? | | |
| Interviewer's instructions | | Read categories to respondent. | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Health | 129 | 311542.0 | <div><div></div></div> 67.5% |
| 2 | Pregnancy or a baby in the household | 16 | 5876.3 | <div><div></div></div> 1.3% |
| 4 | Cost of cigarettes | 25 | 44717.8 | <div><div></div></div> 9.7% |
| 5 | Smoking is less socially acceptable | 0 | 0.0 | |
| 6 | Some other reason | 46 | 99614.9 | <div><div></div></div> 21.6% |
| 96 | Valid skip | 16122 | 29801085.9 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 11 | 28234.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_040: Num attempts to stop smoking before stopped for good | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 1-94] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=2116 / 7502953.159] [Invalid=14233 / 22788118.019] [Mean=3.666 / 3.862] [StdDev=7.13 / 7.283] | | |
| Universe | | SS_Q10=3 and SS_Q40=1 | | |
| Literal question | | Approximately, how many attempts to quit did you make before you quit smoking for good? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14147 | 22493612.2 | |
| 97 | Don't know | 66 | 219911.2 | |

| # SC_040: Num attempts to stop smoking before stopped for good | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 98 | Refusal | 16 | 67886.9 | |
| 99 | Not stated | 4 | 6707.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_050: Num daily cigarettes at time quit smoking | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 1-94] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2114 / 7546879.9] [Invalid=14235 / 22744191.279] [Mean=15 / 15.303] [StdDev=12.376 / 11.543] | | | |
| Universe | SS_Q10=3 and SS_Q40=1 | | | |
| Literal question | On average, how many cigarettes were you smoking per day at the time you quit? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14147 | 22493612.2 | |
| 97 | Don't know | 68 | 209893.0 | |
| 98 | Refusal | 14 | 29540.5 | |
| 99 | Not stated | 6 | 11145.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_060: Seriously considering quitting smoking in next 6 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2171 / 4423954.741] [Invalid=14178 / 25867116.438] | | | |
| Universe | SS_Q10=(1 or 2) | | | |
| Literal question | Are you seriously considering quitting smoking within the next 6 months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1334 | 2559538.2 | 57.9% |
| 2 | No | 837 | 1864416.6 | 42.1% |
| 6 | Valid skip | 14103 | 25726246.7 | |
| 7 | Don't know | 59 | 109341.4 | |
| 8 | Refusal | 2 | 276.7 | |
| 9 | Not stated | 14 | 31251.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_070: Seriously considering quitting smoking in next 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1302 / 2432176.249] [Invalid=15047 / 27858894.929] | | | |
| Universe | SS_Q10=(1 or 2) and SC_Q060=1 | | | |
| Literal question | Are you seriously considering quitting smoking within the next 30 days? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 697 | 1155168.0 | 47.5% |
| 2 | No | 605 | 1277008.2 | 52.5% |
| 6 | Valid skip | 14940 | 27590663.3 | |
| 7 | Don't know | 30 | 126387.0 | |
| 8 | Refusal | 1 | 105.0 | |
| 9 | Not stated | 76 | 141739.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_080: Num times stopped smoking for 24 hrs because trying to quit - 12 mo. | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*] | | | |

| # SC_080: Num times stopped smoking for 24 hrs because trying to quit - 12 mo. | | | | |
|---|---------------------------------------|--|------------|-----------------------|
| Statistics [NW/ W] | | [Valid=2315 / 4782673.743] [Invalid=14034 / 25508397.435] [Mean=3.075 / 2.528] [StdDev=9.024 / 8.276] | | |
| Universe | | SS_Q10=(1 or 2) or SC_Q010=1 | | |
| Literal question | | In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 13876 | 25236261.4 | |
| 97 | Don't know | 115 | 193900.9 | |
| 98 | Refusal | 15 | 17452.4 | |
| 99 | Not stated | 28 | 60782.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_090: Num attempts to stop smoking that lasted min 1 week | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 0-52] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1182 / 2213495.923] [Invalid=15167 / 28077575.255] [Mean=2.174 / 1.939] [StdDev=5.032 / 5.098] | | |
| Universe | | (SS_Q10=(1 or 2) or SC_Q010=1) and SC_Q080=(01:94) | | |
| Literal question | | How many of these attempts lasted at least one week? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 15001 | 27810057.0 | |
| 97 | Don't know | 23 | 45116.0 | |
| 98 | Refusal | 2 | 366.3 | |
| 99 | Not stated | 141 | 222035.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_100: Main reason began to smoke again | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1043 / 1916158.339] [Invalid=15306 / 28374912.84] | | |
| Universe | | SS_Q10=(1 or 2) and SC_Q080=(01:94) | | |
| Literal question | | What was the main reason you began to smoke again? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | To control body weight | 0 | 0.0 | |
| 2 | Stress, need to relax or to calm down | 455 | 882352.4 | <div></div> 46.0% |
| 3 | Boredom | 37 | 68045.4 | <div></div> 3.6% |
| 4 | Addiction / habit | 201 | 528254.4 | <div></div> 27.6% |
| 5 | Lack of support or information | 0 | 0.0 | |
| 6 | Going out more (bars, parties) | 68 | 65771.1 | <div></div> 3.4% |
| 7 | Increased availability | 0 | 0.0 | |
| 8 | No reason / felt like it | 68 | 137012.5 | <div></div> 7.2% |
| 9 | Family or friends smoke | 117 | 108958.1 | <div></div> 5.7% |
| 10 | Other | 97 | 125764.4 | <div></div> 6.6% |
| 96 | Valid skip | 15127 | 28082331.3 | |
| 97 | Don't know | 17 | 16258.9 | |
| 98 | Refusal | 2 | 2298.7 | |
| 99 | Not stated | 160 | 274024.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SC_110: Tried to quit smoking - ever | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |

| # SC_110: Tried to quit smoking - ever | | | | |
|---|------------|---|------------|-----------------------|
| Statistics [NW/ W] | | [Valid=1155 / 2587098.999] [Invalid=15194 / 27703972.18] | | |
| Universe | | SS_Q10=(1 or 2) and SC_Q080= (0 or RF or DK) | | |
| Literal question | | Have you ever tried to quit smoking? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 627 | 1820603.3 | <div></div> 70.4% |
| 2 | No | 528 | 766495.7 | <div></div> 29.6% |
| 6 | Valid skip | 15134 | 27580418.9 | |
| 7 | Don't know | 6 | 7314.4 | |
| 8 | Refusal | 5 | 1580.1 | |
| 9 | Not stated | 49 | 114658.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_10: Tried to quit smoking - past 2 years | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=622 / 1802769.924] [Invalid=15727 / 28488301.255] | | |
| Universe | | SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF) and SC_Q110=1 | | |
| Literal question | | Have you tried to quit smoking in the past 2 years? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 281 | 519237.7 | <div></div> 28.8% |
| 2 | No | 341 | 1283532.3 | <div></div> 71.2% |
| 6 | Valid skip | 15662 | 28346914.5 | |
| 7 | Don't know | 5 | 17833.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 60 | 123553.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_20: Used nicotine patch to quit smoking - past 2 years | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1736 / 3376403.839] [Invalid=14613 / 26914667.34] | | |
| Universe | | (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and (SC_Q010=(1 or 2))) | | |
| Literal question | | In the past 2 years, did you use a nicotine patch to quit smoking? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 297 | 821980.0 | <div></div> 24.3% |
| 2 | No | 1439 | 2554423.9 | <div></div> 75.7% |
| 6 | Valid skip | 14546 | 26765459.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 67 | 149208.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_40: Used nicotine gum to quit smoking - past 2 years | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1736 / 3376403.839] [Invalid=14613 / 26914667.34] | | |
| Universe | | (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and (SC_Q010=(1 or 2))) | | |
| Literal question | | (In the past 2 years), did you use nicotine gum such as "Nicorette" to quit smoking? | | |

| # CM_40: Used nicotine gum to quit smoking - past 2 years | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 285 | 542925.0 | <div><div></div></div> 16.1% |
| 2 | No | 1451 | 2833478.9 | <div><div></div></div> 83.9% |
| 6 | Valid skip | 14546 | 26765459.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 67 | 149208.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_43: Used e-cigarette to quit smoking - past 2 years | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1735 / 3375449.58] [Invalid=14614 / 26915621.599] | | | |
| Universe | (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and (SC_Q010=(1 or 2))) | | | |
| Literal question | (In the past 2 years), did you use an e-cigarette to quit smoking? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 656 | 1092868.3 | <div><div></div></div> 32.4% |
| 2 | No | 1079 | 2282581.3 | <div><div></div></div> 67.6% |
| 6 | Valid skip | 14546 | 26765459.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 68 | 150162.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_61: Used medication to quit smoking - past 2 years | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1734 / 3375094.539] [Invalid=14615 / 26915976.64] | | | |
| Universe | (SS_Q10=(1 ou 2) et SC_Q080=(01:94)) ou CM_Q10=1 ou ((SS_Q10=3 et SS_Q40=1 et SC_Q010=(1 ou 2))) | | | |
| Literal question | (In the past 2 years), did you use a medication such as "Zyban", "Wellbutrin" or "Champix" to quit smoking? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 172 | 497446.4 | <div><div></div></div> 14.7% |
| 2 | No | 1562 | 2877648.1 | <div><div></div></div> 85.3% |
| 6 | Valid skip | 14546 | 26765459.0 | |
| 7 | Don't know | 1 | 355.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 68 | 150162.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_81A: Reasons for not using cess meth - Concerned about side effects | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=782 / 1481082.253] [Invalid=15567 / 28809988.925] | | | |
| Universe | CM_Q20=2 and CM_Q40=2 and CM_Q43=2 and CM_Q61=2 | | | |
| Literal question | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - You | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 155 | 388505.5 | <div><div></div></div> 26.2% |
| 2 | No | 627 | 1092576.7 | <div><div></div></div> 73.8% |

| # CM_81A: Reasons for not using cess meth - Concerned about side effects | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 6 | Valid skip | 15492 | 28654080.4 | |
| 7 | Don't know | 5 | 5308.7 | |
| 8 | Refusal | 1 | 82.2 | |
| 9 | Not stated | 69 | 150517.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_81B: Reasons for not using cess meth - Didn't believe products work | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=782 / 1481082.253] [Invalid=15567 / 28809988.925] | | | |
| Universe | CM_Q20=2 and CM_Q40=2 and CM_Q43=2 and CM_Q61=2 | | | |
| Literal question | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - You didn't believe these products work | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 166 | 388714.2 | 26.2% |
| 2 | No | 616 | 1092368.0 | 73.8% |
| 6 | Valid skip | 15492 | 28654080.4 | |
| 7 | Don't know | 5 | 5308.7 | |
| 8 | Refusal | 1 | 82.2 | |
| 9 | Not stated | 69 | 150517.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_81C: Reasons for not using cess meth - Didn't have enough info | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=782 / 1481082.253] [Invalid=15567 / 28809988.925] | | | |
| Universe | CM_Q20=2 and CM_Q40=2 and CM_Q43=2 and CM_Q61=2 | | | |
| Literal question | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - You didn't have enough information about these products | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 102 | 182946.7 | 12.4% |
| 2 | No | 680 | 1298135.6 | 87.6% |
| 6 | Valid skip | 15492 | 28654080.4 | |
| 7 | Don't know | 5 | 5308.7 | |
| 8 | Refusal | 1 | 82.2 | |
| 9 | Not stated | 69 | 150517.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_81D: Reasons for not using cess meth - Cost too much | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=782 / 1481082.253] [Invalid=15567 / 28809988.925] | | | |
| Universe | CM_Q20=2 and CM_Q40=2 and CM_Q43=2 and CM_Q61=2 | | | |
| Literal question | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - They cost too much | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 152 | 334572.5 | 22.6% |
| 2 | No | 630 | 1146509.8 | 77.4% |
| 6 | Valid skip | 15492 | 28654080.4 | |

| # CM_81D: Reasons for not using cess meth - Cost too much | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 5 | 5308.7 | |
| 8 | Refusal | 1 | 82.2 | |
| 9 | Not stated | 69 | 150517.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CM_81E: Reasons for not using cess meth - Some other reason | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=782 / 1481082.253] [Invalid=15567 / 28809988.925] | | | |
| Universe | CM_Q20=2 and CM_Q40=2 and CM_Q43=2 and CM_Q61=2 | | | |
| Literal question | What were your reasons for not using either a patch, nicotine gum, an e-cigarette or a product such as "Zyban", "Wellbutrin" or "Champix" to help you quit smoking? - Some other reason | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 504 | 980581.5 | <div></div> 66.2% |
| 2 | No | 278 | 500500.8 | <div></div> 33.8% |
| 6 | Valid skip | 15492 | 28654080.4 | |
| 7 | Don't know | 5 | 5308.7 | |
| 8 | Refusal | 1 | 82.2 | |
| 9 | Not stated | 69 | 150517.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # OM_030: Make deal with a friend to quit smoking together - past 2 years | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1752 / 3424708.259] [Invalid=14597 / 26866362.919] | | | |
| Universe | (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)) | | | |
| Literal question | In the past 2 years, did you make a deal with a friend or family member to quit smoking together? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 445 | 794445.2 | <div></div> 23.2% |
| 2 | No | 1307 | 2630263.1 | <div></div> 76.8% |
| 6 | Valid skip | 14517 | 26707931.4 | |
| 7 | Don't know | 1 | 351.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 79 | 158080.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # OM_070: Reduced cigarettes smoked as a strategy to quit - past 2 years | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1742 / 3419043.39] [Invalid=14607 / 26872027.789] | | | |
| Universe | (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)) | | | |
| Literal question | In the past 2 years, did you reduce the number of cigarettes you smoked as a strategy to quit? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1141 | 2139779.7 | <div></div> 62.6% |
| 2 | No | 601 | 1279263.6 | <div></div> 37.4% |
| 6 | Valid skip | 14517 | 26707931.4 | |
| 7 | Don't know | 9 | 5725.8 | |
| 8 | Refusal | 0 | 0.0 | |

| # OM_070: Reduced cigarettes smoked as a strategy to quit - past 2 years | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 81 | 158370.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # OM_099: Services offered-1-800 telephone quit-lines & other smoker help lines | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1748 / 3424171.093] [Invalid=14601 / 26866900.086] | | | |
| Universe | (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)) | | | |
| Literal question | Are you aware of 1-800 telephone quit-lines or other smoker help lines available to help you quit smoking? | | | |
| Interviewer's instructions | A 1-800 quit-line or a smokers' helpline is a free telephone cessation counselling service offered by each province. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1392 | 2750735.7 | 80.3% |
| 2 | No | 356 | 673435.4 | 19.7% |
| 6 | Valid skip | 14517 | 26707931.4 | |
| 7 | Don't know | 3 | 598.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 81 | 158370.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # OM_100: Used a 1-800 quitline or a smokers helpline | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1392 / 2750735.697] [Invalid=14957 / 27540335.482] | | | |
| Universe | OM_Q099=1 | | | |
| Literal question | Did you use a 1-800 quitline or a smokers helpline? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 75 | 243410.3 | 8.8% |
| 2 | No | 1317 | 2507325.4 | 91.2% |
| 6 | Valid skip | 14873 | 27381366.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 84 | 158968.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # OM_130: Tried to quit smoking without preparation or help - past 2 years | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=254 / 471829.59] [Invalid=16095 / 29819241.589] | | | |
| Universe | CM_Q20=2 and CM_Q40=2 and and CM_Q43 =2 and CM_Q61=2 and OM_Q030=2 and OM_Q070=2 and (OM_Q099=2 or (OM_Q099=1 and OM_Q100=2)) | | | |
| Literal question | In the past 2 years, did you try to quit smoking on your own without special preparation or help? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 190 | 347409.8 | 73.6% |
| 2 | No | 64 | 124419.8 | 26.4% |
| 6 | Valid skip | 15986 | 29603134.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 109 | 216107.5 | |

| | | | | |
|--|---|--------------|-----------------|------------------------------|
| # OM_130: Tried to quit smoking without preparation or help - past 2 years | | | | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # HP_010: Seen a doctor - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2424 / 4964071.971] [Invalid=13925 / 25326999.207] | | | |
| Universe | SS_Q10 = (1 or 2) or SC_Q010 = 1 | | | |
| Literal question | In the past 12 months, did you see a doctor? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1898 | 3754478.6 | 75.6% |
| 2 | No | 526 | 1209593.4 | 24.4% |
| 6 | Valid skip | 13876 | 25236261.4 | |
| 7 | Don't know | 7 | 13012.9 | |
| 8 | Refusal | 4 | 4150.3 | |
| 9 | Not stated | 38 | 73574.6 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # HP_020: Doctor advised reduce or quit smoking - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1890 / 3751696.825] [Invalid=14459 / 26539374.353] | | | |
| Universe | (SS_Q10 = (1 or 2) or SC_Q010 = 1) and HP_Q010 = 1 | | | |
| Literal question | In the past 12 months, did the doctor advise you to reduce or quit smoking? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 783 | 2098804.7 | 55.9% |
| 2 | No | 1107 | 1652892.1 | 44.1% |
| 6 | Valid skip | 14402 | 26445854.8 | |
| 7 | Don't know | 6 | 2566.4 | |
| 8 | Refusal | 2 | 215.4 | |
| 9 | Not stated | 49 | 90737.8 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # HP_031: Doctor provided info on quit smoking aids - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=781 / 2097894.533] [Invalid=15568 / 28193176.646] | | | |
| Universe | (SS_Q10 = (1 or 2) or SC_Q010 = 1) and HP_Q010 = 1 and HP_Q020=1 | | | |
| Literal question | (In the past 12 months,) did the doctor provide you with information on quit smoking aids such as the patch, a product like "Zyban", "Wellbutrin", "Champix" or counselling programs? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 454 | 1306056.1 | 62.3% |
| 2 | No | 327 | 791838.4 | 37.7% |
| 6 | Valid skip | 15509 | 28098746.9 | |
| 7 | Don't know | 2 | 910.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 57 | 93519.5 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # HP_040: Seen a dentist - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |

| # HP_040: Seen a dentist - 12 mo. | | | | |
|---|---|-------|------------|-----------------------|
| Statistics [NW/ W] | [Valid=2428 / 4975899.141] [Invalid=13921 / 25315172.037] | | | |
| Universe | SS_Q10 = (1 or 2) or SC_Q010 = 1 | | | |
| Literal question | In the past 12 months, did you see a dentist or dental hygienist? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1538 | 3140859.8 | <div></div> 63.1% |
| 2 | No | 890 | 1835039.4 | <div></div> 36.9% |
| 6 | Valid skip | 13876 | 25236261.4 | |
| 7 | Don't know | 4 | 1086.3 | |
| 8 | Refusal | 2 | 721.5 | |
| 9 | Not stated | 39 | 77102.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HP_050: Dentist advised reduce or quit smoking - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1527 / 3124243.92] [Invalid=14822 / 27166827.259] | | | |
| Universe | (SS_Q10 = (1 or 2) or SC_Q010 = 1) and HP_Q040 = 1 | | | |
| Literal question | (In the past 12 months,) did they (the dentist or dental hygienist) advise you to reduce or quit smoking? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 382 | 965681.2 | <div></div> 30.9% |
| 2 | No | 1145 | 2158562.7 | <div></div> 69.1% |
| 6 | Valid skip | 14766 | 27071300.8 | |
| 7 | Don't know | 10 | 16588.5 | |
| 8 | Refusal | 1 | 27.4 | |
| 9 | Not stated | 45 | 78910.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HP_061: Dentist provided info on quit smoking aids - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=380 / 952840.907] [Invalid=15969 / 29338230.272] | | | |
| Universe | (SS_Q10 = (1 or 2) or SC_Q010 = 1) and HP_Q040 = 1 and HP_Q050 = 1 | | | |
| Literal question | (In the past 12 months,) did they (the dentist or dental hygienist) provide you with information on quit smoking aids such as the patch, a product like "Zyban", "Wellbutrin", "Champix" or counselling programs? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 127 | 247610.8 | <div></div> 26.0% |
| 2 | No | 253 | 705230.1 | <div></div> 74.0% |
| 6 | Valid skip | 15911 | 29229863.5 | |
| 7 | Don't know | 2 | 12840.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 56 | 95526.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HP_100: Talked to a pharmacist - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2429 / 4974643.899] [Invalid=13920 / 25316427.279] | | | |
| Universe | SS_Q10 = (1 or 2) or SC_Q010 = 1 | | | |
| Literal question | In the past 12 months, did you talk with a pharmacist? | | | |

| # HP_100: Talked to a pharmacist - 12 mo. | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1284 | 2923519.9 | <div><div></div></div> 58.8% |
| 2 | No | 1145 | 2051124.0 | <div><div></div></div> 41.2% |
| 6 | Valid skip | 13876 | 25236261.4 | |
| 7 | Don't know | 3 | 2341.5 | |
| 8 | Refusal | 2 | 721.5 | |
| 9 | Not stated | 39 | 77102.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HP_110: Pharmacist advised reduce or quit smoking - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1281 / 2922159.649] [Invalid=15068 / 27368911.529] | | | |
| Universe | (SS_Q10 = (1 or 2) or SC_Q010 = 1) and HP_Q100 = 1 | | | |
| Literal question | (In the past 12 months,) did the pharmacist advise you to reduce or quit smoking? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 183 | 351783.4 | <div><div></div></div> 12.0% |
| 2 | No | 1098 | 2570376.2 | <div><div></div></div> 88.0% |
| 6 | Valid skip | 15021 | 27287385.4 | |
| 7 | Don't know | 2 | 1332.9 | |
| 8 | Refusal | 1 | 27.4 | |
| 9 | Not stated | 44 | 80165.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HP_121: Pharmacist provided info on quit smoking aids - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=182 / 348859.66] [Invalid=16167 / 29942211.519] | | | |
| Universe | (SS_Q10 = (1 or 2) or SC_Q010 = 1) and HP_Q100 = 1 and HP_Q110 = 1 | | | |
| Literal question | (In the past 12 months,) did the pharmacist provide you with information on quit smoking aids such as the patch, a product like "Zyban", "Wellbutrin", "Champix" or counselling programs? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 141 | 289193.0 | <div><div></div></div> 82.9% |
| 2 | No | 41 | 59666.7 | <div><div></div></div> 17.1% |
| 6 | Valid skip | 16119 | 29857761.6 | |
| 7 | Don't know | 1 | 2923.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 47 | 81526.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_017: Ever smoked little cigar / cigarillo | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16289 / 30164626.211] [Invalid=60 / 126444.968] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever tried smoking a little cigar or cigarillo? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 4932 | 10978293.3 | <div><div></div></div> 36.4% |
| 2 | No | 11357 | 19186332.9 | <div><div></div></div> 63.6% |

| # TP_017: Ever smoked little cigar / cigarillo | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 17 | 56538.4 | |
| 8 | Refusal | 2 | 781.9 | |
| 9 | Not stated | 41 | 69124.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_021: Smoked little cigar / cigarillo - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=4930 / 10977643.894] [Invalid=11419 / 19313427.285] | | | |
| Universe | TP_Q017 = 1 | | | |
| Literal question | In the past 30 days, did you smoke any little cigars or cigarillos? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 348 | 413961.8 | <div><div></div></div> 3.8% |
| 2 | No | 4582 | 10563682.1 | <div><div></div></div> 96.2% |
| 6 | Valid skip | 11357 | 19186332.9 | |
| 7 | Don't know | 1 | 430.8 | |
| 8 | Refusal | 1 | 218.7 | |
| 9 | Not stated | 60 | 126445.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_022: Smoked little cigars / cigarillos - type - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=339 / 393424.191] [Invalid=16010 / 29897646.988] | | | |
| Universe | TP_Q017=1 and TP_Q021 = 1 | | | |
| Literal question | Were these (little cigars or cigarillos) plain, flavoured or both? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Plain | 161 | 154531.7 | <div><div></div></div> 39.3% |
| 2 | Flavoured | 119 | 192449.5 | <div><div></div></div> 48.9% |
| 3 | Both | 59 | 46443.0 | <div><div></div></div> 11.8% |
| 6 | Valid skip | 15939 | 29750015.0 | |
| 7 | Don't know | 9 | 20537.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 62 | 127094.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_023: Age smoked first little cigar or cigarillo | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 6-62] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=340 / 408861.326] [Invalid=16009 / 29882209.853] [Mean=18.7 / 21.24] [StdDev=7.186 / 9.145] | | | |
| Universe | TP_Q017=1 and TP_Q021 = 1 | | | |
| Literal question | At what age did you smoke your first little cigar or cigarillo? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 15939 | 29750015.0 | |
| 97 | Don't know | 7 | 4875.1 | |
| 98 | Refusal | 1 | 225.3 | |
| 99 | Not stated | 62 | 127094.4 | |

| |
|--|
| # TP_023: Age smoked first little cigar or cigarillo |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |

| # TP_024: Smoked cigar - ever | | | | |
|---|--|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16292 / 30180965.071] [Invalid=57 / 110106.108] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever tried smoking a cigar not including little cigars or cigarillos? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3906 | 9848599.9 | <div></div> 32.6% |
| 2 | No | 12386 | 20332365.1 | <div></div> 67.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 14 | 31674.4 | |
| 8 | Refusal | 1 | 464.4 | |
| 9 | Not stated | 42 | 77967.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_027: Smoked cigars - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3905 / 9848374.631] [Invalid=12444 / 20442696.548] | | | |
| Universe | TP_Q024 = 1 | | | |
| Literal question | In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 220 | 236292.4 | <div></div> 2.4% |
| 2 | No | 3685 | 9612082.3 | <div></div> 97.6% |
| 6 | Valid skip | 12386 | 20332365.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 225.3 | |
| 9 | Not stated | 57 | 110106.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_028: Smoked cigars - type | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=215 / 226781.564] [Invalid=16134 / 30064289.614] | | | |
| Universe | TP_Q024 = 1 and TP_Q027 = 1 | | | |
| Literal question | Were these cigars plain, flavoured or both? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Plain | 174 | 174307.4 | <div></div> 76.9% |
| 2 | Flavoured | 25 | 46434.5 | <div></div> 20.5% |
| 3 | Both | 16 | 6039.7 | <div></div> 2.7% |
| 6 | Valid skip | 16071 | 29944447.4 | |
| 7 | Don't know | 4 | 8091.8 | |
| 8 | Refusal | 1 | 1419.0 | |
| 9 | Not stated | 58 | 110331.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_029: Age first smoked - cigar | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 6-64] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=218 / 203949.593] [Invalid=16131 / 30087121.586] [Mean=18.945 / 22.454] [StdDev=6.946 / 11.206] | | | |
| Universe | TP_Q024 = 1 and TP_Q027 = 1 | | | |

| | | | | |
|--|--------------|--|-----------------|------------------------------|
| # TP_029: Age first smoked - cigar | | | | |
| Literal question | | At what age did you smoke your first cigar (not including little cigars or cigarillos)? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 16071 | 29944447.4 | |
| 97 | Don't know | 2 | 32342.8 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 58 | 110331.4 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # TP_034: Ever smoked a tobacco pipe | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16291 / 30168028.402] [Invalid=58 / 123042.776] | | |
| Universe | | All respondents | | |
| Literal question | | Have you ever tried smoking a tobacco pipe? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1269 | 3923624.8 | <div><div></div>13.0%</div> |
| 2 | No | 15022 | 26244403.6 | <div><div></div>87.0%</div> |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 11 | 38679.7 | |
| 8 | Refusal | 1 | 464.4 | |
| 9 | Not stated | 46 | 83898.7 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # TP_040: Smoked pipe - 30 days | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1269 / 3923624.828] [Invalid=15080 / 26367446.351] | | |
| Universe | | TP_Q034 = 1 | | |
| Literal question | | In the past 30 days, did you smoke a pipe? | | |
| Interviewer's instructions | | This does not include water-pipe tobacco or herbs. | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 72 | 86628.1 | <div><div></div>2.2%</div> |
| 2 | No | 1197 | 3836996.7 | <div><div></div>97.8%</div> |
| 6 | Valid skip | 15022 | 26244403.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 58 | 123042.8 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # TP_043: Age smoked first tobacco pipe | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 5-55] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=71 / 86144.554] [Invalid=16278 / 30204926.625] [Mean=19.338 / 26.77] [StdDev=7.323 / 10.91] | | |
| Universe | | TP_Q034 = 1 and TP_Q040 = 1 | | |
| Literal question | | At what age did you smoke your first tobacco pipe? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 16219 | 30081400.3 | |
| 97 | Don't know | 1 | 483.6 | |
| 98 | Refusal | 0 | 0.0 | |

| # TP_043: Age smoked first tobacco pipe | | | | |
|---|---|-------|------------|-----------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 99 | Not stated | 58 | 123042.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_050: Used chewing tobacco - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16293 / 30129035.878] [Invalid=56 / 162035.301] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever tried chewing tobacco, pinch or snuff? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1569 | 2950135.6 | <div><div></div>9.8%</div> |
| 2 | No | 14724 | 27178900.3 | <div><div></div>90.2%</div> |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 6 | 55554.4 | |
| 8 | Refusal | 3 | 22367.4 | |
| 9 | Not stated | 47 | 84113.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_060: Used chewing tobacco - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1567 / 2946562.65] [Invalid=14782 / 27344508.529] | | | |
| Universe | TP_Q050 = 1 | | | |
| Literal question | In the past 30 days, did you use any chewing tobacco, pinch or snuff? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 186 | 225272.7 | <div><div></div>7.6%</div> |
| 2 | No | 1381 | 2721289.9 | <div><div></div>92.4%</div> |
| 6 | Valid skip | 14724 | 27178900.3 | |
| 7 | Don't know | 1 | 1292.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 57 | 164315.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_061: Used chewing tobacco - type - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=183 / 224857.558] [Invalid=16166 / 30066213.621] | | | |
| Universe | TP_Q050 = 1 and TP_Q060 = 1 | | | |
| Literal question | Was the chewing tobacco, pinch or snuff plain, flavoured or both? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Plain | 71 | 62105.4 | <div><div></div>27.6%</div> |
| 2 | Flavoured | 61 | 129273.1 | <div><div></div>57.5%</div> |
| 3 | Both | 51 | 33479.1 | <div><div></div>14.9%</div> |
| 6 | Valid skip | 16105 | 29900190.2 | |
| 7 | Don't know | 3 | 415.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 58 | 165608.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # TP_063: Age first used chewing tobacco | | | | |
|---|---|-------|------------|------------------------------|
| Information | [Type= continuous] [Format=numeric] [Range= 7-55] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=184 / 218752.901] [Invalid=16165 / 30072318.278] [Mean=16.924 / 22.579] [StdDev=4.997 / 11.272] | | | |
| Universe | TP_Q050 = 1 and TP_Q060 = 1 | | | |
| Literal question | At what age did you use your first chewing tobacco, pinch or snuff? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 16105 | 29900190.2 | |
| 97 | Don't know | 2 | 6519.8 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 58 | 165608.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_070: Used tobacco water-pipe - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16290 / 30120599.836] [Invalid=59 / 170471.343] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever tried a tobacco water-pipe, also known as a hookah, sheesha, nargeelay, hubble-bubble, or gouza, to smoke tobacco? | | | |
| Interviewer's instructions | A tobacco water-pipe is a tall container with water at the bottom. People smoke through a long hose that comes out of the container. A water-pipe is often used with flavoured tobacco. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2070 | 4327898.0 | <div><div></div></div> 14.4% |
| 2 | No | 14220 | 25792701.8 | <div><div></div></div> 85.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 8 | 61709.9 | |
| 8 | Refusal | 3 | 22367.4 | |
| 9 | Not stated | 48 | 86394.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_080: Used tobacco water-pipe - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2069 / 4327833.577] [Invalid=14280 / 25963237.602] | | | |
| Universe | TP_Q070 = 1 | | | |
| Literal question | In the past 30 days have you smoked a tobacco water-pipe? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 200 | 222974.9 | <div><div></div></div> 5.2% |
| 2 | No | 1869 | 4104858.7 | <div><div></div></div> 94.8% |
| 6 | Valid skip | 14220 | 25792701.8 | |
| 7 | Don't know | 1 | 64.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 59 | 170471.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_090A: Smoked in water-pipe - flavoured tobacco - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=198 / 221646.657] [Invalid=16151 / 30069424.522] | | | |
| Universe | TP_Q070 = 1 and TP_Q080 = 1 | | | |

| # TP_090A: Smoked in water-pipe - flavoured tobacco - 30 days | | | | |
|--|------------|--|------------|------------------------------|
| Literal question | | What type of tobacco did you smoke in the water-pipe? - Flavoured tobacco | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 139 | 195340.3 | <div><div></div></div> 88.1% |
| 2 | No | 59 | 26306.4 | <div><div></div></div> 11.9% |
| 6 | Valid skip | 16089 | 29897560.5 | |
| 7 | Don't know | 2 | 1328.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 60 | 170535.8 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # TP_090B: Smoked in water-pipe - regular tobacco - 30 days | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=198 / 221646.657] [Invalid=16151 / 30069424.522] | | |
| Universe | | TP_Q070 = 1 and TP_Q080 = 1 | | |
| Literal question | | What type of tobacco did you smoke in the water-pipe? - Regular tobacco | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 34 | 33923.6 | <div><div></div></div> 15.3% |
| 2 | No | 164 | 187723.1 | <div><div></div></div> 84.7% |
| 6 | Valid skip | 16089 | 29897560.5 | |
| 7 | Don't know | 2 | 1328.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 60 | 170535.8 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # TP_090C: Smoked in water-pipe - a product other than tobacco | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=198 / 221646.657] [Invalid=16151 / 30069424.522] | | |
| Universe | | TP_Q070 = 1 and TP_Q080 = 1 | | |
| Literal question | | What type of tobacco did you smoke in the water-pipe? - A product other than tobacco | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 36 | 14901.2 | <div><div></div></div> 6.7% |
| 2 | No | 162 | 206745.5 | <div><div></div></div> 93.3% |
| 6 | Valid skip | 16089 | 29897560.5 | |
| 7 | Don't know | 2 | 1328.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 60 | 170535.8 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # TP_093: Age first smoked - tobacco water-pipe | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 7-38] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=198 / 220910.167] [Invalid=16151 / 30070161.011] [Mean=17.535 / 17.895] [StdDev=3.569 / 4.03] | | |
| Universe | | TP_Q070 = 1 and TP_Q080 = 1 | | |
| Literal question | | At what age did you smoke your first tobacco water-pipe? | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 16089 | 29897560.5 | |
| 97 | Don't know | 2 | 2064.7 | |

| # TP_093: Age first smoked - tobacco water-pipe | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 60 | 170535.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TP_100: Perception of tobacco water-pipe | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=190 / 215527.095] [Invalid=16159 / 30075544.084] | | | |
| Universe | TP_Q070 = 1 and TP_Q080 = 1 | | | |
| Literal question | Do you believe that smoking tobacco in a water-pipe is ...? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | More harmful than smoking cigarettes | 66 | 61459.7 | <div><div></div></div> 28.5% |
| 2 | Less harmful than smoking cigarettes | 59 | 105648.0 | <div><div></div></div> 49.0% |
| 3 | Neither more harmful nor less harmful than smoking cigarette | 65 | 48419.4 | <div><div></div></div> 22.5% |
| 6 | Valid skip | 16089 | 29897560.5 | |
| 7 | Don't know | 10 | 7447.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 60 | 170535.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_110: Used e-cigarette - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15634 / 29035008.209] [Invalid=715 / 1256062.97] | | | |
| Universe | CM_Q43 <> 1 | | | |
| Literal question | Have you ever tried an electronic cigarette, also known as an e-cigarette? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3060 | 3537865.0 | <div><div></div></div> 12.2% |
| 2 | No | 12574 | 25497143.2 | <div><div></div></div> 87.8% |
| 6 | Valid skip | 656 | 1092868.3 | |
| 7 | Don't know | 5 | 12195.0 | |
| 8 | Refusal | 4 | 25234.6 | |
| 9 | Not stated | 50 | 125765.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_115: Frequency of use - e-cigarette - current | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3711 / 4629813.118] [Invalid=12638 / 25661258.061] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | At the present time, do you use an electronic cigarette, also known as an e-cigarette every day, occasionally or not at all? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Every day | 217 | 231539.4 | <div><div></div></div> 5.0% |
| 2 | Occasionally | 647 | 684246.0 | <div><div></div></div> 14.8% |
| 3 | Not at all | 2847 | 3714027.7 | <div><div></div></div> 80.2% |
| 6 | Valid skip | 12574 | 25497143.2 | |

| # ELC_115: Frequency of use - e-cigarette - current | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 185.2 | |
| 9 | Not stated | 63 | 163929.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_120: Used e-cigarette - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3492 / 4397965.521] [Invalid=12857 / 25893105.658] | | | |
| Universe | ((CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1) AND ELC_Q115 <> 1 | | | |
| Literal question | In the past 30 days did you use an electronic cigarette, also known as an e-cigarette? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 603 | 630986.2 | <div><div></div></div> 14.3% |
| 2 | No | 2889 | 3766979.3 | <div><div></div></div> 85.7% |
| 6 | Valid skip | 12791 | 25728682.6 | |
| 7 | Don't know | 2 | 308.2 | |
| 8 | Refusal | 1 | 185.2 | |
| 9 | Not stated | 63 | 163929.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_125: Frequency of use - e-cigarette - 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=603 / 630986.217] [Invalid=15746 / 29660084.961] | | | |
| Universe | ((CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1) AND ELC_Q115 <> 1 AND ELC_Q120 = 1 | | | |
| Literal question | During the past 30 days, did you use an electronic cigarette, also known as an ecigarette every day? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 53 | 60954.4 | <div><div></div></div> 9.7% |
| 2 | No | 550 | 570031.9 | <div><div></div></div> 90.3% |
| 6 | Valid skip | 15680 | 29495661.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 66 | 164423.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_127: Used e-cigarette - 30 days - how many days | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 1-28] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=541 / 567359.583] [Invalid=15808 / 29723711.596] [Mean=5.091 / 4.961] [StdDev=5.275 / 6.171] | | | |
| Universe | ((CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1) AND ELC_Q115 <> 1 AND ELC_Q120 = 1 AND ELC_Q125 <> 1 | | | |
| Literal question | On how many of the past 30 days did you use an e-cigarette? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 15733 | 29556616.2 | |
| 97 | Don't know | 9 | 2672.3 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 66 | 164423.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # ELC_129: Age first used - e-cigarette | | | | |
|---|---|-------|------------|-----------------------|
| Information | [Type= continuous] [Format=numeric] [Range= 10-76] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=816 / 859743.011] [Invalid=15533 / 29431328.168] [Mean=22.348 / 34.058] [StdDev=11.428 / 16.214] | | | |
| Universe | ((CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1) AND ELC_Q115 <> 1 AND ELC_Q120 = 1 | | | |
| Literal question | At what age did you use your first e-cigarette? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 15463 | 29264122.5 | |
| 97 | Don't know | 3 | 1840.6 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 67 | 165365.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_130: Last time used an e-cigarette - contained nicotine | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3709 / 4626936.713] [Invalid=12640 / 25664134.466] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | The last time you used an e-cigarette, did it contain nicotine? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2022 | 2977753.3 | <div></div> 64.4% |
| 2 | No | 1233 | 1103407.3 | <div></div> 23.8% |
| 3 | Uncertain | 454 | 545776.1 | <div></div> 11.8% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 185.2 | |
| 9 | Not stated | 65 | 166806.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_136: Last time used an e-cigarette - flavour | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2880 / 3543679.438] [Invalid=13469 / 26747391.741] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | The last time you used an e-cigarette, what flavour was it? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Tobacco | 236 | 660568.0 | <div></div> 18.6% |
| 2 | Fruit | 1592 | 1807938.0 | <div></div> 51.0% |
| 3 | Candy/Dessert | 566 | 407834.8 | <div></div> 11.5% |
| 4 | Mint/Menthol | 174 | 210028.2 | <div></div> 5.9% |
| 5 | Alcohol | 9 | 9659.5 | <div></div> 0.3% |
| 6 | Other | 303 | 447650.9 | <div></div> 12.6% |
| 96 | Valid skip | 12574 | 25497143.2 | |
| 97 | Don't know | 817 | 1062468.6 | |
| 98 | Refusal | 12 | 20778.7 | |
| 99 | Not stated | 66 | 167001.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_150: Used e-cigarette when unable to smoke cigarettes | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |

| # ELC_150: Used e-cigarette when unable to smoke cigarettes | | | | |
|---|---|-------|------------|------------------------------|
| Statistics [NW/ W] | [Valid=1460 / 2438419.433] [Invalid=14889 / 27852651.746] | | | |
| Universe | ((CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1) AND SS_Q10 = (1,2) | | | |
| Literal question | Sometimes smokers use e-cigarettes even when they are not attempting to quit smoking. Have you ever used e-cigarettes when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?) | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 678 | 1088230.1 | <div><div></div></div> 44.6% |
| 2 | No | 782 | 1350189.3 | <div><div></div></div> 55.4% |
| 6 | Valid skip | 14821 | 27685544.7 | |
| 7 | Don't know | 1 | 69.0 | |
| 8 | Refusal | 2 | 217.8 | |
| 9 | Not stated | 65 | 166820.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_160A: Reason use e-cigarette - they are affordable | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They are affordable | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 562 | 660349.2 | <div><div></div></div> 14.4% |
| 2 | No | 3110 | 3925617.6 | <div><div></div></div> 85.6% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_160B: Reason use e-cigarette - can use them where smoking not allowed | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - I can use them at times when or places where smoking isn't allowed | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 713 | 916717.0 | <div><div></div></div> 20.0% |
| 2 | No | 2959 | 3669249.9 | <div><div></div></div> 80.0% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_160C: Reason use e-cigarette - less harmful to me than cigarettes | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |

| # ELC_160C: Reason use e-cigarette - less harmful to me than cigarettes | | | | |
|--|------------|--|------------|------------------------------|
| Literal question | | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They might be less harmful to me than smoking cigarettes | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1263 | 1814510.9 | <div><div></div></div> 39.6% |
| 2 | No | 2409 | 2771456.0 | <div><div></div></div> 60.4% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # ELC_160D: Reason use e-cigarette - less harmful to other people than cigarettes | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | |
| Universe | | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | |
| Literal question | | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They might be less harmful to people around me than cigarettes | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1252 | 1808752.8 | <div><div></div></div> 39.4% |
| 2 | No | 2420 | 2777214.0 | <div><div></div></div> 60.6% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # ELC_160E: Reason use e-cigarette - flavours | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | |
| Universe | | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | |
| Literal question | | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - They come in flavours I like | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1454 | 1559070.3 | <div><div></div></div> 34.0% |
| 2 | No | 2218 | 3026896.6 | <div><div></div></div> 66.0% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # ELC_160F: Reason use e-cigarette - help people quit smoking | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | |
| Universe | | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | |
| Literal question | | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - Using e-cigarettes helps people quit smoking cigarettes | | |

| # ELC_160F: Reason use e-cigarette - help people quit smoking | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1158 | 1989873.1 | <div></div> 43.4% |
| 2 | No | 2514 | 2596093.8 | <div></div> 56.6% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_160G: Reason use e-cigarette - don't smell | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - E-cigarettes don't smell | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 717 | 1060126.9 | <div></div> 23.1% |
| 2 | No | 2955 | 3525839.9 | <div></div> 76.9% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_160H: Reason use e-cigarette - feels like smoking a regular cigarette | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - Using an e-cigarette feels like smoking a regular cigarette | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 443 | 896925.9 | <div></div> 19.6% |
| 2 | No | 3229 | 3689040.9 | <div></div> 80.4% |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_160I: Reason use e-cigarette - more acceptable to non-tobacco users | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - E-cigarettes are more acceptable to non-tobacco users | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1096 | 1460532.1 | <div></div> 31.8% |

| # ELC_160I: Reason use e-cigarette - more acceptable to non-tobacco users | | | | | |
|---|--|---|-------|------------|------------------------------|
| Value | | Label | Cases | Weighted | Percentage (Weighted) |
| 2 | | No | 2576 | 3125434.8 | <div><div></div></div> 68.2% |
| 6 | | Valid skip | 12574 | 25497143.2 | |
| 7 | | Don't know | 22 | 30810.7 | |
| 8 | | Refusal | 11 | 6905.7 | |
| 9 | | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # ELC_160J: Reason use e-cigarette - curious | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - Curious - want to know how it tastes | | | |
| Value | | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | | Yes | 2641 | 2912269.4 | <div><div></div></div> 63.5% |
| 2 | | No | 1031 | 1673697.4 | |
| 6 | | Valid skip | 12574 | 25497143.2 | <div><div></div></div> 36.5% |
| 7 | | Don't know | 22 | 30810.7 | |
| 8 | | Refusal | 11 | 6905.7 | |
| 9 | | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # ELC_160K: Reason use e-cigarette - pregnant | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - I was switching from cigarettes because I am pregnant | | | |
| Notes | | SEX = 2 (female) | | | |
| Value | | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | | Yes | 41 | 39637.8 | <div><div></div></div> 0.9% |
| 2 | | No | 3631 | 4546329.0 | |
| 6 | | Valid skip | 12574 | 25497143.2 | <div><div></div></div> 99.1% |
| 7 | | Don't know | 22 | 30810.7 | |
| 8 | | Refusal | 11 | 6905.7 | |
| 9 | | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # ELC_160L: Reason use e-cigarette - other | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=3672 / 4585966.876] [Invalid=12677 / 25705104.303] | | | |
| Universe | | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | | The next questions are about the reasons people use e-cigarettes. Which reasons apply to you? - Other | | | |
| Value | | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | | Yes | 408 | 474778.6 | <div><div></div></div> 10.4% |
| 2 | | No | 3264 | 4111188.3 | <div><div></div></div> 89.6% |

| # ELC_160L: Reason use e-cigarette - other | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 6 | Valid skip | 12574 | 25497143.2 | |
| 7 | Don't know | 22 | 30810.7 | |
| 8 | Refusal | 11 | 6905.7 | |
| 9 | Not stated | 70 | 170244.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ELC_170: Where e-cigarettes are obtained | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3657 / 4511831.571] [Invalid=12692 / 25779239.607] | | | |
| Universe | (CM_Q43 <> 1 AND ELC_Q110 = 1) OR CM_Q43 = 1 | | | |
| Literal question | Where do you usually get the e-cigarettes you use? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | A small kiosk | 23 | 43488.6 | <div><div></div></div> 1.0% |
| 2 | A convenience store or gas station | 427 | 546462.5 | <div><div></div></div> 12.1% |
| 3 | A supermarket, grocery store or drug store | 32 | 64641.5 | <div><div></div></div> 1.4% |
| 4 | A warehouse club such as Costco | 0 | 0.0 | |
| 5 | A smoke shop, tobacco specialty store, outlet store | 91 | 241271.2 | <div><div></div></div> 5.3% |
| 6 | A vape shop or vapor lounge | 675 | 1027758.8 | <div><div></div></div> 22.8% |
| 7 | A bar, pub, restaurant or casino | 5 | 7039.4 | <div><div></div></div> 0.2% |
| 8 | A friend or relative (borrowed, shared or bought) | 2242 | 2197779.9 | <div><div></div></div> 48.7% |
| 9 | A flea market | 0 | 0.0 | |
| 10 | Over the internet | 72 | 131788.8 | <div><div></div></div> 2.9% |
| 11 | Other | 90 | 251600.8 | <div><div></div></div> 5.6% |
| 96 | Valid skip | 12574 | 25497143.2 | |
| 97 | Don't know | 38 | 107681.7 | |
| 98 | Refusal | 8 | 3555.1 | |
| 99 | Not stated | 72 | 170859.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # POH_010: Risk perception - smoke cigarettes once in a while | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15964 / 28876833.818] [Invalid=385 / 1414237.361] | | | |
| Universe | All respondents | | | |
| Literal question | How much do you think people risk harming themselves when they do each of the following activities: Smoke cigarettes once in a while? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 543 | 1066806.9 | <div><div></div></div> 3.7% |
| 2 | Slight risk | 5217 | 8561215.2 | <div><div></div></div> 29.6% |
| 3 | Moderate risk | 6155 | 10189239.8 | <div><div></div></div> 35.3% |
| 4 | Great risk | 4049 | 9059572.0 | <div><div></div></div> 31.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 292 | 1009912.9 | |
| 8 | Refusal | 19 | 145594.3 | |
| 9 | Not stated | 74 | 258730.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # POH_020: Risk perception - smoke cigarettes on a regular basis | | | | |
|---|--|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16056 / 29323799.626] [Invalid=293 / 967271.553] | | | |
| Universe | All respondents | | | |
| Literal question | (How much do you think people risk harming themselves when they do each of the following activities:) Smoke cigarettes on a regular basis? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 72 | 194695.4 | 0.7% |
| 2 | Slight risk | 237 | 417890.1 | 1.4% |
| 3 | Moderate risk | 2098 | 3168298.8 | 10.8% |
| 4 | Great risk | 13649 | 25542915.3 | 87.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 197 | 614617.5 | |
| 8 | Refusal | 15 | 87435.9 | |
| 9 | Not stated | 81 | 265218.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # POH_030: Risk perception - use an e-cigarette once in a while | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=14202 / 22936771.466] [Invalid=2147 / 7354299.712] | | | |
| Universe | All respondents | | | |
| Literal question | (How much do you think people risk harming themselves when they do each of the following activities:) Use an e-cigarette once in a while? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 1534 | 1948583.1 | 8.5% |
| 2 | Slight risk | 5382 | 6707702.7 | 29.2% |
| 3 | Moderate risk | 4969 | 8349203.4 | 36.4% |
| 4 | Great risk | 2317 | 5931282.3 | 25.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 2034 | 6958915.2 | |
| 8 | Refusal | 27 | 119846.1 | |
| 9 | Not stated | 86 | 275538.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # POH_040: Risk perception - use an e-cigarette on a regular basis | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=14098 / 22630907.734] [Invalid=2251 / 7660163.445] | | | |
| Universe | All respondents | | | |
| Literal question | (How much do you think people risk harming themselves when they do each of the following activities:) Use an e-cigarette on a regular basis? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 501 | 709889.5 | 3.1% |
| 2 | Slight risk | 2200 | 2512597.6 | 11.1% |
| 3 | Moderate risk | 5453 | 7360227.9 | 32.5% |
| 4 | Great risk | 5944 | 12048192.6 | 53.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 2135 | 7196128.3 | |

| # POH_040: Risk perception - use an e-cigarette on a regular basis | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 8 | Refusal | 28 | 183161.3 | |
| 9 | Not stated | 88 | 280873.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # POH_050: Risk perception - smoke a tobacco water-pipe once in a while | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=13236 / 21810063.756] [Invalid=3113 / 8481007.422] | | | |
| Universe | All respondents | | | |
| Literal question | How much do you think people risk harming themselves when they do each of the following activities: Smoke a tobacco water-pipe (sheesha, hookah) once in a while? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 658 | 1106295.9 | <div><div></div></div> 5.1% |
| 2 | Slight risk | 4242 | 6059162.7 | <div><div></div></div> 27.8% |
| 3 | Moderate risk | 5322 | 8324490.3 | <div><div></div></div> 38.2% |
| 4 | Great risk | 3014 | 6320114.9 | <div><div></div></div> 29.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 2981 | 8010369.9 | |
| 8 | Refusal | 40 | 179112.1 | |
| 9 | Not stated | 92 | 291525.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # POH_060: Risk perception - smoke a tobacco water-pipe on a regular basis | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=13293 / 21996359.604] [Invalid=3056 / 8294711.575] | | | |
| Universe | All respondents | | | |
| Literal question | (How much do you think people risk harming themselves when they do each of the following activities:) Smoke a tobacco water-pipe (sheesha, hookah) on a regular basis? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 159 | 289443.6 | <div><div></div></div> 1.3% |
| 2 | Slight risk | 895 | 1357720.8 | <div><div></div></div> 6.2% |
| 3 | Moderate risk | 4089 | 5682303.9 | <div><div></div></div> 25.8% |
| 4 | Great risk | 8150 | 14666891.3 | <div><div></div></div> 66.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 2924 | 7830329.2 | |
| 8 | Refusal | 39 | 164400.9 | |
| 9 | Not stated | 93 | 299981.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # POH_070: Risk perception - for baby - smoke cigarettes while pregnant | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16009 / 28964686.035] [Invalid=340 / 1326385.144] | | | |
| Universe | All respondents | | | |
| Literal question | How much do you think people risk harming their baby when they do each of the following activities: Smoke cigarettes while pregnant? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 56 | 139777.0 | <div><div></div></div> 0.5% |

| # POH_070: Risk perception - for baby - smoke cigarettes while pregnant | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 2 | Slight risk | 205 | 437113.8 | <div><div></div></div> 1.5% |
| 3 | Moderate risk | 1119 | 2459662.8 | <div><div></div></div> 8.5% |
| 4 | Great risk | 14629 | 25928132.4 | <div><div></div></div> 89.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 226 | 933940.6 | |
| 8 | Refusal | 17 | 90518.0 | |
| 9 | Not stated | 97 | 301926.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # POH_080: Risk perception - for baby - use an e-cigarette while pregnant | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=14522 / 24333821.779] [Invalid=1827 / 5957249.4] | | | |
| Universe | All respondents | | | |
| Literal question | (How much do you think people risk harming their baby when they do each of the following activities:) Use an e-cigarette while pregnant? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No risk | 201 | 212566.4 | <div><div></div></div> 0.9% |
| 2 | Slight risk | 868 | 1357812.0 | <div><div></div></div> 5.6% |
| 3 | Moderate risk | 2941 | 4106192.9 | <div><div></div></div> 16.9% |
| 4 | Great risk | 10512 | 18657250.5 | <div><div></div></div> 76.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 1695 | 5518305.5 | |
| 8 | Refusal | 31 | 127548.3 | |
| 9 | Not stated | 101 | 311395.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # EX_130: Excluding own smoking, were exposed to second hand smoke in past month | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16169 / 29714672.048] [Invalid=180 / 576399.13] | | | |
| Universe | All respondents | | | |
| Literal question | Overall, [excluding your own smoking] in the past month how often were you exposed to second-hand smoke? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Every day | 1238 | 1857062.9 | <div><div></div></div> 6.2% |
| 2 | Almost every day | 1613 | 2108204.5 | <div><div></div></div> 7.1% |
| 3 | At least once a week | 4273 | 6165846.5 | <div><div></div></div> 20.8% |
| 4 | At least once in the past month | 5036 | 8760150.0 | <div><div></div></div> 29.5% |
| 5 | Never | 4009 | 10823408.1 | <div><div></div></div> 36.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 43 | 166550.6 | |
| 8 | Refusal | 7 | 46033.0 | |
| 9 | Not stated | 130 | 363815.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALC_10: Drank alcoholic beverages - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] | | | |

| # ALC_10: Drank alcoholic beverages - 12 mo. | | | | |
|---|--|-------|-----------|-----------------------|
| Statistics [NW/ W] | [Valid=16165 / 29742382.166] [Invalid=184 / 548689.013] | | | |
| Universe | All respondents | | | |
| Literal question | How often did you drink alcoholic beverages during the past 12 months? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Daily or almost daily | 498 | 2023661.2 | <div></div> 6.8% |
| 2 | 4 to 5 times a week | 518 | 1745123.6 | <div></div> 5.9% |
| 3 | 2 to 3 times a week | 2012 | 4883566.5 | <div></div> 16.4% |
| 4 | Once a week | 1927 | 3876115.0 | <div></div> 13.0% |
| 5 | 2 to 3 times a month | 2438 | 3899092.2 | <div></div> 13.1% |
| 6 | Once a month | 1520 | 2263023.0 | <div></div> 7.6% |
| 7 | Less than once a month | 2991 | 4563930.8 | <div></div> 15.3% |
| 8 | Never | 4261 | 6487869.8 | <div></div> 21.8% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 21 | 48001.9 | |
| 98 | Refusal | 12 | 40772.2 | |
| 99 | Not stated | 151 | 459915.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # ALC_20: Have had a drink | | | | |
|---|--|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=4278 / 6520020.726] [Invalid=12071 / 23771050.453] | | | |
| Universe | ALC_Q10 = (08, DK, RF) | | | |
| Literal question | Have you ever had a drink? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1600 | 3628817.5 | 55.7% |
| 2 | No | 2678 | 2891203.2 | 44.3% |
| 6 | Valid skip | 11904 | 23254512.4 | |
| 7 | Don't know | 4 | 15359.6 | |
| 8 | Refusal | 11 | 39530.7 | |
| 9 | Not stated | 152 | 461647.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALC_30: Age - started drinking alcoholic beverages | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 1-70] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=13165 / 26172939.021] [Invalid=3184 / 4118132.158] [Mean=17.21 / 18.294] [StdDev=3.768 / 5.227] | | | |
| Universe | ALC_Q10 = (01:07) or (ALC_Q10=(8, DK, RF) and ALC_Q20 <> 2) | | | |
| Literal question | Not counting small sips, how old were you when you started drinking alcoholic beverages? | | | |
| Interviewer's instructions | Drinking does not include having a few sips of wine for religious purposes. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 2678 | 2891203.2 | |
| 97 | Don't know | 196 | 595719.7 | |
| 98 | Refusal | 24 | 78106.9 | |
| 99 | Not stated | 286 | 553102.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALC_40: Number of drinks consumed on those days - 12 mo. | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 1-48] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=11689 / 22851445.848] [Invalid=4660 / 7439625.33] [Mean=3.014 / 2.389] [StdDev=2.762 / 2.585] | | | |
| Universe | ALC_Q10 = (01:07) | | | |
| Literal question | During the past 12 months, on those days when you drank, how many drinks did you usually have? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 4262 | 6487958.3 | |
| 97 | Don't know | 192 | 317169.0 | |
| 98 | Refusal | 15 | 82440.0 | |
| 99 | Not stated | 191 | 552058.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALC_50: Frequency of drinking four or more drinks on one occasion -12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6075 / 11503739.536] [Invalid=10274 / 18787331.643] | | | |
| Universe | ALC_Q10 = (01:07) and ALC_Q40 = (01:61, DK, RF) and Sex = 2 | | | |
| Literal question | During the past 12 months, how often have you had four or more drinks on one occasion? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |

ALC_50: Frequency of drinking four or more drinks on one occasion -12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------------------|-------|------------|-----------------------|
| 1 | Daily or almost daily | 26 | 81673.1 | 0.7% |
| 2 | 4 to 5 times a week | 28 | 65914.1 | 0.6% |
| 3 | 2 to 3 times a week | 174 | 351168.9 | 3.1% |
| 4 | Once a week | 352 | 486383.6 | 4.2% |
| 5 | 2 to 3 times a month | 572 | 790451.3 | 6.9% |
| 6 | Once a month | 845 | 1302626.1 | 11.3% |
| 7 | Less than once a month | 2071 | 3423051.8 | 29.8% |
| 8 | Never | 2007 | 5002470.7 | 43.5% |
| 96 | Valid skip | 10146 | 18427414.8 | |
| 97 | Don't know | 29 | 73937.3 | |
| 98 | Refusal | 4 | 19377.1 | |
| 99 | Not stated | 95 | 266602.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_60: Frequency of drinking five or more drinks on one occasion -12 mo.

| | |
|-----------------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
| Statistics [NW/ W] | [Valid=9839 / 18140273.132] [Invalid=6510 / 12150798.047] |
| Universe | ALC_Q10 = (01:07) and ((Sex = 1) and (ALC_Q40 = (01:61, DK, RF)) or (Sex = 2) and (ALC_Q40 = (01:61)) and (ALC_Q50 <> 08)) |
| Literal question | During the past 12 months, how often have you had five or more drinks on one occasion? |
| Interviewer's instructions | Read categories to respondent. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------------------|-------|------------|-----------------------|
| 1 | Daily or almost daily | 68 | 176279.4 | 1.0% |
| 2 | 4 to 5 times a week | 73 | 113361.8 | 0.6% |
| 3 | 2 to 3 times a week | 464 | 686654.7 | 3.8% |
| 4 | Once a week | 705 | 1155633.0 | 6.4% |
| 5 | 2 to 3 times a month | 1051 | 1514695.8 | 8.3% |
| 6 | Once a month | 1387 | 2079656.5 | 11.5% |
| 7 | Less than once a month | 3566 | 6213221.6 | 34.3% |
| 8 | Never | 2525 | 6200770.3 | 34.2% |
| 96 | Valid skip | 6269 | 11490428.9 | |
| 97 | Don't know | 41 | 86560.6 | |
| 98 | Refusal | 5 | 20765.5 | |
| 99 | Not stated | 195 | 553043.1 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ALC_70: Number of drinks consumed - 30 days

| | |
|---------------------------|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-53] [Missing=*] |
| Statistics [NW/ W] | [Valid=11763 / 23024905.464] [Invalid=4586 / 7266165.715] [Mean=2.553 / 2.258] [StdDev=2.855 / 3.771] |
| Universe | ALC_Q10 = (01:07) |
| Literal question | During the past 30 days, on those days when you drank, how many drinks did you usually have? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|-----------|-----------------------|
| 96 | Valid skip | 4262 | 6487958.3 | |
| 97 | Don't know | 121 | 201683.7 | |
| 98 | Refusal | 7 | 23440.0 | |

| # ALC_70: Number of drinks consumed - 30 days | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 99 | Not stated | 196 | 553083.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AW_10: Had beer, wine, liquor or any other alcoholic beverage - 7 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=9842 / 20080297.477] [Invalid=6507 / 10210773.701] | | | |
| Universe | ALC_Q70 = (01:61) | | | |
| Literal question | Now, thinking back over the past seven (7) days, did you have a drink of beer, wine, liquor or any other alcoholic beverage? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 6271 | 14623545.2 | 72.8% |
| 2 | No | 3571 | 5456752.2 | 27.2% |
| 6 | Valid skip | 6177 | 9397992.8 | |
| 7 | Don't know | 3 | 33070.2 | |
| 8 | Refusal | 1 | 185.2 | |
| 9 | Not stated | 326 | 779525.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AW_20A: Number of drinks Monday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6202 / 14352459.503] [Invalid=10147 / 15938611.676] [Mean=0.582 / 0.589] [StdDev=1.646 / 1.23] | | | |
| Universe | AW_Q10=1 | | | |
| Literal question | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Monday | | | |
| Interviewer's instructions | For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 9748 | 14854745.0 | |
| 97 | Don't know | 19 | 71153.2 | |
| 98 | Refusal | 2 | 1939.8 | |
| 99 | Not stated | 378 | 1010773.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AW_20B: Number of drinks Tuesday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6192 / 14338527.984] [Invalid=10157 / 15952543.195] [Mean=0.582 / 0.604] [StdDev=1.568 / 1.26] | | | |
| Universe | AW_Q10=1 | | | |
| Literal question | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Tuesday | | | |
| Interviewer's instructions | For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 9748 | 14854745.0 | |
| 97 | Don't know | 24 | 46662.0 | |
| 98 | Refusal | 2 | 1263.9 | |
| 99 | Not stated | 383 | 1049872.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # AW_20C: Number of drinks Wednesday | | | | |
|---|---|-------|------------|-----------------------|
| Information | [Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6164 / 14210778.81] [Invalid=10185 / 16080292.369] [Mean=0.565 / 0.597] [StdDev=1.536 / 1.226] | | | |
| Universe | AW_Q10=1 | | | |
| Literal question | Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Wednesday | | | |
| Interviewer's instructions | For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 9748 | 14854745.0 | |
| 97 | Don't know | 35 | 132177.8 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 402 | 1093369.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AW_20D: Number of drinks Thursday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6164 / 14167528.709] [Invalid=10185 / 16123542.47] [Mean=0.647 / 0.673] [StdDev=1.77 / 1.452] | | | |
| Universe | AW_Q10=1 | | | |
| Literal question | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Thursday | | | |
| Interviewer's instructions | For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 9748 | 14854745.0 | |
| 97 | Don't know | 34 | 160647.9 | |
| 98 | Refusal | 1 | 150.1 | |
| 99 | Not stated | 402 | 1107999.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AW_20E: Number of drinks Friday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6171 / 14288243.914] [Invalid=10178 / 16002827.265] [Mean=1.601 / 1.241] [StdDev=3.121 / 2.335] | | | |
| Universe | AW_Q10=1 | | | |
| Literal question | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Friday | | | |
| Interviewer's instructions | For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 9748 | 14854745.0 | |
| 97 | Don't know | 32 | 107136.8 | |
| 98 | Refusal | 1 | 86.1 | |
| 99 | Not stated | 397 | 1040859.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AW_20F: Number of drinks Saturday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6182 / 14268479.553] [Invalid=10167 / 16022591.626] [Mean=2.159 / 1.87] [StdDev=3.435 / 2.818] | | | |

| # AW_20F: Number of drinks Saturday | | | | |
|--|------------|--|------------|-----------------------|
| Universe | | AW_Q10=1 | | |
| Literal question | | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Saturday | | |
| Interviewer's instructions | | For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday. | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 9748 | 14854745.0 | |
| 97 | Don't know | 36 | 191595.2 | |
| 98 | Refusal | 1 | 672.9 | |
| 99 | Not stated | 382 | 975578.5 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # AW_20G: Number of drinks Sunday | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=6202 / 14410258.224] [Invalid=10147 / 15880812.955] [Mean=0.881 / 0.992] [StdDev=2.044 / 1.764] | | |
| Universe | | AW_Q10=1 | | |
| Literal question | | (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Sunday | | |
| Interviewer's instructions | | For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday. | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 9748 | 14854745.0 | |
| 97 | Don't know | 21 | 68793.0 | |
| 98 | Refusal | 2 | 872.4 | |
| 99 | Not stated | 376 | 956402.5 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_005: Used pain relievers - ever | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16025 / 29384155.918] [Invalid=324 / 906915.261] | | |
| Universe | | PR_Q005 = 1 | | |
| Literal question | | Have you ever used any such pain relieving products? | | |
| Interviewer's instructions | | Tylenol Regular and Extra-strength do not contain codeine and are not counted. Tylenol 1, 2, 3, and 4 contain codeine and are counted. | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 5774 | 12649841.9 | 43.0% |
| 2 | No | 10251 | 16734314.0 | 57.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 124 | 340508.3 | |
| 8 | Refusal | 14 | 26758.4 | |
| 9 | Not stated | 186 | 539648.5 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_010: Used codeine products -12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=5718 / 12547287.229] [Invalid=10631 / 17743783.95] | | |
| Universe | | PR_Q005 = 1 | | |

| | | | | |
|--|--|--------------|-----------------|------------------------------|
| # PR_010: Used codeine products -12 mo. | | | | |
| Literal question | During the past 12 months, have you used any codeine products like Tylenol #3, Tylenol #1, 292's or 222's? | | | |
| Interviewer's instructions | Tylenol Regular and Extra-strength do not contain codeine and are not counted. Tylenol 1, 2, 3, and 4 contain codeine and are counted. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1505 | 2575058.3 | 20.5% |
| 2 | No | 4213 | 9972228.9 | 79.5% |
| 6 | Valid skip | 10251 | 16734314.0 | |
| 7 | Don't know | 54 | 102198.1 | |
| 8 | Refusal | 2 | 356.5 | |
| 9 | Not stated | 324 | 906915.3 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_020: Used oxycodone products - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5728 / 12576198.32] [Invalid=10621 / 17714872.858] | | | |
| Universe | PR_Q005 = 1 | | | |
| Literal question | During the past 12 months, have you used any oxycodone products such as Percocet or Percodan? | | | |
| Interviewer's instructions | Include Oxycontin. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 327 | 724832.1 | 5.8% |
| 2 | No | 5401 | 11851366.2 | 94.2% |
| 6 | Valid skip | 10251 | 16734314.0 | |
| 7 | Don't know | 42 | 71113.5 | |
| 8 | Refusal | 3 | 2472.3 | |
| 9 | Not stated | 325 | 906973.1 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_025: Used fentanyl products - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5726 / 12604868.152] [Invalid=10623 / 17686203.026] | | | |
| Universe | PR_Q005 = 1 | | | |
| Literal question | During the past 12 months, have you used any fentanyl products? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 79 | 118406.5 | 0.9% |
| 2 | No | 5647 | 12486461.7 | 99.1% |
| 6 | Valid skip | 10251 | 16734314.0 | |
| 7 | Don't know | 45 | 42502.0 | |
| 8 | Refusal | 2 | 2413.9 | |
| 9 | Not stated | 325 | 906973.1 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_030: Used other opioid products - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5729 / 12601137.619] [Invalid=10620 / 17689933.56] | | | |
| Universe | PR_Q005 = 1 | | | |

| # PR_030: Used other opioid products - 12 mo. | | | | | |
|---|--|--|------------|------------------------|-------|
| Literal question | | During the past 12 months, have you used any other opioid products such as hydromorphone, Dilaudid, HydromorphContin, morphine, MS Contin, or Demerol? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 514 | 920009.4 | <div><div></div></div> | 7.3% |
| 2 | No | 5215 | 11681128.2 | <div><div></div></div> | 92.7% |
| 6 | Valid skip | 10251 | 16734314.0 | | |
| 7 | Don't know | 41 | 42628.2 | | |
| 8 | Refusal | 2 | 2413.9 | | |
| 9 | Not stated | 326 | 910577.4 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # PR_040: Frequency of use - pain relievers - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=1897 / 3451407.186] [Invalid=14452 / 26839663.992] | | | |
| Universe | | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | | |
| Literal question | | During the past 12 months, how often have you used any such pain relievers? | | | |
| Interviewer's instructions | | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Once or twice | 353 | 562948.3 | <div><div></div></div> | 16.3% |
| 2 | 3 to 11 times a year | 148 | 294552.8 | <div><div></div></div> | 8.5% |
| 3 | About once a month | 71 | 184068.0 | <div><div></div></div> | 5.3% |
| 4 | 2 or 3 times a month | 52 | 121075.4 | <div><div></div></div> | 3.5% |
| 5 | About once or twice a week | 37 | 103287.4 | <div><div></div></div> | 3.0% |
| 6 | 3 or 4 times a week | 28 | 51792.5 | <div><div></div></div> | 1.5% |
| 7 | Daily or almost daily | 140 | 400189.0 | <div><div></div></div> | 11.6% |
| 8 | As needed, or following surgery | 1068 | 1733493.7 | <div><div></div></div> | 50.2% |
| 96 | Valid skip | 14048 | 25798950.0 | | |
| 97 | Don't know | 6 | 2338.6 | | |
| 98 | Refusal | 4 | 1257.0 | | |
| 99 | Not stated | 394 | 1037118.5 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # PR_050: Used pain relievers - prescribed for self -12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=1901 / 3435443.814] [Invalid=14448 / 26855627.365] | | | |
| Universe | | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | | |
| Literal question | | Thinking about all the pain relievers you have used during the past 12 months, were they prescribed for you? | | | |
| Interviewer's instructions | | Read categories to respondent. Consider pain relievers given to the respondent while he or she was a patient in hospital as prescribed. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | No, none were prescribed | 277 | 406697.2 | <div><div></div></div> | 11.8% |
| 2 | Yes, they all were prescribed | 1508 | 2830935.0 | <div><div></div></div> | 82.4% |
| 3 | Some were prescribed and others were not | 116 | 197811.7 | <div><div></div></div> | 5.8% |
| 6 | Valid skip | 14048 | 25798950.0 | | |
| 7 | Don't know | 6 | 19558.9 | | |
| 8 | Refusal | 0 | 0.0 | | |

| # PR_050: Used pain relievers - prescribed for self -12 mo. | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 394 | 1037118.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_060: Used pain relievers - ever took more than prescribed - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1628 / 3048006.635] [Invalid=14721 / 27243064.544] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) and (PR_Q050 <> 1) | | | |
| Literal question | Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the pain relievers you have used during the past 12 months, did you ever take more pills, or take them more often than you were supposed to? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 148 | 230535.3 | <div><div></div></div> 7.6% |
| 2 | No | 1480 | 2817471.4 | <div><div></div></div> 92.4% |
| 6 | Valid skip | 14325 | 26205647.2 | |
| 7 | Don't know | 2 | 298.9 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 394 | 1037118.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_065: Used pain relievers to get high - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5764 / 12634759.437] [Invalid=10585 / 17656311.742] | | | |
| Universe | PR_Q005=1 | | | |
| Literal question | Did you ever use pain relievers only for the experience, the feeling they caused, or to get high? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 268 | 630578.5 | <div><div></div></div> 5.0% |
| 2 | No | 5496 | 12004181.0 | <div><div></div></div> 95.0% |
| 6 | Valid skip | 10251 | 16734314.0 | |
| 7 | Don't know | 6 | 10442.1 | |
| 8 | Refusal | 2 | 978.2 | |
| 9 | Not stated | 326 | 910577.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_070: Used pain relievers to get high - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=268 / 630578.474] [Invalid=16081 / 29660492.704] | | | |
| Universe | PR_Q005=1 and PR_Q065=1 | | | |
| Literal question | During the past 12 months, did you ever use pain relievers only for the experience, the feeling they caused, or to get high? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 91 | 157407.5 | <div><div></div></div> 25.0% |
| 2 | No | 177 | 473170.9 | <div><div></div></div> 75.0% |
| 6 | Valid skip | 15747 | 28738495.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 334 | 921997.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # PR_075: Used pain relievers for reasons other than pain relief - ever | | | | |
|---|--|-------|------------|------------------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5766 / 12627793.767] [Invalid=10583 / 17663277.412] | | | |
| Universe | PR_Q005=1 | | | |
| Literal question | Did you ever use pain relievers for reasons other than pain relief, for example, to feel better (improve mood), to cope with stress or problems, or any other reason? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 230 | 510431.2 | <div><div></div></div> 4.0% |
| 2 | No | 5536 | 12117362.6 | <div><div></div></div> 96.0% |
| 6 | Valid skip | 10251 | 16734314.0 | |
| 7 | Don't know | 4 | 17407.8 | |
| 8 | Refusal | 2 | 978.2 | |
| 9 | Not stated | 326 | 910577.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_080: Used pain relievers for reasons other than pain relief - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=230 / 510431.159] [Invalid=16119 / 29780640.02] | | | |
| Universe | PR_Q005=1 and PR_Q075=1 | | | |
| Literal question | During the past 12 months, did you ever use pain relievers for reasons other than pain relief, for example, to feel better (improve mood), to cope with stress or problems, or any other reason? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 93 | 206025.5 | <div><div></div></div> 40.4% |
| 2 | No | 137 | 304405.7 | <div><div></div></div> 59.6% |
| 6 | Valid skip | 15787 | 28851676.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 332 | 928963.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_083: Frequency of use - pain relievers - other reasons - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=125 / 220984.936] [Invalid=16224 / 30070086.243] | | | |
| Universe | (PR_Q005=1) and (PR_Q070 =1 or PR_Q080 = 1) | | | |
| Literal question | During the past 12 months, how often have you used any such pain relievers? (Only for the experience, the feeling they caused, to get high or for reasons other than pain relief.) | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Once or twice | 58 | 131823.8 | <div><div></div></div> 59.7% |
| 2 | 3 to 11 times a year | 23 | 34927.4 | <div><div></div></div> 15.8% |
| 3 | About once a month | 14 | 24785.9 | <div><div></div></div> 11.2% |
| 4 | 2 or 3 times a month | 11 | 14572.8 | <div><div></div></div> 6.6% |
| 5 | About once or twice a week | 6 | 3225.3 | <div><div></div></div> 1.5% |
| 6 | Daily or almost daily | 13 | 11649.7 | <div><div></div></div> 5.3% |
| 96 | Valid skip | 15884 | 29128514.4 | |
| 97 | Don't know | 3 | 2525.2 | |
| 98 | Refusal | 1 | 188.2 | |
| 99 | Not stated | 336 | 938858.5 | |

| | | | | |
|--|---|--------------|-----------------|------------------------------|
| # PR_083: Frequency of use - pain relievers - other reasons - 12 mo. | | | | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_085: Ever tampered with a pain reliever product before taking it | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5766 / 12631451.35] [Invalid=10583 / 17659619.829] | | | |
| Universe | PR_Q005 = 1 | | | |
| Literal question | Did you ever tamper with a pain reliever product before taking it, [for example, by crushing tablets to swallow, snort or inject, not counting for ease of swallowing or to take a lower dose/for example, by crushing tablets to swallow, snort or inject]? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 162 | 293285.2 | 2.3% |
| 2 | No | 5604 | 12338166.1 | 97.7% |
| 6 | Valid skip | 10251 | 16734314.0 | |
| 7 | Don't know | 4 | 13750.2 | |
| 8 | Refusal | 2 | 978.2 | |
| 9 | Not stated | 326 | 910577.4 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_090: Tampered with a pain reliever product before taking it - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=86 / 77798.843] [Invalid=16263 / 30213272.335] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q030 = 1) and (PR_Q085 = 1) | | | |
| Literal question | During the past 12 months, did you ever tamper with a pain reliever product before taking it, ^DT_D090E? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 52 | 46081.5 | 59.2% |
| 2 | No | 34 | 31717.4 | 40.8% |
| 6 | Valid skip | 15930 | 29287920.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 333 | 925351.5 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_095: Age first used - pain relievers other than pain relief | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 10-75] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=338 / 746809.723] [Invalid=16011 / 29544261.456] [Mean=19.822 / 22.305] [StdDev=8.354 / 9.358] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q065 = 1 or PR_Q075 =1) | | | |
| Literal question | How old were you when you tried or started using pain relievers only for the experience, the feeling they caused, or to get high or for reasons other than pain relief, for example, to feel better (improve mood), to cope with stress or problems, or any other reason? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 15649 | 28535643.0 | |
| 97 | Don't know | 2 | 5297.7 | |
| 98 | Refusal | 2 | 398.6 | |
| 99 | Not stated | 358 | 1002922.2 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # PR_100A: Obtained pain relievers - pharmacist no prescription - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |

| | | | | |
|---|--|-------|------------|-----------------------------|
| # PR_100A: Obtained pain relievers - pharmacist no prescription - 12 mo. | | | | |
| Statistics [NW/ W] | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | | |
| Literal question | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a pharmacist, without a prescription | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 211 | 467480.8 | <div><div></div>13.6%</div> |
| 2 | No | 1677 | 2977139.4 | <div><div></div>86.4%</div> |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_100B: Obtained pain relievers - prescription for self - for pain - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | | |
| Literal question | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a prescription written for you for pain | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1581 | 2964665.8 | <div><div></div>86.1%</div> |
| 2 | No | 307 | 479954.4 | <div><div></div>13.9%</div> |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_100C: Obtained pain relievers - friend / relative - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | | |
| Literal question | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a friend or relative | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 136 | 97856.1 | <div><div></div>2.8%</div> |
| 2 | No | 1752 | 3346764.0 | <div><div></div>97.2%</div> |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_100D: Obtained pain relievers - drug dealer / stranger - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | | |

| # PR_100D: Obtained pain relievers - drug dealer / stranger - 12 mo. | | | | |
|---|------------|--|------------|-----------------------|
| Literal question | | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a drug dealer or other stranger | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 26 | 24937.1 | 0.7% |
| 2 | No | 1862 | 3419683.1 | 99.3% |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_100E: Obtained pain relievers - Internet - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | |
| Universe | | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | |
| Literal question | | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From the internet | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 1888 | 3444620.2 | 100.0% |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_100F: Obtained pain relievers - deceiv. doctor to obtain a prescript -12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | |
| Universe | | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | |
| Literal question | | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From deceiving a doctor to obtain a prescription | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 17 | 16408.9 | 0.5% |
| 2 | No | 1871 | 3428211.3 | 99.5% |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_100G: Obtained pain relievers - forging a prescription - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | |
| Universe | | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | |
| Literal question | | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From forging a prescription | | |

| # PR_100G: Obtained pain relievers - forging a prescription - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 1888 | 3444620.2 | 100.0% |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_100H: Obtained pain relievers - multiple doctors for prescript. - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1888 / 3444620.176] [Invalid=14461 / 26846451.002] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q010 =1 or PR_Q020 = 1 or PR_Q025=1 or PR_Q030 = 1) | | | |
| Literal question | Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From purposely going to more than one doctor for prescriptions | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 1888 | 3444620.2 | 100.0% |
| 6 | Valid skip | 14048 | 25798950.0 | |
| 7 | Don't know | 9 | 6438.6 | |
| 8 | Refusal | 3 | 896.4 | |
| 9 | Not stated | 401 | 1040166.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PR_110: Gave away / sold pain reliever medication prescribed to self - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5490 / 12237171.812] [Invalid=10859 / 18053899.366] | | | |
| Universe | (PR_Q005 = 1) and (PR_Q050 <> 1) | | | |
| Literal question | During the past 12 months, did you ever give away or sell pain reliever medication that was prescribed for you? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 56 | 176010.9 | 1.4% |
| 2 | No | 5434 | 12061160.9 | 98.6% |
| 6 | Valid skip | 10528 | 17141011.2 | |
| 7 | Don't know | 2 | 704.6 | |
| 8 | Refusal | 1 | 298.2 | |
| 9 | Not stated | 328 | 911885.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_10: Used stimulants - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16120 / 29707524.626] [Invalid=229 / 583546.553] | | | |
| Universe | All respondents | | | |
| Literal question | During the past 12 months have you used any stimulants? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 627 | 714043.2 | 2.4% |
| 2 | No | 15493 | 28993481.5 | 97.6% |

| # STI_10: Used stimulants - 12 mo. | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 21 | 23760.3 | |
| 8 | Refusal | 12 | 11640.8 | |
| 9 | Not stated | 196 | 548145.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_15: Frequency of use - stimulants - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=625 / 713816.18] [Invalid=15724 / 29577254.998] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | During the past 12 months how often have you used any stimulants? | | | |
| Interviewer's instructions | Read categories to respondent. Consider stimulants given to the respondent while he or she was a patient in hospital as prescribed. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Once or twice | 97 | 199114.4 | <div><div></div></div> 27.9% |
| 2 | 3 to 11 times a year | 49 | 27527.0 | <div><div></div></div> 3.9% |
| 3 | About once a month | 20 | 37410.8 | <div><div></div></div> 5.2% |
| 4 | 2 or 3 times a month | 15 | 11405.3 | <div><div></div></div> 1.6% |
| 5 | About once or twice a week | 14 | 15226.4 | <div><div></div></div> 2.1% |
| 6 | 3 or 4 times a week | 18 | 18332.9 | <div><div></div></div> 2.6% |
| 7 | Daily or almost daily | 351 | 332732.5 | <div><div></div></div> 46.6% |
| 8 | As needed, or following surgery | 61 | 72067.0 | <div><div></div></div> 10.1% |
| 96 | Valid skip | 15493 | 28993481.5 | |
| 97 | Don't know | 2 | 227.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 229 | 583546.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_20: Used stimulants - prescribed for self -12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=627 / 714043.17] [Invalid=15722 / 29577028.008] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | Thinking about all the stimulants you used during the past 12 months, were they prescribed for you? | | | |
| Interviewer's instructions | Read categories to respondent. Consider stimulants given to the respondent while he or she was a patient in hospital as prescribed. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No, none were prescribed | 146 | 200399.0 | <div><div></div></div> 28.1% |
| 2 | Yes, they all were prescribed | 468 | 509870.2 | <div><div></div></div> 71.4% |
| 3 | Some were prescribed and others were not | 13 | 3773.9 | <div><div></div></div> 0.5% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 229 | 583546.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # STI_30: Used stimulants - ever took more than prescribed - 12 mo | | | | |
|---|---|-------|------------|------------------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=481 / 513644.17] [Invalid=15868 / 29777427.009] | | | |
| Universe | STI_Q10 = 1 and STI_Q20 <> 1 | | | |
| Literal question | Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the stimulants you have used during the past 12 months, did you ever take more pills or take them more often than you were supposed to? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 36 | 17633.8 | <div><div></div></div> 3.4% |
| 2 | No | 445 | 496010.4 | <div><div></div></div> 96.6% |
| 6 | Valid skip | 15639 | 29193880.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 229 | 583546.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_40: Used stimulants to get high - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=624 / 713478.203] [Invalid=15725 / 29577592.976] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | During the past 12 months, did you ever use stimulants only for the experience, the feeling they caused or to get high? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 87 | 54033.1 | <div><div></div></div> 7.6% |
| 2 | No | 537 | 659445.1 | <div><div></div></div> 92.4% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 3 | 565.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 229 | 583546.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_50: Used stimulants for reasons other than pain relief - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=481 / 513644.17] [Invalid=15868 / 29777427.009] | | | |
| Universe | STI_Q10 = 1 and STI_Q20 = (2,3) | | | |
| Literal question | During the past 12 months, did you ever use stimulants for reasons other than why they were prescribed, for example, to study, to stay alert, to decrease your appetite or for any other reason? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 62 | 67461.4 | <div><div></div></div> 13.1% |
| 2 | No | 419 | 446182.8 | <div><div></div></div> 86.9% |
| 6 | Valid skip | 15639 | 29193880.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 229 | 583546.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_60A: Used stimulants - pharmacists no prescription - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] | | | |

| # STI_60A: Used stimulants - pharmacists no prescription - 12 mo. | | | | |
|---|---|-------|------------|-----------------------|
| Universe | STI_Q10 = 1 | | | |
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a pharmacist, without a prescription | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 6 | 1011.4 | 0.1% |
| 2 | No | 612 | 696726.5 | 99.9% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_60B: Used stimulants - prescription for self - 20 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a prescription written for you | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 476 | 497490.7 | 71.3% |
| 2 | No | 142 | 200247.2 | 28.7% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_60C: Used stimulants - friend / relative - 20 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a friend or relative | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 133 | 194881.9 | 27.9% |
| 2 | No | 485 | 502856.0 | 72.1% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_60D: Used stimulants - drug dealer / stranger - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] | | | |
| Universe | STI_Q10 = 1 | | | |

STI_60D: Used stimulants - drug dealer / stranger - 12 mo.

| | |
|-------------------------|--|
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a drug dealer or other stranger |
|-------------------------|--|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 11 | 5658.9 | 0.8% |
| 2 | No | 607 | 692078.9 | 99.2% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

STI_60E: Used stimulants - Internet - 12 mo.

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

| | |
|---------------------------|--|
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] |
|---------------------------|--|

| | |
|-----------------|-------------|
| Universe | STI_Q10 = 1 |
|-----------------|-------------|

| | |
|-------------------------|---|
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From the internet |
|-------------------------|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 618 | 697737.9 | 100.0% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

| # STI_60F: Used stimulants - deceiving a doctor - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From deceiving a doctor to obtain a prescription | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 10 | 9485.7 | 1.4% |
| 2 | No | 608 | 688252.2 | 98.6% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_60G: Used stimulants - forging prescription - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From forging a prescription | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 618 | 697737.9 | 100.0% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_60H: Used stimulants - multiple doctors - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=618 / 697737.88] [Invalid=15731 / 29593333.299] | | | |
| Universe | STI_Q10 = 1 | | | |
| Literal question | Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From purposely going to more than one doctor for prescriptions | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 618 | 697737.9 | 100.0% |
| 6 | Valid skip | 15493 | 28993481.5 | |
| 7 | Don't know | 4 | 15141.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 584710.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STI_70: Gave away / sold stimulants prescribed to self - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=481 / 513644.17] [Invalid=15868 / 29777427.009] | | | |

| | | | | |
|---|--|-------|------------|------------------------------|
| # STI_70: Gave away / sold stimulants prescribed to self - 12 mo. | | | | |
| Universe | STI_Q10 = 1 and STI_Q20 <> 1 | | | |
| Literal question | During the past 12 months, did you ever give away or sell stimulant medication that was prescribed for you? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 19 | 10555.5 | <div><div></div></div> 2.1% |
| 2 | No | 462 | 503088.6 | <div><div></div></div> 97.9% |
| 6 | Valid skip | 15639 | 29193880.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 229 | 583546.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_05: Used sedatives - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16097 / 29641868.153] [Invalid=252 / 649203.026] | | | |
| Universe | All respondents | | | |
| Literal question | During the past 12 months have you used any sedatives? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1609 | 3473206.6 | <div><div></div></div> 11.7% |
| 2 | No | 14488 | 26168661.5 | <div><div></div></div> 88.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 36 | 54827.4 | |
| 8 | Refusal | 13 | 32865.2 | |
| 9 | Not stated | 203 | 561510.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_10: Used sedatives - frequency - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1604 / 3447402.867] [Invalid=14745 / 26843668.312] | | | |
| Universe | SED_Q05 = 1 | | | |
| Literal question | During the past 12 months how often have you used any sedatives? | | | |
| Interviewer's instructions | Read categories to respondent. Consider sedatives given to the respondent while he or she was a patient in hospital as prescribed. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Once or twice | 226 | 480433.7 | <div><div></div></div> 13.9% |
| 2 | 3 to 11 times a year | 136 | 206704.8 | <div><div></div></div> 6.0% |
| 3 | About once a month | 58 | 78303.7 | <div><div></div></div> 2.3% |
| 4 | 2 or 3 times a month | 64 | 119819.9 | <div><div></div></div> 3.5% |
| 5 | About once or twice a week | 66 | 180379.9 | <div><div></div></div> 5.2% |
| 6 | 3 or 4 times a week | 40 | 146735.2 | <div><div></div></div> 4.3% |
| 7 | Daily or almost daily | 681 | 1425286.3 | <div><div></div></div> 41.3% |
| 8 | As needed, or following surgery | 333 | 809739.4 | <div><div></div></div> 23.5% |
| 96 | Valid skip | 14488 | 26168661.5 | |
| 97 | Don't know | 5 | 25803.8 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 252 | 649203.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # SED_20: Used sedatives - prescribed for self - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1605 / 3467523.093] [Invalid=14744 / 26823548.086] | | | |
| Universe | SED_Q05 = 1 | | | |
| Literal question | Thinking about all the sedatives you have used during the past 12 months, were they prescribed for you? | | | |
| Interviewer's instructions | Read categories to respondent. Consider sedatives given to the respondent while he or she was a patient in hospital as prescribed. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No, none were prescribed | 137 | 232732.1 | 6.7% |
| 2 | Yes, they all were prescribed | 1442 | 3148428.9 | 90.8% |
| 3 | Some were prescribed and others were not | 26 | 86362.1 | 2.5% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 5683.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 252 | 649203.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_30: Used sedatives - took more than prescribed - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1472 / 3240474.542] [Invalid=14877 / 27050596.637] | | | |
| Universe | SED_Q05 = 1 and SED_Q20 <> 1 | | | |
| Literal question | Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the sedatives you have used during the past 12 months, did you ever take more pills or take them more often than you were supposed to? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 100 | 95032.5 | 2.9% |
| 2 | No | 1372 | 3145442.0 | 97.1% |
| 6 | Valid skip | 14625 | 26401393.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 252 | 649203.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_40: Used sedatives take to get high - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1609 / 3473206.624] [Invalid=14740 / 26817864.554] | | | |
| Universe | SED_Q05 = 1 | | | |
| Literal question | During the past 12 months, did you ever use sedatives only for the experience, the feeling they caused or to get high? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 88 | 49326.5 | 1.4% |
| 2 | No | 1521 | 3423880.2 | 98.6% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 252 | 649203.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_50A: Obtained sedatives - pharmacist no prescription - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |

| # SED_50A: Obtained sedatives - pharmacist no prescription - 12 mo. | | | | |
|---|---|-------|------------|-----------------------|
| Statistics [NW/ W] | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | | |
| Universe | SED_Q05 = 1 | | | |
| Literal question | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a pharmacist, without a prescription | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 35 | 46913.7 | 1.4% |
| 2 | No | 1568 | 3423089.4 | 98.6% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_50B: Obtained sedatives - prescription for self - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | | |
| Universe | SED_Q05 = 1 | | | |
| Literal question | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a prescription written for you | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1464 | 3226766.3 | 93.0% |
| 2 | No | 139 | 243236.8 | 7.0% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_50C: Obtained sedatives - friend / relative - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | | |
| Universe | SED_Q05 = 1 | | | |
| Literal question | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a friend or relative | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 112 | 232623.8 | 6.7% |
| 2 | No | 1491 | 3237379.3 | 93.3% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_50D: Obtained sedatives - drug dealer / stranger - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | | |
| Universe | SED_Q05 = 1 | | | |

| # SED_50D: Obtained sedatives - drug dealer / stranger - 12 mo. | | | | |
|--|------------|--|------------|-----------------------|
| Literal question | | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a drug dealer or other stranger | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 14 | 16428.2 | 0.5% |
| 2 | No | 1589 | 3453574.9 | 99.5% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # SED_50E: Obtained sedatives - Internet - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | |
| Universe | | SED_Q05 = 1 | | |
| Literal question | | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From the internet | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 1603 | 3470003.1 | 100.0% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # SED_50F: Obtained sedatives - deceiv. doctor to obtain a prescript -12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | |
| Universe | | SED_Q05 = 1 | | |
| Literal question | | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From deceiving a doctor to obtain a prescription | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 9 | 1372.6 | 0.0% |
| 2 | No | 1594 | 3468630.5 | 100.0% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # SED_50G: Obtained sedatives - forging prescription - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | |
| Universe | | SED_Q05 = 1 | | |
| Literal question | | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From forging a prescription | | |

| # SED_50G: Obtained sedatives - forging prescription - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 1603 | 3470003.1 | 100.0% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_50H: Obtained sedatives - multiple doctors for prescript. - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1603 / 3470003.123] [Invalid=14746 / 26821068.055] | | | |
| Universe | SED_Q05 = 1 | | | |
| Literal question | Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From purposely going to more than one doctor for prescriptions | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 1603 | 3470003.1 | 100.0% |
| 6 | Valid skip | 14488 | 26168661.5 | |
| 7 | Don't know | 4 | 2965.0 | |
| 8 | Refusal | 1 | 117.5 | |
| 9 | Not stated | 253 | 649324.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SED_60: Gave away / sold sedatives prescribed to self -12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1469 / 3239315.653] [Invalid=14880 / 27051755.526] | | | |
| Universe | SED_Q05 = 1 and SED_Q20 = 1 | | | |
| Literal question | During the past 12 months, did you ever give away or sell sedative medication that was prescribed for you? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 31 | 57247.9 | 1.8% |
| 2 | No | 1438 | 3182067.8 | 98.2% |
| 6 | Valid skip | 14625 | 26401393.6 | |
| 7 | Don't know | 3 | 1158.9 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 252 | 649203.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_010: Used marijuana - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16126 / 29693398.146] [Invalid=223 / 597673.033] | | | |
| Universe | All Respondents | | | |
| Literal question | During your lifetime, have you ever used or tried marijuana? | | | |
| Interviewer's instructions | This includes the use of marijuana (hashish, hash oil or other cannabis derivatives for medical purposes. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 7031 | 13827812.5 | 46.6% |

| # CAN_010: Used marijuana - ever | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 2 | No | 9095 | 15865585.7 | 53.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 6 | 22127.4 | |
| 8 | Refusal | 13 | 13459.5 | |
| 9 | Not stated | 204 | 562086.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_020: Used marijuana - num times | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=7028 / 13795015.153] [Invalid=9321 / 16496056.025] | | | |
| Universe | CAN_Q010 = 1 | | | |
| Literal question | Have you used marijuana just once or more than once? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Just once | 1092 | 2341506.5 | 17.0% |
| 2 | More than once | 5936 | 11453508.6 | 83.0% |
| 6 | Valid skip | 9095 | 15865585.7 | |
| 7 | Don't know | 2 | 666.2 | |
| 8 | Refusal | 1 | 32131.1 | |
| 9 | Not stated | 223 | 597673.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_030: Used marijuana - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=7026 / 13777852.479] [Invalid=9323 / 16513218.7] | | | |
| Universe | CAN_Q010 = 1 | | | |
| Literal question | During the past 12 months have you used marijuana? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3505 | 4390761.6 | 31.9% |
| 2 | No | 3521 | 9387090.8 | 68.1% |
| 6 | Valid skip | 9095 | 15865585.7 | |
| 7 | Don't know | 3 | 15925.2 | |
| 8 | Refusal | 2 | 34034.8 | |
| 9 | Not stated | 223 | 597673.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_032A: How used marijuana - smoked - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3477 / 4350653.921] [Invalid=12872 / 25940417.258] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | During the past 12 months, have you used or tried marijuana or cannabis the following way: Smoked a joint, bong, pipe or blunt? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3299 | 3965348.7 | 91.1% |
| 2 | No | 178 | 385305.2 | 8.9% |
| 6 | Valid skip | 12616 | 25252676.5 | |

| # CAN_032A: How used marijuana - smoked - 12 mo. | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 3 | 764.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 253 | 686976.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_032B: How used marijuana - mixed with tobacco - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3467 / 4341687.962] [Invalid=12882 / 25949383.217] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Mixed or combined it with tobacco in a joint (also known as a spliff) or in a bong or in a pipe (also known as "yacht" or "popper" or "topper") for smoking? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 804 | 942089.7 | 21.7% |
| 2 | No | 2663 | 3399598.2 | 78.3% |
| 6 | Valid skip | 12616 | 25252676.5 | |
| 7 | Don't know | 12 | 8679.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_032C: How used marijuana - chasing - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3478 / 4349721.91] [Invalid=12871 / 25941349.269] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Smoked a joint and right after smoked a tobacco product such as a cigarette, cigar, or cigarillo (also known as chasing)? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 893 | 1479101.0 | 34.0% |
| 2 | No | 2585 | 2870620.9 | 66.0% |
| 6 | Valid skip | 12616 | 25252676.5 | |
| 7 | Don't know | 1 | 645.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_032D: How used marijuana - eaten - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3478 / 4349874.633] [Invalid=12871 / 25941196.546] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | During the past 12 months have you used or tried marijuana or cannabis the following way: Eaten it in food such as brownies, cake, cookies or candy? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1416 | 1647771.9 | 37.9% |
| 2 | No | 2062 | 2702102.8 | 62.1% |
| 6 | Valid skip | 12616 | 25252676.5 | |

| # CAN_032D: How used marijuana - eaten - 12 mo. | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 1 | 492.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_032E: How used marijuana - drink- 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3479 / 4350367.467] [Invalid=12870 / 25940703.712] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Drunk it in tea, cola, alcohol or other drinks? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 317 | 359770.4 | <div><div></div></div> 8.3% |
| 2 | No | 3162 | 3990597.1 | <div><div></div></div> 91.7% |
| 6 | Valid skip | 12616 | 25252676.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_032F: How used marijuana - vaporized - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3479 / 4350367.467] [Invalid=12870 / 25940703.712] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | (During the past 12 months have you used or tried marijuana or cannabis the following way:) Vaporized it with a vapouriser, vape pen or e-cigarette? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1097 | 1274970.6 | <div><div></div></div> 29.3% |
| 2 | No | 2382 | 3075396.8 | <div><div></div></div> 70.7% |
| 6 | Valid skip | 12616 | 25252676.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_032G: How used marijuana - dabbed - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3476 / 4347944.23] [Invalid=12873 / 25943126.949] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | (During the past 12 months, have you used or tried marijuana or cannabis the following way:) Dabbed it? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 709 | 534658.8 | <div><div></div></div> 12.3% |
| 2 | No | 2767 | 3813285.4 | <div><div></div></div> 87.7% |
| 6 | Valid skip | 12616 | 25252676.5 | |
| 7 | Don't know | 3 | 2423.2 | |
| 8 | Refusal | 0 | 0.0 | |

| # CAN_032G: How used marijuana - dabbed - 12 mo. | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_037: Where usually get marijuana - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3390 / 4198859.918] [Invalid=12959 / 26092211.261] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | In the past 12 months, where did you usually get the marijuana or cannabis you used? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | I grow my own | 30 | 120574.1 | <div><div></div></div> 2.9% |
| 2 | Someone grows it for me (medical or recreational) | 17 | 42787.0 | <div><div></div></div> 1.0% |
| 3 | It was shared around a group of friends | 479 | 481826.6 | <div><div></div></div> 11.5% |
| 4 | From a family member or a friend | 1822 | 2211666.0 | <div><div></div></div> 52.7% |
| 5 | From someone else I know | 129 | 143985.0 | <div><div></div></div> 3.4% |
| 6 | From a dealer | 435 | 386330.0 | <div><div></div></div> 9.2% |
| 7 | From a licensed dealer (medical) | 111 | 133380.0 | <div><div></div></div> 3.2% |
| 8 | From a compassion club/dispensary | 257 | 439264.9 | <div><div></div></div> 10.5% |
| 9 | Online | 58 | 108587.7 | <div><div></div></div> 2.6% |
| 10 | Other | 52 | 130458.6 | <div><div></div></div> 3.1% |
| 96 | Valid skip | 12616 | 25252676.5 | |
| 97 | Don't know | 26 | 77398.5 | |
| 98 | Refusal | 63 | 74109.0 | |
| 99 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_038: Driven within 2 hours of using marijuana - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3473 / 4345398.243] [Invalid=12876 / 25945672.936] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | In the past 12 months, have you driven a motor vehicle within 2 hours of using marijuana? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 480 | 530541.2 | <div><div></div></div> 12.2% |
| 2 | No | 2993 | 3814857.1 | <div><div></div></div> 87.8% |
| 6 | Valid skip | 12616 | 25252676.5 | |
| 7 | Don't know | 1 | 145.9 | |
| 8 | Refusal | 5 | 4823.4 | |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_040: Used marijuana - 3 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3476 / 4349361.499] [Invalid=12873 / 25941709.68] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q030 = 1 | | | |
| Literal question | During the past three months have you used marijuana? | | | |

| # CAN_040: Used marijuana - 3 mo. | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2397 | 3260706.1 | <div></div> 75.0% |
| 2 | No | 1079 | 1088655.4 | <div></div> 25.0% |
| 6 | Valid skip | 12616 | 25252676.5 | |
| 7 | Don't know | 2 | 767.1 | |
| 8 | Refusal | 1 | 238.9 | |
| 9 | Not stated | 254 | 688027.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_050: Frequency of using marijuana - 3 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2348 / 3219087.008] [Invalid=14001 / 27071984.17] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q020 = 2 and CAN_Q030 = 1 and CAN_Q040 = 1 | | | |
| Literal question | During the past three months how often did you use marijuana? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Once or twice | 704 | 918881.9 | <div></div> 28.5% |
| 2 | Monthly | 391 | 564984.9 | <div></div> 17.6% |
| 3 | Weekly | 491 | 708747.4 | <div></div> 22.0% |
| 4 | Daily or almost daily | 762 | 1026472.8 | <div></div> 31.9% |
| 6 | Valid skip | 12660 | 25291281.6 | |
| 7 | Don't know | 3 | 1034.4 | |
| 8 | Refusal | 2 | 1979.6 | |
| 9 | Not stated | 1336 | 1777688.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_060: Age first used - marijuana | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 5-80] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5902 / 11322767.735] [Invalid=10447 / 18968303.444] [Mean=17.541 / 18.623] [StdDev=5.263 / 7.294] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q020 = 2 | | | |
| Literal question | How old were you when you tried or started using marijuana? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 10187 | 18207092.2 | |
| 97 | Don't know | 27 | 128252.0 | |
| 98 | Refusal | 5 | 1397.4 | |
| 99 | Not stated | 228 | 631561.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_064: Used marijuana for medical purposes - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=7023 / 13791906.529] [Invalid=9326 / 16499164.65] | | | |
| Universe | CAN_Q010 = 1 | | | |
| Literal question | In the past 12 months, have you used or tried marijuana (hashish, hash oil or other cannabis derivatives) for medical purposes? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1008 | 1619126.7 | <div></div> 11.7% |

| # CAN_064: Used marijuana for medical purposes - 12 mo. | | | | | |
|---|--|-------|------------|------------------------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 2 | No | 6015 | 12172779.9 | <div><div></div></div> 88.3% | |
| 6 | Valid skip | 9095 | 15865585.7 | | |
| 7 | Don't know | 2 | 389.0 | | |
| 8 | Refusal | 4 | 34425.5 | | |
| 9 | Not stated | 225 | 598764.5 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # CAN_066: Main medical condition used marijuana for | | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] | | | | |
| Statistics [NW/ W] | [Valid=1004 / 1612241.059] [Invalid=15345 / 28678830.12] | | | | |
| Universe | CAN_Q010 = 1 and CAN_Q064 = 1 | | | | |
| Literal question | For what main medical condition did you use marijuana? | | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Chronic pain (arthritis, back pain, migraine) | 410 | 733485.8 | <div><div></div></div> 45.5% | |
| 2 | Nausea/vomiting | 8 | 6657.7 | | <div><div></div></div> 0.4% |
| 3 | Lack of appetite/weight loss | 8 | 2807.0 | | <div><div></div></div> 0.2% |
| 4 | Depression | 78 | 153921.2 | | <div><div></div></div> 9.5% |
| 5 | Multiple sclerosis/spinal cord injury | 8 | 32523.1 | | <div><div></div></div> 2.0% |
| 6 | Epilepsy | 7 | 11182.9 | <div><div></div></div> 0.7% | |
| 7 | Anxiety/Nerves | 254 | 296108.2 | <div><div></div></div> 18.4% | |
| 8 | Glaucoma | 0 | 0.0 | | |
| 9 | Insomnia | 130 | 192122.0 | | <div><div></div></div> 11.9% |
| 10 | Other | 101 | 183433.3 | | <div><div></div></div> 11.4% |
| 96 | Valid skip | 15110 | 28038365.5 | | |
| 97 | Don't know | 1 | 217.0 | | |
| 98 | Refusal | 3 | 6668.6 | | |
| 99 | Not stated | 231 | 633579.0 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # CAN_070: Had strong desire to use marijuana - ever | | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | | |
| Statistics [NW/ W] | [Valid=5925 / 11440785.808] [Invalid=10424 / 18850285.371] | | | | |
| Universe | CAN_Q010 = 1 and CAN_Q020 = 2, DK or RF | | | | |
| Literal question | Have you ever had a strong desire or urge to use marijuana? | | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 815 | 1305910.6 | <div><div></div></div> 11.4% | |
| 2 | No | 5110 | 10134875.2 | | <div><div></div></div> 88.6% |
| 6 | Valid skip | 10187 | 18207092.2 | | |
| 7 | Don't know | 5 | 9192.4 | | |
| 8 | Refusal | 7 | 35236.3 | | |
| 9 | Not stated | 225 | 598764.5 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # CAN_080: Frequency of strong desire to use marijuana - 3 mo. | | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] | | | | |
| Statistics [NW/ W] | [Valid=813 / 1305537.462] [Invalid=15536 / 28985533.717] | | | | |

CAN_080: Frequency of strong desire to use marijuana - 3 mo.

| | |
|-----------------------------------|---|
| Universe | CAN_Q010 = 1 and (CAN_Q020 = 2, DK or RF) and CAN_Q070 = 1 |
| Literal question | During the past three months how often have you had a strong desire or urge to use marijuana? |
| Interviewer's instructions | Read categories to respondent. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-----------------------|-------|------------|-----------------------|
| 1 | Once or twice | 189 | 274268.0 | 21.0% |
| 2 | Monthly | 93 | 142085.1 | 10.9% |
| 3 | Weekly | 136 | 132837.9 | 10.2% |
| 4 | Daily or almost daily | 150 | 296029.9 | 22.7% |
| 5 | Never | 245 | 460316.6 | 35.3% |
| 6 | Valid skip | 15297 | 28341967.4 | |
| 7 | Don't know | 2 | 373.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 237 | 643193.2 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAN_090: Marijuana use led to health, social, legal or financial problems

| | |
|-----------------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=5926 / 11447971.841] [Invalid=10423 / 18843099.338] |
| Universe | CAN_Q010 = 1 and CAN_Q020 = 2, DK or RF |
| Literal question | Has your use of marijuana ever led to health, social, legal or financial problems? |
| Interviewer's instructions | Social problems could include: a break up, conflicts with friends or family. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 349 | 512236.6 | 4.5% |
| 2 | No | 5577 | 10935735.3 | 95.5% |
| 6 | Valid skip | 10187 | 18207092.2 | |
| 7 | Don't know | 4 | 2006.4 | |
| 8 | Refusal | 7 | 35236.3 | |
| 9 | Not stated | 225 | 598764.5 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CAN_100: Frequency that marij use led to health/ soc/legal/financial prob

| | |
|-----------------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=347 / 505033.774] [Invalid=16002 / 29786037.404] |
| Universe | CAN_Q010 = 1 and (CAN_Q020 = 2, DK or RF) and CAN_Q090 = 1 |
| Literal question | During the past three months, how often has your use of marijuana led to health, social, legal or financial problems? |
| Interviewer's instructions | Read categories to respondent. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-----------------------|-------|------------|-----------------------|
| 1 | Once or twice | 58 | 34754.4 | 6.9% |
| 2 | Monthly | 19 | 6915.1 | 1.4% |
| 3 | Weekly | 14 | 15004.9 | 3.0% |
| 4 | Daily or almost daily | 15 | 5080.0 | 1.0% |
| 5 | Never | 241 | 443279.3 | 87.8% |
| 6 | Valid skip | 15764 | 29142827.5 | |
| 7 | Don't know | 2 | 7202.8 | |
| 8 | Refusal | 0 | 0.0 | |

| # CAN_100: Frequency that marij use led to health/ soc/legal/financial prob | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 236 | 636007.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_110: Marijuana use affected ability to do expected tasks | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5920 / 11376596.989] [Invalid=10429 / 18914474.19] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q020 = 2, DK or RF | | | |
| Literal question | Have you ever found you could not do what was normally expected of you because of your use of marijuana? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 609 | 996381.9 | <div><div></div></div> 8.8% |
| 2 | No | 5311 | 10380215.1 | <div><div></div></div> 91.2% |
| 6 | Valid skip | 10187 | 18207092.2 | |
| 7 | Don't know | 9 | 61531.7 | |
| 8 | Refusal | 8 | 47085.8 | |
| 9 | Not stated | 225 | 598764.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_120: Frequency marijuana use affected ability to do expected tasks | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=607 / 994196.11] [Invalid=15742 / 29296875.069] | | | |
| Universe | CAN_Q010 = 1 and (CAN_Q020 = 2, DK or RF) and CAN_Q110 = 1 | | | |
| Literal question | During the past three months, how often have you found you could not do what was normally expected of you because of your use of marijuana? | | | |
| Interviewer's instructions | Read categories to respondent. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Once or twice | 147 | 179262.5 | <div><div></div></div> 18.0% |
| 2 | Monthly | 27 | 14640.9 | <div><div></div></div> 1.5% |
| 3 | Weekly | 28 | 23300.1 | <div><div></div></div> 2.3% |
| 4 | Daily or almost daily | 9 | 6364.9 | <div><div></div></div> 0.6% |
| 5 | Never | 396 | 770627.6 | <div><div></div></div> 77.5% |
| 6 | Valid skip | 15498 | 28587307.3 | |
| 7 | Don't know | 2 | 2185.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 242 | 707382.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_130: Friend/relative/other expressed concern about marijuana use - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5925 / 11440735.591] [Invalid=10424 / 18850335.588] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q020 = 2, DK or RF | | | |
| Literal question | Has a friend or relative or anyone else ever expressed concern about your use of marijuana? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 758 | 812126.6 | <div><div></div></div> 7.1% |
| 2 | No | 5167 | 10628609.0 | <div><div></div></div> 92.9% |
| 6 | Valid skip | 10187 | 18207092.2 | |

| # CAN_130: Friend/relative/other expressed concern about marijuana use - ever | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 3 | 1823.6 | |
| 8 | Refusal | 8 | 42558.0 | |
| 9 | Not stated | 226 | 598861.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_140: Concern expressed about marijuana use - 3 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=758 / 812126.633] [Invalid=15591 / 29478944.546] | | | |
| Universe | CAN_Q010 = 1 and (CAN_Q020 = 2, DK or RF) and CAN_Q130 = 1 | | | |
| Literal question | Was this concern expressed during the past three months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 192 | 100332.0 | <div></div> 12.4% |
| 2 | No | 566 | 711794.6 | <div></div> 87.6% |
| 6 | Valid skip | 15354 | 28835701.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 237 | 643243.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_150: Tried to reduce / stop marijuana use but unable to - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=5917 / 11403585.756] [Invalid=10432 / 18887485.423] | | | |
| Universe | CAN_Q010 = 1 and CAN_Q020 = 2, DK or RF | | | |
| Literal question | Have you ever tried to control, cut down or stop using marijuana but discovered that you were not able to do so? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 247 | 270844.4 | <div></div> 2.4% |
| 2 | No | 5670 | 11132741.3 | <div></div> 97.6% |
| 6 | Valid skip | 10187 | 18207092.2 | |
| 7 | Don't know | 9 | 31144.5 | |
| 8 | Refusal | 9 | 49523.5 | |
| 9 | Not stated | 227 | 599725.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN_160: Tried to reduce / stop marijuana use - 3 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=247 / 270844.41] [Invalid=16102 / 30020226.769] | | | |
| Universe | CAN_Q010 = 1 and (CAN_Q020 = 2, DK or RF) and CAN_Q150 = 1 | | | |
| Literal question | Have you tried to do this during the past three months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 98 | 86813.8 | <div></div> 32.1% |
| 2 | No | 149 | 184030.6 | <div></div> 67.9% |
| 6 | Valid skip | 15857 | 29339833.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 245 | 680393.2 | |

| | | | | |
|--|--|-------|------------|-----------------------------|
| # CAN_160: Tried to reduce / stop marijuana use - 3 mo. | | | | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # COC_10: Used cocaine - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16119 / 29700755.939] [Invalid=230 / 590315.24] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever used or tried cocaine (crack, freebase, powder or snow)? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1221 | 3101507.4 | <div><div></div>10.4%</div> |
| 2 | No | 14898 | 26599248.5 | <div><div></div>89.6%</div> |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 2 | 1585.7 | |
| 8 | Refusal | 17 | 24257.3 | |
| 9 | Not stated | 211 | 564472.2 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # COC_20: Age first used - cocaine | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 8-61] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1206 / 3084863.299] [Invalid=15143 / 27206207.88] [Mean=20.492 / 22.147] [StdDev=4.777 / 5.528] | | | |
| Universe | COC_Q10 = 1 | | | |
| Literal question | How old were you when you tried or started using cocaine or crack? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14898 | 26599248.5 | |
| 97 | Don't know | 8 | 10534.8 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 237 | 596424.5 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # COC_30: Used cocaine - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1221 / 3101507.393] [Invalid=15128 / 27189563.786] | | | |
| Universe | COC_Q10 = 1 | | | |
| Literal question | Have you used or tried cocaine or crack during the past 12 months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 393 | 729731.4 | <div><div></div>23.5%</div> |
| 2 | No | 828 | 2371776.0 | <div><div></div>76.5%</div> |
| 6 | Valid skip | 14898 | 26599248.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 230 | 590315.2 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # MET_10: Used amphetamines, speed, methamphetamine or crystal meth | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16110 / 29677440.2] [Invalid=239 / 613630.978] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever used or tried amphetamines, speed, methamphetamine or crystal meth? | | | |

MET_10: Used amphetamines, speed, methamphetamine or crystal meth

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 408 | 1109558.3 | 3.7% |
| 2 | No | 15702 | 28567881.9 | 96.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 12 | 25219.0 | |
| 8 | Refusal | 16 | 23939.7 | |
| 9 | Not stated | 211 | 564472.2 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MET_20: Age first used - speed or meth

| | |
|---------------------------|--|
| Information | [Type= continuous] [Format=numeric] [Range= 11-60] [Missing=*] |
| Statistics [NW/ W] | [Valid=402 / 1102457.682] [Invalid=15947 / 29188613.497] [Mean=19.045 / 20.105] [StdDev=4.746 / 4.842] |
| Universe | MET_Q10 = 1 |
| Literal question | How old were you when you tried or started using speed or meth? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 96 | Valid skip | 15702 | 28567881.9 | |
| 97 | Don't know | 4 | 5740.6 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 241 | 614991.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

| # MET_30: Used speed or meth - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=408 / 1109558.31] [Invalid=15941 / 29181512.869] | | | |
| Universe | MET_Q10 = 1 | | | |
| Literal question | Have you used or tried speed or meth during the past 12 months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 74 | 105813.7 | 9.5% |
| 2 | No | 334 | 1003744.6 | 90.5% |
| 6 | Valid skip | 15702 | 28567881.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 239 | 613631.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # XTC_10: Used Ecstasy | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16109 / 29679905.428] [Invalid=240 / 611165.751] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever used or tried Ecstasy (MDMA, E, Xtc, Adam, X)? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1007 | 2254931.3 | 7.6% |
| 2 | No | 15102 | 27424974.1 | 92.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 13 | 22753.8 | |
| 8 | Refusal | 16 | 23939.7 | |
| 9 | Not stated | 211 | 564472.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # XTC_20: Age - tried or started using Ecstasy | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 7-64] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1002 / 2251238.53] [Invalid=15347 / 28039832.649] [Mean=19.223 / 20.743] [StdDev=4.396 / 5.472] | | | |
| Universe | XTC_Q10 = 1 | | | |
| Literal question | How old were you when you tried or started using Ecstasy? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 15102 | 27424974.1 | |
| 97 | Don't know | 2 | 791.2 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 243 | 614067.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # XTC_30: Used ecstasy - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1007 / 2254931.345] [Invalid=15342 / 28036139.834] | | | |
| Universe | XTC_Q10 = 1 | | | |
| Literal question | Have you used or tried Ecstasy during the past 12 months? | | | |

| # XTC_30: Used ecstasy - 12 mo. | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 218 | 270613.8 | <div><div></div></div> 12.0% |
| 2 | No | 789 | 1984317.6 | <div><div></div></div> 88.0% |
| 6 | Valid skip | 15102 | 27424974.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 240 | 611165.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HAL_10: Used hallucinogens - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16116 / 29699115.79] [Invalid=233 / 591955.389] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever used or tried hallucinogens such as PCP, LSD, acid, magic mushrooms, mescaline or angel dust? | | | |
| Interviewer's instructions | Include psilocybin. Do not include epival or salvia. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1669 | 4233111.7 | <div><div></div></div> 14.3% |
| 2 | No | 14447 | 25466004.1 | <div><div></div></div> 85.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 5 | 1684.7 | |
| 8 | Refusal | 16 | 23939.7 | |
| 9 | Not stated | 212 | 566330.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HAL_20: Age first used - hallucinogens | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 10-64] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1654 / 4220517.671] [Invalid=14695 / 26070553.507] [Mean=18.825 / 19.316] [StdDev=3.848 / 4.303] | | | |
| Universe | HAL_Q10 = 1 | | | |
| Literal question | How old were you when you tried or started using hallucinogens? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14447 | 25466004.1 | |
| 97 | Don't know | 8 | 8375.1 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 240 | 596174.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HAL_30: Used hallucinogens - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1667 / 4227557.158] [Invalid=14682 / 26063514.021] | | | |
| Universe | HAL_Q10 = 1 | | | |
| Literal question | Have you used or tried hallucinogens during the past 12 months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 385 | 443131.5 | <div><div></div></div> 10.5% |
| 2 | No | 1282 | 3784425.7 | <div><div></div></div> 89.5% |
| 6 | Valid skip | 14447 | 25466004.1 | |
| 7 | Don't know | 1 | 494.1 | |

| # HAL_30: Used hallucinogens - 12 mo. | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 597015.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # GLU_10: Sniffed solvents - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16115 / 29689648.209] [Invalid=234 / 601422.97] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever sniffed glue, gasoline or other solvents? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 111 | 241692.5 | 0.8% |
| 2 | No | 16004 | 29447955.7 | 99.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 5 | 6091.9 | |
| 8 | Refusal | 16 | 23939.7 | |
| 9 | Not stated | 213 | 571391.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # GLU_20: Age first used - solvents | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 5-32] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=111 / 241692.536] [Invalid=16238 / 30049378.643] [Mean=13.577 / 14.317] [StdDev=3.672 / 2.658] | | | |
| Universe | GLU_Q10 = 1 | | | |
| Literal question | How old were you when you first tried sniffing glue, gasoline or other solvents? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 16004 | 29447955.7 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 234 | 601423.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # GLU_30: Sniffed solvents -12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=111 / 241692.536] [Invalid=16238 / 30049378.643] | | | |
| Universe | GLU_Q10 = 1 | | | |
| Literal question | Have you sniffed glue, gasoline or other solvents during the past 12 months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 7 | 3378.1 | 1.4% |
| 2 | No | 104 | 238314.4 | 98.6% |
| 6 | Valid skip | 16004 | 29447955.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 601423.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HER_10: Used heroin - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |

| # HER_10: Used heroin - ever | | | | |
|---|--|-------|------------|-----------------------|
| Statistics [NW/ W] | [Valid=16117 / 29680701.98] [Invalid=232 / 610369.198] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever used or tried heroin (horse, junk, smack)? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 61 | 211536.6 | 0.7% |
| 2 | No | 16056 | 29469165.4 | 99.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 2 | 1146.7 | |
| 8 | Refusal | 17 | 37831.2 | |
| 9 | Not stated | 213 | 571391.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HER_20: Age first used - heroin | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 11-38] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=61 / 211536.616] [Invalid=16288 / 30079534.563] [Mean=19.82 / 20.62] [StdDev=5.078 / 4.063] | | | |
| Universe | HER_Q10 = 1 | | | |
| Literal question | How old were you when you tried or started using heroin? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 16056 | 29469165.4 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 232 | 610369.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HER_30: Used heroin -12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=61 / 211536.616] [Invalid=16288 / 30079534.563] | | | |
| Universe | HER_Q10 = 1 | | | |
| Literal question | Have you used or tried heroin during the past 12 months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 12 | 8251.7 | 3.9% |
| 2 | No | 49 | 203284.9 | 96.1% |
| 6 | Valid skip | 16056 | 29469165.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 232 | 610369.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SAL_10: Used Salvia - ever | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16111 / 29649124.726] [Invalid=238 / 641946.453] | | | |
| Universe | All respondents | | | |
| Literal question | Have you ever used or tried Salvia (Salvia Divinorum, Divine Sage, Magic Mint, Sally D)? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 477 | 849039.6 | 2.9% |

| # SAL_10: Used Salvia - ever | | | | | |
|---|------------|---|------------|------------------------------|--|
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 2 | No | 15634 | 28800085.1 | <div><div></div></div> 97.1% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 7 | 32647.6 | | |
| 8 | Refusal | 18 | 37907.5 | | |
| 9 | Not stated | 213 | 571391.3 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # SAL_20: Age first used - Salvia | | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 11-48] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=473 / 846079.37] [Invalid=15876 / 29444991.809] [Mean=18.186 / 20.88] [StdDev=4.249 / 5.289] | | | |
| Universe | | SAL_Q10 = 1 | | | |
| Literal question | | How old were you when you tried or started using Salvia? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 96 | Valid skip | 15634 | 28800085.1 | <div><div></div></div> | |
| 97 | Don't know | 1 | 2536.0 | | |
| 98 | Refusal | 0 | 0.0 | | |
| 99 | Not stated | 241 | 642370.7 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # SAL_30: Used Salvia - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=477 / 849039.637] [Invalid=15872 / 29442031.542] | | | |
| Universe | | SAL_Q10 = 1 | | | |
| Literal question | | Have you used or tried Salvia during the past 12 months? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 18 | 30370.7 | <div><div></div></div> 3.6% | |
| 2 | No | 459 | 818668.9 | <div><div></div></div> 96.4% | |
| 6 | Valid skip | 15634 | 28800085.1 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 238 | 641946.5 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # ODS_10: Used drug without knowing what it was - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16115 / 29674057.238] [Invalid=234 / 617013.941] | | | |
| Universe | | All respondents | | | |
| Literal question | | During the past 12 months, have you used a drug or substance to get high without knowing what it was? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 72 | 69863.6 | <div><div></div></div> 0.2% | |
| 2 | No | 16043 | 29604193.6 | <div><div></div></div> 99.8% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 2 | 955.8 | | |
| 8 | Refusal | 19 | 44666.8 | | |
| 9 | Not stated | 213 | 571391.3 | | |

| | | | | |
|---|--|-------|------------|-----------------------------|
| # ODS_10: Used drug without knowing what it was - 12 mo. | | | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_10: Drug affects friendships or social life - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3603 / 4566386.211] [Invalid=12746 / 25724684.968] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | During the past 12 months, was there ever a time that you felt your drug use had a harmful effect: ...on your friendships or social life? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 298 | 295032.5 | <div><div></div>6.5%</div> |
| 2 | No | 3305 | 4271353.7 | <div><div></div>93.5%</div> |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 5 | 5812.3 | |
| 9 | Not stated | 441 | 1151488.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_20: Drug affects physical health - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3598 / 4557108.46] [Invalid=12751 / 25733962.719] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your physical health? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 396 | 429217.6 | <div><div></div>9.4%</div> |
| 2 | No | 3202 | 4127890.8 | <div><div></div>90.6%</div> |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 5 | 9277.8 | |
| 8 | Refusal | 5 | 5812.3 | |
| 9 | Not stated | 441 | 1151488.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_30: Drug affects home life or marriage - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3603 / 4566386.211] [Invalid=12746 / 25724684.968] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your home life or marriage? | | | |
| Interviewer's instructions | Home life refers to people with whom one lives, or whom one lived with at the time of the harmful effects. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 241 | 210991.6 | <div><div></div>4.6%</div> |
| 2 | No | 3362 | 4355394.7 | <div><div></div>95.4%</div> |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 5 | 5812.3 | |

| # DHA_30: Drug affects home life or marriage - 12 mo. | | | | |
|---|--|-------|------------|-----------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 441 | 1151488.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_40: Drug affects work, studies, or employment opportunities - 12mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3599 / 4518107.129] [Invalid=12750 / 25772964.05] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your work, studies, or employment opportunities? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 301 | 239212.7 | <div><div></div>5.3%</div> |
| 2 | No | 3298 | 4278894.4 | <div><div></div>94.7%</div> |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 1 | 354.5 | |
| 8 | Refusal | 7 | 53565.5 | |
| 9 | Not stated | 442 | 1151660.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_50: Drug affects financial position - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3599 / 4565120.5] [Invalid=12750 / 25725950.678] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:) ...on your financial position? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 241 | 284118.6 | <div><div></div>6.2%</div> |
| 2 | No | 3358 | 4281001.9 | <div><div></div>93.8%</div> |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 2 | 289.4 | |
| 8 | Refusal | 6 | 6617.2 | |
| 9 | Not stated | 442 | 1151660.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_60: Had legal problems because of drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3601 / 4565409.925] [Invalid=12748 / 25725661.254] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | During the past 12 months, was there ever a time when you had legal problems because of your drug use? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 46 | 42112.5 | <div><div></div>0.9%</div> |
| 2 | No | 3555 | 4523297.5 | <div><div></div>99.1%</div> |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 6 | 6617.2 | |

| # DHA_60: Had legal problems because of drug use - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 442 | 1151660.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_70: Had housing problems because of drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3601 / 4565409.925] [Invalid=12748 / 25725661.254] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | (During the past 12 months,) was there ever a time when you had housing problems because of your drug use? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 49 | 30230.7 | 0.7% |
| 2 | No | 3552 | 4535179.2 | 99.3% |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 6 | 6617.2 | |
| 9 | Not stated | 442 | 1151660.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHA_80: Had difficulty learning things because of drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=3596 / 4560219.974] [Invalid=12753 / 25730851.205] | | | |
| Universe | PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q030=1 or COC_Q30=1 or MET_Q30=1 or XTC_Q30=1 or HAL_Q30=1 or GLU_Q30=1 or HER_Q30=1 or SAL_Q30=1 or ODS_Q10=1 | | | |
| Literal question | (During the past 12 months,) was there ever a time when you had difficulty learning things because of your drug use? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 166 | 110613.7 | 2.4% |
| 2 | No | 3430 | 4449606.3 | 97.6% |
| 6 | Valid skip | 12300 | 24567384.0 | |
| 7 | Don't know | 5 | 5190.0 | |
| 8 | Refusal | 6 | 6617.2 | |
| 9 | Not stated | 442 | 1151660.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # EHG1_01: Highest certificate, diploma or degree completed | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16029 / 29413442.538] [Invalid=320 / 877628.641] | | | |
| Universe | All respondents | | | |
| Literal question | What is the highest certificate, diploma or degree that you have completed? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Less than high school diploma or its equivalent | 3821 | 3345558.0 | 11.4% |
| 2 | High school diploma or a high school equivalency certificate | 5798 | 7436787.3 | 25.3% |
| 3 | Trade certificate or diploma | 775 | 1981840.1 | 6.7% |
| 4 | College/CEGEP/other non-university certificate or diploma | 2682 | 6934322.0 | 23.6% |
| 5 | University certificate or diploma below the bachelor's level | 315 | 1108299.8 | 3.8% |

| # EHG1_01: Highest certificate, diploma or degree completed | | | | | |
|---|--|--|------------|-----------------------|-------|
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 6 | Bachelor's degree (e.g. B.A., B.Sc., LL.B.) | 2065 | 5813300.3 | <div></div> | 19.8% |
| 7 | University certificate, diploma, degree above the BA level | 573 | 2793335.0 | <div></div> | 9.5% |
| 96 | Valid skip | 0 | 0.0 | | |
| 97 | Don't know | 3 | 4834.2 | | |
| 98 | Refusal | 13 | 26152.1 | | |
| 99 | Not stated | 304 | 846642.3 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # AS_01: Aboriginal status | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16048 / 29515551.502] [Invalid=301 / 775519.677] | | | |
| Universe | | All Respondents | | | |
| Literal question | | Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 914 | 1037059.2 | <div></div> | 3.5% |
| 2 | No | 15134 | 28478492.3 | <div></div> | 96.5% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 47 | 61611.0 | | |
| 8 | Refusal | 30 | 100889.1 | | |
| 9 | Not stated | 224 | 613019.5 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # LMAM_01: Worked at a job or business last week | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16103 / 29644857.616] [Invalid=246 / 646213.563] | | | |
| Universe | | All Respondents | | | |
| Literal question | | The following questions concern your activities last week. By last week, I mean the week beginning on ^REFBEGE, and ending ^REFENDE. Last week, did you work at a job or business? (regardless of the number of hours) | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 9416 | 17285555.6 | <div></div> | 58.3% |
| 2 | No | 6687 | 12359302.0 | <div></div> | 41.7% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 6 | 15444.7 | | |
| 8 | Refusal | 24 | 26301.8 | | |
| 9 | Not stated | 216 | 604467.1 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # LMAM_02: Absent from job or business | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=6684 / 12355335.802] [Invalid=9665 / 17935735.376] | | | |
| Universe | | LMAM_Q01 = 1 | | | |
| Literal question | | Last week, did you have a job or business from which you were absent? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 638 | 1352965.0 | <div></div> | 11.0% |

| # LMAM_02: Absent from job or business | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 2 | No | 6046 | 11002370.8 | <div></div> 89.0% |
| 6 | Valid skip | 9416 | 17285555.6 | |
| 7 | Don't know | 1 | 3514.7 | |
| 8 | Refusal | 1 | 97.0 | |
| 9 | Not stated | 247 | 646568.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # LMAM_03: Reason for absence from work last week | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=637 / 1350876.125] [Invalid=15712 / 28940195.053] | | | |
| Universe | LMAM_Q01 = 1 AND LMAM_Q02 = 1 | | | |
| Literal question | What was the main reason you were absent from work last week? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Own illness or disability | 134 | 266802.3 | <div></div> 19.8% |
| 2 | Caring for own children | 0 | 0.0 | |
| 3 | Caring for elder relative (60 years of age or older) | 0 | 0.0 | |
| 4 | Maternity or parental leave | 55 | 179127.2 | <div></div> 13.3% |
| 5 | Other personal or family responsibilities | 20 | 35995.0 | <div></div> 2.7% |
| 6 | Vacation | 259 | 697278.5 | <div></div> 51.6% |
| 7 | Labour dispute (strike or lockout) (Employees only) | 0 | 0.0 | |
| 8 | Temporary layoff due to business conditions (Employees only) | 10 | 7885.1 | <div></div> 0.6% |
| 9 | Seasonal layoff (Employees only) | 23 | 25855.5 | <div></div> 1.9% |
| 10 | Casual job, no work available (Employees only) | 18 | 13048.7 | <div></div> 1.0% |
| 11 | Work schedule (e.g., shift work) (Employees only) | 28 | 20528.7 | <div></div> 1.5% |
| 12 | Self-employed, no work available (Self-employed only) | 6 | 8040.3 | <div></div> 0.6% |
| 13 | Seasonal business (Excluding employees) | 8 | 17585.9 | <div></div> 1.3% |
| 14 | Other - Specify | 76 | 78728.9 | <div></div> 5.8% |
| 96 | Valid skip | 15462 | 28287926.4 | |
| 97 | Don't know | 1 | 2088.9 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 249 | 650179.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # LMA3_10: Employee or self-employed | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=9959 / 18546765.52] [Invalid=6390 / 11744305.659] | | | |
| Universe | ((LMAM_Q01=1) or ((LMAM_Q01=2) and (LMAM_Q02=1) and (LMAM_Q03=1, 2, 3, 4, 5, 6, 7, 11, 12, 13 or 14))) | | | |
| Literal question | Were you an employee or self-employed? | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Employee | 8966 | 15211712.3 | <div></div> 82.0% |
| 2 | Self-employed | 989 | 3332819.7 | <div></div> 18.0% |
| 3 | Working in a family business without pay | 4 | 2233.5 | 0.0% |

| # LMA3_10: Employee or self-employed | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 6 | Valid skip | 6097 | 11049160.0 | |
| 7 | Don't know | 7 | 2434.3 | |
| 8 | Refusal | 5 | 22468.1 | |
| 9 | Not stated | 281 | 670243.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVSST1: Smoking Status Type 1 - Traditional definition | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] | | | |
| Universe | All respondents | | | |
| Notes | Survey on Smoking in Canada (SOSIC) definition | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Current smoker | 2246 | 4564824.5 | <div></div> 15.1% |
| 2 | Former smoker | 2202 | 7797459.0 | <div></div> 25.7% |
| 3 | Never smoked | 11901 | 17928787.7 | <div></div> 59.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVSST2: Smoking Status Type 2 - Detailed, using traditional definition | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16347 / 30289753.634] [Invalid=2 / 1317.544] | | | |
| Universe | All respondents | | | |
| Notes | Survey on Smoking in Canada (SOSIC) definition | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Current daily smoker | 1373 | 3267957.6 | <div></div> 10.8% |
| 2 | Current occasional smoker | 873 | 1296866.8 | <div></div> 4.3% |
| 3 | Former daily smoker | 1881 | 6899530.7 | <div></div> 22.8% |
| 4 | Former occasional smoker | 319 | 896610.8 | <div></div> 3.0% |
| 5 | Experimental smoker | 2105 | 4546852.3 | <div></div> 15.0% |
| 6 | Lifetime abstainer | 9796 | 13381935.4 | <div></div> 44.2% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 2 | 1317.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVSS1: Smoking Status Type 1 - Using 30 days definition | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] | | | |
| Universe | All respondents | | | |
| Notes | Survey on Smoking in Canada (SOSIC) definition | | | |

| # DVSS1: Smoking Status Type 1 - Using 30 days definition | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Smoked in last 30 days | 2211 | 4637658.0 | <div><div></div></div> 15.3% |
| 2 | Didn't smoke last 30 days - smoked 100 cigarettes in life | 2189 | 7722082.9 | <div><div></div></div> 25.5% |
| 3 | Didn't smoke last 30 days -smoked less than 100 cig in life | 11949 | 17931330.3 | <div><div></div></div> 59.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVSS1M: Smoking Status Type 1 with Menthol - Using 30 days definition | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16283 / 30083587.901] [Invalid=66 / 207483.278] | | | |
| Universe | All respondents | | | |
| Notes | Survey on Smoking in Canada (SOSIC) definition | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Smoked in last 30 days | 2212 | 4640686.9 | <div><div></div></div> 15.4% |
| 2 | Didn't smoke last 30 days - smoked 100 cigarettes in life | 2163 | 7652717.1 | <div><div></div></div> 25.4% |
| 3 | Didn't smoke last 30 days -smoked less than 100 cig in life | 11908 | 17790183.9 | <div><div></div></div> 59.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 66 | 207483.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVSS2: Smoking Status Type 2 - Detailed, using 30 days definition | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16347 / 30289753.634] [Invalid=2 / 1317.544] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Smoked daily in last 30 days, >=100 cigarettes in life | 1434 | 3458201.9 | <div><div></div></div> 11.4% |
| 2 | Smoked non-daily in last 30 days, >=100 cigarettes in life | 497 | 966513.5 | <div><div></div></div> 3.2% |
| 3 | Former daily smoker -not smoked last 30 d,>=100 cig. in life | 1854 | 6787661.6 | <div><div></div></div> 22.4% |
| 4 | Former occasion. smoker-not smoked last 30d, >=100 cig.-life | 333 | 933103.8 | <div><div></div></div> 3.1% |
| 5 | Beginner: smoked in last 30 days, <100 cigarettes in life | 280 | 212942.7 | <div><div></div></div> 0.7% |
| 6 | Past experimental smoker | 2160 | 4551733.4 | <div><div></div></div> 15.0% |
| 7 | Lifetime abstainer | 9789 | 13379596.9 | <div><div></div></div> 44.2% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |

| # DVSS2: Smoking Status Type 2 - Detailed, using 30 days definition | | | | |
|--|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 99 | Not stated | 2 | 1317.5 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # DVSS2M: Smoking Status Type 2 with menthol- Detailed, using 30 days definition | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16283 / 30083587.901] [Invalid=66 / 207483.278] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Smoked daily in last 30 days, >=100 cigarettes in life | 1496 | 3620614.8 | <div><div></div></div> 12.0% |
| 2 | Smoked non-daily in last 30 days, >=100 cigarettes in life | 435 | 804100.6 | <div><div></div></div> 2.7% |
| 3 | Former daily smoker -not smoked last 30 d,>=100 cig. in life | 1836 | 6737276.8 | <div><div></div></div> 22.4% |
| 4 | Former occasion. smoker-not smoked last 30d, >=100 cig.-life | 327 | 915440.3 | <div><div></div></div> 3.0% |
| 5 | Beginner: smoked in last 30 days, <100 cigarettes in life | 281 | 215971.5 | <div><div></div></div> 0.7% |
| 6 | Past experimental smoker | 2119 | 4410587.0 | <div><div></div></div> 14.7% |
| 7 | Lifetime abstainer | 9789 | 13379596.9 | <div><div></div></div> 44.5% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 66 | 207483.3 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # DVAVCIG7: Determines avg num cigarettes smoked per day - past week | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2068 / 4264685.013] [Invalid=14281 / 26026386.166] [Mean=8.383 / 10.481] [StdDev=8.568 / 8.894] | | | |
| Universe | SS_Q10=(1 or 2) or SS_Q20=1 | | | |
| Notes | Averaged over seven days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 143 | 372973.0 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | | |
| # DVNDSMK: Determines num days respondent smoked cigarettes - past week | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2068 / 4264685.013] [Invalid=14281 / 26026386.166] [Mean=5.257 / 5.764] [StdDev=2.653 / 2.371] | | | |
| Universe | SS_Q10=(1 or 2) or SS_Q20=1 | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |

| # DVNDSMK: Determines num days respondent smoked cigarettes - past week | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 99 | Not stated | 143 | 372973.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVCIGWK: Determines total num cigarettes smoked per week | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-630] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2068 / 4264685.013] [Invalid=14281 / 26026386.166] [Mean=58.774 / 73.343] [StdDev=59.904 / 62.225] | | | |
| Universe | SS_Q10=(1 or 2) or SS_Q20=1 | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 996 | Valid skip | 14138 | 25653413.1 | |
| 997 | Don't know | 0 | 0.0 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 143 | 372973.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVAVCIGD: Determines avg num cigarettes smoked on the days respondents smoked | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2068 / 4264685.013] [Invalid=14281 / 26026386.166] [Mean=8.831 / 10.81] [StdDev=8.376 / 8.687] | | | |
| Universe | SS_Q10=(1 or 2) or SS_Q20=1 | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14138 | 25653413.1 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 143 | 372973.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVDAILY: Determines avg num cigarettes smoked for the daily smokers | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=1298 / 3157684.466] [Invalid=15051 / 27133386.713] [Mean=12.572 / 13.655] [StdDev=8.145 / 8.115] | | | |
| Universe | SS_Q10=1 | | | |
| Notes | Derived from WP_Q10A to WP_Q10G | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14976 | 27023113.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 75 | 110273.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVSMKPTN: Describes the pattern of smoking - 7 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2068 / 4264685.013] [Invalid=14281 / 26026386.166] | | | |
| Universe | SS_10=1 or SS_20=1 | | | |
| Notes | Derived from WP_Q10A to WP_Q10G. Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Smoked every day | 1352 | 3213667.3 | 75.4% |
| 2 | Weekdays only | 9 | 10185.9 | 0.2% |

| # DVSMKPTN: Describes the pattern of smoking - 7 days | | | | |
|---|---|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 3 | Weekend only | 15 | 9826.7 | 0.2% |
| 4 | Did not smoke in last seven days | 222 | 356104.2 | 8.4% |
| 5 | Other pattern | 470 | 674900.9 | 15.8% |
| 6 | Valid skip | 14138 | 25653413.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 143 | 372973.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DVYRSSMK: Number of years the respondent smoked | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2211 / 4453946.296] [Invalid=14138 / 25837124.882] [Mean=16.937 / 28.106] [StdDev=16.465 / 16.322] | | | |
| Universe | DVSST1 = (2,3,9) | | | |
| Notes | Derived from DVAGE and PS_Q30. Ages greater than 85 were recoded to 85. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 14103 | 25726246.7 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 35 | 110878.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STOPSMK: Number of months since survey date former smoker stopped smoking | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2185 / 7767941.765] [Invalid=14164 / 22523129.413] | | | |
| Universe | SS_Q10=3 and SS_Q40=1 | | | |
| Notes | Derived from SC_Q010 and SC_Q020. | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | | 27 | 105996.3 | 1.4% |
| 1 | | 28 | 50319.7 | 0.6% |
| 2 | | 32 | 54161.5 | 0.7% |
| 3 | | 22 | 40560.2 | 0.5% |
| 4 | | 29 | 47106.2 | 0.6% |
| 5 | | 16 | 59117.8 | 0.8% |
| 6 | | 12 | 17132.4 | 0.2% |
| 7 | | 12 | 10858.7 | 0.1% |
| 8 | | 6 | 13018.6 | 0.2% |
| 9 | | 14 | 13639.4 | 0.2% |
| 10 | | 4 | 20681.5 | 0.3% |
| 11 | | 8 | 27875.7 | 0.4% |
| 18 | 1-2 years | 199 | 520830.3 | 6.7% |
| 48 | 3-5 years | 204 | 663355.4 | 8.5% |
| 60 | More than 5 years ago | 1572 | 6123288.0 | 78.8% |
| 96 | Valid skip | 14147 | 22493612.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |

| # STOPSMK: Number of months since survey date former smoker stopped smoking | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 99 | Not stated | 17 | 29517.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TOB30: Use of tobacco in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16229 / 29835065.472] [Invalid=120 / 456005.706] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2647 | 5296501.6 | 17.8% |
| 2 | No | 13582 | 24538563.9 | 82.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 120 | 456005.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CIG30: Use of cigarette in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2211 | 4637658.0 | 15.3% |
| 2 | No | 14138 | 25653413.1 | 84.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # LCIGAR30: Use of little cigars/cigarillos in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16287 / 30163976.774] [Invalid=62 / 127094.405] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 348 | 413961.8 | 1.4% |
| 2 | No | 15939 | 29750015.0 | 98.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 62 | 127094.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CIGAR30: Use of cigars in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16291 / 30180739.758] [Invalid=58 / 110331.421] | | | |
| Universe | All respondents | | | |

CIGAR30: Use of cigars in the past 30 days

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 220 | 236292.4 | 0.8% |
| 2 | No | 16071 | 29944447.4 | 99.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 58 | 110331.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLTOB30: Use of smokeless tobacco in the past 30 days

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16291 / 30125462.93] [Invalid=58 / 165608.249] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 186 | 225272.7 | 0.7% |
| 2 | No | 16105 | 29900190.2 | 99.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 58 | 165608.2 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

| # PIPE30: Use of tobacco pipe in the past 30 days | | | | |
|---|---|-------|------------|-----------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16291 / 30168028.402] [Invalid=58 / 123042.776] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 72 | 86628.1 | 0.3% |
| 2 | No | 16219 | 30081400.3 | 99.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 58 | 123042.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # WATERP30: Use of tobacco water-pipe in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16287 / 30119207.126] [Invalid=62 / 171864.053] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 167 | 208414.8 | 0.7% |
| 2 | No | 16120 | 29910792.4 | 99.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 62 | 171864.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ECIG30: Use an e-cigarette in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16283 / 30126648.08] [Invalid=66 / 164423.099] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 820 | 862525.6 | 2.9% |
| 2 | No | 15463 | 29264122.5 | 97.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 66 | 164423.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # QUITATT: Number of quit attempts more than 24H - Past 12 months | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=2315 / 4782673.743] [Invalid=14034 / 25508397.435] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | No attempts | 1125 | 2573795.6 | 53.8% |
| 2 | One attempts | 310 | 711760.4 | 14.9% |
| 3 | 2-3 attempts | 442 | 831630.5 | 17.4% |

| # QUITATT: Number of quit attempts more than 24H - Past 12 months | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 4 | 4 or more attempts | 438 | 665487.2 | <div><div></div></div> 13.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 14034 | 25508397.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ECIGC30: Use tobacco and e-cigarette in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16314 / 30239315.588] [Invalid=35 / 51755.59] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 437 | 563382.3 | <div><div></div></div> 1.9% |
| 2 | No | 15877 | 29675933.3 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 35 | 51755.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ECIGT30: Use tobacco products (including e-cigarette) in the past 30 days | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=6788 / 16795180.053] [Invalid=9561 / 13495891.126] | | | |
| Universe | All respondents | | | |
| Notes | Based on: SS_Q10, SS_Q20, MNTH_Q01, MNTH_Q02, TP_Q017, TP_Q021, TP_Q024, TP_Q027, TP_Q040, TP_Q050, TP_Q060, TP_Q070, TP_Q080, TP_Q090a, TP_Q090b, TP_Q090c , ELC_115, ELC_120 | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2967 | 5558318.1 | <div><div></div></div> 33.1% |
| 2 | No | 3821 | 11236862.0 | |
| 6 | Valid skip | 0 | 0.0 | <div><div></div></div> 66.9% |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 9561 | 13495891.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # UNDERAGE: Below legal drinking age in province of residence | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16349 / 30291071.179] [Invalid=0 / 0] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3840 | 1447384.7 | <div><div></div></div> 4.8% |
| 2 | No | 12509 | 28843686.5 | |
| 6 | Valid skip | 0 | 0.0 | <div><div></div></div> 95.2% |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

| | | | | |
|---|---|-------|------------|------------------------------|
| # UNDERAGE: Below legal drinking age in province of residence | | | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCSTAT3: Drinking status | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16161 / 29729747.183] [Invalid=188 / 561323.995] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Abstainer | 2677 | 2891114.8 | <div><div></div></div> 9.7% |
| 2 | Former drinker | 1580 | 3584120.0 | <div><div></div></div> 12.1% |
| 3 | Current drinker | 11904 | 23254512.4 | <div><div></div></div> 78.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 188 | 561324.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALC12M: Alcohol use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16165 / 29742382.166] [Invalid=184 / 548689.013] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Used alcohol in the past 12 months | 11904 | 23254512.4 | <div><div></div></div> 78.2% |
| 2 | Did not use alcohol in the past 12 months | 4261 | 6487869.8 | <div><div></div></div> 21.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 184 | 548689.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLIFE: Alcohol use in lifetime | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16161 / 29729747.183] [Invalid=188 / 561323.995] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Has used alcohol | 13484 | 26838632.4 | <div><div></div></div> 90.3% |
| 2 | Lifetime abstainer | 2677 | 2891114.8 | <div><div></div></div> 9.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 188 | 561324.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # QFVOL: Estimated total num standard drinks - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-9490] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15950 / 29339315.648] [Invalid=399 / 951755.53] | | | |
| Universe | All respondents | | | |

QFVOL: Estimated total num standard drinks - 12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|-----------|-----------------------|
| 0 | None | 4261 | 6487869.8 | 22.1% |
| 6 | | 1515 | 2946777.3 | 10.0% |
| 12 | | 1137 | 1782486.6 | 6.1% |
| 18 | | 330 | 255627.6 | 0.9% |
| 24 | | 564 | 854125.9 | 2.9% |
| 30 | | 608 | 1307260.8 | 4.5% |
| 36 | | 291 | 357936.4 | 1.2% |
| 42 | | 27 | 17500.0 | 0.1% |
| 48 | | 187 | 195896.3 | 0.7% |
| 52 | | 389 | 1255332.7 | 4.3% |
| 54 | | 4 | 6430.3 | 0.0% |
| 60 | | 772 | 1295921.3 | 4.4% |
| 66 | | 1 | 2315.7 | 0.0% |
| 72 | | 90 | 63094.8 | 0.2% |
| 78 | | 3 | 321.8 | 0.0% |
| 84 | | 18 | 22096.8 | 0.1% |
| 90 | | 407 | 652198.9 | 2.2% |
| 96 | | 16 | 6715.9 | 0.0% |
| 104 | | 506 | 1129242.8 | 3.8% |
| 108 | | 2 | 94.8 | 0.0% |
| 120 | | 302 | 234609.5 | 0.8% |
| 130 | | 354 | 1449062.7 | 4.9% |
| 132 | | 1 | 838.4 | 0.0% |
| 144 | | 7 | 1213.8 | 0.0% |
| 150 | | 211 | 249922.0 | 0.9% |
| 156 | | 305 | 715076.6 | 2.4% |
| 180 | | 135 | 95641.9 | 0.3% |
| 208 | | 208 | 274713.2 | 0.9% |
| 210 | | 40 | 50950.9 | 0.2% |
| 216 | | 1 | 865.3 | 0.0% |
| 240 | | 50 | 32573.9 | 0.1% |
| 260 | | 910 | 2486918.2 | 8.5% |
| 270 | | 13 | 5773.5 | 0.0% |
| 288 | | 1 | 19.6 | 0.0% |
| 300 | | 37 | 40242.2 | 0.1% |
| 312 | | 126 | 66399.2 | 0.2% |
| 330 | | 1 | 15.3 | 0.0% |
| 360 | | 22 | 4168.5 | 0.0% |
| 364 | | 41 | 30863.2 | 0.1% |
| 365 | | 131 | 590166.4 | 2.0% |
| 390 | | 358 | 798084.0 | 2.7% |
| 416 | | 56 | 26162.5 | 0.1% |
| 420 | | 2 | 498.3 | 0.0% |
| 450 | | 5 | 9153.3 | 0.0% |
| 468 | | 9 | 1436.3 | 0.0% |

QFVOL: Estimated total num standard drinks - 12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|-----------|-----------------------|
| 480 | | 1 | 298.2 | 0.0% |
| 520 | | 403 | 1113201.0 | 3.8% |
| 540 | | 1 | 163.5 | 0.0% |
| 572 | | 2 | 346.9 | 0.0% |
| 624 | | 27 | 10752.4 | 0.0% |
| 650 | | 142 | 114266.5 | 0.4% |
| 676 | | 1 | 23.1 | 0.0% |
| 690 | | 1 | 326.1 | 0.0% |
| 720 | | 2 | 5021.5 | 0.0% |
| 728 | | 2 | 325.2 | 0.0% |
| 730 | | 176 | 828260.0 | 2.8% |
| 780 | | 201 | 336536.7 | 1.1% |
| 910 | | 34 | 31640.2 | 0.1% |
| 936 | | 1 | 236.4 | 0.0% |
| 990 | | 1 | 17373.4 | 0.1% |
| 1040 | | 109 | 234708.5 | 0.8% |
| 1095 | | 76 | 289900.8 | 1.0% |
| 1170 | | 9 | 7530.6 | 0.0% |
| 1248 | | 1 | 121.5 | 0.0% |
| 1300 | | 73 | 62402.7 | 0.2% |
| 1430 | | 3 | 15493.8 | 0.1% |
| 1460 | | 25 | 90233.9 | 0.3% |
| 1560 | | 45 | 54454.8 | 0.2% |
| 1690 | | 3 | 483.0 | 0.0% |
| 1820 | | 8 | 5547.1 | 0.0% |
| 1825 | | 27 | 108110.2 | 0.4% |
| 1950 | | 14 | 14489.1 | 0.0% |
| 2080 | | 13 | 6871.3 | 0.0% |
| 2190 | | 14 | 16855.5 | 0.1% |
| 2210 | | 2 | 3733.9 | 0.0% |
| 2236 | | 1 | 15519.0 | 0.1% |
| 2340 | | 3 | 185.1 | 0.0% |
| 2555 | | 10 | 6708.7 | 0.0% |
| 2600 | | 15 | 58032.7 | 0.2% |
| 2920 | | 8 | 49222.7 | 0.2% |
| 3120 | | 8 | 3410.9 | 0.0% |
| 3250 | | 1 | 499.2 | 0.0% |
| 3285 | | 1 | 250.7 | 0.0% |
| 3380 | | 3 | 3218.0 | 0.0% |
| 3640 | | 1 | 136.9 | 0.0% |
| 3650 | | 3 | 4612.4 | 0.0% |
| 3900 | | 2 | 624.7 | 0.0% |
| 4160 | | 1 | 1043.5 | 0.0% |
| 4380 | | 7 | 4159.5 | 0.0% |
| 4680 | | 2 | 139.6 | 0.0% |

QFVOL: Estimated total num standard drinks - 12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 5200 | | 1 | 987.1 | 0.0% |
| 5475 | | 3 | 1558.0 | 0.0% |
| 5850 | | 1 | 91.3 | 0.0% |
| 6240 | | 1 | 13022.2 | 0.0% |
| 6500 | | 1 | 21.1 | 0.0% |
| 6570 | | 1 | 1279.3 | 0.0% |
| 7300 | | 2 | 68.7 | 0.0% |
| 7800 | | 2 | 101.3 | 0.0% |
| 9490 | | 1 | 100.5 | 0.0% |
| 99996 | Valid skip | 0 | 0.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 399 | 951755.5 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

QFVOLWK: Estimated num standard drinks per week - 12 mo.

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-182.5] [Missing=*] |
| Statistics [NW/ W] | [Valid=15950 / 29339315.648] [Invalid=399 / 951755.53] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|-----------|-----------------------|
| 0 | None | 4261 | 6487869.8 | 22.1% |
| 0.12 | | 1515 | 2946777.3 | 10.0% |
| 0.23 | | 1137 | 1782486.6 | 6.1% |
| 0.35 | | 330 | 255627.6 | 0.9% |
| 0.46 | | 564 | 854125.9 | 2.9% |
| 0.58 | | 608 | 1307260.8 | 4.5% |
| 0.69 | | 291 | 357936.4 | 1.2% |
| 0.81 | | 27 | 17500.0 | 0.1% |
| 0.92 | | 187 | 195896.3 | 0.7% |
| 1 | | 389 | 1255332.7 | 4.3% |
| 1.04 | | 4 | 6430.3 | 0.0% |
| 1.15 | | 772 | 1295921.3 | 4.4% |
| 1.27 | | 1 | 2315.7 | 0.0% |
| 1.38 | | 90 | 63094.8 | 0.2% |
| 1.5 | | 3 | 321.8 | 0.0% |
| 1.62 | | 18 | 22096.8 | 0.1% |
| 1.73 | | 407 | 652198.9 | 2.2% |
| 1.85 | | 16 | 6715.9 | 0.0% |
| 2 | | 506 | 1129242.8 | 3.8% |
| 2.08 | | 2 | 94.8 | 0.0% |
| 2.31 | | 302 | 234609.5 | 0.8% |
| 2.5 | | 354 | 1449062.7 | 4.9% |
| 2.54 | | 1 | 838.4 | 0.0% |
| 2.77 | | 7 | 1213.8 | 0.0% |
| 2.88 | | 211 | 249922.0 | 0.9% |

QFVOLWK: Estimated num standard drinks per week - 12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|-----------|-----------------------|
| 3 | | 305 | 715076.6 | <div></div> 2.4% |
| 3.46 | | 135 | 95641.9 | <div></div> 0.3% |
| 4 | | 208 | 274713.2 | <div></div> 0.9% |
| 4.04 | | 40 | 50950.9 | <div></div> 0.2% |
| 4.15 | | 1 | 865.3 | <div></div> 0.0% |
| 4.62 | | 50 | 32573.9 | <div></div> 0.1% |
| 5 | | 910 | 2486918.2 | <div></div> 8.5% |
| 5.19 | | 13 | 5773.5 | <div></div> 0.0% |
| 5.54 | | 1 | 19.6 | <div></div> 0.0% |
| 5.77 | | 37 | 40242.2 | <div></div> 0.1% |
| 6 | | 126 | 66399.2 | <div></div> 0.2% |
| 6.35 | | 1 | 15.3 | <div></div> 0.0% |
| 6.92 | | 22 | 4168.5 | <div></div> 0.0% |
| 7 | | 41 | 30863.2 | <div></div> 0.1% |
| 7.02 | | 131 | 590166.4 | <div></div> 2.0% |
| 7.5 | | 358 | 798084.0 | <div></div> 2.7% |
| 8 | | 56 | 26162.5 | <div></div> 0.1% |
| 8.08 | | 2 | 498.3 | <div></div> 0.0% |
| 8.65 | | 5 | 9153.3 | <div></div> 0.0% |
| 9 | | 9 | 1436.3 | <div></div> 0.0% |
| 9.23 | | 1 | 298.2 | <div></div> 0.0% |
| 10 | | 403 | 1113201.0 | <div></div> 3.8% |
| 10.38 | | 1 | 163.5 | <div></div> 0.0% |
| 11 | | 2 | 346.9 | <div></div> 0.0% |
| 12 | | 27 | 10752.4 | <div></div> 0.0% |
| 12.5 | | 142 | 114266.5 | <div></div> 0.4% |
| 13 | | 1 | 23.1 | <div></div> 0.0% |
| 13.27 | | 1 | 326.1 | <div></div> 0.0% |
| 13.85 | | 2 | 5021.5 | <div></div> 0.0% |
| 14 | | 2 | 325.2 | <div></div> 0.0% |
| 14.04 | | 176 | 828260.0 | <div></div> 2.8% |
| 15 | | 201 | 336536.7 | <div></div> 1.1% |
| 17.5 | | 34 | 31640.2 | <div></div> 0.1% |
| 18 | | 1 | 236.4 | <div></div> 0.0% |
| 19.04 | | 1 | 17373.4 | <div></div> 0.1% |
| 20 | | 109 | 234708.5 | <div></div> 0.8% |
| 21.06 | | 76 | 289900.8 | <div></div> 1.0% |
| 22.5 | | 9 | 7530.6 | <div></div> 0.0% |
| 24 | | 1 | 121.5 | <div></div> 0.0% |
| 25 | | 73 | 62402.7 | <div></div> 0.2% |
| 27.5 | | 3 | 15493.8 | <div></div> 0.1% |
| 28.08 | | 25 | 90233.9 | <div></div> 0.3% |
| 30 | | 45 | 54454.8 | <div></div> 0.2% |
| 32.5 | | 3 | 483.0 | <div></div> 0.0% |
| 35 | | 8 | 5547.1 | <div></div> 0.0% |

| # QFVOLWK: Estimated num standard drinks per week - 12 mo. | | | | |
|---|---|-------|-----------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 35.1 | | 27 | 108110.2 | 0.4% |
| 37.5 | | 14 | 14489.1 | 0.0% |
| 40 | | 13 | 6871.3 | 0.0% |
| 42.12 | | 14 | 16855.5 | 0.1% |
| 42.5 | | 2 | 3733.9 | 0.0% |
| 43 | | 1 | 15519.0 | 0.1% |
| 45 | | 3 | 185.1 | 0.0% |
| 49.13 | | 10 | 6708.7 | 0.0% |
| 50 | | 15 | 58032.7 | 0.2% |
| 56.15 | | 8 | 49222.7 | 0.2% |
| 60 | | 8 | 3410.9 | 0.0% |
| 62.5 | | 1 | 499.2 | 0.0% |
| 63.17 | | 1 | 250.7 | 0.0% |
| 65 | | 3 | 3218.0 | 0.0% |
| 70 | | 1 | 136.9 | 0.0% |
| 70.19 | | 3 | 4612.4 | 0.0% |
| 75 | | 2 | 624.7 | 0.0% |
| 80 | | 1 | 1043.5 | 0.0% |
| 84.23 | | 7 | 4159.5 | 0.0% |
| 90 | | 2 | 139.6 | 0.0% |
| 100 | | 1 | 987.1 | 0.0% |
| 105.29 | | 3 | 1558.0 | 0.0% |
| 112.5 | | 1 | 91.3 | 0.0% |
| 120 | | 1 | 13022.2 | 0.0% |
| 125 | | 1 | 21.1 | 0.0% |
| 126.35 | | 1 | 1279.3 | 0.0% |
| 140.38 | | 2 | 68.7 | 0.0% |
| 150 | | 2 | 101.3 | 0.0% |
| 182.5 | | 1 | 100.5 | 0.0% |
| 999.96 | Valid skip | 0 | 0.0 | |
| 999.97 | Don't know | 0 | 0.0 | |
| 999.98 | Refusal | 0 | 0.0 | |
| 999.99 | Not stated | 399 | 951755.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # QFVOLDAY: Estimated num standard drinks per day - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-26] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15950 / 29339315.648] [Invalid=399 / 951755.53] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | None | 4261 | 6487869.8 | 22.1% |
| 0.02 | | 1515 | 2946777.3 | 10.0% |
| 0.03 | | 1137 | 1782486.6 | 6.1% |
| 0.05 | | 330 | 255627.6 | 0.9% |
| 0.07 | | 564 | 854125.9 | 2.9% |

QFVOLDAY: Estimated num standard drinks per day - 12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|-----------|-----------------------|
| 0.08 | | 608 | 1307260.8 | <div></div> 4.5% |
| 0.1 | | 291 | 357936.4 | <div></div> 1.2% |
| 0.12 | | 27 | 17500.0 | <div></div> 0.1% |
| 0.13 | | 187 | 195896.3 | <div></div> 0.7% |
| 0.14 | | 389 | 1255332.7 | <div></div> 4.3% |
| 0.15 | | 4 | 6430.3 | <div></div> 0.0% |
| 0.16 | | 772 | 1295921.3 | <div></div> 4.4% |
| 0.18 | | 1 | 2315.7 | <div></div> 0.0% |
| 0.2 | | 90 | 63094.8 | <div></div> 0.2% |
| 0.21 | | 3 | 321.8 | <div></div> 0.0% |
| 0.23 | | 18 | 22096.8 | <div></div> 0.1% |
| 0.25 | | 407 | 652198.9 | <div></div> 2.2% |
| 0.26 | | 16 | 6715.9 | <div></div> 0.0% |
| 0.28 | | 506 | 1129242.8 | <div></div> 3.8% |
| 0.3 | | 2 | 94.8 | <div></div> 0.0% |
| 0.33 | | 302 | 234609.5 | <div></div> 0.8% |
| 0.36 | | 355 | 1449901.1 | <div></div> 4.9% |
| 0.39 | | 7 | 1213.8 | <div></div> 0.0% |
| 0.41 | | 211 | 249922.0 | <div></div> 0.9% |
| 0.43 | | 305 | 715076.6 | <div></div> 2.4% |
| 0.49 | | 135 | 95641.9 | <div></div> 0.3% |
| 0.57 | | 208 | 274713.2 | <div></div> 0.9% |
| 0.58 | | 40 | 50950.9 | <div></div> 0.2% |
| 0.59 | | 1 | 865.3 | <div></div> 0.0% |
| 0.66 | | 50 | 32573.9 | <div></div> 0.1% |
| 0.71 | | 910 | 2486918.2 | <div></div> 8.5% |
| 0.74 | | 13 | 5773.5 | <div></div> 0.0% |
| 0.79 | | 1 | 19.6 | <div></div> 0.0% |
| 0.82 | | 37 | 40242.2 | <div></div> 0.1% |
| 0.85 | | 126 | 66399.2 | <div></div> 0.2% |
| 0.9 | | 1 | 15.3 | <div></div> 0.0% |
| 0.99 | | 22 | 4168.5 | <div></div> 0.0% |
| 1 | | 172 | 621029.6 | <div></div> 2.1% |
| 1.07 | | 358 | 798084.0 | <div></div> 2.7% |
| 1.14 | | 56 | 26162.5 | <div></div> 0.1% |
| 1.15 | | 2 | 498.3 | <div></div> 0.0% |
| 1.23 | | 5 | 9153.3 | <div></div> 0.0% |
| 1.28 | | 9 | 1436.3 | <div></div> 0.0% |
| 1.32 | | 1 | 298.2 | <div></div> 0.0% |
| 1.42 | | 403 | 1113201.0 | <div></div> 3.8% |
| 1.48 | | 1 | 163.5 | <div></div> 0.0% |
| 1.57 | | 2 | 346.9 | <div></div> 0.0% |
| 1.71 | | 27 | 10752.4 | <div></div> 0.0% |
| 1.78 | | 142 | 114266.5 | <div></div> 0.4% |
| 1.85 | | 1 | 23.1 | <div></div> 0.0% |

QFVOLDAY: Estimated num standard drinks per day - 12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1.89 | | 1 | 326.1 | 0.0% |
| 1.97 | | 2 | 5021.5 | 0.0% |
| 1.99 | | 2 | 325.2 | 0.0% |
| 2 | | 176 | 828260.0 | 2.8% |
| 2.14 | | 201 | 336536.7 | 1.1% |
| 2.49 | | 34 | 31640.2 | 0.1% |
| 2.56 | | 1 | 236.4 | 0.0% |
| 2.71 | | 1 | 17373.4 | 0.1% |
| 2.85 | | 109 | 234708.5 | 0.8% |
| 3 | | 76 | 289900.8 | 1.0% |
| 3.21 | | 9 | 7530.6 | 0.0% |
| 3.42 | | 1 | 121.5 | 0.0% |
| 3.56 | | 73 | 62402.7 | 0.2% |
| 3.92 | | 3 | 15493.8 | 0.1% |
| 4 | | 25 | 90233.9 | 0.3% |
| 4.27 | | 45 | 54454.8 | 0.2% |
| 4.63 | | 3 | 483.0 | 0.0% |
| 4.99 | | 8 | 5547.1 | 0.0% |
| 5 | | 27 | 108110.2 | 0.4% |
| 5.34 | | 14 | 14489.1 | 0.0% |
| 5.7 | | 13 | 6871.3 | 0.0% |
| 6 | | 14 | 16855.5 | 0.1% |
| 6.05 | | 2 | 3733.9 | 0.0% |
| 6.13 | | 1 | 15519.0 | 0.1% |
| 6.41 | | 3 | 185.1 | 0.0% |
| 7 | | 10 | 6708.7 | 0.0% |
| 7.12 | | 15 | 58032.7 | 0.2% |
| 8 | | 8 | 49222.7 | 0.2% |
| 8.55 | | 8 | 3410.9 | 0.0% |
| 8.9 | | 1 | 499.2 | 0.0% |
| 9 | | 1 | 250.7 | 0.0% |
| 9.26 | | 3 | 3218.0 | 0.0% |
| 9.97 | | 1 | 136.9 | 0.0% |
| 10 | | 3 | 4612.4 | 0.0% |
| 10.68 | | 2 | 624.7 | 0.0% |
| 11.4 | | 1 | 1043.5 | 0.0% |
| 12 | | 7 | 4159.5 | 0.0% |
| 12.82 | | 2 | 139.6 | 0.0% |
| 14.25 | | 1 | 987.1 | 0.0% |
| 15 | | 3 | 1558.0 | 0.0% |
| 16.03 | | 1 | 91.3 | 0.0% |
| 17.1 | | 1 | 13022.2 | 0.0% |
| 17.81 | | 1 | 21.1 | 0.0% |
| 18 | | 1 | 1279.3 | 0.0% |
| 20 | | 2 | 68.7 | 0.0% |

| # QFVOLDAY: Estimated num standard drinks per day - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 21.37 | | 2 | 101.3 | 0.0% |
| 26 | | 1 | 100.5 | 0.0% |
| 99.96 | Valid skip | 0 | 0.0 | |
| 99.97 | Don't know | 0 | 0.0 | |
| 99.98 | Refusal | 0 | 0.0 | |
| 99.99 | Not stated | 399 | 951755.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLEV4: Estimated daily alc. consump. level - 12 mo. - 4 cat | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15950 / 29339315.648] [Invalid=399 / 951755.53] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Abstinence or <1.5 drinks/week | 10176 | 16828575.4 | <div></div> 57.4% |
| 1 | Low | 5211 | 11291600.1 | <div></div> 38.5% |
| 2 | Hazardous | 373 | 858461.2 | <div></div> 2.9% |
| 3 | Harmful | 190 | 360678.9 | <div></div> 1.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 399 | 951755.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLEV3: Estimated daily alc. consump. level - 12 mo. - 3 cat | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15950 / 29339315.648] [Invalid=399 / 951755.53] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Abstainer or <1.5 drinks/week | 10176 | 16828575.4 | <div></div> 57.4% |
| 1 | Low | 5211 | 11291600.1 | <div></div> 38.5% |
| 2 | Hazardous / Harmful | 563 | 1219140.1 | <div></div> 4.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 399 | 951755.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLEV2: Estimated daily alc. consump. level - 12 mo. - 2 cat | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15950 / 29339315.648] [Invalid=399 / 951755.53] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Abstainer / Low | 15387 | 28120175.6 | <div></div> 95.8% |
| 1 | Hazardous / Harmful | 563 | 1219140.1 | <div></div> 4.2% |
| 6 | Valid skip | 0 | 0.0 | |

| # ALCLEV2: Estimated daily alc. consump. level - 12 mo. - 2 cat | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 399 | 951755.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALC7D: Total number of standard drinks in the past 7 days | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-130] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15823 / 28754554.369] [Invalid=526 / 1536516.81] [Mean=2.669 / 3.133] [StdDev=6.602 / 6.403] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 996 | Valid skip | 0 | 0.0 | |
| 997 | Don't know | 0 | 0.0 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 526 | 1536516.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLEVD: Avg num standard drinks per day - 7 days - drinking wheel | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-18.57] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15823 / 28754554.369] [Invalid=526 / 1536516.81] [Mean=0.381 / 0.447] [StdDev=0.943 / 0.915] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 99.96 | Valid skip | 0 | 0.0 | |
| 99.97 | Don't know | 0 | 0.0 | |
| 99.98 | Refusal | 0 | 0.0 | |
| 99.99 | Not stated | 526 | 1536516.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLEV4D: Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15823 / 28754554.369] [Invalid=526 / 1536516.81] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Abstinence or <1.5 drinks/week | 10976 | 17832283.1 | <div><div></div></div> 62.0% |
| 1 | Low | 4289 | 9796835.2 | <div><div></div></div> 34.1% |
| 2 | Hazardous | 379 | 808314.7 | <div><div></div></div> 2.8% |
| 3 | Harmful | 179 | 317121.4 | <div><div></div></div> 1.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 526 | 1536516.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLEV3D: Estimated daily alc. consump. level - 7 days - 3 cat. drinking wheel | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15823 / 28754554.369] [Invalid=526 / 1536516.81] | | | |
| Universe | All respondents | | | |

| # ALCLEV3D: Estimated daily alc. consump. level - 7 days - 3 cat. drinking wheel | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Abstainer or <1.5 drinks/week | 10976 | 17832283.1 | <div><div></div></div> 62.0% |
| 1 | Low | 4289 | 9796835.2 | <div><div></div></div> 34.1% |
| 2 | Hazardous / Harmful | 558 | 1125436.1 | <div><div></div></div> 3.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 526 | 1536516.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALCLEV2D: Estimated daily alc. consump. level - 7 days - 2 cat. drinking wheel | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15823 / 28754554.369] [Invalid=526 / 1536516.81] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Abstainer / Low | 15265 | 27629118.3 | <div><div></div></div> 96.1% |
| 1 | Hazardous / Harmful | 558 | 1125436.1 | <div><div></div></div> 3.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 526 | 1536516.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SUN: Number of drinks - Sunday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15933 / 29247236.718] [Invalid=416 / 1043834.46] [Mean=0.322 / 0.475] [StdDev=1.139 / 1.203] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 1 | 88.5 | |
| 97 | Don't know | 21 | 68793.0 | |
| 98 | Refusal | 2 | 872.4 | |
| 99 | Not stated | 392 | 974080.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # MON: Number of drinks - Monday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15935 / 29196957.994] [Invalid=414 / 1094113.184] [Mean=0.211 / 0.285] [StdDev=0.907 / 0.866] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 1 | 88.5 | |
| 97 | Don't know | 19 | 71153.2 | |
| 98 | Refusal | 2 | 1939.8 | |
| 99 | Not stated | 392 | 1020931.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # TUES: Number of drinks - Tuesday | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*] | | | |

| # TUES: Number of drinks - Tuesday | | | | |
|---|------------|--|-----------|-----------------------|
| Statistics [NW/ W] | | [Valid=15925 / 29181051.411] [Invalid=424 / 1110019.768] [Mean=0.214 / 0.292] [StdDev=0.919 / 0.899] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 1 | 88.5 | |
| 97 | Don't know | 24 | 46662.0 | |
| 98 | Refusal | 2 | 1263.9 | |
| 99 | Not stated | 397 | 1062005.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # WED: Number of drinks - Wednesday | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=15896 / 29058538.942] [Invalid=453 / 1232532.237] [Mean=0.204 / 0.288] [StdDev=0.867 / 0.87] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 1 | 88.5 | |
| 97 | Don't know | 35 | 132177.8 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 417 | 1100266.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # THURS: Number of drinks - Thursday | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=15899 / 29007504.779] [Invalid=450 / 1283566.399] [Mean=0.236 / 0.319] [StdDev=0.998 / 0.975] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 1 | 88.5 | |
| 97 | Don't know | 34 | 160647.9 | |
| 98 | Refusal | 1 | 150.1 | |
| 99 | Not stated | 414 | 1122680.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # FRI: Number of drinks - Friday | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=15896 / 29120995.327] [Invalid=453 / 1170075.851] [Mean=0.594 / 0.591] [StdDev=1.957 / 1.621] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 1 | 88.5 | |
| 97 | Don't know | 32 | 107136.8 | |
| 98 | Refusal | 1 | 86.1 | |
| 99 | Not stated | 419 | 1062764.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SAT: Number of drinks - Saturday | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=15916 / 29100219.526] [Invalid=433 / 1190851.653] [Mean=0.821 / 0.896] [StdDev=2.298 / 2.045] | | |
| Universe | | All respondents | | |

| # SAT: Number of drinks - Saturday | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 1 | 88.5 | |
| 97 | Don't know | 36 | 191595.2 | |
| 98 | Refusal | 1 | 672.9 | |
| 99 | Not stated | 395 | 998495.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # FIVEMN: Drank 5 or more drinks in a single sitting once a month or more often | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16107 / 29630613.583] [Invalid=242 / 660457.596] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3748 | 5726281.3 | <div><div></div></div> 19.3% |
| 2 | No | 12359 | 23904332.3 | <div><div></div></div> 80.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 242 | 660457.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ALDAILY: Daily drinking - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16165 / 29742382.166] [Invalid=184 / 548689.013] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Daily drinker | 498 | 2023661.2 | <div><div></div></div> 6.8% |
| 2 | Non-daily or non-drinker past 12 months | 15667 | 27718721.0 | <div><div></div></div> 93.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 184 | 548689.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # FIVEWK: Drank 5 or more drinks in a single sitting once a week or more often | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16107 / 29630613.583] [Invalid=242 / 660457.596] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1310 | 2131928.9 | <div><div></div></div> 7.2% |
| 2 | No | 14797 | 27498684.7 | <div><div></div></div> 92.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 242 | 660457.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # AHEAVYMN: Heavy monthly alcohol use once per month / more often - 12 mo. | | | | | |
|---|--------------------|--|------------|-----------------------|-------|
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16105 / 29585779.87] [Invalid=244 / 705291.309] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 4531 | 7212776.5 | <div></div> | 24.4% |
| 2 | No | 11574 | 22373003.4 | <div></div> | 75.6% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 244 | 705291.3 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # AHEAVYWK: Heavy weekly alcohol use once per week / more often - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16102 / 29582160.551] [Invalid=247 / 708910.628] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 1556 | 2561635.2 | <div></div> | 8.7% |
| 2 | No | 14546 | 27020525.3 | <div></div> | 91.3% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 247 | 708910.6 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # NUMDRNKS: Usually drinks 5 or more drinks per occasion-total population - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=15950 / 29339315.648] [Invalid=399 / 951755.53] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 2155 | 2117121.1 | <div></div> | 7.2% |
| 2 | No | 13795 | 27222194.5 | <div></div> | 92.8% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 399 | 951755.5 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # ALCSTAT6: Drinking pattern: 6 categories | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=15461 / 27335193.358] [Invalid=888 / 2955877.821] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Lifetime abstainer | 2677 | 2891114.8 | <div></div> | 10.6% |
| 2 | Former drinker | 1580 | 3584120.0 | <div></div> | 13.1% |
| 3 | Light, Infrequent | 5788 | 9642134.1 | <div></div> | 35.3% |

| # ALCSTAT6: Drinking pattern: 6 categories | | | | | |
|---|--|---|------------|-----------------------|-------|
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 4 | Light, frequent | 3338 | 9293629.5 | <div></div> | 34.0% |
| 5 | Heavy, infrequent | 1025 | 874944.1 | <div></div> | 3.2% |
| 6 | Heavy, frequent | 1053 | 1049250.8 | <div></div> | 3.8% |
| 96 | Valid skip | 0 | 0.0 | | |
| 97 | Don't know | 0 | 0.0 | | |
| 98 | Refusal | 0 | 0.0 | | |
| 99 | Not stated | 888 | 2955877.8 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # LRDGCHRC: Exceeded low-risk drinking guideline - chronic effects- tot. popl'n | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=15884 / 28979220.524] [Invalid=465 / 1311850.655] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Exceeds LRDG for chronic disease | 2645 | 4667361.5 | <div></div> | 16.1% |
| 2 | Within LRDG for chronic disease | 13239 | 24311859.0 | <div></div> | 83.9% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 465 | 1311850.7 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # LRDGCH12: Exceeded low-risk drinking guideline- chronic effects- current drinkers | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=11623 / 22491350.724] [Invalid=4726 / 7799720.455] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Current drinkers exceeded LRDG for chronic disease | 2645 | 4667361.5 | <div></div> | 20.8% |
| 2 | Current drinkers within LRDG for chronic disease | 8978 | 17823989.2 | <div></div> | 79.2% |
| 6 | Valid skip | 4261 | 6487869.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 465 | 1311850.7 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # LRDGACUT: Exceeded low-risk drinking guideline - acute effects - tot. popl'n | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=15861 / 28843163.213] [Invalid=488 / 1447907.966] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Exceeded LRDG for acute risk | 2049 | 3314172.8 | <div></div> | 11.5% |
| 2 | Within LRDG for acute risk | 13812 | 25528990.4 | <div></div> | 88.5% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |

| # LRDGACUT: Exceeded low-risk drinking guideline - acute effects - tot. popl'n | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 488 | 1447908.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # LRDGAC12: Exceeded low-risk drinking guideline -acute effects: current drinkers | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=11600 / 22355293.413] [Invalid=4749 / 7935777.766] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Current drinkers exceeded LRDG for acute risk | 2049 | 3314172.8 | <div><div></div></div> 14.8% |
| 2 | Current drinkers within LRDG for acute risk | 9551 | 19041120.6 | <div><div></div></div> 85.2% |
| 6 | Valid skip | 4261 | 6487869.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 488 | 1447908.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PAINND: Used pain relievers not as directed - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15953 / 29253653.822] [Invalid=396 / 1037417.356] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 148 | 230535.3 | <div><div></div></div> 0.8% |
| 2 | No | 15805 | 29023118.6 | <div><div></div></div> 99.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 396 | 1037417.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PAIN12M: Used pain relievers - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15956 / 29254010.547] [Invalid=393 / 1037060.632] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1908 | 3455060.5 | <div><div></div></div> 11.8% |
| 2 | No | 14048 | 25798950.0 | <div><div></div></div> 88.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 393 | 1037060.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PAINHIGH: Used pain relievers to get high - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16015 / 29369073.457] [Invalid=334 / 921997.722] | | | |

| # PAINHIGH: Used pain relievers to get high - 12 mo. | | | | |
|---|------------|--|------------|-----------------------|
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 91 | 157407.5 | 0.5% |
| 2 | No | 15924 | 29211665.9 | 99.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 334 | 921997.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PAINOTH: Used pain relievers for other reasons - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16017 / 29362107.786] [Invalid=332 / 928963.393] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 93 | 206025.5 | 0.7% |
| 2 | No | 15924 | 29156082.3 | 99.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 332 | 928963.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PAINTMPR: Tampered with pain relievers before taking them - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16017 / 29378605.347] [Invalid=332 / 912465.831] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 52 | 46081.5 | 0.2% |
| 2 | No | 15965 | 29332523.9 | 99.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 332 | 912465.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PAINABUS: Abused pain relievers - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16014 / 29365098.343] [Invalid=335 / 925972.836] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 129 | 223698.3 | 0.8% |
| 2 | No | 15885 | 29141400.1 | 99.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

| # PAINABUS: Abused pain relievers - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 335 | 925972.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STIMND: Used stimulants not as directed - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16120 / 29707524.626] [Invalid=229 / 583546.553] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 36 | 17633.8 | 0.1% |
| 2 | No | 16084 | 29689890.8 | 99.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 229 | 583546.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STIMHIGH: Used stimulants to get high -12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16117 / 29706959.659] [Invalid=232 / 584111.52] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 87 | 54033.1 | 0.2% |
| 2 | No | 16030 | 29652926.6 | 99.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 232 | 584111.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STIMOTH: Used stimulants for other reasons - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15974 / 29507125.626] [Invalid=375 / 783945.553] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 62 | 67461.4 | 0.2% |
| 2 | No | 15912 | 29439664.3 | 99.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 375 | 783945.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # STIMABUS: Abused stimulants - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16043 / 29539675.302] [Invalid=306 / 751395.876] | | | |
| Universe | All respondents | | | |

STIMABUS: Abused stimulants - 12 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 137 | 102640.4 | 0.3% |
| 2 | No | 15906 | 29437034.9 | 99.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 306 | 751395.9 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SEDND: Used sedatives not as directed - 12 mo.

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16097 / 29641868.153] [Invalid=252 / 649203.026] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|------------|-----------------------|
| 1 | Yes | 100 | 95032.5 | 0.3% |
| 2 | No | 15997 | 29546835.7 | 99.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 252 | 649203.0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

| # SEDHIGH: Used sedatives to get high - 12 mo. | | | | |
|---|------------|--|------------|-----------------------|
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16097 / 29641868.153] [Invalid=252 / 649203.026] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 88 | 49326.5 | 0.2% |
| 2 | No | 16009 | 29592541.7 | 99.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 252 | 649203.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PHAR12M: Used pharmaceuticals - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=15945 / 29220448.909] [Invalid=404 / 1070622.27] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3499 | 6478632.5 | 22.2% |
| 2 | No | 12446 | 22741816.4 | 77.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 404 | 1070622.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PHARND: Used pharmaceuticals not as directed -12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=15898 / 29149799.476] [Invalid=451 / 1141271.702] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 262 | 321387.1 | 1.1% |
| 2 | No | 15636 | 28828412.4 | 98.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 451 | 1141271.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PHARHIGH: Used pharmaceuticals to get high - 12 mo. | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=15951 / 29260881.781] [Invalid=398 / 1030189.398] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 211 | 222599.5 | 0.8% |
| 2 | No | 15740 | 29038282.2 | 99.2% |
| 6 | Valid skip | 0 | 0.0 | |

| # PHARHIGH: Used pharmaceuticals to get high - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 398 | 1030189.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # PHARABUS: Abused pharmaceuticals - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15888 / 29171974.852] [Invalid=461 / 1119096.327] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 294 | 335647.0 | 1.2% |
| 2 | No | 15594 | 28836327.9 | 98.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 461 | 1119096.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CANLIFEX: Cannabis use in lifetime excluding one-time use | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16123 / 29660600.829] [Invalid=226 / 630470.35] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 5936 | 11453508.6 | 38.6% |
| 2 | No | 10187 | 18207092.2 | 61.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 226 | 630470.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN12M: Cannabis use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16121 / 29643438.154] [Invalid=228 / 647633.025] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3505 | 4390761.6 | 14.8% |
| 2 | No | 12616 | 25252676.5 | 85.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 228 | 647633.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # CAN3M: Cannabis use - 3 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |

| # CAN3M: Cannabis use - 3 mo. | | | | | |
|---|--|--|------------|-----------------------|-------|
| Statistics [NW/ W] | | [Valid=16092 / 29602038.003] [Invalid=257 / 689033.176] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 2397 | 3260706.1 | <div></div> | 11.0% |
| 2 | No | 13695 | 26341331.9 | <div></div> | 89.0% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 257 | 689033.2 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # CANFREQ3: Frequency of cannabis use - 3 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16087 / 29599023.991] [Invalid=262 / 692047.188] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Less than monthly | 748 | 957486.9 | <div></div> | 3.2% |
| 2 | Monthly | 391 | 564984.9 | <div></div> | 1.9% |
| 3 | Weekly | 491 | 708747.4 | <div></div> | 2.4% |
| 4 | Daily or almost daily | 762 | 1026472.8 | <div></div> | 3.5% |
| 5 | Not in past 3 months | 13695 | 26341331.9 | <div></div> | 89.0% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 262 | 692047.2 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # CANPAT: Cannabis use status - three categories | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16121 / 29643438.154] [Invalid=228 / 647633.025] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Never used cannabis | 9095 | 15865585.7 | <div></div> | 53.5% |
| 2 | Former user; has not used in past 12 months | 3521 | 9387090.8 | <div></div> | 31.7% |
| 3 | Current user; has used in the past 12 months | 3505 | 4390761.6 | <div></div> | 14.8% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 228 | 647633.0 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # ASCAN1: Freq of cannabis use in the past 3 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=16043 / 29560418.934] [Invalid=306 / 730652.245] | | | |
| Universe | | All respondents | | | |

ASCAN1: Freq of cannabis use in the past 3 mo.

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-----------------------|-------|------------|-----------------------|
| 0 | Never | 13695 | 26341331.9 | 89.1% |
| 2 | Once or twice | 704 | 918881.9 | 3.1% |
| 3 | Monthly | 391 | 564984.9 | 1.9% |
| 4 | Weekly | 491 | 708747.4 | 2.4% |
| 5 | Daily or almost daily | 762 | 1026472.8 | 3.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 306 | 730652.2 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ASCAN2: Freq of strong desire / urge to use cannabis - 3 mo.

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*] |
| Statistics [NW/ W] | [Valid=16067 / 29609386.904] [Invalid=282 / 681684.274] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-----------------------|-------|------------|-----------------------|
| 0 | Never | 15560 | 28838990.1 | 97.4% |
| 3 | Once or twice | 153 | 246928.0 | 0.8% |
| 4 | Monthly | 80 | 102445.4 | 0.3% |
| 5 | Weekly | 126 | 128828.1 | 0.4% |
| 6 | Daily or almost daily | 148 | 292195.3 | 1.0% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 282 | 681684.3 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ASCAN3: Freq of health, soc, legal / finan prob due to cannabis use - 3 mo.

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*] |
| Statistics [NW/ W] | [Valid=16067 / 29610253.828] [Invalid=282 / 680817.35] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-----------------------|-------|------------|-----------------------|
| 0 | Never | 15964 | 29549117.5 | 99.8% |
| 4 | Once or twice | 57 | 34713.3 | 0.1% |
| 5 | Monthly | 19 | 6915.1 | 0.0% |
| 6 | Weekly | 14 | 15004.9 | 0.1% |
| 7 | Daily or almost daily | 13 | 4503.0 | 0.0% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 282 | 680817.4 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ASCAN4: Freq of failure to do normal tasks due to cannabis use - 3 mo.

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*] |
| Statistics [NW/ W] | [Valid=16068 / 29615743.592] [Invalid=281 / 675327.587] |

| # ASCAN4: Freq of failure to do normal tasks due to cannabis use - 3 mo. | | | | |
|---|-----------------------------------|---|------------|-----------------------|
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Never | 15873 | 29403351.1 | 99.3% |
| 5 | Once or twice | 136 | 172748.5 | 0.6% |
| 6 | Monthly | 27 | 14640.9 | 0.0% |
| 7 | Weekly | 26 | 21277.1 | 0.1% |
| 8 | Daily or almost daily | 6 | 3726.0 | 0.0% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 281 | 675327.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ASCAN5: Relative or friend expressed concern about cannabis use | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16070 / 29618118.736] [Invalid=279 / 672952.443] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Never | 15565 | 29132228.2 | 98.4% |
| 3 | Yes, but not in the past 3 months | 327 | 394270.1 | 1.3% |
| 6 | Yes, in the last three months | 178 | 91620.4 | 0.3% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 279 | 672952.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ASCAN6: Failed to control cannabis use | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16065 / 29612137.861] [Invalid=284 / 678933.318] | | |
| Universe | | All respondents | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 0 | Never | 15895 | 29450845.9 | 99.5% |
| 3 | Yes, but not in the past 3 months | 83 | 80426.9 | 0.3% |
| 6 | Yes, in the last three months | 87 | 80865.1 | 0.3% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 284 | 678933.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ASISTCAN: Summary score for WHO's ASSIST | | | | |
| Information | | [Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16022 / 29533034.541] [Invalid=327 / 758036.638] [Mean=0.927 / 0.636] [StdDev=3.015 / 2.382] | | |
| Universe | | All respondents | | |

| # ASISTCAN: Summary score for WHO's ASSIST | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 327 | 758036.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ASISTCN3: Risk level for prob. - cannabis consump. - 3 categories | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16022 / 29533034.541] [Invalid=327 / 758036.638] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Low risk of developing health and other problems | 14549 | 27596262.2 | <div><div></div></div> 93.4% |
| 2 | Moderate risk of developing health and other problems | 1452 | 1919321.0 | <div><div></div></div> 6.5% |
| 3 | High risk of developing health and other problems | 21 | 17451.3 | <div><div></div></div> 0.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 327 | 758036.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ASISTCN2: Risk level for prob. - cannabis consump. - 2 categories | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16022 / 29533034.541] [Invalid=327 / 758036.638] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Low risk of developing health and other problems | 14549 | 27596262.2 | <div><div></div></div> 93.4% |
| 2 | Moderate or high risk of developing health / other problems | 1473 | 1936772.3 | <div><div></div></div> 6.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 327 | 758036.6 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # COC12M: Cocaine use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16119 / 29700755.939] [Invalid=230 / 590315.24] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 393 | 729731.4 | <div><div></div></div> 2.5% |
| 2 | No | 15726 | 28971024.5 | <div><div></div></div> 97.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

| # COC12M: Cocaine use - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 230 | 590315.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SPMETH12: Speed and/or methamphetamine use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16110 / 29677440.2] [Invalid=239 / 613630.978] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 74 | 105813.7 | 0.4% |
| 2 | No | 16036 | 29571626.5 | 99.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 239 | 613631.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # XTC12M: Ecstasy use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16109 / 29679905.428] [Invalid=240 / 611165.751] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 218 | 270613.8 | 0.9% |
| 2 | No | 15891 | 29409291.7 | 99.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 240 | 611165.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HAL12M: Hallucinogens use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16114 / 29693561.231] [Invalid=235 / 597509.947] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 385 | 443131.5 | 1.5% |
| 2 | No | 15729 | 29250429.7 | 98.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 235 | 597509.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HER12M: Heroin use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16117 / 29680701.98] [Invalid=232 / 610369.198] | | | |
| Universe | All respondents | | | |

| # HER12M: Heroin use - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 12 | 8251.7 | 0.0% |
| 2 | No | 16105 | 29672450.3 | 100.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 232 | 610369.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # INH12M: Inhalant use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16115 / 29689648.209] [Invalid=234 / 601422.97] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 7 | 3378.1 | 0.0% |
| 2 | No | 16108 | 29686270.1 | 100.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 601423.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # SALV12M: Salvia use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16111 / 29649124.726] [Invalid=238 / 641946.453] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 18 | 30370.7 | 0.1% |
| 2 | No | 16093 | 29618754.0 | 99.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 238 | 641946.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ANY11DYR: Used at least 1 of 11 drugs to get high - include cannabis - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15931 / 29206356.148] [Invalid=418 / 1084715.031] | | | |
| Universe | All respondents | | | |
| Notes | Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3631 | 4596599.8 | 15.7% |
| 2 | No | 12300 | 24609756.3 | 84.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |

| # ANY11DYR: Used at least 1 of 11 drugs to get high - include cannabis - 12 mo. | | | | |
|---|---|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 418 | 1084715.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ANY10DYR: Used at least 1 of 10 drugs to get high excluding cannabis - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15880 / 29141767.287] [Invalid=469 / 1149303.891] | | | |
| Universe | All respondents | | | |
| Notes | Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 871 | 1209663.4 | <div><div></div></div> 4.2% |
| 2 | No | 15009 | 27932103.9 | <div><div></div></div> 95.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 469 | 1149303.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL6D12: Used at least 1 of 6 drugs including cannabis - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16095 / 29588660.092] [Invalid=254 / 702411.087] | | | |
| Universe | All respondents | | | |
| Notes | Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3568 | 4503589.1 | <div><div></div></div> 15.2% |
| 2 | No | 12527 | 25085071.0 | <div><div></div></div> 84.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 254 | 702411.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL5D12: Used at least 1 of 5 drugs - 12 mo. excluding cannabis | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16093 / 29614891.41] [Invalid=256 / 676179.769] | | | |
| Universe | All respondents | | | |
| Notes | Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 724 | 988794.1 | <div><div></div></div> 3.3% |
| 2 | No | 15369 | 28626097.3 | <div><div></div></div> 96.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 256 | 676179.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # IL6D12XS: Used at least 1 of 6 drugs - 12 mo. including cannabis | | | | |
|---|--|-------|------------|------------------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16099 / 29591551.18] [Invalid=250 / 699519.999] | | | |
| Universe | All respondents | | | |
| Notes | Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 3568 | 4503589.1 | <div><div></div></div> 15.2% |
| 2 | No | 12531 | 25087962.1 | <div><div></div></div> 84.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 250 | 699520.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL5D12XS: Used at least 1 of 5 drugs - 12 mo. excluding cannabis | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16099 / 29647342.663] [Invalid=250 / 643728.515] | | | |
| Universe | All respondents | | | |
| Notes | Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 721 | 987046.4 | <div><div></div></div> 3.3% |
| 2 | No | 15378 | 28660296.2 | <div><div></div></div> 96.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 250 | 643728.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL3D12: Used at least 1 of speed/meth, hallucinogens, heroin - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16102 / 29653689.523] [Invalid=247 / 637381.655] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 431 | 534692.6 | <div><div></div></div> 1.8% |
| 2 | No | 15671 | 29118996.9 | <div><div></div></div> 98.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 247 | 637381.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AMPH412M: Used at least 1 of 4 amphetamines - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16026 / 29484627.64] [Invalid=323 / 806443.539] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 366 | 427511.7 | <div><div></div></div> 1.4% |

| # AMPH412M: Used at least 1 of 4 amphetamines - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 2 | No | 15660 | 29057115.9 | 98.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 323 | 806443.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AMPH312M: Used at least 1 of 3 amphetamines - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16018 / 29489031.824] [Invalid=331 / 802039.355] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 194 | 201619.0 | 0.7% |
| 2 | No | 15824 | 29287412.8 | 99.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 331 | 802039.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HERPNA11: Used heroin and/or abused pain relievers - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15980 / 29309303.725] [Invalid=369 / 981767.454] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 134 | 227838.9 | 0.8% |
| 2 | No | 15846 | 29081464.8 | 99.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 369 | 981767.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ANY12DLF: Used at least 1 of 12 drugs in lifetime to get high | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15995 / 29364229.688] [Invalid=354 / 926841.49] | | | |
| Universe | All respondents | | | |
| Notes | Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 7143 | 14094438.1 | 48.0% |
| 2 | No | 8852 | 15269791.6 | 52.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 354 | 926841.5 | |

| | | | | |
|---|---|-------|------------|-----------------------|
| # ANY12DLF: Used at least 1 of 12 drugs in lifetime to get high | | | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ANY11DLF: Used at least 1 of 11 drugs in lifetime -exclu cannabis includ cocaine | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=15921 / 29187000.459] [Invalid=428 / 1104070.72] | | | |
| Universe | All respondents | | | |
| Notes | Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2529 | 5769011.7 | 19.8% |
| 2 | No | 13392 | 23417988.8 | 80.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 428 | 1104070.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ANY9DLF: Used at least 1 of 9 drugs include cannabis exclu pharmaceutical abuse | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16110 / 29651442.635] [Invalid=239 / 639628.544] | | | |
| Universe | All respondents | | | |
| Notes | Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 7112 | 14049239.3 | 47.4% |
| 2 | No | 8998 | 15602203.3 | 52.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 239 | 639628.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # ANY8DLF: Used at least 1 of 8 drugs, exclude cannabis and pharmaceutical abuse | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16102 / 29627367.797] [Invalid=247 / 663703.382] | | | |
| Universe | All respondents | | | |
| Notes | Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2432 | 5681936.4 | 19.2% |
| 2 | No | 13670 | 23945431.4 | 80.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 247 | 663703.4 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL6DLXS: Used at least 1 of 6 drugs - lifetime | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |

| # IL6DLXS: Used at least 1 of 6 drugs - lifetime | | | | |
|---|------------|--|------------|-----------------------|
| Statistics [NW/ W] | | [Valid=16115 / 29658054.122] [Invalid=234 / 633017.057] | | |
| Universe | | All respondents | | |
| Notes | | Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 7097 | 14035068.4 | 47.3% |
| 2 | No | 9018 | 15622985.7 | 52.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 234 | 633017.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL5DLXS: Used at least 1 of 5 drugs - lifetime excluding cannabis and salvia | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16109 / 29665331.278] [Invalid=240 / 625739.901] | | |
| Universe | | All respondents | | |
| Notes | | Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2317 | 5502013.9 | 18.5% |
| 2 | No | 13792 | 24163317.3 | 81.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 240 | 625739.9 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL6DL: Used at least 1 of 6 drugs | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16113 / 29657261.857] [Invalid=236 / 633809.322] | | |
| Universe | | All respondents | | |
| Notes | | Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens (including salvia), heroin | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 7099 | 14040844.1 | 47.3% |
| 2 | No | 9014 | 15616417.8 | 52.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 236 | 633809.3 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # AMP3L: Used at least 1 of 3 amphetamines - lifetime | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| Statistics [NW/ W] | | [Valid=16109 / 29672614.082] [Invalid=240 / 618457.097] | | |
| Universe | | All respondents | | |
| Notes | | Includes speed, meth and ecstasy | | |

| # AMP3L: Used at least 1 of 3 amphetamines - lifetime | | | | |
|---|--|-------|------------|------------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1163 | 2894485.2 | <div><div></div></div> 9.8% |
| 2 | No | 14946 | 26778128.8 | <div><div></div></div> 90.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 240 | 618457.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # IL5DL: Used at least 1 of 5 drugs - lifetime | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16105 / 29633187.019] [Invalid=244 / 657884.159] | | | |
| Universe | All respondents | | | |
| Notes | Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens (including salvia), heroin | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 2396 | 5609557.4 | <div><div></div></div> 18.9% |
| 2 | No | 13709 | 24023629.6 | <div><div></div></div> 81.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 244 | 657884.2 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # HALSALVL: Hallucinogens and/or salvia use - lifetime | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16111 / 29653080.08] [Invalid=238 / 637991.099] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 1792 | 4397796.2 | <div><div></div></div> 14.8% |
| 2 | No | 14319 | 25255283.9 | <div><div></div></div> 85.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 238 | 637991.1 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHAR12M1: Harm to friendships or social life - due to drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=12452 / 19834969.23] [Invalid=3897 / 10456101.949] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 298 | 295032.5 | <div><div></div></div> 1.5% |
| 2 | No | 12154 | 19539936.7 | <div><div></div></div> 98.5% |
| 6 | Valid skip | 3453 | 9315186.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

| # DHAR12M1: Harm to friendships or social life - due to drug use - 12 mo. | | | | |
|---|--|-------|------------|-----------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 9 | Not stated | 444 | 1140915.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHAR12M2: Harm to physical health - due to drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=12447 / 19825691.479] [Invalid=3902 / 10465379.7] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 396 | 429217.6 | 2.2% |
| 2 | No | 12051 | 19396473.8 | 97.8% |
| 6 | Valid skip | 3453 | 9315186.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 449 | 1150193.5 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHAR12M3: Harm to home life / marriage - due to drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=12452 / 19834969.23] [Invalid=3897 / 10456101.949] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 241 | 210991.6 | 1.1% |
| 2 | No | 12211 | 19623977.7 | 98.9% |
| 6 | Valid skip | 3453 | 9315186.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 444 | 1140915.7 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHAR12M4: Harm to work, studies, or employ. opportun. - due to drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=12448 / 19786690.148] [Invalid=3901 / 10504381.031] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 301 | 239212.7 | 1.2% |
| 2 | No | 12147 | 19547477.4 | 98.8% |
| 6 | Valid skip | 3453 | 9315186.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 448 | 1189194.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |

| # DHAR12M5: Harm to financial position - due to drug use - 12 mo. | | | | | |
|---|------------|--|------------|-----------------------|--|
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=12448 / 19833703.519] [Invalid=3901 / 10457367.66] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 241 | 284118.6 | 1.4% | |
| 2 | No | 12207 | 19549584.9 | 98.6% | |
| 6 | Valid skip | 3453 | 9315186.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 448 | 1142181.5 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # DHAR12M6: Legal problems - due to drug use - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=12450 / 19833992.944] [Invalid=3899 / 10457078.235] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 46 | 42112.5 | 0.2% | |
| 2 | No | 12404 | 19791880.5 | 99.8% | |
| 6 | Valid skip | 3453 | 9315186.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 446 | 1141892.0 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # DHAR12M7: Harm housing problems - due to drug use - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=12450 / 19833992.944] [Invalid=3899 / 10457078.235] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 49 | 30230.7 | 0.2% | |
| 2 | No | 12401 | 19803762.3 | 99.8% | |
| 6 | Valid skip | 3453 | 9315186.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 446 | 1141892.0 | | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | | |
| # DHAR12M8: Difficulty learning things - due to drug use - 12 mo. | | | | | |
| Information | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | | [Valid=12445 / 19828802.993] [Invalid=3904 / 10462268.186] | | | |
| Universe | | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| 1 | Yes | 166 | 110613.7 | 0.6% | |
| 2 | No | 12279 | 19718189.3 | 99.4% | |
| 6 | Valid skip | 3453 | 9315186.2 | | |

| # DHAR12M8: Difficulty learning things - due to drug use - 12 mo. | | | | |
|---|---|-------|------------------------------|-----------------------------|
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 451 | 1147082.0 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # DHAR12: One or more types of harms - one?s own drug use - 12 mo. | | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=12446 / 19778026.221] [Invalid=3903 / 10513044.958] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Weighted | Percentage (Weighted) |
| 1 | Yes | 777 | 819935.6 | <div><div></div>4.1%</div> |
| 2 | No | 11669 | 18958090.6 | <div><div></div>95.9%</div> |
| 6 | Valid skip | 3453 | 9315186.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 450 | 1197858.8 | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |
| # WTPP: Survey weight of a person | | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 8.6752-97076.7948] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16349 /-] [Invalid=0 /-] [Mean=1852.778 /-] [StdDev=5053.297 /-] | | | |
| Universe | All respondents | | | |
| Notes | i.e. the number of persons in the population represented by a record. Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600 | | | |
| # VERDATE: Version date of when the file was created | | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | | |
| Statistics [NW/ W] | [Valid=16349 /-] [Invalid=0 /-] | | | |
| Universe | All respondents | | | |
| Value | Label | Cases | Percentage | |
| 19JUL2018 | | 16349 | <div><div></div>100.0%</div> | |
| Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest. | | | | |