

HEXAMETHYLENETETRAMINE

HMT

CAUTIONARY RESPONSE INFORMATION				4. FIRE HAZARDS	7. SHIPPING INFORMATION
Common Synonyms Aminoform Ammonoformaldehyde Hexa Hexamine Metheneamine Urotropin	Solid crystals or powder	White	Mild ammonia odor	<p>4.1 Flash Point: 482°F C.C.</p> <p>4.2 Flammable Limits in Air: Not pertinent</p> <p>4.3 Fire Extinguishing Agents: Water, foam, carbon dioxide, dry chemical</p> <p>4.4 Fire Extinguishing Agents Not to Be Used: Not pertinent</p> <p>4.5 Special Hazards of Combustion Products: Formaldehyde gas and ammonia may be given off when hot.</p> <p>4.6 Behavior in Fire: Not pertinent</p> <p>4.7 Auto Ignition Temperature: >700</p> <p>4.8 Electrical Hazards: Not pertinent</p> <p>4.9 Burning Rate: Not pertinent</p> <p>4.10 Adiabatic Flame Temperature: Currently not available</p> <p>4.11 Stoichiometric Air to Fuel Ratio: 61.9 (calc.)</p> <p>4.12 Flame Temperature: Currently not available</p> <p>4.13 Combustion Molar Ratio (Reactant to Product): 16.0 (calc.)</p> <p>4.14 Minimum Oxygen Concentration for Combustion (MOCC): Not listed</p>	<p>7.1 Grades of Purity: Technical; USP</p> <p>7.2 Storage Temperature: Ambient</p> <p>7.3 Inert Atmosphere: No requirement</p> <p>7.4 Venting: Open (flame arrester)</p> <p>7.5 IMO Pollution Category: Currently not available</p> <p>7.6 Ship Type: Currently not available</p> <p>7.7 Barge Hull Type: Currently not available</p>
	Avoid contact with solid and vapor. Call fire department. Notify local health and pollution control agencies. Protect water intakes.				8. HAZARD CLASSIFICATIONS
Fire	Combustible. Extinguish with water, foam, dry chemical, or carbon dioxide. Cool exposed containers with water.				<p>8.1 49 CFR Category: Flammable solid</p> <p>8.2 49 CFR Class: 4.1</p> <p>8.3 49 CFR Package Group: III</p> <p>8.4 Marine Pollutant: No</p> <p>8.5 NFPA Hazard Classification: Not listed</p> <p>8.6 EPA Reportable Quantity: Not listed.</p> <p>8.7 EPA Pollution Category: Not listed.</p> <p>8.8 RCRA Waste Number: Not listed</p> <p>8.9 EPA FWPCA List: Not listed</p>
Exposure	CALL FOR MEDICAL AID. SOLID Irritating to skin and eyes. Remove contaminated clothing and shoes. Flush affected areas with plenty of water. IF IN EYES: hold eyelids open and flush with plenty of water.				9. PHYSICAL & CHEMICAL PROPERTIES
Water Pollution	Effect of low concentrations on aquatic life is unknown. May be dangerous if it enters water intakes. Notify local health and wildlife officials. Notify operators of nearby water intakes.				<p>9.1 Physical State at 15°C and 1 atm: Solid</p> <p>9.2 Molecular Weight: 140.19</p> <p>9.3 Boiling Point at 1 atm: Not pertinent</p> <p>9.4 Freezing Point: Not pertinent</p> <p>9.5 Critical Temperature: Not pertinent</p> <p>9.6 Critical Pressure: Not pertinent</p> <p>9.7 Specific Gravity: 1.35 at 20°C (solid)</p> <p>9.8 Liquid Surface Tension: Not pertinent</p> <p>9.9 Liquid Water Interfacial Tension: Not pertinent</p> <p>9.10 Vapor (Gas) Specific Gravity: Not pertinent</p> <p>9.11 Ratio of Specific Heats of Vapor (Gas): Not pertinent</p> <p>9.12 Latent Heat of Vaporization: Not pertinent</p> <p>9.13 Heat of Combustion: -13,300 Btu/lb = -7400 cal/g = -310 X 10⁶ J/kg</p> <p>9.14 Heat of Decomposition: Not pertinent</p> <p>9.15 Heat of Solution: Not pertinent</p> <p>9.16 Heat of Polymerization: Not pertinent</p> <p>9.17 Heat of Fusion: Currently not available</p> <p>9.18 Limiting Value: Currently not available</p> <p>9.19 Reid Vapor Pressure: Currently not available</p>
1. CORRECTIVE RESPONSE ACTIONS Dilute and disperse Stop discharge Collection Systems: Dredge	2. CHEMICAL DESIGNATIONS 2.1 CG Compatibility Group: Not listed. 2.2 Formula: C ₆ H ₁₂ N ₄ 2.3 IMO/UN Designation: 4.1/1328 2.4 DOT ID No.: 1328 2.5 CAS Registry No.: 100-97-0 2.6 NAERG Guide No.: 133 2.7 Standard Industrial Trade Classification: 51452	3. HEALTH HAZARDS	6. WATER POLLUTION	NOTES	
3.1 Personal Protective Equipment: Gloves; for dusty or spatter conditions, use dust filter respirator and goggles. 3.2 Symptoms Following Exposure: Prolonged and repeated contact may cause skin irritation. 3.3 Treatment of Exposure: Wash skin or eyes thoroughly with water. Call a physician. 3.4 TLV-TWA: Not listed. 3.5 TLV-STEL: Not listed. 3.6 TLV-Ceiling: Not listed. 3.7 Toxicity by Ingestion: Grade 2; LD ₅₀ = 0.5 to 5 g/kg (human) 3.8 Toxicity by Inhalation: Currently not available. 3.9 Chronic Toxicity: None 3.10 Vapor (Gas) Irritant Characteristics: Vapors are nonirritating to the eyes and throat. 3.11 Liquid or Solid Characteristics: Minimum hazard. If spilled on clothing and allowed to remain, may cause smarting and reddening of the skin. 3.12 Odor Threshold: Currently not available 3.13IDLH Value: Not listed. 3.14 OSHA PEL-TWA: Not listed. 3.15 OSHA PEL-STEL: Not listed. 3.16 OSHA PEL-Ceiling: Not listed. 3.17 EPA AEGL: Not listed					

HEXAMETHYLENETETRAMINE

HMT

9.20 SATURATED LIQUID DENSITY		9.21 LIQUID HEAT CAPACITY		9.22 LIQUID THERMAL CONDUCTIVITY		9.23 LIQUID VISCOSITY	
Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F	Temperature (degrees F)	British thermal unit inch per hour-square foot-F	Temperature (degrees F)	Centipoise
	NOT PERTINENT		NOT PERTINENT		NOT PERTINENT		NOT PERTINENT

9.24 SOLUBILITY IN WATER		9.25 SATURATED VAPOR PRESSURE		9.26 SATURATED VAPOR DENSITY		9.27 IDEAL GAS HEAT CAPACITY	
Temperature (degrees F)	Pounds per 100 pounds of water	Temperature (degrees F)	Pounds per square inch	Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F
34	81.259		NOT		NOT		NOT
36	81.530						
38	81.799						
40	82.059						
42	82.330		PERTINENT		PERTINENT		PERTINENT
44	82.599						
46	82.860						
48	83.129						
50	83.400						
52	83.660						
54	83.929						
56	84.200						
58	84.459						
60	84.730						
62	85.000						
64	85.259						
66	85.530						
68	85.799						
70	86.059						
72	86.330						
74	86.599						
76	86.860						
78	87.129						
80	87.400						
82	87.660						
84	87.929						