

HEXYL ACETATE

HAE

CAUTIONARY RESPONSE INFORMATION			4. FIRE HAZARDS	7. SHIPPING INFORMATION										
Common Synonyms Acetic acid, hexyl ester 1-Hexyl acetate n-Hexyl acetate Hexyl alcohol, acetate Hexyl ethanoate	Liquid	Colorless	<p>4.1 Flash Point: 99°F</p> <p>4.2 Flammable Limits in Air: Currently not available</p> <p>4.3 Fire Extinguishing Agents: Carbon dioxide, dry chemical, alcohol foam.</p> <p>4.4 Fire Extinguishing Agents Not to Be Used: Water may not be effective.</p> <p>4.5 Special Hazards of Combustion Products: Vapor may travel considerable distance to a source of ignition and flash back. Container explosion may occur under fire conditions. Forms explosive mixtures in air.</p> <p>4.6 Behavior in Fire: Currently not available</p> <p>4.7 Auto Ignition Temperature: Currently not available</p> <p>4.8 Electrical Hazards: Currently not available</p> <p>4.9 Burning Rate: Currently not available</p> <p>4.10 Adiabatic Flame Temperature: Currently not available</p> <p>4.11 Stoichiometric Air to Fuel Ratio: 52.4 (calc.)</p> <p>4.12 Flame Temperature: Currently not available</p> <p>4.13 Combustion Molar Ratio (Reactant to Product): 16.0 (calc.)</p> <p>4.14 Minimum Oxygen Concentration for Combustion (MOCC): Not listed</p>	<p>7.1 Grades of Purity: 99%</p> <p>7.2 Storage Temperature: Currently not available</p> <p>7.3 Inert Atmosphere: Currently not available</p> <p>7.4 Venting: Currently not available</p> <p>7.5 IMO Pollution Category: B</p> <p>7.6 Ship Type: 3</p> <p>7.7 Barge Hull Type: Currently not available</p>										
<p>Keep people away. Call fire department. Avoid contact with liquid and vapor. Notify local health and pollution control agencies. Protect water intakes.</p>			<p>8. HAZARD CLASSIFICATIONS</p> <p>8.1 49 CFR Category: Not listed.</p> <p>8.2 49 CFR Class: Not pertinent.</p> <p>8.3 49 CFR Package Group: Not listed.</p> <p>8.4 Marine Pollutant: No</p> <p>8.5 NFPA Hazard Classification:</p> <table> <tr> <td>Category</td> <td>Classification</td> </tr> <tr> <td>Health Hazard (Blue).....</td> <td>1</td> </tr> <tr> <td>Flammability (Red).....</td> <td>2</td> </tr> <tr> <td>Instability (Yellow).....</td> <td>0</td> </tr> </table> <p>8.6 EPA Reportable Quantity: Not listed.</p> <p>8.7 EPA Pollution Category: Not listed.</p> <p>8.8 RCRA Waste Number: Not listed</p> <p>8.9 EPA FWC List: Not listed</p>		Category	Classification	Health Hazard (Blue).....	1	Flammability (Red).....	2	Instability (Yellow).....	0		
Category	Classification													
Health Hazard (Blue).....	1													
Flammability (Red).....	2													
Instability (Yellow).....	0													
Fire	<p>COMBUSTIBLE. Flashback along vapor trail may occur. Vapor may explode if ignited in an enclosed area. Water may be ineffective on fire. Wear self-contained breathing apparatus. Extinguish with dry chemical, alcohol foam, or CO₂. Cool exposed containers with water.</p>			<p>9. PHYSICAL & CHEMICAL PROPERTIES</p> <p>9.1 Physical State at 15°C and 1 atm: Liquid</p> <p>9.2 Molecular Weight: 144.21</p> <p>9.3 Boiling Point at 1 atm: 334.4-338°F = 168-170°C = 441-443.2°K</p> <p>9.4 Freezing Point: -112°F = -80°C = 193.2°K</p> <p>9.5 Critical Temperature: Currently not available</p> <p>9.6 Critical Pressure: Currently not available</p> <p>9.7 Specific Gravity: 0.876</p> <p>9.8 Liquid Surface Tension: Currently not available</p> <p>9.9 Liquid Water Interfacial Tension: Currently not available</p> <p>9.10 Vapor (Gas) Specific Gravity: 4.97</p> <p>9.11 Ratio of Specific Heats of Vapor (Gas): Currently not available</p> <p>9.12 Latent Heat of Vaporization: Currently not available</p> <p>9.13 Heat of Combustion: Currently not available</p> <p>9.14 Heat of Decomposition: Currently not available</p> <p>9.15 Heat of Solution: Currently not available</p> <p>9.16 Heat of Polymerization: Currently not available</p> <p>9.17 Heat of Fusion: Currently not available</p> <p>9.18 Limiting Value: Currently not available</p> <p>9.19 Reid Vapor Pressure: Currently not available</p>										
Exposure	<p>CALL FOR MEDICAL AID.</p> <p>VAPOR May be harmful. Move to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen.</p> <p>LIQUID Irritating to skin and eyes. Remove contaminated clothing and shoes. Flush affected areas with plenty of water. IF IN EYES: hold eyelids open and flush with plenty of water.</p>			<p>5. CHEMICAL REACTIVITY</p> <p>5.1 Reactivity with Water: No reaction.</p> <p>5.2 Reactivity with Common Materials: No reaction.</p> <p>5.3 Stability During Transport: Stable.</p> <p>5.4 Neutralizing Agents for Acids and Caustics: Not pertinent.</p> <p>5.5 Polymerization: Not pertinent.</p> <p>5.6 Inhibitor of Polymerization: Not pertinent.</p>										
Water Pollution	<p>Effect of low concentrations on aquatic life is unknown. Fouling to shoreline May be dangerous if it enters water intakes. Notify local health and wildlife officials. Notify operators of nearby water intakes.</p>			<p>6. WATER POLLUTION</p> <p>6.1 Aquatic Toxicity: Currently not available</p> <p>6.2 Waterfowl Toxicity: Currently not available</p> <p>6.3 Biological Oxygen Demand (BOD): Currently not available</p> <p>6.4 Food Chain Concentration Potential: Currently not available</p> <p>6.5 GESAMP Hazard Profile:</p> <table> <tr> <td>Bioaccumulation:</td> <td>0</td> </tr> <tr> <td>Damage to living resources:</td> <td>3</td> </tr> <tr> <td>Human Oral hazard:</td> <td>0</td> </tr> <tr> <td>Human Contact hazard:</td> <td>0</td> </tr> <tr> <td>Reduction of amenities:</td> <td>0</td> </tr> </table>	Bioaccumulation:	0	Damage to living resources:	3	Human Oral hazard:	0	Human Contact hazard:	0	Reduction of amenities:	0
Bioaccumulation:	0													
Damage to living resources:	3													
Human Oral hazard:	0													
Human Contact hazard:	0													
Reduction of amenities:	0													
<p>1. CORRECTIVE RESPONSE ACTIONS</p> <p>Stop discharge Contain Collection Systems: Skim Chemical and Physical Treatment: Burn Clean shore line Salvage waterfowl</p> <p>2. CHEMICAL DESIGNATIONS</p> <p>2.1 CG Compatibility Group: 34; Esters 2.2 Formula: CH₃CO₂C₆H₁₃ 2.3 IMO/UN Designation: Currently not available 2.4 DOT ID No.: Not listed 2.5 CAS Registry No.: 142-92-7 2.6 NAERG Guide No.: Not listed 2.7 Standard Industrial Trade Classification: 51372</p> <p>3. HEALTH HAZARDS</p> <p>3.1 Personal Protective Equipment: Self-contained breathing apparatus, rubber boots and heavy rubber gloves.</p> <p>3.2 Symptoms Following Exposure: May be harmful by inhalation, ingestion, or skin absorption. May cause irritation.</p> <p>3.3 Treatment of Exposure: INHALATION: Call for medical aid. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. EYES - OR - SKIN: Flush with copious amounts of water for at least 15 minutes.</p> <p>3.4 TLV-TWA: Not listed.</p> <p>3.5 TLV-STEL: Not listed.</p> <p>3.6 TLV-Ceiling: Not listed.</p> <p>3.7 Toxicity by Ingestion: Grade 0; LD₅₀ = 42 g/kg (rat)</p> <p>3.8 Toxicity by Inhalation: Currently not available.</p> <p>3.9 Chronic Toxicity: Currently not available</p> <p>3.10 Vapor (Gas) Irritant Characteristics: Vapors cause a slight smarting of the eyes or respiratory system if present in high concentrations. The effect is temporary.</p> <p>3.11 Liquid or Solid Characteristics: Minimum hazard. If spilled on clothing and allowed to remain, may cause smarting and reddening of skin.</p> <p>3.12 Odor Threshold: Currently not available.</p> <p>3.13 IDLH Value: Not listed.</p> <p>3.14 OSHA PEL-TWA: Not listed.</p> <p>3.15 OSHA PEL-STEL: Not listed.</p> <p>3.16 OSHA PEL-Ceiling: Not listed.</p> <p>3.17 EPA AEGL: Not listed</p>			<p>NOTES</p>											

HEXYL ACETATE

HAE

9.20 SATURATED LIQUID DENSITY		9.21 LIQUID HEAT CAPACITY		9.22 LIQUID THERMAL CONDUCTIVITY		9.23 LIQUID VISCOSITY	
Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F	Temperature (degrees F)	British thermal unit inch per hour-square foot-F	Temperature (degrees F)	Centipoise
CURRENTLY NOT AVAILABLE			CURRENTLY NOT AVAILABLE		CURRENTLY NOT AVAILABLE		CURRENTLY NOT AVAILABLE

9.24 SOLUBILITY IN WATER		9.25 SATURATED VAPOR PRESSURE		9.26 SATURATED VAPOR DENSITY		9.27 IDEAL GAS HEAT CAPACITY	
Temperature (degrees F)	Pounds per 100 pounds of water	Temperature (degrees F)	Pounds per square inch	Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F
INSOLUBLE			CURRENTLY NOT AVAILABLE		CURRENTLY NOT AVAILABLE	0 25 50 75 100 125 150 175 200 225 250 275 300 325 350 375 400 425 450 475 500 525 550 575 600	0.294 0.306 0.318 0.330 0.341 0.353 0.364 0.375 0.385 0.396 0.407 0.417 0.427 0.437 0.447 0.456 0.466 0.475 0.484 0.493 0.502 0.511 0.519 0.528 0.536