

# CERTIFICATE

of  
CONFORMITY

№ VCP – 12093A  
of

## Tiles & Ceramics

**Intended use: for internal walls and floorings**

Applicant an Producer

**Almas Kavir Rafsanjan**

10 th kilometer of Rafsanjan-Kerman, Rafsanjan, Kerman, IRAN

OTC verifies that on the basis of the results of the review of the Factory Production Control Documentation and Initial Type Testing the product: Dry-pressed ceramic tiles, with water absorption:

$E_b > 10\%$  - for internal walls,

$3\% < E_b \leq 6\%$  and  $6\% < E_b \leq 10\%$  - for internal floorings,

acc. to Test reports: № 400-11-115, issued on 05.01.2024; № 401-003-23, issued on 01.01.2024; № 400-11-115, issued on 10.01.2024

**(System of Attestation of Conformity 4, acc. to Regulation 305/2011 Construction Products)**

corresponds to the requirements of the standard

**EN 14411:2016**

This document is issued by OTC Bulgaria Ltd. as an European Third Independent Party on voluntary basis. The conformity mark below can be affixed on the products according to the OTC regulation about its release and use.

This certificate is issued on 07.02.2024 and remains valid to 06.02.2027, as the test methods and/or factory production control requirements included in the standards, used to assess the performance of the declared characteristics do not change and the product and the manufacturing conditions in the plant are not modified significantly.

Department Manager:



/ Vera Tsvetkova /

