





 OIEC	General Arrangement Drawing FOR WATER WASH Pump 101-P-103/203/303/403 A/B	 N I O C																																																									
EQUIPMENT NAME: WATER WASH Pump 101-P-103/203/303/403 A/B																																																											
DOCUMENT TITLE: General Arrangement Drawing	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Code1</td> <td><input checked="" type="checkbox"/> (Approved) Vendor to submits " For Final" (No comment & release for manufacturing)</td> </tr> <tr> <td>Code2</td> <td><input type="checkbox"/> (Approved with comments) : Vendor shall correct / revise & resubmit it as " For Final " (Released for manufacturing if change incorporated as indicated)</td> </tr> <tr> <td>Code3</td> <td><input type="checkbox"/> (Commented) : Vendor shall correct / revise & resubmit . It as " For Approval" of the date specified : (Corrected documents to be resubmitted before starting manufacturing)</td> </tr> <tr> <td>Code4</td> <td><input type="checkbox"/> Not Acceptable quality (Reject)</td> </tr> <tr> <td colspan="2"> The above checking result by OIEC shall in no way relieve Vendor of any liability, obligation and responsibility out of the purchase order and the mutual agreement in writing </td> </tr> <tr> <td colspan="2" style="text-align: center;">  OIEC – SP20 &21 </td> </tr> <tr> <td colspan="2"> Date: 21.Apr.2014 Dept: Machinery Signature: A.Shahderian </td> </tr> <tr> <td colspan="2"> Only for internal review </td> </tr> <tr> <td style="text-align: center;">CV</td> <td style="text-align: center;">PI</td> <td style="text-align: center;">EL</td> <td style="text-align: center;">IN</td> <td style="text-align: center;">ME</td> <td style="text-align: center;">MA</td> </tr> <tr> <td style="text-align: center;">ST</td> <td style="text-align: center;">BU</td> <td style="text-align: center;">PR</td> <td style="text-align: center;">SA</td> <td style="text-align: center;">HV</td> <td style="text-align: center;">TL</td> </tr> </table>		Code1	<input checked="" type="checkbox"/> (Approved) Vendor to submits " For Final" (No comment & release for manufacturing)	Code2	<input type="checkbox"/> (Approved with comments) : Vendor shall correct / revise & resubmit it as " For Final " (Released for manufacturing if change incorporated as indicated)	Code3	<input type="checkbox"/> (Commented) : Vendor shall correct / revise & resubmit . It as " For Approval" of the date specified : (Corrected documents to be resubmitted before starting manufacturing)	Code4	<input type="checkbox"/> Not Acceptable quality (Reject)	The above checking result by OIEC shall in no way relieve Vendor of any liability, obligation and responsibility out of the purchase order and the mutual agreement in writing		 OIEC – SP20 &21		Date: 21.Apr.2014 Dept: Machinery Signature: A.Shahderian		Only for internal review		CV	PI	EL	IN	ME	MA	ST	BU	PR	SA	HV	TL																													
Code1	<input checked="" type="checkbox"/> (Approved) Vendor to submits " For Final" (No comment & release for manufacturing)																																																										
Code2	<input type="checkbox"/> (Approved with comments) : Vendor shall correct / revise & resubmit it as " For Final " (Released for manufacturing if change incorporated as indicated)																																																										
Code3	<input type="checkbox"/> (Commented) : Vendor shall correct / revise & resubmit . It as " For Approval" of the date specified : (Corrected documents to be resubmitted before starting manufacturing)																																																										
Code4	<input type="checkbox"/> Not Acceptable quality (Reject)																																																										
The above checking result by OIEC shall in no way relieve Vendor of any liability, obligation and responsibility out of the purchase order and the mutual agreement in writing																																																											
 OIEC – SP20 &21																																																											
Date: 21.Apr.2014 Dept: Machinery Signature: A.Shahderian																																																											
Only for internal review																																																											
CV	PI	EL	IN	ME	MA																																																						
ST	BU	PR	SA	HV	TL																																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%;">08</td> <td style="width: 15%;">feb,10,14</td> <td style="width: 30%;">ISSUED FOR APPROVAL</td> <td style="width: 15%;">S.Ta</td> <td style="width: 15%;">A.Ar</td> <td style="width: 20%;">A.Ar</td> </tr> <tr> <td>07</td> <td>Nov,28,13</td> <td>ISSUED FOR APPROVAL</td> <td>S.Ta</td> <td>A.Ar</td> <td>A.Ar</td> </tr> <tr> <td>06</td> <td>Aug,24,13</td> <td>ISSUED FOR APPROVAL</td> <td>A.Na</td> <td>S.Ta</td> <td>A.Ar</td> </tr> <tr> <td>05</td> <td>Jun,10,13</td> <td>ISSUED FOR APPROVAL</td> <td>A.Na</td> <td>S.Ta</td> <td>A.Ar</td> </tr> <tr> <td>04</td> <td>Nov,04,12</td> <td>ISSUED FOR APPROVAL</td> <td>G.A</td> <td>G.A</td> <td>A.Ar</td> </tr> <tr> <td>03</td> <td>Sep,27,12</td> <td>ISSUED FOR APPROVAL</td> <td>S.T</td> <td>A.Ar</td> <td>A.Ai</td> </tr> <tr> <td>02</td> <td>Jul,23,12</td> <td>ISSUED FOR APPROVAL</td> <td>S.G</td> <td>A.Ar</td> <td>A.Ai</td> </tr> <tr> <td>01</td> <td>May,20,12</td> <td>ISSUED FOR APPROVAL</td> <td>S.T/S.G</td> <td>A.Ar</td> <td>A.Ai</td> </tr> <tr> <td>REV.</td> <td>DATE</td> <td>DESCRIPTION</td> <td>PRE'D</td> <td>CHK'D</td> <td>APP'D</td> </tr> </table>						08	feb,10,14	ISSUED FOR APPROVAL	S.Ta	A.Ar	A.Ar	07	Nov,28,13	ISSUED FOR APPROVAL	S.Ta	A.Ar	A.Ar	06	Aug,24,13	ISSUED FOR APPROVAL	A.Na	S.Ta	A.Ar	05	Jun,10,13	ISSUED FOR APPROVAL	A.Na	S.Ta	A.Ar	04	Nov,04,12	ISSUED FOR APPROVAL	G.A	G.A	A.Ar	03	Sep,27,12	ISSUED FOR APPROVAL	S.T	A.Ar	A.Ai	02	Jul,23,12	ISSUED FOR APPROVAL	S.G	A.Ar	A.Ai	01	May,20,12	ISSUED FOR APPROVAL	S.T/S.G	A.Ar	A.Ai	REV.	DATE	DESCRIPTION	PRE'D	CHK'D	APP'D
08	feb,10,14	ISSUED FOR APPROVAL	S.Ta	A.Ar	A.Ar																																																						
07	Nov,28,13	ISSUED FOR APPROVAL	S.Ta	A.Ar	A.Ar																																																						
06	Aug,24,13	ISSUED FOR APPROVAL	A.Na	S.Ta	A.Ar																																																						
05	Jun,10,13	ISSUED FOR APPROVAL	A.Na	S.Ta	A.Ar																																																						
04	Nov,04,12	ISSUED FOR APPROVAL	G.A	G.A	A.Ar																																																						
03	Sep,27,12	ISSUED FOR APPROVAL	S.T	A.Ar	A.Ai																																																						
02	Jul,23,12	ISSUED FOR APPROVAL	S.G	A.Ar	A.Ai																																																						
01	May,20,12	ISSUED FOR APPROVAL	S.T/S.G	A.Ar	A.Ai																																																						
REV.	DATE	DESCRIPTION	PRE'D	CHK'D	APP'D																																																						
SOUTH PARS GAS FIELD DEVELOPMENT (PHASES 20&21), ASSALUYEH, IRAN ONSHORE FACILITIES			CONTRACT NO.: POGC 572-88-35 REQ'N NO.: MR-SP2021-ON-MA-0910-0006																																																								
 I.I.P. Group IRAN INDUSTRIAL PUMPS			ITEM NO.: 101-P-103/203/303/403 A/B DOCUMENT NO.: VP-SP2021-ON-MA-101-P103-0002																																																								



PROG.	CON. TYPE	DESCRIPTION	0	6	NEW	CHANGED
01	1	2" AND 1/2 600 RPS	210	166.3	8	222
02	1	3" AND 1/2 600 RPS	193	127	8	191
03	1	4" AND 1/2 600 RPS	185	127	8	191
04	1	5" AND 1/2 600 RPS	177	127	8	191
05	1	6" AND 1/2 600 RPS	169	127	8	191
06	1	7" AND 1/2 600 RPS	161	127	8	191
07	1	8" AND 1/2 600 RPS	153	127	8	191
08	1	9" AND 1/2 600 RPS	145	127	8	191
09	1	10" AND 1/2 600 RPS	137	127	8	191
10	1	11" AND 1/2 600 RPS	129	127	8	191
11	1	12" AND 1/2 600 RPS	121	127	8	191
12	1	13" AND 1/2 600 RPS	113	127	8	191
13	1	14" AND 1/2 600 RPS	105	127	8	191
14	1	15" AND 1/2 600 RPS	97	127	8	191
15	1	16" AND 1/2 600 RPS	89	127	8	191
16	1	17" AND 1/2 600 RPS	81	127	8	191
17	1	18" AND 1/2 600 RPS	73	127	8	191
18	1	19" AND 1/2 600 RPS	65	127	8	191
19	1	20" AND 1/2 600 RPS	57	127	8	191
20	1	21" AND 1/2 600 RPS	49	127	8	191
21	1	22" AND 1/2 600 RPS	41	127	8	191
22	1	23" AND 1/2 600 RPS	33	127	8	191
23	1	24" AND 1/2 600 RPS	25	127	8	191
24	1	25" AND 1/2 600 RPS	17	127	8	191
25	1	26" AND 1/2 600 RPS	9	127	8	191
26	1	27" AND 1/2 600 RPS	1	127	8	191
27	1	28" AND 1/2 600 RPS	0	127	8	191
28	1	29" AND 1/2 600 RPS	0	127	8	191
29	1	30" AND 1/2 600 RPS	0	127	8	191
30	1	31" AND 1/2 600 RPS	0	127	8	191
31	1	32" AND 1/2 600 RPS	0	127	8	191
32	1	33" AND 1/2 600 RPS	0	127	8	191
33	1	34" AND 1/2 600 RPS	0	127	8	191
34	1	35" AND 1/2 600 RPS	0	127	8	191
35	1	36" AND 1/2 600 RPS	0	127	8	191
36	1	37" AND 1/2 600 RPS	0	127	8	191
37	1	38" AND 1/2 600 RPS	0	127	8	191
38	1	39" AND 1/2 600 RPS	0	127	8	191
39	1	40" AND 1/2 600 RPS	0	127	8	191
40	1	41" AND 1/2 600 RPS	0	127	8	191
41	1	42" AND 1/2 600 RPS	0	127	8	191
42	1	43" AND 1/2 600 RPS	0	127	8	191
43	1	44" AND 1/2 600 RPS	0	127	8	191
44	1	45" AND 1/2 600 RPS	0	127	8	191
45	1	46" AND 1/2 600 RPS	0	127	8	191
46	1	47" AND 1/2 600 RPS	0	127	8	191
47	1	48" AND 1/2 600 RPS	0	127	8	191
48	1	49" AND 1/2 600 RPS	0	127	8	191
49	1	50" AND 1/2 600 RPS	0	127	8	191
50	1	51" AND 1/2 600 RPS	0	127	8	191
51	1	52" AND 1/2 600 RPS	0	127	8	191
52	1	53" AND 1/2 600 RPS	0	127	8	191
53	1	54" AND 1/2 600 RPS	0	127	8	191
54	1	55" AND 1/2 600 RPS	0	127	8	191
55	1	56" AND 1/2 600 RPS	0	127	8	191
56	1	57" AND 1/2 600 RPS	0	127	8	191
57	1	58" AND 1/2 600 RPS	0	127	8	191
58	1	59" AND 1/2 600 RPS	0	127	8	191
59	1	60" AND 1/2 600 RPS	0	127	8	191
60	1	61" AND 1/2 600 RPS	0	127	8	191
61	1	62" AND 1/2 600 RPS	0	127	8	191
62	1	63" AND 1/2 600 RPS	0	127	8	191
63	1	64" AND 1/2 600 RPS	0	127	8	191
64	1	65" AND 1/2 600 RPS	0	127	8	191
65	1	66" AND 1/2 600 RPS	0	127	8	191
66	1	67" AND 1/2 600 RPS	0	127	8	191
67	1	68" AND 1/2 600 RPS	0	127	8	191
68	1	69" AND 1/2 600 RPS	0	127	8	191
69	1	70" AND 1/2 600 RPS	0	127	8	191
70	1	71" AND 1/2 600 RPS	0	127	8	191
71	1	72" AND 1/2 600 RPS	0	127	8	191
72	1	73" AND 1/2 600 RPS	0	127	8	191
73	1	74" AND 1/2 600 RPS	0	127	8	191
74	1	75" AND 1/2 600 RPS	0	127	8	191
75	1	76" AND 1/2 600 RPS	0	127	8	191
76	1	77" AND 1/2 600 RPS	0	127	8	191
77	1	78" AND 1/2 600 RPS	0	127	8	191
78	1	79" AND 1/2 600 RPS	0	127	8	191
79	1	80" AND 1/2 600 RPS	0	127	8	191
80	1	81" AND 1/2 600 RPS	0	127	8	191
81	1	82" AND 1/2 600 RPS	0	127	8	191
82	1	83" AND 1/2 600 RPS	0	127	8	191
83	1	84" AND 1/2 600 RPS	0	127	8	191
84	1	85" AND 1/2 600 RPS	0	127	8	191
85	1	86" AND 1/2 600 RPS	0	127	8	191
86	1	87" AND 1/2 600 RPS	0	127	8	191
87	1	88" AND 1/2 600 RPS	0	127	8	191
88	1	89" AND 1/2 600 RPS	0	127	8	191
89	1	90" AND 1/2 600 RPS	0	127	8	191
90	1	91" AND 1/2 600 RPS	0	127	8	191
91	1	92" AND 1/2 600 RPS	0	127	8	191
92	1	93" AND 1/2 600 RPS	0	127	8	191
93	1	94" AND 1/2 600 RPS	0	127	8	191
94	1	95" AND 1/2 600 RPS	0	127	8	191
95	1	96" AND 1/2 600 RPS	0	127	8	191
96	1	97" AND 1/2 600 RPS	0	127	8	191
97	1	98" AND 1/2 600 RPS	0	127	8	191
98	1	99" AND 1/2 600 RPS	0	127	8	191
99	1	100" AND 1/2 600 RPS	0	127	8	191
100	1	101" AND 1/2 600 RPS	0	127	8	191
101	1	102" AND 1/2 600 RPS	0	127	8	191
102	1	103" AND 1/2 600 RPS	0	127	8	191
103	1	104" AND 1/2 600 RPS	0	127	8	191
104	1	105" AND 1/2 600 RPS	0	127	8	191
105	1	106" AND 1/2 600 RPS	0	127	8	191
106	1	107" AND 1/2 600 RPS	0	127	8	191
107	1	108" AND 1/2 600 RPS	0	127	8	191
108	1	109" AND 1/2 600 RPS	0	127	8	191
109	1	110" AND 1/2 600 RPS	0	127	8	191
110	1	111" AND 1/2 600 RPS	0	127	8	191
111	1	112" AND 1/2 600 RPS	0	127	8	191
112	1	113" AND 1/2 600 RPS	0	127	8	191
113	1	114" AND 1/2 600 RPS	0	127	8	191
114	1	115" AND 1/2 600 RPS	0	127	8	191
115	1	116" AND 1/2 600 RPS	0	127	8	191
116	1	117" AND 1/2 600 RPS	0	127	8	191
117	1	118" AND 1/2 600 RPS	0	127	8	191
118	1	119" AND 1/2 600 RPS	0	127	8	191
119	1	120" AND 1/2 600 RPS	0	127	8	191
120	1	121" AND 1/2 600 RPS	0	127	8	191
121	1	122" AND 1/2 600 RPS	0	127	8	191
122	1	123" AND 1/2 600 RPS	0	127	8	191
123	1	124" AND 1/2 600 RPS	0	127	8	191
124	1	125" AND 1/2 600 RPS	0	127	8	191
125	1	126" AND 1/2 600 RPS	0	127	8	191
126	1	127" AND 1/2 600 RPS	0	127	8	191
127	1	128" AND 1/2 600 RPS	0	127	8	191
128	1	129" AND 1/2 600 RPS	0	127	8	191
129	1	130" AND 1/2 600 RPS	0	127	8	191
130	1	131" AND 1/2 600 RPS	0	127	8	191
131	1	132" AND 1/2 600 RPS	0	127	8	191
132	1	133" AND 1/2 600 RPS	0	127	8	191
133	1	134" AND 1/2 600 RPS	0	127	8	191
134	1	135" AND 1/2 600 RPS	0	127	8	191
135	1	136" AND 1/2 600 RPS	0	127	8	191
136	1	137" AND 1/2 600 RPS	0	127	8	191
137	1	138" AND 1/2 600 RPS	0	127	8	191
138	1	139" AND 1/2 600 RPS	0	127	8	191
139	1	140" AND 1/2 600 RPS	0	127	8	191
140	1	141" AND 1/2 600 RPS	0	127	8	191
141	1	142" AND 1/2 600 RPS	0	127	8	191
142	1	143" AND 1/2 600 RPS	0	127	8	191
143	1	144" AND 1/2 600 RPS	0	127	8	191
144	1	145" AND 1/2 600 RPS	0	127	8	191
145	1	146" AND 1/2 600 RPS	0	127	8	191
146	1	147" AND 1/2 600 RPS	0	127	8	191
147	1	148" AND 1/2 600 RPS	0	127	8	191
148	1	149" AND 1/2 600 RPS	0	127	8	191
149	1	150" AND 1/2 600 RPS	0	127	8	191
150	1	151" AND 1/2 600 RPS	0	127	8	191
151	1	152" AND 1/2 600 RPS	0	127	8	191
152	1	153" AND 1/2 600 RPS	0	127	8	191
153	1	154" AND 1/2 600 RPS	0	127	8	191
154	1	155" AND 1/2 600 RPS	0	127	8	191
155	1	156" AND 1/2 600 RPS	0	127	8	191
156	1	157" AND 1/2 600 RPS	0	127	8	191
157	1	158" AND 1/2 600 RPS	0	127	8	191
158	1	159" AND 1/2 600 RPS	0	127	8	191
159	1	160" AND 1/2 600 RPS	0	127	8	191
160	1	161" AND 1/2 600 RPS	0	127	8	191
161	1	162" AND 1/2 600 RPS	0	127	8	191
162	1	163" AND 1/2 600 RPS	0	127	8	191
163	1	164" AND 1/2 600 RPS	0	127	8	191
164	1	165" AND 1/2 600 RPS	0	127	8	191
165	1	166" AND 1/2 600 RPS	0	127	8	191
166	1	167" AND 1/2 600 RPS	0	127	8	191
167	1	168" AND 1/2 600 RPS	0	127	8	191
168	1	169" AND 1/2 600 RPS	0	127	8	191
169	1	170" AND 1/2 600 RPS	0	127	8	191
170	1	171" AND 1/2 600 RPS	0	127	8	191
171	1	172" AND 1/2 600 RPS	0	127	8	191
172	1	173" AND 1/2 600 RPS	0	127	8	191
173	1	174" AND 1/2 600 RPS	0	127	8	191
174	1	175" AND 1/2 600 RPS	0	127	8	191
175	1	176" AND 1/2 600 RPS	0	127	8	191
176	1	177" AND 1/2 600 RPS	0	127	8	191
177	1	178" AND 1/2 600 RPS	0	127	8	191
178	1	179" AND 1/2 600 RPS	0	127	8	191
179	1	180" AND 1/2 600 RPS	0	127	8	191
180	1	181" AND 1/2 600 RPS	0	127	8	191
181	1	182" AND 1/2 600 RPS	0	127	8	191
182	1	183" AND 1/2 600 RPS	0	127	8	191
183	1	184" AND 1/2 600 RPS	0	127	8	191
184	1	185" AND 1/2 600 RPS	0	127	8	191
185	1	186" AND 1/2 600 RPS	0	127	8	191
186	1	187" AND 1/2 600 RPS	0	127	8	191
187	1	188" AND 1/2 600 RPS	0	127	8	191
188	1	189" AND 1/2 600 RPS	0	127	8	191
189	1	190" AND 1/2 600 RPS	0	127	8	191
190	1	191" AND				