



INDUSTRY & PROJECT SUPPORT CO.

SMALL & MEDIUM BUOYS



Model AT-SB1


Diameter range: Ø200 to Ø620 mm

Length range: 200 to 1080 mm

Nett Buoyancy range: 3.3 to 240 Kgs

Weight range: 0.9 to 26 Kgs

Note: Nett Buoyancy of the modules without any metallic parts and accessories.



Model AT-SB2


Diameter range: Ø400 mm

Length range: 300 to 1600 mm

Nett Buoyancy range: 19 to 37 Kgs

Weight range: 3.3 to 6.6 Kgs

Note: Nett Buoyancy of the modules without any metallic parts and accessories.



Model AT-SB3

Diameter range: Ø500 mm

Length range: 500 to 2000 mm

Nett Buoyancy range: 70 to 300 Kgs

Weight range: 28 to 100 Kgs

Note: Nett Buoyancy of the modules without any metallic parts and accessories.



Email : info@atlasip.com

Web : www.atlasip.com



INDUSTRY & PROJECT SUPPORT CO.

SMALL & MEDIUM BUOYS



Model AT-SB4


Diameter range: Ø600 mm

Length range: 400 to 2300 mm

Nett Buoyancy range: 98 to 484 Kgs

Weight range: 14 to 66 Kgs

Note: Nett Buoyancy of the modules without any metallic parts and accessories.



Model AT-SB5

Diameter range: Ø600 mm to Ø 670 mm

Length range: 520 to 1100 mm

Nett Buoyancy range: 49 to 327 Kgs

Weight range: 9.5 to 33 Kgs

Note: Nett Buoyancy of the modules without any metallic parts and accessories.



Model AT-SB6

Diameter range: Ø700 mm to Ø 1150 mm

Length range: 440 to 1150 mm

Nett Buoyancy range: 137 to 1020 Kgs

Weight range: 17 to 130 Kgs

Note: Nett Buoyancy of the modules without any metallic parts and accessories.



Email : info@atlasip.com

Web : www.atlasip.com



INDUSTRY & PROJECT SUPPORT CO.

BUOYANCY MODULE



Model AT-MB 1

Pendant Buoys

Weight: 110~600 Kgs

Nett Buoyancy: 205~1775 Kgs

Pick-up Buoys

Weight: 100~580 Kgs

Nett Buoyancy: 215~1795 Kgs


Chain hrough Buoys

Weight: 110~600 Kgs

Nett Buoyancy: 205~1775 Kgs

Note: Weight & Buoyanc

	3500
	3100
	2700
	2300
	1900
	1500
	1000
	750
	400



Model AT-MB 2

Pendant Buoys

Weight: 180~520 Kgs

Nett Buoyancy: 450~1400 Kgs

Pick-up Buoys

Weight: 160~500 Kgs

Nett Buoyancy: 470~1420 Kgs


Chain hrough Buoys

Weight: 180~520 Kgs

Nett Buoyancy: 450~1400 Kgs

Note: Weight & Buoyancy include metallic parts

	2040
	1640
	1445
	1240
	1050
	905
	710



Model AT-MB 3

Pendant Buoys

Weight: 180~520 Kgs

Nett Buoyancy: 450~1400 Kgs

Pick-up Buoys

Weight: 160~500 Kgs

Nett Buoyancy: 470~1420 Kgs


Chain hrough Buoys

Weight: 180~520 Kgs

Nett Buoyancy: 450~1400 Kgs

Note: Weight & Buoyancy include metallic parts

	4000
	3500
	3000
	2500
	2000
	1500
	1000
	750
	500



Email : info@atlasip.com

Web : www.atlasip.com



INDUSTRY & PROJECT SUPPORT CO.

BUOYANCY MODULE




Model AT-PLBT

Pipe Line diameter range : 8" ~ 60"

Net Buoyancy range : 500~4000 Kgs

Weight range : 100~600 Kgs

Note: Size, Design, Weight, Buoyancy can be adjusted based on your requirements.



Model AT-DBL

Pipe Line diameter range : 8" ~ 60"

Net Buoyancy range : 50~1000 Kgs

Weight range : 100~500 Kgs

Note: Size, Design, Weight, Buoyancy can be adjusted based on your requirements.



Email : info@atlasip.com

Web : www.atlasip.com