

facility_id	location	opening_hours	description_status	units_deployed	units_active
F001	Tokyo	08:00-20:00	Expired	4	3
F002	New York	08:00-20:00	Active	4	4
F003	London	08:00-20:00	Active	4	3
F004	Paris	08:00-20:00	Active	4	4
F005	London	08:00-20:00	Expired	4	4
F006	London	08:00-20:00	Active	4	4
F007	Paris	08:00-20:00	Expired	4	4
F008	Paris	08:00-20:00	Expired	4	4
F009	Tokyo	08:00-20:00	Expired	4	3
F010	Paris	08:00-20:00	Expired	4	4

unit_id	facility_id	unit_model	hardware_vers	is_active
U001	F001	TM7	1.3.2	TRUE
U002	F001	TM4	1.4.1	FALSE
U003	F001	TM4	1.4.0	TRUE
U004	F001	TM4	1.3.2	TRUE
U005	F002	TM7	1.3.2	TRUE
U006	F002	TM7	1.5.0	TRUE
U007	F002	TM4	1.3.2	TRUE
U008	F002	TM4	1.4.0	TRUE
U009	F003	TM4	1.3.2	TRUE
U010	F003	TM7	1.4.0	TRUE
U011	F003	TM7	1.5.0	TRUE
U012	F003	TM4	1.5.0	FALSE
U013	F004	TM7	1.4.1	TRUE
U014	F004	TM4	1.4.0	TRUE
U015	F004	TM7	1.5.0	TRUE
U016	F004	TM5	1.4.1	TRUE
U017	F005	TM4	1.4.0	TRUE
U018	F005	TM5	1.3.2	TRUE
U019	F005	TM4	1.5.0	TRUE
U020	F005	TM4	1.4.1	TRUE
U021	F006	TM5	1.4.1	TRUE
U022	F006	TM4	1.5.0	TRUE
U023	F006	TM7	1.3.2	TRUE
U024	F006	TM5	1.3.2	TRUE
U025	F007	TM7	1.4.1	TRUE
U026	F007	TM7	1.4.1	TRUE
U027	F007	TM7	1.4.0	TRUE
U028	F007	TM7	1.3.2	TRUE
U029	F008	TM4	1.4.0	TRUE
U030	F008	TM5	1.3.2	TRUE
U031	F008	TM4	1.3.2	TRUE
U032	F008	TM5	1.4.1	TRUE
U033	F009	TM5	1.4.1	TRUE
U034	F009	TM4	1.4.1	TRUE
U035	F009	TM5	1.4.0	FALSE
U036	F009	TM7	1.4.1	TRUE
U037	F010	TM7	1.3.2	TRUE
U038	F010	TM7	1.4.0	TRUE
U039	F010	TM7	1.4.0	TRUE
U040	F010	TM4	1.5.0	TRUE

date	facility_id	usage_hour	rokes_track	ournaments
2025-11-0	F001	4,32	465	1
2025-11-0	F002	5,38	584	0
2025-11-0	F003	6,38	775	0
2025-11-0	F004	8,25	998	0
2025-11-0	F005	5,22	611	0
2025-11-0	F006	6,91	882	0
2025-11-0	F007	6,7	784	1
2025-11-0	F008	6,75	840	0
2025-11-0	F009	7,71	971	0
2025-11-0	F010	4,64	541	0
2025-11-0	F001	3,9	458	0
2025-11-0	F002	5,36	711	0
2025-11-0	F003	7,74	896	0
2025-11-0	F004	6,3	833	0
2025-11-0	F005	3,43	396	0
2025-11-0	F006	3,12	392	0
2025-11-0	F007	2,66	294	0
2025-11-0	F008	5,52	678	0
2025-11-0	F009	4,44	580	0
2025-11-0	F010	5,73	671	0
2025-11-0	F001	7,66	932	0
2025-11-0	F002	2,34	259	0
2025-11-0	F003	6,17	761	0
2025-11-0	F004	6,62	790	0
2025-11-0	F005	6,17	739	0
2025-11-0	F006	6,4	890	0
2025-11-0	F007	7,14	872	0
2025-11-0	F008	6,9	865	0
2025-11-0	F009	9,37	1054	0
2025-11-0	F010	2,55	277	0
2025-11-0	F001	2,29	277	0
2025-11-0	F002	6,59	868	0
2025-11-0	F003	4,68	545	0
2025-11-0	F004	6,36	701	0
2025-11-0	F005	2,27	281	0
2025-11-0	F006	5,62	713	0
2025-11-0	F007	6,95	848	0
2025-11-0	F008	3,75	461	0
2025-11-0	F009	6,66	763	0
2025-11-0	F010	6,34	784	0
2025-11-0	F001	4,56	586	0
2025-11-0	F002	8,6	1052	0
2025-11-0	F003	4,1	453	0
2025-11-0	F004	7,26	887	0
2025-11-0	F005	3,35	474	0
2025-11-0	F006	6,09	687	0
2025-11-0	F007	6,5	804	1
2025-11-0	F008	7,12	889	1

2025-11-01 F009	4,88	582	0
2025-11-01 F010	3,64	360	0
2025-11-01 F001	5,57	605	0
2025-11-01 F002	3,61	441	1
2025-11-01 F003	7,39	830	0
2025-11-01 F004	8,79	1107	0
2025-11-01 F005	3,94	498	1
2025-11-01 F006	7,94	1145	0
2025-11-01 F007	6,58	822	0
2025-11-01 F008	5,68	670	0
2025-11-01 F009	7,44	799	0
2025-11-01 F010	2,9	402	0
2025-11-01 F001	4,72	600	0
2025-11-01 F002	5,38	613	0
2025-11-01 F003	3,14	386	0
2025-11-01 F004	2,67	314	1
2025-11-01 F005	4,93	634	0
2025-11-01 F006	6,9	795	0
2025-11-01 F007	2,41	334	0
2025-11-01 F008	6,95	885	0
2025-11-01 F009	8,12	938	0
2025-11-01 F010	3,85	500	0
2025-11-01 F001	6,53	865	0
2025-11-01 F002	3,33	472	0
2025-11-01 F003	3,33	350	0
2025-11-01 F004	6,87	827	1
2025-11-01 F005	6,97	916	0
2025-11-01 F006	3,42	402	1
2025-11-01 F007	6,04	738	0
2025-11-01 F008	6,79	785	0
2025-11-01 F009	8,42	1055	0
2025-11-01 F010	6,68	759	0
2025-11-01 F001	3,83	459	0
2025-11-01 F002	7,46	922	0
2025-11-01 F003	4,14	537	0
2025-11-01 F004	6,36	828	0
2025-11-01 F005	6,36	778	1
2025-11-01 F006	5,2	583	0
2025-11-01 F007	9,87	1242	0
2025-11-01 F008	8,33	998	0
2025-11-01 F009	5,6	721	0
2025-11-01 F010	3,19	403	0
2025-11-11 F001	3,83	472	0
2025-11-11 F002	3,88	441	0
2025-11-11 F003	3,59	358	0
2025-11-11 F004	4,34	485	0
2025-11-11 F005	3,12	417	0
2025-11-11 F006	7,17	860	0
2025-11-11 F007	7,06	862	0

2025-11-1(F008	3,65	432	0
2025-11-1(F009	7,79	946	0
2025-11-1(F010	4,35	522	0
2025-11-1: F001	3,92	577	0
2025-11-1: F002	2,69	431	0
2025-11-1: F003	2,66	213	0
2025-11-1: F004	3,86	480	0
2025-11-1: F005	6,36	718	1
2025-11-1: F006	3,91	403	1
2025-11-1: F007	8,26	1050	1
2025-11-1: F008	2,91	262	1
2025-11-1: F009	9,28	1107	0
2025-11-1: F010	6,06	727	0
2025-11-1: F001	5,38	623	0
2025-11-1: F002	7,09	856	0
2025-11-1: F003	4,94	515	0
2025-11-1: F004	9,14	1173	0
2025-11-1: F005	4,46	637	0
2025-11-1: F006	10,09	1243	0
2025-11-1: F007	9,31	1169	0
2025-11-1: F008	5,22	612	0
2025-11-1: F009	5,22	707	0
2025-11-1: F010	5,36	557	0
2025-11-1: F001	6,28	649	0
2025-11-1: F002	4,24	527	0
2025-11-1: F003	2,58	306	0
2025-11-1: F004	4,58	523	0
2025-11-1: F005	5,67	675	0
2025-11-1: F006	4,52	641	0
2025-11-1: F007	6,37	729	0
2025-11-1: F008	6,57	782	0
2025-11-1: F009	6,12	707	0
2025-11-1: F010	2,82	262	0
2025-11-1: F001	5,3	665	0
2025-11-1: F002	3,68	435	0
2025-11-1: F003	5,57	630	0
2025-11-1: F004	4,34	488	0
2025-11-1: F005	2,5	384	0
2025-11-1: F006	5,47	659	0
2025-11-1: F007	3,63	383	0
2025-11-1: F008	4,15	543	0
2025-11-1: F009	6,35	789	0
2025-11-1: F010	5,77	667	0
2025-11-1: F001	4,38	484	1
2025-11-1: F002	6,1	686	0
2025-11-1: F003	3,82	496	0
2025-11-1: F004	5,44	690	0
2025-11-1: F005	5,76	719	0
2025-11-1: F006	3,26	393	0

2025-11-1\F007	4,11	409	0
2025-11-1\F008	5,77	694	0
2025-11-1\F009	8,67	1011	0
2025-11-1\F010	3,96	547	0
2025-11-1\F001	4,02	472	1
2025-11-1\F002	7,75	900	0
2025-11-1\F003	3,42	403	0
2025-11-1\F004	3,71	425	0
2025-11-1\F005	4,78	552	0
2025-11-1\F006	5,45	637	0
2025-11-1\F007	5,14	566	0
2025-11-1\F008	6,35	846	0
2025-11-1\F009	7,39	775	0
2025-11-1\F010	3,32	454	0
2025-11-1\F001	7,1	965	0
2025-11-1\F002	2,91	307	0
2025-11-1\F003	4,41	505	0
2025-11-1\F004	7,72	900	0
2025-11-1\F005	3,07	319	0
2025-11-1\F006	7,28	827	0
2025-11-1\F007	5,81	790	0
2025-11-1\F008	5,21	700	1
2025-11-1\F009	5,64	620	0
2025-11-1\F010	6,45	810	1
2025-11-1\F001	6,67	824	0
2025-11-1\F002	8,75	1024	1
2025-11-1\F003	3,55	419	0
2025-11-1\F004	4,39	581	0
2025-11-1\F005	5,18	599	0
2025-11-1\F006	3,54	341	1
2025-11-1\F007	2,4	222	0
2025-11-1\F008	7,08	774	0
2025-11-1\F009	7,28	965	0
2025-11-1\F010	4,87	570	0
2025-11-1\F001	10,15	1220	0
2025-11-1\F002	3,55	418	0
2025-11-1\F003	3,3	368	0
2025-11-1\F004	7,09	925	0
2025-11-1\F005	8,08	865	0
2025-11-1\F006	6,34	722	0
2025-11-1\F007	8,55	1089	0
2025-11-1\F008	5,23	570	0
2025-11-1\F009	2,86	367	0
2025-11-1\F010	7,1	833	0
2025-11-2\F001	2,99	417	0
2025-11-2\F002	5,04	589	0
2025-11-2\F003	3,7	381	0
2025-11-2\F004	6,86	876	0
2025-11-2\F005	2,29	304	0

2025-11-2(F006	3,13	460	1
2025-11-2(F007	5,85	721	0
2025-11-2(F008	3,45	422	0
2025-11-2(F009	7,68	835	0
2025-11-2(F010	4,52	532	0
2025-11-2: F001	6,85	783	1
2025-11-2: F002	7,55	856	0
2025-11-2: F003	4,7	588	0
2025-11-2: F004	7,62	963	0
2025-11-2: F005	2,19	199	0
2025-11-2: F006	6,94	796	0
2025-11-2: F007	6,8	745	0
2025-11-2: F008	6,56	839	0
2025-11-2: F009	7,91	958	0
2025-11-2: F010	4,82	584	0
2025-11-2: F001	6,91	793	0
2025-11-2: F002	4,3	604	0
2025-11-2: F003	6,21	716	0
2025-11-2: F004	5,08	531	0
2025-11-2: F005	5,26	661	0
2025-11-2: F006	6,77	842	0
2025-11-2: F007	5,39	670	0
2025-11-2: F008	5,83	709	0
2025-11-2: F009	5,5	712	1
2025-11-2: F010	5,29	669	0
2025-11-2: F001	4,56	520	0
2025-11-2: F002	2,93	336	0
2025-11-2: F003	8,1	926	0
2025-11-2: F004	9,46	1144	0
2025-11-2: F005	7,63	959	0
2025-11-2: F006	3,42	463	0
2025-11-2: F007	2,87	414	0
2025-11-2: F008	6,92	903	0
2025-11-2: F009	3,94	459	0
2025-11-2: F010	6,54	746	0
2025-11-2: F001	5,3	647	0
2025-11-2: F002	5,63	664	0
2025-11-2: F003	5,77	700	0
2025-11-2: F004	3,91	437	0
2025-11-2: F005	3,86	430	0
2025-11-2: F006	6,98	908	0
2025-11-2: F007	4,83	551	0
2025-11-2: F008	5,1	689	0
2025-11-2: F009	9,18	1071	0
2025-11-2: F010	6,97	850	0
2025-11-2: F001	5,71	676	0
2025-11-2: F002	6,67	798	0
2025-11-2: F003	10,18	1195	0
2025-11-2: F004	3,58	555	0

2025-11-2\F005	6,86	856	0
2025-11-2\F006	8,29	1024	0
2025-11-2\F007	4,84	621	0
2025-11-2\F008	4,93	660	0
2025-11-2\F009	6,12	726	0
2025-11-2\F010	3,49	437	0
2025-11-2\F001	2,97	365	0
2025-11-2\F002	7,38	918	0
2025-11-2\F003	8,05	978	1
2025-11-2\F004	7,72	956	0
2025-11-2\F005	5,54	641	0
2025-11-2\F006	7,54	911	0
2025-11-2\F007	3,73	420	0
2025-11-2\F008	5,76	769	0
2025-11-2\F009	4,27	439	0
2025-11-2\F010	4,53	579	0
2025-11-2\F001	6,4	811	0
2025-11-2\F002	7,12	849	0
2025-11-2\F003	4,74	556	0
2025-11-2\F004	3,73	385	0
2025-11-2\F005	5,45	671	0
2025-11-2\F006	6,86	855	0
2025-11-2\F007	7,23	877	0
2025-11-2\F008	4,21	471	0
2025-11-2\F009	6,19	749	0
2025-11-2\F010	4,75	547	0
2025-11-2\F001	3,18	358	0
2025-11-2\F002	4,07	527	0
2025-11-2\F003	4,82	530	0
2025-11-2\F004	6,28	753	0
2025-11-2\F005	6,46	764	0
2025-11-2\F006	6,36	750	0
2025-11-2\F007	6,75	759	0
2025-11-2\F008	3,06	339	0
2025-11-2\F009	4,02	551	0
2025-11-2\F010	4,53	547	0
2025-11-2\F001	3,77	497	0
2025-11-2\F002	8,1	1038	0
2025-11-2\F003	3,55	512	0
2025-11-2\F004	5,55	633	0
2025-11-2\F005	6,89	853	0
2025-11-2\F006	6,82	905	0
2025-11-2\F007	4,84	582	0
2025-11-2\F008	6,46	762	0
2025-11-2\F009	3,25	365	0
2025-11-2\F010	5,71	696	0
2025-11-3\F001	6,73	861	1
2025-11-3\F002	5,29	667	1
2025-11-3\F003	2,28	347	0

2025-11-3(F004	7,33	903	0
2025-11-3(F005	4,62	553	0
2025-11-3(F006	5,95	752	0
2025-11-3(F007	2,99	303	0
2025-11-3(F008	4,39	585	0
2025-11-3(F009	7,29	898	0
2025-11-3(F010	6,41	705	0
2025-12-0(F001	6,29	732	0
2025-12-0(F002	4	463	0
2025-12-0(F003	4,03	587	0
2025-12-0(F004	5,71	696	0
2025-12-0(F005	4,26	509	1
2025-12-0(F006	7,24	865	0
2025-12-0(F007	4,52	559	0
2025-12-0(F008	7,86	936	0
2025-12-0(F009	6,84	768	0
2025-12-0(F010	5,79	790	0
2025-12-0(F001	5,45	678	0
2025-12-0(F002	9,67	1158	0
2025-12-0(F003	5,83	759	0
2025-12-0(F004	5,83	642	0
2025-12-0(F005	6,27	768	0
2025-12-0(F006	5,79	717	0
2025-12-0(F007	7,98	895	0
2025-12-0(F008	4,05	554	0
2025-12-0(F009	4,16	500	0
2025-12-0(F010	8,75	1007	0
2025-12-0(F001	4,78	507	0
2025-12-0(F002	7,85	992	0
2025-12-0(F003	5,63	658	0
2025-12-0(F004	3,35	319	0
2025-12-0(F005	5,33	668	0
2025-12-0(F006	5,28	647	1
2025-12-0(F007	5,7	669	0
2025-12-0(F008	4,55	490	0
2025-12-0(F009	6,52	704	0
2025-12-0(F010	2,55	295	0
2025-12-0(F001	5,45	586	0
2025-12-0(F002	5,84	712	0
2025-12-0(F003	9,3	1121	0
2025-12-0(F004	6,98	802	0
2025-12-0(F005	6,76	748	0
2025-12-0(F006	4,74	553	0
2025-12-0(F007	5,08	568	0
2025-12-0(F008	7	871	0
2025-12-0(F009	5,81	699	0
2025-12-0(F010	4,19	474	0
2025-12-0(F001	6,36	723	0
2025-12-0(F002	7,84	969	0

2025-12-01 F003	5,82	669	0
2025-12-01 F004	2,54	306	0
2025-12-01 F005	6,69	813	0
2025-12-01 F006	5,29	534	0
2025-12-01 F007	5,76	774	0
2025-12-01 F008	5,81	725	0
2025-12-01 F009	6,41	778	0
2025-12-01 F010	6,34	724	0
2025-12-01 F001	9,06	1032	1
2025-12-01 F002	3,03	424	0
2025-12-01 F003	6,49	787	0
2025-12-01 F004	7,04	880	0
2025-12-01 F005	5,59	630	0
2025-12-01 F006	4,38	433	0
2025-12-01 F007	3,93	491	1
2025-12-01 F008	10,92	1314	0
2025-12-01 F009	3,23	401	0
2025-12-01 F010	7,69	914	0
2025-12-01 F001	6,7	804	0
2025-12-01 F002	4,32	517	0
2025-12-01 F003	6,37	764	0
2025-12-01 F004	5,39	615	0
2025-12-01 F005	3,15	380	1
2025-12-01 F006	5,96	718	0
2025-12-01 F007	6,16	678	0
2025-12-01 F008	6,05	715	0
2025-12-01 F009	3,49	402	0
2025-12-01 F010	4,79	560	0
2025-12-01 F001	7,51	900	0
2025-12-01 F002	6,57	714	0
2025-12-01 F003	5,36	632	0
2025-12-01 F004	5,97	754	0
2025-12-01 F005	5,82	569	0
2025-12-01 F006	4,85	600	0
2025-12-01 F007	7,32	907	0
2025-12-01 F008	5,99	710	0
2025-12-01 F009	3,93	426	0
2025-12-01 F010	5,36	562	0
2025-12-01 F001	5,75	742	0
2025-12-01 F002	5,16	595	1
2025-12-01 F003	11,03	1293	0
2025-12-01 F004	9,18	1179	0
2025-12-01 F005	5,87	670	0
2025-12-01 F006	5,99	728	0
2025-12-01 F007	6,37	715	0
2025-12-01 F008	2,52	328	0
2025-12-01 F009	6,97	872	0
2025-12-01 F010	6,65	760	0
2025-12-11 F001	4,03	470	0

2025-12-1(F002	6,86	931	1
2025-12-1(F003	6,77	859	0
2025-12-1(F004	9,62	1179	0
2025-12-1(F005	4,99	556	0
2025-12-1(F006	5,52	563	0
2025-12-1(F007	6,12	720	0
2025-12-1(F008	7,43	862	0
2025-12-1(F009	4,17	514	0
2025-12-1(F010	7,91	985	0

timestamp	facility_id	unit_id	unit_model	error_code	severity	error_message	exception_detail	diagnostics_code
2025-11-01T00:00:00	F001	U003	TM4	E404	High	Firmware corruption	Firmware corruption	D382
2025-11-01T00:05:00	F001	U004	TM4	E202	Medium	Network timeout	Network timeout	D187
2025-11-01T00:10:00	F001	U003	TM4	E101	High	Sensor failure	Sensor failure	D520
2025-11-01T00:15:00	F003	U010	TM7	E303	Medium	Overheat	Overheat status	D328
2025-11-01T00:20:00	F006	U021	TM5	E409	Low	Data sync error	Data sync error	D109
2025-11-01T00:25:00	F010	U039	TM7	E409	Low	Data sync error	Data sync error	D517
2025-11-01T00:30:00	F002	U008	TM4	E303	Medium	Overheat	Overheat status	D231
2025-11-01T00:35:00	F003	U011	TM7	E101	High	Sensor failure	Sensor failure	D970
2025-11-01T00:40:00	F004	U015	TM7	E202	Medium	Network timeout	Network timeout	D218
2025-11-01T00:45:00	F007	U025	TM7	E303	Medium	Overheat	Overheat status	D258
2025-11-01T00:50:00	F008	U030	TM5	E202	Medium	Network timeout	Network timeout	D177
2025-11-01T00:55:00	F001	U004	TM4	E202	Medium	Network timeout	Network timeout	D729
2025-11-01T01:00:00	F002	U008	TM4	E202	Medium	Network timeout	Network timeout	D401
2025-11-01T01:05:00	F005	U019	TM4	E101	High	Sensor failure	Sensor failure	D740
2025-11-01T01:10:00	F003	U012	TM4	E101	High	Sensor failure	Sensor failure	D681
2025-11-01T01:15:00	F008	U029	TM4	E202	Medium	Network timeout	Network timeout	D298
2025-11-01T01:20:00	F009	U036	TM7	E404	High	Firmware corruption	Firmware corruption	D120
2025-11-01T01:25:00	F010	U038	TM7	E409	Low	Data sync error	Data sync error	D956
2025-11-01T01:30:00	F001	U003	TM4	E101	High	Sensor failure	Sensor failure	D994
2025-11-01T01:35:00	F002	U006	TM7	E404	High	Firmware corruption	Firmware corruption	D127
2025-11-01T01:40:00	F007	U028	TM7	E404	High	Firmware corruption	Firmware corruption	D185
2025-11-01T01:45:00	F008	U032	TM5	E409	Low	Data sync error	Data sync error	D342
2025-11-01T01:50:00	F001	U002	TM4	E202	Medium	Network timeout	Network timeout	D727
2025-11-01T01:55:00	F003	U012	TM4	E404	High	Firmware corruption	Firmware corruption	D353
2025-11-01T02:00:00	F005	U020	TM4	E404	High	Firmware corruption	Firmware corruption	D585
2025-11-01T02:05:00	F007	U025	TM7	E404	High	Firmware corruption	Firmware corruption	D857
2025-11-01T02:10:00	F007	U028	TM7	E202	Medium	Network timeout	Network timeout	D913
2025-11-01T02:15:00	F008	U031	TM4	E202	Medium	Network timeout	Network timeout	D359
2025-11-01T02:20:00	F009	U034	TM4	E101	High	Sensor failure	Sensor failure	D230
2025-11-01T02:25:00	F003	U010	TM7	E101	High	Sensor failure	Sensor failure	D463
2025-11-01T02:30:00	F005	U019	TM4	E404	High	Firmware corruption	Firmware corruption	D317
2025-11-01T02:35:00	F010	U038	TM7	E202	Medium	Network timeout	Network timeout	D823
2025-11-01T02:40:00	F004	U014	TM4	E202	Medium	Network timeout	Network timeout	D914
2025-11-01T02:45:00	F007	U026	TM7	E409	Low	Data sync error	Data sync error	D944
2025-11-01T02:50:00	F007	U028	TM7	E404	High	Firmware corruption	Firmware corruption	D272
2025-11-01T02:55:00	F009	U033	TM5	E101	High	Sensor failure	Sensor failure	D536
2025-11-01T03:00:00	F004	U015	TM7	E409	Low	Data sync error	Data sync error	D697
2025-11-01T03:05:00	F008	U030	TM5	E202	Medium	Network timeout	Network timeout	D300
2025-11-01T03:10:00	F008	U031	TM4	E101	High	Sensor failure	Sensor failure	D581
2025-11-01T03:15:00	F006	U024	TM5	E404	High	Firmware corruption	Firmware corruption	D591
2025-11-01T03:20:00	F006	U023	TM7	E202	Medium	Network timeout	Network timeout	D654
2025-11-01T03:25:00	F004	U014	TM4	E404	High	Firmware corruption	Firmware corruption	D656
2025-11-01T03:30:00	F006	U023	TM7	E409	Low	Data sync error	Data sync error	D400
2025-11-01T03:35:00	F007	U028	TM7	E409	Low	Data sync error	Data sync error	D769
2025-11-01T03:40:00	F008	U029	TM4	E409	Low	Data sync error	Data sync error	D728
2025-11-01T03:45:00	F004	U016	TM5	E303	Medium	Overheat	Overheat status	D537
2025-11-01T03:50:00	F006	U021	TM5	E404	High	Firmware corruption	Firmware corruption	D294
2025-11-01T03:55:00	F007	U025	TM7	E409	Low	Data sync error	Data sync error	D924

2025-11-17 F010	U038	TM7	E409	Low	Data sync e Data sync e D886
2025-11-18 F001	U002	TM4	E404	High	Firmware c Firmware c D225
2025-11-18 F006	U022	TM4	E409	Low	Data sync e Data sync e D871
2025-11-19 F001	U002	TM4	E404	High	Firmware c Firmware c D745
2025-11-19 F002	U006	TM7	E202	Medium	Network tir Network tir D599
2025-11-19 F003	U011	TM7	E404	High	Firmware c Firmware c D478
2025-11-19 F003	U010	TM7	E404	High	Firmware c Firmware c D515
2025-11-19 F003	U012	TM4	E303	Medium	Overheat Overheat st D482
2025-11-19 F004	U013	TM7	E202	Medium	Network tir Network tir D582
2025-11-19 F004	U016	TM5	E303	Medium	Overheat Overheat st D534
2025-11-20 F003	U011	TM7	E409	Low	Data sync e Data sync e D657
2025-11-20 F004	U015	TM7	E404	High	Firmware c Firmware c D861
2025-11-20 F004	U015	TM7	E202	Medium	Network tir Network tir D315
2025-11-20 F007	U026	TM7	E303	Medium	Overheat Overheat st D850
2025-11-20 F008	U030	TM5	E404	High	Firmware c Firmware c D980
2025-11-21 F001	U001	TM7	E101	High	Sensor failu Sensor failu D825
2025-11-21 F009	U035	TM5	E303	Medium	Overheat Overheat st D287
2025-11-21 F009	U034	TM4	E202	Medium	Network tir Network tir D646
2025-11-21 F004	U014	TM4	E303	Medium	Overheat Overheat st D627
2025-11-21 F004	U016	TM5	E303	Medium	Overheat Overheat st D845
2025-11-21 F006	U024	TM5	E303	Medium	Overheat Overheat st D314
2025-11-21 F010	U038	TM7	E409	Low	Data sync e Data sync e D436
2025-11-21 F001	U001	TM7	E101	High	Sensor failu Sensor failu D259
2025-11-21 F004	U013	TM7	E202	Medium	Network tir Network tir D111
2025-11-21 F006	U022	TM4	E202	Medium	Network tir Network tir D340
2025-11-21 F008	U031	TM4	E202	Medium	Network tir Network tir D988
2025-11-21 F009	U036	TM7	E404	High	Firmware c Firmware c D711
2025-11-21 F009	U036	TM7	E202	Medium	Network tir Network tir D182
2025-11-24 F005	U018	TM5	E202	Medium	Network tir Network tir D705
2025-11-24 F007	U025	TM7	E101	High	Sensor failu Sensor failu D652
2025-11-24 F010	U039	TM7	E404	High	Firmware c Firmware c D997
2025-11-25 F001	U003	TM4	E404	High	Firmware c Firmware c D720
2025-11-25 F003	U009	TM4	E303	Medium	Overheat Overheat st D248
2025-11-25 F006	U022	TM4	E409	Low	Data sync e Data sync e D624
2025-11-25 F006	U024	TM5	E404	High	Firmware c Firmware c D948
2025-11-26 F004	U015	TM7	E404	High	Firmware c Firmware c D833
2025-11-26 F007	U028	TM7	E101	High	Sensor failu Sensor failu D819
2025-11-26 F008	U030	TM5	E202	Medium	Network tir Network tir D603
2025-11-26 F008	U031	TM4	E404	High	Firmware c Firmware c D743
2025-11-26 F008	U030	TM5	E404	High	Firmware c Firmware c D709
2025-11-26 F010	U038	TM7	E409	Low	Data sync e Data sync e D923
2025-11-28 F001	U003	TM4	E101	High	Sensor failu Sensor failu D104
2025-11-28 F004	U015	TM7	E409	Low	Data sync e Data sync e D489
2025-11-28 F005	U019	TM4	E404	High	Firmware c Firmware c D833
2025-11-28 F006	U024	TM5	E404	High	Firmware c Firmware c D851
2025-11-28 F009	U033	TM5	E101	High	Sensor failu Sensor failu D431
2025-11-29 F002	U006	TM7	E303	Medium	Overheat Overheat st D372
2025-11-29 F008	U032	TM5	E303	Medium	Overheat Overheat st D647
2025-11-29 F009	U036	TM7	E404	High	Firmware c Firmware c D863

2025-11-2(F010	U040	TM4	E404	High	Firmware c Firmware c D752
2025-11-3(F001	U001	TM7	E409	Low	Data sync e Data sync e D771
2025-11-3(F006	U024	TM5	E409	Low	Data sync e Data sync e D213
2025-11-3(F007	U026	TM7	E409	Low	Data sync e Data sync e D989
2025-11-3(F007	U027	TM7	E202	Medium	Network tir Network tir D848
2025-12-0(F002	U007	TM4	E404	High	Firmware c Firmware c D890
2025-12-0(F004	U013	TM7	E202	Medium	Network tir Network tir D593
2025-12-0(F006	U024	TM5	E303	Medium	Overheat Overheat st D614
2025-12-0(F001	U002	TM4	E404	High	Firmware c Firmware c D284
2025-12-0(F002	U008	TM4	E404	High	Firmware c Firmware c D852
2025-12-0(F005	U017	TM4	E101	High	Sensor failu Sensor failu D884
2025-12-0(F008	U030	TM5	E404	High	Firmware c Firmware c D882
2025-12-0(F001	U002	TM4	E303	Medium	Overheat Overheat st D240
2025-12-0(F002	U006	TM7	E404	High	Firmware c Firmware c D979
2025-12-0(F003	U012	TM4	E202	Medium	Network tir Network tir D643
2025-12-0(F004	U013	TM7	E404	High	Firmware c Firmware c D925
2025-12-0(F005	U018	TM5	E202	Medium	Network tir Network tir D988
2025-12-0(F003	U009	TM4	E409	Low	Data sync e Data sync e D883
2025-12-0(F008	U031	TM4	E409	Low	Data sync e Data sync e D158
2025-12-0(F010	U040	TM4	E101	High	Sensor failu Sensor failu D183
2025-12-0(F005	U019	TM4	E404	High	Firmware c Firmware c D617
2025-12-0(F006	U021	TM5	E409	Low	Data sync e Data sync e D830
2025-12-0(F001	U001	TM7	E409	Low	Data sync e Data sync e D652
2025-12-0(F002	U005	TM7	E101	High	Sensor failu Sensor failu D934
2025-12-0(F009	U033	TM5	E101	High	Sensor failu Sensor failu D124
2025-12-0(F010	U038	TM7	E404	High	Firmware c Firmware c D996
2025-12-0(F001	U001	TM7	E202	Medium	Network tir Network tir D756
2025-12-0(F003	U010	TM7	E404	High	Firmware c Firmware c D478
2025-12-0(F008	U030	TM5	E202	Medium	Network tir Network tir D168
2025-12-0(F008	U029	TM4	E101	High	Sensor failu Sensor failu D160
2025-12-0(F008	U031	TM4	E303	Medium	Overheat Overheat st D949
2025-12-1(F002	U005	TM7	E404	High	Firmware c Firmware c D238
2025-12-1(F002	U008	TM4	E303	Medium	Overheat Overheat st D313
2025-12-1(F004	U013	TM7	E202	Medium	Network tir Network tir D853
2025-12-1(F005	U018	TM5	E404	High	Firmware c Firmware c D959
2025-12-1(F006	U022	TM4	E303	Medium	Overheat Overheat st D228
2025-12-1(F008	U029	TM4	E303	Medium	Overheat Overheat st D252

de

timestamp	facility_id	unit_id	activity_status	connect_reason	duration_minutes
2025-11-01 F006		U024	Disconnect	Firmware update	18
2025-11-01 F008		U029	Disconnect	Manual reboot	11
2025-11-01 F008		U029	Disconnect	Firmware update	7
2025-11-01 F008		U030	Disconnect	Manual reboot	2
2025-11-01 F009		U034	Connected	Signal lost	0
2025-11-01 F010		U039	Disconnect	Firmware update	37
2025-11-01 F002		U006	Disconnect	Signal lost	28
2025-11-01 F008		U032	Connected	Unknown	0
2025-11-01 F009		U036	Disconnect	Signal lost	41
2025-11-01 F004		U014	Connected	Manual reboot	0
2025-11-01 F005		U017	Connected	Network issue	0
2025-11-01 F008		U030	Disconnect	Signal lost	3
2025-11-01 F007		U026	Disconnect	Signal lost	27
2025-11-01 F009		U036	Disconnect	Signal lost	10
2025-11-01 F001		U002	Disconnect	Network issue	32
2025-11-01 F003		U012	Connected	Network issue	0
2025-11-01 F004		U016	Disconnect	Signal lost	12
2025-11-01 F003		U010	Connected	Unknown	0
2025-11-01 F004		U014	Connected	Network issue	0
2025-11-01 F005		U018	Disconnect	Network issue	22
2025-11-01 F010		U040	Disconnect	Network issue	18
2025-11-01 F003		U010	Disconnect	Firmware update	4
2025-11-01 F006		U024	Disconnect	Signal lost	17
2025-11-01 F008		U031	Disconnect	Unknown	20
2025-11-11 F003		U010	Disconnect	Network issue	5
2025-11-11 F001		U002	Connected	Firmware update	0
2025-11-11 F002		U007	Connected	Manual reboot	0
2025-11-11 F003		U010	Disconnect	Manual reboot	8
2025-11-11 F004		U015	Disconnect	Network issue	17
2025-11-11 F006		U022	Connected	Unknown	0
2025-11-11 F003		U010	Connected	Unknown	0
2025-11-11 F009		U035	Disconnect	Signal lost	15
2025-11-11 F001		U002	Disconnect	Network issue	3
2025-11-11 F003		U010	Connected	Manual reboot	0
2025-11-11 F007		U025	Disconnect	Signal lost	1
2025-11-11 F008		U029	Connected	Unknown	0
2025-11-11 F010		U037	Disconnect	Signal lost	16
2025-11-11 F004		U014	Connected	Manual reboot	0
2025-11-11 F002		U007	Disconnect	Unknown	13
2025-11-11 F005		U017	Connected	Firmware update	0
2025-11-11 F007		U025	Connected	Firmware update	0
2025-11-11 F010		U040	Connected	Network issue	0
2025-11-11 F006		U022	Connected	Signal lost	0
2025-11-11 F007		U026	Disconnect	Unknown	2
2025-11-11 F008		U030	Connected	Network issue	0
2025-11-11 F009		U036	Disconnect	Signal lost	18
2025-11-11 F010		U040	Connected	Manual reboot	0
2025-11-11 F005		U018	Disconnect	Unknown	18

2025-11-17 F006	U024	Disconnect Signal lost	2
2025-11-17 F008	U031	Connected Unknown	0
2025-11-18 F001	U001	Disconnect Signal lost	20
2025-11-18 F002	U005	Disconnect Manual reb	20
2025-11-18 F003	U012	Disconnect Unknown	1
2025-11-18 F001	U003	Disconnect Firmware u	9
2025-11-18 F003	U012	Disconnect Manual reb	4
2025-11-18 F005	U019	Disconnect Signal lost	14
2025-11-18 F006	U024	Connected Unknown	0
2025-11-18 F008	U030	Disconnect Manual reb	1
2025-11-18 F009	U036	Connected Signal lost	0
2025-11-20 F005	U019	Connected Firmware u	0
2025-11-20 F009	U033	Disconnect Firmware u	19
2025-11-20 F004	U013	Connected Signal lost	0
2025-11-20 F005	U017	Disconnect Firmware u	19
2025-11-20 F007	U026	Connected Manual reb	0
2025-11-20 F008	U029	Disconnect Firmware u	9
2025-11-20 F009	U034	Connected Network iss	0
2025-11-24 F005	U020	Disconnect Firmware u	28
2025-11-24 F008	U030	Disconnect Network iss	9
2025-11-25 F003	U012	Disconnect Unknown	18
2025-11-25 F007	U025	Disconnect Manual reb	15
2025-11-25 F008	U030	Disconnect Unknown	27
2025-11-25 F001	U003	Disconnect Unknown	24
2025-11-25 F003	U009	Disconnect Firmware u	25
2025-11-25 F007	U025	Disconnect Firmware u	10
2025-11-25 F008	U029	Disconnect Firmware u	8
2025-11-25 F009	U033	Disconnect Unknown	27
2025-11-25 F010	U040	Disconnect Manual reb	22
2025-11-28 F002	U006	Disconnect Manual reb	5
2025-11-28 F004	U013	Disconnect Network iss	32
2025-11-29 F001	U003	Disconnect Signal lost	18
2025-11-29 F002	U005	Connected Manual reb	0
2025-11-30 F001	U001	Connected Firmware u	0
2025-11-30 F005	U019	Disconnect Network iss	7
2025-11-30 F008	U030	Connected Firmware u	0
2025-11-30 F009	U033	Connected Unknown	0
2025-12-01 F001	U004	Disconnect Unknown	14
2025-12-01 F002	U008	Connected Firmware u	0
2025-12-01 F003	U012	Disconnect Manual reb	19
2025-12-01 F008	U031	Disconnect Signal lost	29
2025-12-01 F009	U036	Connected Firmware u	0
2025-12-01 F001	U002	Connected Manual reb	0
2025-12-01 F002	U005	Connected Network iss	0
2025-12-01 F005	U020	Disconnect Firmware u	19
2025-12-01 F008	U030	Connected Network iss	0
2025-12-04 F001	U002	Disconnect Manual reb	10
2025-12-04 F010	U039	Disconnect Manual reb	12
2025-12-05 F001	U001	Disconnect Manual reb	23

2025-12-01 F010	U040	Connected Manual reb	0
2025-12-01 F003	U012	Disconnect Unknown	10
2025-12-01 F004	U013	Disconnect Manual reb	1
2025-12-01 F005	U020	Disconnect Unknown	18
2025-12-01 F007	U025	Disconnect Signal lost	19
2025-12-01 F008	U032	Disconnect Unknown	11
2025-12-01 F009	U034	Connected Network iss	0
2025-12-01 F010	U037	Connected Signal lost	0
2025-12-01 F002	U008	Connected Network iss	0
2025-12-01 F005	U019	Disconnect Firmware u	28
2025-12-01 F006	U021	Disconnect Firmware u	12
2025-12-01 F003	U010	Disconnect Unknown	5
2025-12-01 F005	U017	Disconnect Network iss	5
2025-12-01 F010	U037	Connected Firmware u	0
2025-12-01 F007	U026	Disconnect Firmware u	14
2025-12-01 F008	U030	Disconnect Firmware u	8
2025-12-11 F009	U034	Disconnect Signal lost	21

date	facility_id	a_quality_score	missing_records	latency_ms
2025-11-01	F001	0,781	28	92
2025-11-01	F002	0,87	19	61
2025-11-01	F003	0,865	3	15
2025-11-01	F004	0,881	16	76
2025-11-01	F005	0,879	5	104
2025-11-01	F006	0,834	22	39
2025-11-01	F007	0,862	0	59
2025-11-01	F008	0,949	20	119
2025-11-01	F009	0,926	3	66
2025-11-01	F010	0,861	28	32
2025-11-02	F001	0,945	23	153
2025-11-02	F002	0,88	22	171
2025-11-02	F003	0,869	0	15
2025-11-02	F004	0,936	0	65
2025-11-02	F005	0,922	16	97
2025-11-02	F006	0,911	27	41
2025-11-02	F007	0,866	7	113
2025-11-02	F008	0,945	19	127
2025-11-02	F009	0,841	31	140
2025-11-02	F010	0,937	32	15
2025-11-03	F001	0,874	7	108
2025-11-03	F002	0,847	22	134
2025-11-03	F003	0,935	17	40
2025-11-03	F004	0,858	27	111
2025-11-03	F005	0,898	10	15
2025-11-03	F006	0,846	34	28
2025-11-03	F007	0,909	25	29
2025-11-03	F008	0,909	24	80
2025-11-03	F009	0,99	0	122
2025-11-03	F010	0,891	22	97
2025-11-04	F001	0,863	17	15
2025-11-04	F002	0,93	17	105
2025-11-04	F003	0,953	18	85
2025-11-04	F004	0,856	7	127
2025-11-04	F005	0,972	12	81
2025-11-04	F006	0,855	26	106
2025-11-04	F007	0,99	6	64
2025-11-04	F008	0,912	21	71
2025-11-04	F009	0,856	23	108
2025-11-04	F010	0,854	28	126
2025-11-05	F001	0,907	15	102
2025-11-05	F002	0,857	15	15
2025-11-05	F003	0,944	0	140
2025-11-05	F004	0,883	12	54
2025-11-05	F005	0,886	29	15
2025-11-05	F006	0,964	18	31
2025-11-05	F007	0,846	31	42
2025-11-05	F008	0,842	26	93

2025-11-01 F009	0,853	17	38
2025-11-01 F010	0,955	25	101
2025-11-01 F001	0,918	32	79
2025-11-01 F002	0,841	19	163
2025-11-01 F003	0,849	11	96
2025-11-01 F004	0,897	5	124
2025-11-01 F005	0,99	16	43
2025-11-01 F006	0,823	17	124
2025-11-01 F007	0,924	14	56
2025-11-01 F008	0,845	23	116
2025-11-01 F009	0,823	30	102
2025-11-01 F010	0,97	1	25
2025-11-01 F001	0,893	20	151
2025-11-01 F002	0,935	12	38
2025-11-01 F003	0,962	5	145
2025-11-01 F004	0,886	30	107
2025-11-01 F005	0,893	9	66
2025-11-01 F006	0,921	15	56
2025-11-01 F007	0,892	15	15
2025-11-01 F008	0,923	5	33
2025-11-01 F009	0,816	0	25
2025-11-01 F010	0,865	34	58
2025-11-01 F001	0,909	19	85
2025-11-01 F002	0,896	3	138
2025-11-01 F003	0,99	0	39
2025-11-01 F004	0,886	5	100
2025-11-01 F005	0,864	36	127
2025-11-01 F006	0,911	25	124
2025-11-01 F007	0,872	6	83
2025-11-01 F008	0,943	16	16
2025-11-01 F009	0,86	14	76
2025-11-01 F010	0,99	1	100
2025-11-01 F001	0,974	37	63
2025-11-01 F002	0,925	20	87
2025-11-01 F003	0,895	19	15
2025-11-01 F004	0,934	16	71
2025-11-01 F005	0,99	8	63
2025-11-01 F006	0,99	6	57
2025-11-01 F007	0,893	23	88
2025-11-01 F008	0,835	9	55
2025-11-01 F009	0,896	19	96
2025-11-01 F010	0,811	25	90
2025-11-11 F001	0,969	19	124
2025-11-11 F002	0,923	28	100
2025-11-11 F003	0,895	37	115
2025-11-11 F004	0,929	2	28
2025-11-11 F005	0,915	16	55
2025-11-11 F006	0,907	30	107
2025-11-11 F007	0,843	13	47

2025-11-1(F008	0,881	10	60
2025-11-1(F009	0,837	13	57
2025-11-1(F010	0,754	35	123
2025-11-1: F001	0,881	15	33
2025-11-1: F002	0,985	33	86
2025-11-1: F003	0,951	16	26
2025-11-1: F004	0,879	16	61
2025-11-1: F005	0,889	14	76
2025-11-1: F006	0,903	4	51
2025-11-1: F007	0,836	24	15
2025-11-1: F008	0,958	28	67
2025-11-1: F009	0,77	11	77
2025-11-1: F010	0,849	9	141
2025-11-1: F001	0,933	5	16
2025-11-1: F002	0,884	12	99
2025-11-1: F003	0,873	20	157
2025-11-1: F004	0,941	14	72
2025-11-1: F005	0,882	26	54
2025-11-1: F006	0,902	15	59
2025-11-1: F007	0,831	18	77
2025-11-1: F008	0,925	9	128
2025-11-1: F009	0,856	32	15
2025-11-1: F010	0,922	19	48
2025-11-1: F001	0,921	27	15
2025-11-1: F002	0,925	0	41
2025-11-1: F003	0,981	9	33
2025-11-1: F004	0,89	35	15
2025-11-1: F005	0,847	29	154
2025-11-1: F006	0,895	2	163
2025-11-1: F007	0,98	21	47
2025-11-1: F008	0,898	13	93
2025-11-1: F009	0,973	23	36
2025-11-1: F010	0,969	18	107
2025-11-1: F001	0,973	3	78
2025-11-1: F002	0,873	0	93
2025-11-1: F003	0,99	0	78
2025-11-1: F004	0,932	16	75
2025-11-1: F005	0,835	17	49
2025-11-1: F006	0,791	26	118
2025-11-1: F007	0,903	17	122
2025-11-1: F008	0,911	24	68
2025-11-1: F009	0,966	18	87
2025-11-1: F010	0,836	17	46
2025-11-1: F001	0,868	6	37
2025-11-1: F002	0,99	28	156
2025-11-1: F003	0,839	15	28
2025-11-1: F004	0,865	5	129
2025-11-1: F005	0,88	25	104
2025-11-1: F006	0,99	0	130

2025-11-1\F007	0,957	5	120
2025-11-1\F008	0,917	12	47
2025-11-1\F009	0,864	35	80
2025-11-1\F010	0,939	7	48
2025-11-1\F001	0,954	1	63
2025-11-1\F002	0,902	16	72
2025-11-1\F003	0,92	21	109
2025-11-1\F004	0,851	12	127
2025-11-1\F005	0,945	1	94
2025-11-1\F006	0,801	15	155
2025-11-1\F007	0,853	6	110
2025-11-1\F008	0,823	8	103
2025-11-1\F009	0,868	12	109
2025-11-1\F010	0,921	17	66
2025-11-1\F001	0,919	13	98
2025-11-1\F002	0,875	13	40
2025-11-1\F003	0,898	6	35
2025-11-1\F004	0,913	17	111
2025-11-1\F005	0,878	19	102
2025-11-1\F006	0,922	6	85
2025-11-1\F007	0,918	15	15
2025-11-1\F008	0,908	37	65
2025-11-1\F009	0,864	18	92
2025-11-1\F010	0,96	2	109
2025-11-1\F001	0,93	13	93
2025-11-1\F002	0,951	23	34
2025-11-1\F003	0,941	14	82
2025-11-1\F004	0,904	13	127
2025-11-1\F005	0,896	3	64
2025-11-1\F006	0,909	27	104
2025-11-1\F007	0,857	39	90
2025-11-1\F008	0,964	13	101
2025-11-1\F009	0,942	27	122
2025-11-1\F010	0,944	11	57
2025-11-1\F001	0,917	24	71
2025-11-1\F002	0,953	29	43
2025-11-1\F003	0,858	13	92
2025-11-1\F004	0,874	28	96
2025-11-1\F005	0,902	0	27
2025-11-1\F006	0,914	0	120
2025-11-1\F007	0,892	47	172
2025-11-1\F008	0,891	13	119
2025-11-1\F009	0,985	0	15
2025-11-1\F010	0,869	20	99
2025-11-2\F001	0,953	3	15
2025-11-2\F002	0,943	6	15
2025-11-2\F003	0,907	22	75
2025-11-2\F004	0,877	13	65
2025-11-2\F005	0,833	7	100

2025-11-2(F006	0,916	16	40
2025-11-2(F007	0,891	0	87
2025-11-2(F008	0,971	0	56
2025-11-2(F009	0,916	27	62
2025-11-2(F010	0,865	0	84
2025-11-2: F001	0,99	17	79
2025-11-2: F002	0,916	14	47
2025-11-2: F003	0,941	17	80
2025-11-2: F004	0,851	28	106
2025-11-2: F005	0,872	25	60
2025-11-2: F006	0,861	7	15
2025-11-2: F007	0,924	0	30
2025-11-2: F008	0,796	14	73
2025-11-2: F009	0,884	4	33
2025-11-2: F010	0,923	9	92
2025-11-2: F001	0,856	16	132
2025-11-2: F002	0,929	10	90
2025-11-2: F003	0,888	15	66
2025-11-2: F004	0,892	17	40
2025-11-2: F005	0,849	1	15
2025-11-2: F006	0,839	16	44
2025-11-2: F007	0,926	15	15
2025-11-2: F008	0,933	23	40
2025-11-2: F009	0,921	6	83
2025-11-2: F010	0,837	0	64
2025-11-2: F001	0,894	11	32
2025-11-2: F002	0,88	17	78
2025-11-2: F003	0,909	8	126
2025-11-2: F004	0,841	19	127
2025-11-2: F005	0,924	12	58
2025-11-2: F006	0,952	0	41
2025-11-2: F007	0,88	27	95
2025-11-2: F008	0,852	11	55
2025-11-2: F009	0,865	24	25
2025-11-2: F010	0,98	23	123
2025-11-2: F001	0,877	13	22
2025-11-2: F002	0,874	19	131
2025-11-2: F003	0,845	11	73
2025-11-2: F004	0,83	20	51
2025-11-2: F005	0,89	10	48
2025-11-2: F006	0,9	12	65
2025-11-2: F007	0,864	18	146
2025-11-2: F008	0,907	24	24
2025-11-2: F009	0,908	4	20
2025-11-2: F010	0,863	26	118
2025-11-2: F001	0,912	0	72
2025-11-2: F002	0,915	16	15
2025-11-2: F003	0,855	14	101
2025-11-2: F004	0,79	13	85

2025-11-2\F005	0,942	21	103
2025-11-2\F006	0,86	0	64
2025-11-2\F007	0,95	28	108
2025-11-2\F008	0,921	18	57
2025-11-2\F009	0,893	31	42
2025-11-2\F010	0,981	11	133
2025-11-2\F001	0,83	20	50
2025-11-2\F002	0,829	17	120
2025-11-2\F003	0,858	0	76
2025-11-2\F004	0,896	20	117
2025-11-2\F005	0,897	33	88
2025-11-2\F006	0,883	0	69
2025-11-2\F007	0,883	24	98
2025-11-2\F008	0,841	16	106
2025-11-2\F009	0,976	23	110
2025-11-2\F010	0,903	18	129
2025-11-2\F001	0,833	11	49
2025-11-2\F002	0,919	27	56
2025-11-2\F003	0,78	10	116
2025-11-2\F004	0,927	19	68
2025-11-2\F005	0,836	20	46
2025-11-2\F006	0,99	20	56
2025-11-2\F007	0,869	14	70
2025-11-2\F008	0,956	16	50
2025-11-2\F009	0,99	15	110
2025-11-2\F010	0,87	18	92
2025-11-2\F001	0,806	35	131
2025-11-2\F002	0,88	3	93
2025-11-2\F003	0,904	18	87
2025-11-2\F004	0,925	29	102
2025-11-2\F005	0,848	28	145
2025-11-2\F006	0,99	3	89
2025-11-2\F007	0,796	20	58
2025-11-2\F008	0,99	7	15
2025-11-2\F009	0,876	0	110
2025-11-2\F010	0,797	15	15
2025-11-2\F001	0,884	31	94
2025-11-2\F002	0,857	14	80
2025-11-2\F003	0,924	1	103
2025-11-2\F004	0,765	8	60
2025-11-2\F005	0,932	15	23
2025-11-2\F006	0,851	16	76
2025-11-2\F007	0,871	10	107
2025-11-2\F008	0,874	14	166
2025-11-2\F009	0,829	0	111
2025-11-2\F010	0,866	11	48
2025-11-3\F001	0,887	30	112
2025-11-3\F002	0,943	0	33
2025-11-3\F003	0,758	6	118

2025-11-3(F004	0,926	12	79
2025-11-3(F005	0,866	17	110
2025-11-3(F006	0,819	17	117
2025-11-3(F007	0,879	22	192
2025-11-3(F008	0,895	18	50
2025-11-3(F009	0,909	19	87
2025-11-3(F010	0,849	17	138
2025-12-0(F001	0,922	24	70
2025-12-0(F002	0,937	17	41
2025-12-0(F003	0,916	5	54
2025-12-0(F004	0,909	17	32
2025-12-0(F005	0,953	20	51
2025-12-0(F006	0,823	13	62
2025-12-0(F007	0,906	11	15
2025-12-0(F008	0,881	11	105
2025-12-0(F009	0,865	31	15
2025-12-0(F010	0,966	12	114
2025-12-0(F001	0,904	26	64
2025-12-0(F002	0,845	29	75
2025-12-0(F003	0,911	27	38
2025-12-0(F004	0,93	9	74
2025-12-0(F005	0,904	0	48
2025-12-0(F006	0,968	23	77
2025-12-0(F007	0,912	12	134
2025-12-0(F008	0,89	17	125
2025-12-0(F009	0,861	30	18
2025-12-0(F010	0,981	11	70
2025-12-0(F001	0,805	10	38
2025-12-0(F002	0,87	13	118
2025-12-0(F003	0,91	18	36
2025-12-0(F004	0,856	32	50
2025-12-0(F005	0,983	12	80
2025-12-0(F006	0,954	27	75
2025-12-0(F007	0,881	14	93
2025-12-0(F008	0,945	15	104
2025-12-0(F009	0,982	18	92
2025-12-0(F010	0,824	0	95
2025-12-0(F001	0,895	9	89
2025-12-0(F002	0,897	26	83
2025-12-0(F003	0,863	24	71
2025-12-0(F004	0,926	10	54
2025-12-0(F005	0,904	15	99
2025-12-0(F006	0,887	0	62
2025-12-0(F007	0,94	12	70
2025-12-0(F008	0,949	7	18
2025-12-0(F009	0,892	10	41
2025-12-0(F010	0,891	19	79
2025-12-0(F001	0,915	33	66
2025-12-0(F002	0,914	9	46

2025-12-0! F003	0,871	10	94
2025-12-0! F004	0,99	7	63
2025-12-0! F005	0,897	18	90
2025-12-0! F006	0,964	0	15
2025-12-0! F007	0,875	25	17
2025-12-0! F008	0,75	20	89
2025-12-0! F009	0,845	5	41
2025-12-0! F010	0,906	8	99
2025-12-0! F001	0,757	6	34
2025-12-0! F002	0,887	9	111
2025-12-0! F003	0,807	15	102
2025-12-0! F004	0,99	10	92
2025-12-0! F005	0,81	0	113
2025-12-0! F006	0,9	26	25
2025-12-0! F007	0,926	33	96
2025-12-0! F008	0,914	15	17
2025-12-0! F009	0,968	8	100
2025-12-0! F010	0,822	3	137
2025-12-0! F001	0,883	29	76
2025-12-0! F002	0,808	23	56
2025-12-0! F003	0,935	15	18
2025-12-0! F004	0,908	36	99
2025-12-0! F005	0,897	25	88
2025-12-0! F006	0,91	4	89
2025-12-0! F007	0,952	6	136
2025-12-0! F008	0,895	6	119
2025-12-0! F009	0,886	22	68
2025-12-0! F010	0,897	19	91
2025-12-0! F001	0,8	3	117
2025-12-0! F002	0,893	9	25
2025-12-0! F003	0,846	0	75
2025-12-0! F004	0,87	5	77
2025-12-0! F005	0,918	35	19
2025-12-0! F006	0,958	24	48
2025-12-0! F007	0,91	10	87
2025-12-0! F008	0,975	21	100
2025-12-0! F009	0,878	0	71
2025-12-0! F010	0,96	0	37
2025-12-0! F001	0,906	5	48
2025-12-0! F002	0,879	1	41
2025-12-0! F003	0,935	1	16
2025-12-0! F004	0,868	22	72
2025-12-0! F005	0,877	15	15
2025-12-0! F006	0,925	18	63
2025-12-0! F007	0,95	3	125
2025-12-0! F008	0,908	11	79
2025-12-0! F009	0,895	27	36
2025-12-0! F010	0,862	25	56
2025-12-1! F001	0,945	31	63

2025-12-1(F002	0,934	3	110
2025-12-1(F003	0,91	19	54
2025-12-1(F004	0,817	20	15
2025-12-1(F005	0,884	24	87
2025-12-1(F006	0,99	25	53
2025-12-1(F007	0,901	14	16
2025-12-1(F008	0,853	9	15
2025-12-1(F009	0,902	12	15
2025-12-1(F010	0,92	22	89

facility_id	period_start	period_end	hits_sold_30	units_active
F001	2025-11-1	2025-12-1	3	3
F002	2025-11-1	2025-12-1	5	4
F003	2025-11-1	2025-12-1	2	3
F004	2025-11-1	2025-12-1	2	4
F005	2025-11-1	2025-12-1	3	4
F006	2025-11-1	2025-12-1	3	4
F007	2025-11-1	2025-12-1	4	4
F008	2025-11-1	2025-12-1	1	4
F009	2025-11-1	2025-12-1	0	3
F010	2025-11-1	2025-12-1	1	4

role	owed_facilit	domains
ops_eu	F001,F002,	errors,connectivity,usage,quality
ops_us	F005,F006	errors,connectivity,usage
mgmt	*	errors,connectivity,usage,quality,sales

timestamp	facility_id	usage_hour	rokes_track	ournament	error_count	connect_co	quality_score
2025-11-0: F001		4,32	465	1	3	0	0,781
2025-11-0: F002		5,38	584	0	0	0	0,87
2025-11-0: F003		6,38	775	0	1	0	0,865
2025-11-0: F004		8,25	998	0	0	0	0,881
2025-11-0: F005		5,22	611	0	0	0	0,879
2025-11-0: F006		6,91	882	0	1	1	0,834
2025-11-0: F007		6,7	784	1	0	0	0,862
2025-11-0: F008		6,75	840	0	0	1	0,949
2025-11-0: F009		7,71	971	0	0	0	0,926
2025-11-0: F010		4,64	541	0	1	0	0,861
2025-11-0: F001		3,9	458	0	0	0	0,945
2025-11-0: F002		5,36	711	0	1	0	0,88
2025-11-0: F003		7,74	896	0	1	0	0,869
2025-11-0: F004		6,3	833	0	1	0	0,936
2025-11-0: F005		3,43	396	0	0	0	0,922
2025-11-0: F006		3,12	392	0	0	0	0,911
2025-11-0: F007		2,66	294	0	1	0	0,866
2025-11-0: F008		5,52	678	0	0	1	0,945
2025-11-0: F009		4,44	580	0	0	0	0,841
2025-11-0: F010		5,73	671	0	0	0	0,937
2025-11-0: F001		7,66	932	0	0	0	0,874
2025-11-0: F002		2,34	259	0	0	0	0,847
2025-11-0: F003		6,17	761	0	0	0	0,935
2025-11-0: F004		6,62	790	0	0	0	0,858
2025-11-0: F005		6,17	739	0	0	0	0,898
2025-11-0: F006		6,4	890	0	0	0	0,846
2025-11-0: F007		7,14	872	0	0	0	0,909
2025-11-0: F008		6,9	865	0	1	1	0,909
2025-11-0: F009		9,37	1054	0	0	0	0,99
2025-11-0: F010		2,55	277	0	0	1	0,891
2025-11-0: F001		2,29	277	0	1	0	0,863
2025-11-0: F002		6,59	868	0	1	1	0,93
2025-11-0: F003		4,68	545	0	0	0	0,953
2025-11-0: F004		6,36	701	0	0	0	0,856
2025-11-0: F005		2,27	281	0	1	0	0,972
2025-11-0: F006		5,62	713	0	0	0	0,855
2025-11-0: F007		6,95	848	0	0	0	0,99
2025-11-0: F008		3,75	461	0	0	0	0,912
2025-11-0: F009		6,66	763	0	0	1	0,856
2025-11-0: F010		6,34	784	0	0	0	0,854
2025-11-0: F001		4,56	586	0	0	0	0,907
2025-11-0: F002		8,6	1052	0	0	0	0,857
2025-11-0: F003		4,1	453	0	1	0	0,944
2025-11-0: F004		7,26	887	0	0	0	0,883
2025-11-0: F005		3,35	474	0	0	0	0,886
2025-11-0: F006		6,09	687	0	0	0	0,964
2025-11-0: F007		6,5	804	1	0	0	0,846
2025-11-0: F008		7,12	889	1	1	1	0,842

2025-11-01 F009	4,88	582	0	1	0	0,853
2025-11-01 F010	3,64	360	0	1	0	0,955
2025-11-01 F001	5,57	605	0	1	0	0,918
2025-11-01 F002	3,61	441	1	1	0	0,841
2025-11-01 F003	7,39	830	0	0	0	0,849
2025-11-01 F004	8,79	1107	0	0	0	0,897
2025-11-01 F005	3,94	498	1	0	0	0,99
2025-11-01 F006	7,94	1145	0	0	0	0,823
2025-11-01 F007	6,58	822	0	1	1	0,924
2025-11-01 F008	5,68	670	0	1	0	0,845
2025-11-01 F009	7,44	799	0	0	1	0,823
2025-11-01 F010	2,9	402	0	0	0	0,97
2025-11-01 F001	4,72	600	0	1	1	0,893
2025-11-01 F002	5,38	613	0	0	0	0,935
2025-11-01 F003	3,14	386	0	1	0	0,962
2025-11-01 F004	2,67	314	1	0	1	0,886
2025-11-01 F005	4,93	634	0	0	0	0,893
2025-11-01 F006	6,9	795	0	0	0	0,921
2025-11-01 F007	2,41	334	0	0	0	0,892
2025-11-01 F008	6,95	885	0	0	0	0,923
2025-11-01 F009	8,12	938	0	0	0	0,816
2025-11-01 F010	3,85	500	0	0	0	0,865
2025-11-01 F001	6,53	865	0	0	0	0,909
2025-11-01 F002	3,33	472	0	0	0	0,896
2025-11-01 F003	3,33	350	0	0	0	0,99
2025-11-01 F004	6,87	827	1	0	0	0,886
2025-11-01 F005	6,97	916	0	1	1	0,864
2025-11-01 F006	3,42	402	1	0	0	0,911
2025-11-01 F007	6,04	738	0	2	0	0,872
2025-11-01 F008	6,79	785	0	1	0	0,943
2025-11-01 F009	8,42	1055	0	1	0	0,86
2025-11-01 F010	6,68	759	0	0	1	0,99
2025-11-01 F001	3,83	459	0	0	0	0,974
2025-11-01 F002	7,46	922	0	0	0	0,925
2025-11-01 F003	4,14	537	0	1	1	0,895
2025-11-01 F004	6,36	828	0	0	0	0,934
2025-11-01 F005	6,36	778	1	1	0	0,99
2025-11-01 F006	5,2	583	0	0	1	0,99
2025-11-01 F007	9,87	1242	0	0	0	0,893
2025-11-01 F008	8,33	998	0	0	1	0,835
2025-11-01 F009	5,6	721	0	0	0	0,896
2025-11-01 F010	3,19	403	0	1	0	0,811
2025-11-11 F001	3,83	472	0	0	0	0,969
2025-11-11 F002	3,88	441	0	0	0	0,923
2025-11-11 F003	3,59	358	0	0	1	0,895
2025-11-11 F004	4,34	485	0	1	0	0,929
2025-11-11 F005	3,12	417	0	0	0	0,915
2025-11-11 F006	7,17	860	0	0	0	0,907
2025-11-11 F007	7,06	862	0	1	0	0,843

2025-11-1(F008	3,65	432	0	0	0	0,881
2025-11-1(F009	7,79	946	0	0	0	0,837
2025-11-1(F010	4,35	522	0	0	0	0,754
2025-11-1: F001	3,92	577	0	0	0	0,881
2025-11-1: F002	2,69	431	0	0	0	0,985
2025-11-1: F003	2,66	213	0	0	1	0,951
2025-11-1: F004	3,86	480	0	0	1	0,879
2025-11-1: F005	6,36	718	1	0	0	0,889
2025-11-1: F006	3,91	403	1	0	0	0,903
2025-11-1: F007	8,26	1050	1	1	0	0,836
2025-11-1: F008	2,91	262	1	0	0	0,958
2025-11-1: F009	9,28	1107	0	1	0	0,77
2025-11-1: F010	6,06	727	0	0	0	0,849
2025-11-1: F001	5,38	623	0	0	0	0,933
2025-11-1: F002	7,09	856	0	0	0	0,884
2025-11-1: F003	4,94	515	0	0	0	0,873
2025-11-1: F004	9,14	1173	0	1	0	0,941
2025-11-1: F005	4,46	637	0	0	0	0,882
2025-11-1: F006	10,09	1243	0	0	0	0,902
2025-11-1: F007	9,31	1169	0	0	0	0,831
2025-11-1: F008	5,22	612	0	2	0	0,925
2025-11-1: F009	5,22	707	0	0	1	0,856
2025-11-1: F010	5,36	557	0	0	0	0,922
2025-11-1: F001	6,28	649	0	0	1	0,921
2025-11-1: F002	4,24	527	0	0	0	0,925
2025-11-1: F003	2,58	306	0	0	0	0,981
2025-11-1: F004	4,58	523	0	0	0	0,89
2025-11-1: F005	5,67	675	0	0	0	0,847
2025-11-1: F006	4,52	641	0	1	0	0,895
2025-11-1: F007	6,37	729	0	0	1	0,98
2025-11-1: F008	6,57	782	0	0	0	0,898
2025-11-1: F009	6,12	707	0	0	0	0,973
2025-11-1: F010	2,82	262	0	0	1	0,969
2025-11-1: F001	5,3	665	0	0	0	0,973
2025-11-1: F002	3,68	435	0	0	0	0,873
2025-11-1: F003	5,57	630	0	0	0	0,99
2025-11-1: F004	4,34	488	0	0	0	0,932
2025-11-1: F005	2,5	384	0	0	0	0,835
2025-11-1: F006	5,47	659	0	1	0	0,791
2025-11-1: F007	3,63	383	0	0	0	0,903
2025-11-1: F008	4,15	543	0	0	0	0,911
2025-11-1: F009	6,35	789	0	0	0	0,966
2025-11-1: F010	5,77	667	0	0	0	0,836
2025-11-1: F001	4,38	484	1	0	0	0,868
2025-11-1: F002	6,1	686	0	0	1	0,99
2025-11-1: F003	3,82	496	0	0	0	0,839
2025-11-1: F004	5,44	690	0	1	0	0,865
2025-11-1: F005	5,76	719	0	0	0	0,88
2025-11-1: F006	3,26	393	0	1	0	0,99

2025-11-1\F007	4,11	409	0	1	0	0,957
2025-11-1\F008	5,77	694	0	0	0	0,917
2025-11-1\F009	8,67	1011	0	0	0	0,864
2025-11-1\F010	3,96	547	0	0	0	0,939
2025-11-1\F001	4,02	472	1	0	0	0,954
2025-11-1\F002	7,75	900	0	0	0	0,902
2025-11-1\F003	3,42	403	0	0	0	0,92
2025-11-1\F004	3,71	425	0	0	0	0,851
2025-11-1\F005	4,78	552	0	0	0	0,945
2025-11-1\F006	5,45	637	0	0	0	0,801
2025-11-1\F007	5,14	566	0	0	1	0,853
2025-11-1\F008	6,35	846	0	1	0	0,823
2025-11-1\F009	7,39	775	0	0	1	0,868
2025-11-1\F010	3,32	454	0	0	0	0,921
2025-11-1\F001	7,1	965	0	0	0	0,919
2025-11-1\F002	2,91	307	0	0	0	0,875
2025-11-1\F003	4,41	505	0	0	0	0,898
2025-11-1\F004	7,72	900	0	1	0	0,913
2025-11-1\F005	3,07	319	0	0	1	0,878
2025-11-1\F006	7,28	827	0	1	1	0,922
2025-11-1\F007	5,81	790	0	1	0	0,918
2025-11-1\F008	5,21	700	1	0	0	0,908
2025-11-1\F009	5,64	620	0	0	0	0,864
2025-11-1\F010	6,45	810	1	1	0	0,96
2025-11-1\F001	6,67	824	0	1	1	0,93
2025-11-1\F002	8,75	1024	1	0	1	0,951
2025-11-1\F003	3,55	419	0	0	1	0,941
2025-11-1\F004	4,39	581	0	0	0	0,904
2025-11-1\F005	5,18	599	0	0	0	0,896
2025-11-1\F006	3,54	341	1	1	0	0,909
2025-11-1\F007	2,4	222	0	0	0	0,857
2025-11-1\F008	7,08	774	0	0	0	0,964
2025-11-1\F009	7,28	965	0	0	0	0,942
2025-11-1\F010	4,87	570	0	0	0	0,944
2025-11-1\F001	10,15	1220	0	1	1	0,917
2025-11-1\F002	3,55	418	0	1	0	0,953
2025-11-1\F003	3,3	368	0	3	1	0,858
2025-11-1\F004	7,09	925	0	2	0	0,874
2025-11-1\F005	8,08	865	0	0	1	0,902
2025-11-1\F006	6,34	722	0	0	0	0,914
2025-11-1\F007	8,55	1089	0	0	0	0,892
2025-11-1\F008	5,23	570	0	0	1	0,891
2025-11-1\F009	2,86	367	0	0	0	0,985
2025-11-1\F010	7,1	833	0	0	0	0,869
2025-11-2\F001	2,99	417	0	0	0	0,953
2025-11-2\F002	5,04	589	0	0	0	0,943
2025-11-2\F003	3,7	381	0	1	0	0,907
2025-11-2\F004	6,86	876	0	2	0	0,877
2025-11-2\F005	2,29	304	0	0	0	0,833

2025-11-2(F006	3,13	460	1	0	0	0,916
2025-11-2(F007	5,85	721	0	1	0	0,891
2025-11-2(F008	3,45	422	0	1	0	0,971
2025-11-2(F009	7,68	835	0	0	0	0,916
2025-11-2(F010	4,52	532	0	0	0	0,865
2025-11-2: F001	6,85	783	1	1	0	0,99
2025-11-2: F002	7,55	856	0	0	0	0,916
2025-11-2: F003	4,7	588	0	0	0	0,941
2025-11-2: F004	7,62	963	0	0	0	0,851
2025-11-2: F005	2,19	199	0	0	0	0,872
2025-11-2: F006	6,94	796	0	0	0	0,861
2025-11-2: F007	6,8	745	0	0	0	0,924
2025-11-2: F008	6,56	839	0	0	0	0,796
2025-11-2: F009	7,91	958	0	2	1	0,884
2025-11-2: F010	4,82	584	0	0	0	0,923
2025-11-2: F001	6,91	793	0	0	0	0,856
2025-11-2: F002	4,3	604	0	0	0	0,929
2025-11-2: F003	6,21	716	0	0	0	0,888
2025-11-2: F004	5,08	531	0	2	0	0,892
2025-11-2: F005	5,26	661	0	0	0	0,849
2025-11-2: F006	6,77	842	0	1	0	0,839
2025-11-2: F007	5,39	670	0	0	0	0,926
2025-11-2: F008	5,83	709	0	0	0	0,933
2025-11-2: F009	5,5	712	1	0	0	0,921
2025-11-2: F010	5,29	669	0	1	0	0,837
2025-11-2: F001	4,56	520	0	1	0	0,894
2025-11-2: F002	2,93	336	0	0	0	0,88
2025-11-2: F003	8,1	926	0	0	0	0,909
2025-11-2: F004	9,46	1144	0	1	0	0,841
2025-11-2: F005	7,63	959	0	0	1	0,924
2025-11-2: F006	3,42	463	0	1	0	0,952
2025-11-2: F007	2,87	414	0	0	0	0,88
2025-11-2: F008	6,92	903	0	1	1	0,852
2025-11-2: F009	3,94	459	0	2	0	0,865
2025-11-2: F010	6,54	746	0	0	0	0,98
2025-11-2: F001	5,3	647	0	0	0	0,877
2025-11-2: F002	5,63	664	0	0	0	0,874
2025-11-2: F003	5,77	700	0	0	0	0,845
2025-11-2: F004	3,91	437	0	0	0	0,83
2025-11-2: F005	3,86	430	0	1	1	0,89
2025-11-2: F006	6,98	908	0	0	0	0,9
2025-11-2: F007	4,83	551	0	1	0	0,864
2025-11-2: F008	5,1	689	0	0	1	0,907
2025-11-2: F009	9,18	1071	0	0	0	0,908
2025-11-2: F010	6,97	850	0	1	0	0,863
2025-11-2: F001	5,71	676	0	1	0	0,912
2025-11-2: F002	6,67	798	0	0	0	0,915
2025-11-2: F003	10,18	1195	0	1	1	0,855
2025-11-2: F004	3,58	555	0	0	0	0,79

2025-11-2\F005	6,86	856	0	0	0	0,942
2025-11-2\F006	8,29	1024	0	2	0	0,86
2025-11-2\F007	4,84	621	0	0	1	0,95
2025-11-2\F008	4,93	660	0	0	1	0,921
2025-11-2\F009	6,12	726	0	0	0	0,893
2025-11-2\F010	3,49	437	0	0	0	0,981
2025-11-2\F001	2,97	365	0	0	0	0,83
2025-11-2\F002	7,38	918	0	0	0	0,829
2025-11-2\F003	8,05	978	1	0	0	0,858
2025-11-2\F004	7,72	956	0	1	0	0,896
2025-11-2\F005	5,54	641	0	0	0	0,897
2025-11-2\F006	7,54	911	0	0	0	0,883
2025-11-2\F007	3,73	420	0	1	0	0,883
2025-11-2\F008	5,76	769	0	3	0	0,841
2025-11-2\F009	4,27	439	0	0	0	0,976
2025-11-2\F010	4,53	579	0	1	0	0,903
2025-11-2\F001	6,4	811	0	0	1	0,833
2025-11-2\F002	7,12	849	0	0	0	0,919
2025-11-2\F003	4,74	556	0	0	1	0,78
2025-11-2\F004	3,73	385	0	0	0	0,927
2025-11-2\F005	5,45	671	0	0	0	0,836
2025-11-2\F006	6,86	855	0	0	0	0,99
2025-11-2\F007	7,23	877	0	0	1	0,869
2025-11-2\F008	4,21	471	0	0	1	0,956
2025-11-2\F009	6,19	749	0	0	1	0,99
2025-11-2\F010	4,75	547	0	0	1	0,87
2025-11-2\F001	3,18	358	0	1	0	0,806
2025-11-2\F002	4,07	527	0	0	1	0,88
2025-11-2\F003	4,82	530	0	0	0	0,904
2025-11-2\F004	6,28	753	0	1	1	0,925
2025-11-2\F005	6,46	764	0	1	0	0,848
2025-11-2\F006	6,36	750	0	1	0	0,99
2025-11-2\F007	6,75	759	0	0	0	0,796
2025-11-2\F008	3,06	339	0	0	0	0,99
2025-11-2\F009	4,02	551	0	1	0	0,876
2025-11-2\F010	4,53	547	0	0	0	0,797
2025-11-2\F001	3,77	497	0	0	1	0,884
2025-11-2\F002	8,1	1038	0	1	0	0,857
2025-11-2\F003	3,55	512	0	0	0	0,924
2025-11-2\F004	5,55	633	0	0	0	0,765
2025-11-2\F005	6,89	853	0	0	0	0,932
2025-11-2\F006	6,82	905	0	0	0	0,851
2025-11-2\F007	4,84	582	0	0	0	0,871
2025-11-2\F008	6,46	762	0	1	0	0,874
2025-11-2\F009	3,25	365	0	1	0	0,829
2025-11-2\F010	5,71	696	0	1	0	0,866
2025-11-3\F001	6,73	861	1	1	0	0,887
2025-11-3\F002	5,29	667	1	0	0	0,943
2025-11-3\F003	2,28	347	0	0	0	0,758

2025-11-3(F004	7,33	903	0	0	0	0,926
2025-11-3(F005	4,62	553	0	0	1	0,866
2025-11-3(F006	5,95	752	0	1	0	0,819
2025-11-3(F007	2,99	303	0	2	0	0,879
2025-11-3(F008	4,39	585	0	0	0	0,895
2025-11-3(F009	7,29	898	0	0	0	0,909
2025-11-3(F010	6,41	705	0	0	0	0,849
2025-12-0(F001	6,29	732	0	0	1	0,922
2025-12-0(F002	4	463	0	1	0	0,937
2025-12-0(F003	4,03	587	0	0	0	0,916
2025-12-0(F004	5,71	696	0	1	0	0,909
2025-12-0(F005	4,26	509	1	0	0	0,953
2025-12-0(F006	7,24	865	0	0	0	0,823
2025-12-0(F007	4,52	559	0	0	0	0,906
2025-12-0(F008	7,86	936	0	0	0	0,881
2025-12-0(F009	6,84	768	0	0	0	0,865
2025-12-0(F010	5,79	790	0	0	0	0,966
2025-12-0(F001	5,45	678	0	0	0	0,904
2025-12-0(F002	9,67	1158	0	0	0	0,845
2025-12-0(F003	5,83	759	0	0	1	0,911
2025-12-0(F004	5,83	642	0	0	0	0,93
2025-12-0(F005	6,27	768	0	0	0	0,904
2025-12-0(F006	5,79	717	0	1	0	0,968
2025-12-0(F007	7,98	895	0	0	0	0,912
2025-12-0(F008	4,05	554	0	0	1	0,89
2025-12-0(F009	4,16	500	0	0	0	0,861
2025-12-0(F010	8,75	1007	0	0	0	0,981
2025-12-0(F001	4,78	507	0	1	0	0,805
2025-12-0(F002	7,85	992	0	1	0	0,87
2025-12-0(F003	5,63	658	0	0	0	0,91
2025-12-0(F004	3,35	319	0	0	0	0,856
2025-12-0(F005	5,33	668	0	1	1	0,983
2025-12-0(F006	5,28	647	1	0	0	0,954
2025-12-0(F007	5,7	669	0	0	0	0,881
2025-12-0(F008	4,55	490	0	1	0	0,945
2025-12-0(F009	6,52	704	0	0	0	0,982
2025-12-0(F010	2,55	295	0	0	0	0,824
2025-12-0(F001	5,45	586	0	1	1	0,895
2025-12-0(F002	5,84	712	0	1	0	0,897
2025-12-0(F003	9,3	1121	0	1	0	0,863
2025-12-0(F004	6,98	802	0	1	0	0,926
2025-12-0(F005	6,76	748	0	1	0	0,904
2025-12-0(F006	4,74	553	0	0	0	0,887
2025-12-0(F007	5,08	568	0	0	0	0,94
2025-12-0(F008	7	871	0	0	0	0,949
2025-12-0(F009	5,81	699	0	0	0	0,892
2025-12-0(F010	4,19	474	0	0	1	0,891
2025-12-0(F001	6,36	723	0	0	1	0,915
2025-12-0(F002	7,84	969	0	0	0	0,914