



http://127.0.0.1:8000/

Explore

# Snippets API v1

[ Base URL: 127.0.0.1:8000/ ]  
<http://127.0.0.1:8000/swagger/?format=openapi>

[Terms of service](#)

[Contact the developer](#)

[MIT License](#)

Schemes

HTTP

Django admin@admin.admin

[Django Logout](#)

[Authorize](#)

[Filter by tag](#)

## accounts



POST /accounts/api/v1/jwt/token/

accounts\_api\_v1\_jwt\_token\_create

### Custom TokenObtainPairView

#### (Actually) Login View

Takes username and password  
and returns an access token and a refresh token.

##### Parameters

[Try it out](#)

Name	Description
<b>data</b> * required	
<b>object</b>	Example Value Model
<i>(body)</i>	
<b>CustomTokenObtainPair</b> {	
<b>email*</b>	string title: Email or Username maxLength: 32 minLength: 6
<b>password*</b>	string title: Password minLength: 1
}	

<b>data</b> * required	
<b>object</b>	Example Value Model
<i>(body)</i>	
<b>CustomTokenObtainPair</b> {	
<b>email*</b>	string title: Email or Username maxLength: 32 minLength: 6
<b>password*</b>	string title: Password minLength: 1
}	

## Responses

Response content type

application/json

## Code Description

201

Example Value Model

```
CustomTokenObtainPair {
    email*           string
                      title: Email or Username
                      maxLength: 32
                      minLength: 6
    password*        string
                      title: Password
                      minLength: 1
}
```

POST /accounts/api/v1/jwt/token/refresh/

accounts\_api\_v1\_jwt\_token\_refresh\_create ▲ 🔒

Takes a refresh type JSON web token and returns an access type JSON web token if the refresh token is valid.

## Parameters

Try it out

## Name Description

**data** \* requiredobject Example Value Model  
(body)

```
TokenRefresh {
    refresh*         string
                      title: Refresh
                      minLength: 1
}
```

## Responses

Response content type

application/json

Code	Description
------	-------------

201

Example Value [Model](#)

```
TokenRefresh {
    refresh* {
        string
        title: Refresh
        minLength: 1
    }
    access {
        string
        title: Access
        readOnly: true
    }
}
```

GET /accounts/api/v1/profile/

accounts\_api\_v1\_profile\_list ▾ 🔒

## Profile Model View Set

A user can perform these actions:

- retrieve
- update
- partial\_update
- follow
- unfollow
- followers
- followings
- do\_i\_follow\_you
- do\_you\_follow\_me

A admin user can perform all above + :

- create
- destroy
- list

### Parameters

[Try it out](#)

No parameters

### Responses

Response content type

application/json

Code	Description
------	-------------

200

Example Value [Model](#)

Code	Description
<pre>[ProfileModel {     id           integer     title: Id     readOnly: true     email        string(\$email)     title: Email     readOnly: true     minLength: 1     username     string     title: Username     readOnly: true     minLength: 1     name         string     title: Name     maxLength: 128     minLength: 1     profile_avatar string(\$uri)     title: Profile avatar     readOnly: true     avatar       string     title: Avatar     readOnly: true     maxLength: 256     minLength: 1 }]</pre>	

POST /accounts/api/v1/profile/

accounts\_api\_v1\_profile\_create 

## Profile Model View Set

A user can perform these actions:

- retrieve
- update
- partial\_update
- follow
- unfollow
- followers
- followings
- do\_i\_follow\_you
- do\_you\_follow\_me

A admin user can perform all above + :

- create
- destroy
- list

### Parameters

[Try it out](#)

Name	Description
name	<input type="text" value="name"/>
profile_avatar	<input type="file" value="Choose File N...en"/> (formData)

**Responses**

Response content type

application/json

**Code**      **Description**

201

Example Value [Model](#)

```
ProfileModel {
    id           integer
    title: Id
    readOnly: true
    email        string($email)
    title: Email
    readOnly: true
    minLength: 1
    username     string
    title: Username
    readOnly: true
    minLength: 1
    name         string
    title: Name
    maxLength: 128
    minLength: 1
    profile_avatar string($uri)
    title: Profile avatar
    readOnly: true
    avatar       string
    title: Avatar
    readOnly: true
    maxLength: 256
    minLength: 1
}
```

**GET**[/accounts/api/v1/profile/followers/](#)

accounts\_api\_v1\_profile\_followers



Get current user's followers.

**Parameters**[Try it out](#)

No parameters

**Responses**

Response content type

application/json

**Code**      **Description**

200

Example Value [Model](#)

Code	Description
<pre>[ProfileModel   id     integer     title: Id     readOnly: true   email     string(\$email)     title: Email     readOnly: true     minLength: 1   username     string     title: Username     readOnly: true     minLength: 1   name     string     title: Name     maxLength: 128     minLength: 1   profile_avatar     string(\$uri)     title: Profile avatar     readOnly: true   avatar     string     title: Avatar     readOnly: true     maxLength: 256     minLength: 1  ]]</pre>	

GET /accounts/api/v1/profile/followings/ accounts\_api\_v1\_profile\_followings ▾ 🔒

Get current user's followings.

#### Parameters

[Try it out](#)

No parameters

#### Responses

Response content type [application/json](#)

Code	Description
------	-------------

200

Example Value [Model](#)

Code	Description
------	-------------

```
[ProfileModel]
id      {
    integer
    title: Id
    readOnly: true
    string($email)
    title: Email
    readOnly: true
    minLength: 1
}
email
username
name
profile_avatar
avatar
}]
}
```

GET /accounts/api/v1/profile/{user}/

accounts\_api\_v1\_profile\_read ⚙️ 🔒

## Profile Model View Set

A user can perform these actions:

- retrieve
- update
- partial\_update
- follow
- unfollow
- followers
- followings
- do\_i\_follow\_you
- do\_you\_follow\_me

A admin user can perform all above + :

- create
- destroy
- list

### Parameters

[Try it out](#)

Name	Description
------	-------------

**user** \* required  
string  
(path)

### Responses

Response content type [application/json](#)

Code	Description
------	-------------

200

Example Value Model

```
ProfileModel {
    id           integer
    title: Id
    readOnly: true
    email        string($email)
    title: Email
    readOnly: true
    minLength: 1
    username     string
    title: Username
    readOnly: true
    minLength: 1
    name         string
    title: Name
    maxLength: 128
    minLength: 1
    profile_avatar string($uri)
    title: Profile avatar
    readOnly: true
    avatar       string
    title: Avatar
    readOnly: true
    maxLength: 256
    minLength: 1
}
```

PUT /accounts/api/v1/profile/{user}/

accounts\_api\_v1\_profile\_update ▲ 🔒

## Profile Model View Set

A user can perform these actions:

- retrieve
- update
- partial\_update
- follow
- unfollow
- followers
- followings
- do\_i\_follow\_you
- do\_you\_follow\_me

A admin user can perform all above + :

- create
- destroy
- list

### Parameters

[Try it out](#)

Name	Description
------	-------------

name

string

name

(formData)

maxLength: 128

minLength: 1

Name	Description
profile_avatar file (formData)	<input type="file"/> Choose File N...en
user * required string (path)	user

  

**Responses**

Response content type application/json

---

Code	Description
200	Example Value <a href="#">Model</a> <pre> <b>ProfileModel</b> {     id           integer     title: Id     readOnly: true     email        string(\$email)     title: Email     readOnly: true     minLength: 1     username     string     title: Username     readOnly: true     minLength: 1     name         string     title: Name     maxLength: 128     minLength: 1     profile_avatar string(\$uri)     title: Profile avatar     readOnly: true     avatar       string     title: Avatar     readOnly: true     maxLength: 256     minLength: 1 } </pre>

PATCH /accounts/api/v1/profile/{user}/ accounts\_api\_v1\_profile\_partial\_update ▲ 🔒

## Profile Model View Set

A user can perform these actions:

- retrieve
- update
- partial\_update
- follow
- unfollow
- followers
- followings
- do\_i\_follow\_you
- do\_you\_follow\_me

A admin user can perform all above + :

- create

destroy  
list

**Parameters****Try it out**

Name	Description
------	-------------

**name**  
string  
(*formData*)  
*maxLength*: 128  
*minLength*: 1

**profile\_avatar**  
file  
(*formData*)

N...en

**user \* required**  
string  
(*path*)

**Responses**

Response content type

**application/json**

Code	Description
------	-------------

200

Example Value **Model**

```
ProfileModel {
    id           integer
    title: Id
    readOnly: true
    string($email)
    title: Email
    readOnly: true
    minLength: 1
    username     string
    title: Username
    readOnly: true
    minLength: 1
    name         string
    title: Name
    maxLength: 128
    minLength: 1
    profile_avatar string($uri)
    title: Profile avatar
    readOnly: true
    avatar       string
    title: Avatar
    readOnly: true
    maxLength: 256
    minLength: 1
}
```

**DELETE** /accounts/api/v1/profile/{user}/

accounts\_api\_v1\_profile\_delete ▲ 

**Profile Model View Set**

A user can perform these actions:  
retrieve  
update  
partial\_update  
follow  
unfollow  
followers  
followings  
do\_i\_follow\_you  
do\_you\_follow\_me

A admin user can perform all above + :  
create  
destroy  
list

## Parameters

[Try it out](#)

Name	Description
------	-------------

**user** \* required  
string  
(path)

## Responses

Response content type [application/json](#)

Code	Description
------	-------------

204

GET /accounts/api/v1/profile/{user}/do-i-follow-you/

accounts\_api\_v1\_profile\_do\_i\_follow\_you ^ 

Does current user follow the given user.

## Parameters

[Try it out](#)

Name	Description
------	-------------

**user** \* required  
string  
(path)

## Responses

Response content type [application/json](#)

Code	Description
------	-------------

200

Example Value [Model](#)

Code	Description
<pre> <b>ProfileModel</b> {     id           integer     title: Id     readOnly: true     email        string(\$email)     title: Email     readOnly: true     minLength: 1     username     string     title: Username     readOnly: true     minLength: 1     name         string     title: Name     maxLength: 128     minLength: 1     profile_avatar string(\$uri)     title: Profile avatar     readOnly: true     avatar       string     title: Avatar     readOnly: true     maxLength: 256     minLength: 1 } </pre>	

GET /accounts/api/v1/profile/{user}/do-you-follow-me/ accounts\_api\_v1\_profile\_do\_you\_follow\_me ^ 🔒

Does the given user follow current user.

#### Parameters

[Try it out](#)

Name	Description
<b>user</b> * required string (path)	<input type="text" value="user"/>

#### Responses

Response content type application/json

Code	Description
200	Example Value <a href="#">Model</a>

Code	Description
<pre>ProfileModel {     id           integer     title: Id     readOnly: true     email        string(\$email)     title: Email     readOnly: true     minLength: 1     username     string     title: Username     readOnly: true     minLength: 1     name         string     title: Name     maxLength: 128     minLength: 1     profile_avatar string(\$uri)     title: Profile avatar     readOnly: true     avatar       string     title: Avatar     readOnly: true     maxLength: 256     minLength: 1 }  }</pre>	

GET /accounts/api/v1/profile/{user}/follow/

accounts\_api\_v1\_profile\_follow ▾ 🔒

Get current user follows someone.

**Parameters****Try it out**

Name	Description
<b>user</b> * required string (path)	user

**Responses**

Response content type

application/json

Code	Description
200	Example Value <b>Model</b>

Code	Description
<pre> <b>ProfileModel</b> {     id           integer     title: Id     readOnly: true     email        string(\$email)     title: Email     readOnly: true     minLength: 1     username     string     title: Username     readOnly: true     minLength: 1     name         string     title: Name     maxLength: 128     minLength: 1     profile_avatar string(\$uri)     title: Profile avatar     readOnly: true     avatar       string     title: Avatar     readOnly: true     maxLength: 256     minLength: 1 } </pre>	

GET /accounts/api/v1/profile/{user}/unfollow/ accounts\_api\_v1\_profile\_unfollow ▾ 🔒

Get current user unfollows someone.

#### Parameters

[Try it out](#)

Name	Description
<b>user</b> * required string (path)	user

#### Responses

Response content type application/json

Code	Description
200	Example Value <a href="#">Model</a>

Code	Description
------	-------------

```

ProfileModel {
    id           integer
    title: Id
    readOnly: true
    email        string($email)
    title: Email
    readOnly: true
    minLength: 1
    username     string
    title: Username
    readOnly: true
    minLength: 1
    name         string
    title: Name
    maxLength: 128
    minLength: 1
    profile_avatar string($uri)
    title: Profile avatar
    readOnly: true
    avatar       string
    title: Avatar
    readOnly: true
    maxLength: 256
    minLength: 1
}

}

```

GET /accounts/api/v1/user/

accounts\_api\_v1\_user\_list ▲ 🔒

## User Model View Set

A user can perform these actions:

- pre\_register
- register
- me
- profile
- reset\_password
- reset\_username
- login
- logout

A admin user can perform all above actions + :

- create
- retrieve
- destroy
- list

### Parameters

[Try it out](#)

No parameters

### Responses

Response content type [application/json](#)

Code	Description
------	-------------

200

Example Value [Model](#)

Code	Description
------	-------------

```

[UserModel]
email* {
    string($email)
    title: Email
    maxLength: 254
    minLength: 1
}
username {
    string
    title: Username
    maxLength: 32
    minLength: 1
}
password* {
    string
    title: Password
    maxLength: 64
    minLength: 8
}
confirm_password* {
    string
    title: Confirm password
    maxLength: 64
    minLength: 8
}

profile {
    ProfileModel {
        id {
            integer
            title: Id
            readOnly: true
        }
        email {
            string($email)
            title: Email
            readOnly: true
            minLength: 1
        }
        username {
            string
            title: Username
            readOnly: true
            minLength: 1
        }
        name {
            string
            title: Name
            maxLength: 128
            minLength: 1
        }
        profile_avatar {
            string($uri)
            title: Profile avatar
            readOnly: true
        }
        avatar {
            string
            title: Avatar
            readOnly: true
            maxLength: 256
            minLength: 1
        }
    }
}
```
}]


```

POST /accounts/api/v1/user/

accounts\_api\_v1\_user\_create ▾ 🔒

POST

Overriding create method because we changed the default User model and want to prevent unknown errors.

## Parameters

Try it out

| Name | Description |
|------|-------------|
|------|-------------|

**data** \* required

**object** Example Value **Model**  
**(body)**

| Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Description |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre>UserModel {     email*           : string(\$email)                         title: Email                         maxLength: 254                         minLength: 1     username        : string                         title: Username                         maxLength: 32                         minLength: 1     password*       : string                         title: Password                         maxLength: 64                         minLength: 8     confirmPassword*: string                         title: Confirm password                         maxLength: 64                         minLength: 8     profile         : ProfileModel                     name          : string                         title: Name                         maxLength: 128                         minLength: 1 } }</pre> |             |

**Responses**

Response content type

application/json

| Code | Description                         |
|------|-------------------------------------|
| 201  | Example Value <a href="#">Model</a> |

201

Example Value [Model](#)

| Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre> <b>UserModel</b> {     email*           string(\$email)                     title: Email                     maxLength: 254                     minLength: 1     username        string                     title: Username                     maxLength: 32                     minLength: 1     password*       string                     title: Password                     maxLength: 64                     minLength: 8     confirm_password* string                     title: Confirm password                     maxLength: 64                     minLength: 8     profile         <b>ProfileModel</b> {         id             integer                     title: Id                     readOnly: true         email          string(\$email)                     title: Email                     readOnly: true                     minLength: 1         username        string                     title: Username                     readOnly: true                     minLength: 1         name            string                     title: Name                     maxLength: 128                     minLength: 1         profile_avatar string(\$uri)                     title: Profile avatar                     readOnly: true         avatar          string                     title: Avatar                     readOnly: true                     maxLength: 256                     minLength: 1     } } </pre> |             |

GET /accounts/api/v1/user/activation/{token}/

accounts\_api\_v1\_user\_activation\_read ⌂



## User Activation API View

In pre-register when a client gives an email for register, we send an email to that email with a link for verifying which that link comes here.

Takes a token that we sent to the user for verifying given email.

Check the token.

Empty("") the password because empty password means the user is allowed to set a new password.

Then user can be redirect to 'register' path for set a new password because in 'register' path you can set a new password if you've been saved in the database and your password is empty("") .

### Parameters

[Try it out](#)

| Name                                        | Description |
|---------------------------------------------|-------------|
| <b>token</b> * required<br>string<br>(path) | token       |

**Responses**

Response content type application/json

| Code | Description |
|------|-------------|
| 200  |             |

POST /accounts/api/v1/user/forgot-password-confirm/ accounts\_api\_v1\_user\_forgot-password-confirm\_create ^ 🔒

## Forgot Password Generic API View

This view is for the user that can not login to the website because he/she forgets him/her password.

Takes an email for sending a link for resetting the password.

Check existence of the email.

Send a email for reset-password.

**Parameters**

Try it out

| Name                                       | Description                                                                                                                       |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>data</b> * required<br>object<br>(body) | Example Value Model<br><br><pre>ForgotPasswordConfirmEmail {     email* string(\$email)     title: Email     minLength: 1 }</pre> |

**Responses**

Response content type application/json

| Code | Description         |
|------|---------------------|
| 201  | Example Value Model |

| Code | Description |
|------|-------------|
|------|-------------|

```
ForgotPasswordConfirmEmail {
    email*           string($email)
    title: Email
    minLength: 1
}
```

GET /accounts/api/v1/user/forgot-password-verify/{token}/

accounts\_api\_v1\_user\_forgot-password-verify\_read



## Forgot Password Verify API View

Takes a token that we sent to the user for reset-password.

Check the token.

Empty("") the password because empty password means the user is allowed to reset-password.

Then user can be redirect to 'register' path for reset-password because in 'register' path you can change your password if you've been saved in the database and your password is empty("") .

### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**token** \* required

string  
(path)

token

### Responses

Response content type

application/json

| Code | Description |
|------|-------------|
|------|-------------|

200

GET /accounts/api/v1/user/forgot-password/

accounts\_api\_v1\_user\_forgot-password\_list



## Forgot Password API View

Sends a reset password email to current user.

### Parameters

[Try it out](#)

No parameters

**Responses**

Response content type

application/json

| Code | Description |
|------|-------------|
|------|-------------|

200

POST /accounts/api/v1/user/login/

accounts\_api\_v1\_user\_login\_create ^ 🔒

**Custom TokenObtainPairView****(Actually) Login View**

Takes username and password  
and returns an access token and a refresh token.

**Parameters****Try it out**

| Name | Description |
|------|-------------|
|------|-------------|

**data** \* required

object Example Value Model

(body)

```
CustomTokenObtainPair {
    email*           string
                    title: Email or Username
                    maxLength: 32
                    minLength: 6
    password*        string
                    title: Password
                    minLength: 1
}
```

**Responses**

Response content type

application/json

| Code | Description |
|------|-------------|
|------|-------------|

201

Example Value Model

```
CustomTokenObtainPair {
    email*           string
                    title: Email or Username
                    maxLength: 32
                    minLength: 6
    password*        string
                    title: Password
                    minLength: 1
}
```

GET /accounts/api/v1/user/logout/

accounts\_api\_v1\_user\_logout ↻ 🔒

logout current user.

**Parameters****Try it out**

No parameters

**Responses**

Response content type

application/json

**Code Description**

200

Example Value [Model](#)

```
[UserModel] {
    email*           {
        string($email)
        title: Email
        maxLength: 254
        minLength: 1
    }
    username         {
        string
        title: Username
        maxLength: 32
        minLength: 1
    }
    password*       {
        string
        title: Password
        maxLength: 64
        minLength: 8
    }
    confirm_password* {
        string
        title: Confirm password
        maxLength: 64
        minLength: 8
    }
    profile          {
        ProfileModel {
            id             {
                integer
                title: Id
                readOnly: true
            }
            email          {
                string($email)
                title: Email
                readOnly: true
                minLength: 1
            }
            username        {
                string
                title: Username
                readOnly: true
                minLength: 1
            }
            name            {
                string
                title: Name
                maxLength: 128
                minLength: 1
            }
            profile_avatar {
                string($uri)
                title: Profile avatar
                readOnly: true
            }
            avatar          {
                string
                title: Avatar
                readOnly: true
                maxLength: 256
                minLength: 1
            }
        }
    }
}
```

GET /accounts/api/v1/user/me/

accounts\_api\_v1\_user\_me ↻ 🔒

Get current user information.

## Parameters

[Try it out](#)

No parameters

## Responses

Response content type [application/json](#)

| Code | Description                         |
|------|-------------------------------------|
| 200  | Example Value <a href="#">Model</a> |

```
[UserModel {
    email*           string($email)
                      title: Email
                      maxLength: 254
                      minLength: 1
    username         string
                      title: Username
                      maxLength: 32
                      minLength: 1
    password*        string
                      title: Password
                      maxLength: 64
                      minLength: 8
    confirm_password* string
                      title: Confirm password
                      maxLength: 64
                      minLength: 8
    profile          ProfileModel {
        id             integer
                      title: Id
                      readOnly: true
        email          string($email)
                      title: Email
                      readOnly: true
                      minLength: 1
        username        string
                      title: Username
                      readOnly: true
                      minLength: 1
        name            string
                      title: Name
                      maxLength: 128
                      minLength: 1
        profile_avatar  string($uri)
                      title: Profile avatar
                      readOnly: true
        avatar          string
                      title: Avatar
                      readOnly: true
                      maxLength: 256
                      minLength: 1
    }
}]
```

**POST** /accounts/api/v1/user/pre-register/

accounts\_api\_v1\_user\_pre\_register ▲ 

In pre-register we get a email then send a verifying email,

we are not creating a new User because it's not verified yet.

**Parameters****Try it out**

| Name | Description |
|------|-------------|
|------|-------------|

**data \* required**object Example Value **Model**

(body)

```
EmailUserActivationModel {
    email*           string($email)
    title: Email
    maxLength: 254
    minLength: 1
}
```

**Responses**

Response content type

**application/json**

| Code | Description |
|------|-------------|
|------|-------------|

201

Example Value **Model**

```
EmailUserActivationModel {
    email*           string($email)
    title: Email
    maxLength: 254
    minLength: 1
}
```

**GET** /accounts/api/v1/user/profile/**accounts\_api\_v1\_user\_profile** 

Get current user profile information.

**Parameters****Try it out**

No parameters

**Responses**

Response content type

**application/json**

| Code | Description |
|------|-------------|
|------|-------------|

200

Example Value **Model**

| Code | Description |
|------|-------------|
|------|-------------|

```
[ProfileModel] {
    id           integer
    title: Id
    readOnly: true
    email        string($email)
    title: Email
    readOnly: true
    minLength: 1
    username     string
    title: Username
    readOnly: true
    minLength: 1
    name         string
    title: Name
    maxLength: 128
    minLength: 1
    profile_avatar string($uri)
    title: Profile avatar
    readOnly: true
    avatar       string
    title: Avatar
    readOnly: true
    maxLength: 256
    minLength: 1
}

}]
```

POST /accounts/api/v1/user/register/

accounts\_api\_v1\_user\_register ▲ 🔒

When you clicked on the verification email link you requested for creating your account and it created.  
 register means you have verified your email and you are saved in the database and now you can set password for your account  
 (it's your first time setting the password)

## Parameters

Try it out

| Name | Description |
|------|-------------|
|------|-------------|

**data** \* required  
**object** Example Value Model  
**(body)**

```
FirstTimeSetPassword {
    new_password*   string
    title: New password
    maxLength: 64
    minLength: 8
    confirm_new_password* string
    title: Confirm new password
    maxLength: 64
    minLength: 8
}
```

## Responses

Response content type application/json

| Code | Description |
|------|-------------|
|------|-------------|

201

Example Value Model

```
FirstTimeSetPassword {
    new_password*      string
                        title: New password
                        maxLength: 64
                        minLength: 8
    confirm_new_password* string
                        title: Confirm new password
                        maxLength: 64
                        minLength: 8
}
```

GET /accounts/api/v1/user/reset-email-verify/{token}/ accounts\_api\_v1\_user\_reset-email-verify\_read 

## Reset Email Verify API View

Takes a token and checks the token and then will set the new email.

### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**token** \* required

 string  
 (path)

### Responses

Response content type

application/json

| Code | Description |
|------|-------------|
|------|-------------|

200

POST /accounts/api/v1/user/reset-email/ accounts\_api\_v1\_user\_reset-email\_create 

## Reset Email Generic API View

Takes a new email and checks email not be exist and sends a link to that new email for verifying.

### Parameters

[Try it out](#)

| Name                                       | Description                                                                                                                                                                                                                                                                         |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>data * required</b><br>object<br>(body) | Example Value Model<br><br><pre>ResetEmail {     new_email*      string(\$email)                     title: New email                     minLength: 1     confirm_new_email* string(\$email)                     title: Confirm new email                     minLength: 1 }</pre> |

**Responses**

Response content type application/json

| Code | Description                                                                                                                                                                                                                                                                         |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201  | Example Value Model<br><br><pre>ResetEmail {     new_email*      string(\$email)                     title: New email                     minLength: 1     confirm_new_email* string(\$email)                     title: Confirm new email                     minLength: 1 }</pre> |

|      |                                       |                                     |   |   |
|------|---------------------------------------|-------------------------------------|---|---|
| POST | /accounts/api/v1/user/reset-password/ | accounts_api_v1_user_reset_password | ↗ | 🔒 |
|------|---------------------------------------|-------------------------------------|---|---|

Reset password and then logout current user for log in again.

**Parameters**

Try it out

| Name                                       | Description         |
|--------------------------------------------|---------------------|
| <b>data * required</b><br>object<br>(body) | Example Value Model |

| Name                 | Description                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ResetPassword</b> | <pre>{     old_password* {         string         title: Old password         maxLength: 64         minLength: 8     }     new_password* {         string         title: New password         maxLength: 64         minLength: 8     }     confirm_new_password* {         string         title: Confirm new password         maxLength: 64         minLength: 8     } }</pre> |

**Responses**

Response content type application/json

**Code** Description

201

Example Value Model

```

ResetPassword {
    old_password* {
        string
        title: Old password
        maxLength: 64
        minLength: 8
    }
    new_password* {
        string
        title: New password
        maxLength: 64
        minLength: 8
    }
    confirm_new_password* {
        string
        title: Confirm new password
        maxLength: 64
        minLength: 8
    }
}

```

POST /accounts/api/v1/user/reset-username/

accounts\_api\_v1\_user\_reset\_username ▲ 🔒

Reset username with custom username validation.

**Parameters****Try it out****Name** Description**data** \* requiredobject Example Value Model  
(body)

| Name                 | Description                                                                                        |
|----------------------|----------------------------------------------------------------------------------------------------|
| <b>ResetUsername</b> | <pre>new_username* {     string     title: New username     maxLength: 32     minLength: 6 }</pre> |

  

| Responses | Response content type |
|-----------|-----------------------|
|           | application/json      |

  

| Code | Description                         |
|------|-------------------------------------|
| 201  | Example Value <a href="#">Model</a> |

  

|                      |                                                                                                    |
|----------------------|----------------------------------------------------------------------------------------------------|
| <b>ResetUsername</b> | <pre>new_username* {     string     title: New username     maxLength: 32     minLength: 6 }</pre> |
|----------------------|----------------------------------------------------------------------------------------------------|

GET /accounts/api/v1/user/{id}/ accounts\_api\_v1\_user\_read 

## User Model View Set

A user can perform these actions:

- pre\_register
- register
- me
- profile
- reset\_password
- reset\_username
- login
- logout

A admin user can perform all above actions + :

- create
- retrieve
- destroy
- list

## Parameters

[Try it out](#)

| Name                 | Description                     |
|----------------------|---------------------------------|
| <b>id</b> * required | <input type="text" value="id"/> |

## Responses

Response content type

application/json

## Code Description

200

Example Value [Model](#)

```

UserModel {
    email*          string($email)
                    title: Email
                    maxLength: 254
                    minLength: 1
    username        string
                    title: Username
                    maxLength: 32
                    minLength: 1
    password*      string
                    title: Password
                    maxLength: 64
                    minLength: 8
    confirm_password* string
                    title: Confirm password
                    maxLength: 64
                    minLength: 8
    profile         ProfileModel {
        id            integer
                    title: Id
                    readOnly: true
        email         string($email)
                    title: Email
                    readOnly: true
                    minLength: 1
        username       string
                    title: Username
                    readOnly: true
                    minLength: 1
        name           string
                    title: Name
                    maxLength: 128
                    minLength: 1
        profile_avatar string($uri)
                    title: Profile avatar
                    readOnly: true
        avatar         string
                    title: Avatar
                    readOnly: true
                    maxLength: 256
                    minLength: 1
    }
}

```

PUT /accounts/api/v1/user/{id}/

accounts\_api\_v1\_user\_update [Try it out](#) 

Update (PUT and PATCH) are not allowed.

## Parameters

[Try it out](#)

## Name Description

**data** \* requiredobject  
(body) Example Value [Model](#)

| Name                 | Description                                                        |
|----------------------|--------------------------------------------------------------------|
| <b>UserModel</b>     | {                                                                  |
| email*               | string(\$email)<br>title: Email<br>maxLength: 254<br>minLength: 1  |
| username             | string<br>title: Username<br>maxLength: 32<br>minLength: 1         |
| password*            | string<br>title: Password<br>maxLength: 64<br>minLength: 8         |
| confirm_password*    | string<br>title: Confirm password<br>maxLength: 64<br>minLength: 8 |
| profile              | <b>ProfileModel</b> {                                              |
|                      | name                                                               |
|                      | string<br>title: Name<br>maxLength: 128<br>minLength: 1            |
|                      | }                                                                  |
|                      | }                                                                  |
| <b>id</b> * required |                                                                    |
| string               | <input type="text" value="id"/>                                    |
| (path)               |                                                                    |

**Responses**

Response content type

**application/json**

| Code | Description                |
|------|----------------------------|
| 200  | Example Value <b>Model</b> |

| Code | Description |
|------|-------------|
|------|-------------|

```

UserModel {
    email*           string($email)
                    title: Email
                    maxLength: 254
                    minLength: 1
    username        string
                    title: Username
                    maxLength: 32
                    minLength: 1
    password*       string
                    title: Password
                    maxLength: 64
                    minLength: 8
    confirm_password* string
                    title: Confirm password
                    maxLength: 64
                    minLength: 8
    profile         ProfileModel {
        id            integer
                    title: Id
                    readOnly: true
        email         string($email)
                    title: Email
                    readOnly: true
                    minLength: 1
        username      string
                    title: Username
                    readOnly: true
                    minLength: 1
        name          string
                    title: Name
                    maxLength: 128
                    minLength: 1
        profile_avatar string($uri)
                    title: Profile avatar
                    readOnly: true
        avatar        string
                    title: Avatar
                    readOnly: true
                    maxLength: 256
                    minLength: 1
    }
}

```

PATCH /accounts/api/v1/user/{id}/

accounts\_api\_v1\_user\_partial\_update ▾ 🔒

## User Model View Set

A user can perform these actions:

- pre\_register
- register
- me
- profile
- reset\_password
- reset\_username
- login
- logout

A admin user can perform all above actions + :

- create
- retrieve
- destroy
- list

### Parameters

Try it out

| Name                   | Description                                                        |
|------------------------|--------------------------------------------------------------------|
| <b>data * required</b> |                                                                    |
| object<br>(body)       | Example Value <b>Model</b>                                         |
|                        |                                                                    |
| <b>UserModel</b>       | {                                                                  |
| email*                 | string(\$email)<br>title: Email<br>maxLength: 254<br>minLength: 1  |
| username               | string<br>title: Username<br>maxLength: 32<br>minLength: 1         |
| password*              | string<br>title: Password<br>maxLength: 64<br>minLength: 8         |
| confirm_password*      | string<br>title: Confirm password<br>maxLength: 64<br>minLength: 8 |
| profile                | <b>ProfileModel</b> {                                              |
|                        | name                                                               |
|                        | string<br>title: Name<br>maxLength: 128<br>minLength: 1            |
|                        | }                                                                  |
|                        | }                                                                  |
| <b>id * required</b>   |                                                                    |
| string<br>(path)       | <input type="text" value="id"/>                                    |

**Responses**

Response content type

**application/json**

| Code | Description                |
|------|----------------------------|
| 200  | Example Value <b>Model</b> |

| Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Description |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre> <b>UserModel</b> {     email*           string(\$email)                     title: Email                     maxLength: 254                     minLength: 1     username        string                     title: Username                     maxLength: 32                     minLength: 1     password*       string                     title: Password                     maxLength: 64                     minLength: 8     confirm_password* string                     title: Confirm password                     maxLength: 64                     minLength: 8     profile         <b>ProfileModel</b> {             id             integer                         title: Id                         readOnly: true             email          string(\$email)                         title: Email                         readOnly: true                         minLength: 1             username       string                         title: Username                         readOnly: true                         minLength: 1             name           string                         title: Name                         maxLength: 128                         minLength: 1             profile_avatar string(\$uri)                         title: Profile avatar                         readOnly: true             avatar         string                         title: Avatar                         readOnly: true                         maxLength: 256                         minLength: 1         }     } } </pre> |             |

**DELETE /accounts/api/v1/user/{id}/**

accounts\_api\_v1\_user\_delete ▲ 🔒

## User Model View Set

A user can perform these actions:

- pre\_register
- register
- me
- profile
- reset\_password
- reset\_username
- login
- logout

A admin user can perform all above actions + :

- create
- retrieve
- destroy
- list

Parameters

Try it out

| Name                                     | Description |
|------------------------------------------|-------------|
| <b>id</b> * required<br>string<br>(path) | id          |

**Responses**

Response content type application/json

| Code | Description |
|------|-------------|
| 204  |             |

## blog



GET /blog/api/v1/blogger/categories/ blog\_api\_v1\_blogger\_categories ^ 🔒

Get current user's categories.

**Parameters**

No parameters

**Responses**

Response content type application/json

| Code | Description |
|------|-------------|
| 200  |             |

GET /blog/api/v1/blogger/comments/ blog\_api\_v1\_blogger\_comments ^ 🔒

Get current user's comments.

**Parameters**

No parameters

**Responses**

Response content type application/json

**Code**      **Description**

200

**GET**    /blog/api/v1/blogger/liked-comments/**blog\_api\_v1\_blogger\_liked\_comments**  

Get current user's liked comments.

**Parameters****Try it out**

No parameters

**Responses**

Response content type

**application/json****Code**      **Description**

200

**GET**    /blog/api/v1/blogger/liked-posts/**blog\_api\_v1\_blogger\_liked\_posts**  

Get current user's liked posts.

**Parameters****Try it out**

No parameters

**Responses**

Response content type

**application/json****Code**      **Description**

200

**GET**    /blog/api/v1/blogger/posts/**blog\_api\_v1\_blogger\_posts**  

Get current user's posts.

**Parameters****Try it out**

No parameters

#### Responses

Response content type

application/json

Code Description

200

GET /blog/api/v1/blogger/saved-posts/

blog\_api\_v1\_blogger\_saved\_posts ⌂ 🔒

Get current user's saved posts.

#### Parameters

Try it out

No parameters

#### Responses

Response content type

application/json

Code Description

200

GET /blog/api/v1/blogger/{id}/category-posts/

blog\_api\_v1\_blogger\_category\_posts ⌂ 🔒

Get current user's category's posts.

#### Parameters

Try it out

Name Description

**id** \* required

id

string  
(path)

#### Responses

Response content type

application/json

| Code | Description |
|------|-------------|
|------|-------------|

|     |  |
|-----|--|
| 200 |  |
|-----|--|

|     |                        |                               |
|-----|------------------------|-------------------------------|
| GET | /blog/api/v1/category/ | blog_api_v1_category_list ^ 🔒 |
|-----|------------------------|-------------------------------|

## Category Model View Set

A user can perform these actions:

create  
retrieve  
update  
partial\_update  
destroy  
posts

A admin user can perform all above actions + :

list

### Parameters

[Try it out](#)

No parameters

### Responses

Response content type

[application/json](#)

| Code | Description |
|------|-------------|
|------|-------------|

|     |  |
|-----|--|
| 200 |  |
|-----|--|

Example Value [Model](#)

```
[CategoryModel
profile* {
    string
    title: Profile
name* {
    string
    title: Name
    maxLength: 128
    minLength: 1
}]
```

|      |                        |                                 |
|------|------------------------|---------------------------------|
| POST | /blog/api/v1/category/ | blog_api_v1_category_create ^ 🔒 |
|------|------------------------|---------------------------------|

## Category Model View Set

A user can perform these actions:

create  
retrieve  
update  
partial\_update  
destroy  
posts

A admin user can perform all above actions + :  
list

**Parameters****Try it out**

| Name | Description |
|------|-------------|
|------|-------------|

**data \* required**  
**object** Example Value **Model**  
**(body)**

```
CategoryModel {
    profile* string
    title: Profile
    name* string
    title: Name
    maxLength: 128
    minLength: 1
}
```

**Responses**Response content type **application/json**

| Code | Description |
|------|-------------|
|------|-------------|

201 Example Value **Model**

```
CategoryModel {
    profile* string
    title: Profile
    name* string
    title: Name
    maxLength: 128
    minLength: 1
}
```

GET /blog/api/v1/category/{id}/

blog\_api\_v1\_category\_read **Category Model View Set**

A user can perform these actions:  
 create  
 retrieve  
 update  
 partial\_update  
 destroy  
 posts

A admin user can perform all above actions + :  
list

**Parameters****Try it out**

| Name                                     | Description |
|------------------------------------------|-------------|
| <b>id</b> * required<br>string<br>(path) | id          |

**Responses**

Response content type application/json

| Code | Description         |
|------|---------------------|
| 200  | Example Value Model |

```
CategoryModel {
    profile*
    string
    title: Profile
    name*
    string
    title: Name
    maxLength: 128
    minLength: 1
}
```

PUT /blog/api/v1/category/{id}/ blog\_api\_v1\_category\_update ^ 🔒

## Category Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- posts

A admin user can perform all above actions + :

- list

### Parameters

Try it out

| Name                                       | Description         |
|--------------------------------------------|---------------------|
| <b>data</b> * required<br>object<br>(body) | Example Value Model |

```
CategoryModel {
    profile*
    string
    title: Profile
    name*
    string
    title: Name
    maxLength: 128
    minLength: 1
}
```

| Name                                     | Description |
|------------------------------------------|-------------|
| <b>id * required</b><br>string<br>(path) | id          |

**Responses**

Response content type application/json

| Code | Description         |
|------|---------------------|
| 200  | Example Value Model |

```
CategoryModel {
    profile* string
    title: Profile
    name* string
    title: Name
    maxLength: 128
    minLength: 1
}
```

PATCH /blog/api/v1/category/{id}/ blog\_api\_v1\_category\_partial\_update ^ 🔒

## Category Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- posts

A admin user can perform all above actions + :

- list

**Parameters**

Try it out

| Name                                       | Description         |
|--------------------------------------------|---------------------|
| <b>data * required</b><br>object<br>(body) | Example Value Model |

```
CategoryModel {
    profile* string
    title: Profile
    name* string
    title: Name
    maxLength: 128
    minLength: 1
}
```

| Name                                     | Description |
|------------------------------------------|-------------|
| <b>id</b> * required<br>string<br>(path) | id          |

**Responses**

Response content type application/json

| Code | Description                                                                                                                                                                                                  |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | Example Value Model <pre>CategoryModel {     profile* {         string         title: Profile     }     name* {         string         title: Name         maxLength: 128         minLength: 1     } }</pre> |

DELETE /blog/api/v1/category/{id}/ blog\_api\_v1\_category\_delete ⌂

## Category Model View Set

A user can perform these actions:  
 create  
 retrieve  
 update  
 partial\_update  
 destroy  
 posts

A admin user can perform all above actions + :  
 list

Parameters Try it out

| Name                                     | Description |
|------------------------------------------|-------------|
| <b>id</b> * required<br>string<br>(path) | id          |

Responses Response content type application/json

| Code | Description |
|------|-------------|
|------|-------------|

|     |
|-----|
| 204 |
|-----|

|     |                                   |
|-----|-----------------------------------|
| GET | /blog/api/v1/category/{id}/posts/ |
|-----|-----------------------------------|

|                            |   |  |
|----------------------------|---|--|
| blog_api_v1_category_posts | ↗ |  |
|----------------------------|---|--|

Get the given category's posts.

Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

|                      |                                 |
|----------------------|---------------------------------|
| <b>id</b> * required |                                 |
| string               | <input type="text" value="id"/> |
| (path)               |                                 |

Responses

Response content type

application/json

| Code | Description |
|------|-------------|
|------|-------------|

|     |
|-----|
| 200 |
|-----|

Example Value [Model](#)

```
CategoryModel {
    profile* {
        string
        title: Profile
    }
    name* {
        string
        title: Name
        maxLength: 128
        minLength: 1
    }
}
```

|     |                       |
|-----|-----------------------|
| GET | /blog/api/v1/comment/ |
|-----|-----------------------|

|                          |   |  |
|--------------------------|---|--|
| blog_api_v1_comment_list | ↗ |  |
|--------------------------|---|--|

## Comment Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- like
- unlike

A admin user can perform all above actions + :

- list

[Try it out](#)

## Parameters

No parameters

## Responses

Response content type

application/json

### Code Description

200

Example Value [Model](#)

```
[CommentModel
profile*           {
    string
    title: Profile
post*              integer
    title: Post
comment*           string
    title: Comment
    maxLength: 1000
    minLength: 1
}]
```

POST

/blog/api/v1/comment/

blog\_api\_v1\_comment\_create 

## Comment Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- like
- unlike

A admin user can perform all above actions + :

list

## Parameters

[Try it out](#)

| Name                   | Description                                                                                                                                                                                                                                                                                                                        |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>data * required</b> | Example Value <b>Model</b><br><br>object<br>(body)<br><br><pre>CommentModel {     profile*      string                   title: Profile     post*         integer                   title: Post     comment*      string                   title: Comment                   maxLength: 1000                   minLength: 1 }</pre> |

| Responses | Response content type | application/json |
|-----------|-----------------------|------------------|
|-----------|-----------------------|------------------|

| Code | Description                                                                                                                                                                                                                                                                                                |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201  | Example Value <b>Model</b><br><br><pre>CommentModel {     profile*      string                   title: Profile     post*         integer                   title: Post     comment*      string                   title: Comment                   maxLength: 1000                   minLength: 1 }</pre> |

|     |                            |                          |   |   |
|-----|----------------------------|--------------------------|---|---|
| GET | /blog/api/v1/comment/{id}/ | blog_api_v1_comment_read | ↗ | 🔒 |
|-----|----------------------------|--------------------------|---|---|

## Comment Model View Set

A user can perform these actions:  
create  
retrieve  
update  
partial\_update  
destroy  
who\_liked  
like  
unlike

A admin user can perform all above actions + :  
list

| Parameters | Try it out |
|------------|------------|
|------------|------------|

| Name                                     | Description |
|------------------------------------------|-------------|
| <b>id</b> * required<br>string<br>(path) | id          |

**Responses**

Response content type **application/json**

| Code | Description                                                                                                                                                                                     |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | Example Value <b>Model</b> <pre>CommentModel {     profile* string title: Profile     post* integer title: Post     comment* string title: Comment     maxLength: 1000     minLength: 1 }</pre> |

**PUT** /blog/api/v1/comment/{id}/ **blog\_api\_v1\_comment\_update** ⚙️ 🔒

## Comment Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- like
- unlike

A admin user can perform all above actions + :

- list

**Parameters**

**Try it out**

| Name                                       | Description                |
|--------------------------------------------|----------------------------|
| <b>data</b> * required<br>object<br>(body) | Example Value <b>Model</b> |

| Name                | Description                                                                                                                                                                                                                                                                                                        |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CommentModel</b> | <pre>profile*      {<br/>    string<br/>    title: Profile<br/>post*          integer<br/>    title: Post<br/>comment*       string<br/>    title: Comment<br/>    maxLength: 1000<br/>    minLength: 1<br/>}<br/><br/><b>id</b> * required<br/>string<br/>(path)</pre> <input type="text" value="id"/>            |
| <b>Responses</b>    | <p>Response content type <b>application/json</b></p>                                                                                                                                                                                                                                                               |
| <b>Code</b>         | <b>Description</b>                                                                                                                                                                                                                                                                                                 |
| 200                 | <p>Example Value <b>Model</b></p> <pre>CommentModel {<br/>    profile*      {<br/>        string<br/>        title: Profile<br/>    post*          integer<br/>        title: Post<br/>    comment*       string<br/>        title: Comment<br/>        maxLength: 1000<br/>        minLength: 1<br/>}<br/>}</pre> |

PATCH /blog/api/v1/comment/{id}/ **blog\_api\_v1\_comment\_partial\_update** 

## Comment Model View Set

A user can perform these actions:  
 create  
 retrieve  
 update  
 partial\_update  
 destroy  
 who\_liked  
 like  
 unlike

A admin user can perform all above actions + :  
 list

### Parameters

[Try it out](#)

| Name                   | Description         |
|------------------------|---------------------|
| <b>data * required</b> |                     |
| object<br>(body)       | Example Value Model |

```

CommentModel {
    profile*      string
                  title: Profile
    post*         integer
                  title: Post
    comment*      string
                  title: Comment
                  maxLength: 1000
                  minLength: 1
}

```

**id \* required**

string  
(path)

id

| Responses |                     | Response content type |
|-----------|---------------------|-----------------------|
| Code      | Description         | application/json      |
| 200       | Example Value Model |                       |
|           |                     |                       |

```

CommentModel {
    profile*      string
                  title: Profile
    post*         integer
                  title: Post
    comment*      string
                  title: Comment
                  maxLength: 1000
                  minLength: 1
}

```

**DELETE /blog/api/v1/comment/{id}/** blog\_api\_v1\_comment\_delete 

## Comment Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- like
- unlike

A admin user can perform all above actions + :

- list

### Parameters

[Try it out](#)

| Name                                     | Description                     |
|------------------------------------------|---------------------------------|
| <b>id</b> * required<br>string<br>(path) | <input type="text" value="id"/> |

| Responses | Response content type | application/json |
|-----------|-----------------------|------------------|
|-----------|-----------------------|------------------|

| Code | Description |
|------|-------------|
| 204  |             |

|     |                                 |                          |   |   |
|-----|---------------------------------|--------------------------|---|---|
| GET | /blog/api/v1/comment/{id}/like/ | blog_api_v1_comment_like | ↗ | 🔒 |
|-----|---------------------------------|--------------------------|---|---|

Like the given comment.

| Parameters | Try it out |
|------------|------------|
|------------|------------|

| Name                                     | Description                     |
|------------------------------------------|---------------------------------|
| <b>id</b> * required<br>string<br>(path) | <input type="text" value="id"/> |

| Responses | Response content type | application/json |
|-----------|-----------------------|------------------|
|-----------|-----------------------|------------------|

| Code | Description                         |
|------|-------------------------------------|
| 200  | Example Value <a href="#">Model</a> |

```
CommentModel {
    profile*           string
                      title: Profile
                      integer
    post*             string
                      title: Post
    comment*          string
                      title: Comment
                      maxLength: 1000
                      minLength: 1
}
```

|     |                                   |                            |   |   |
|-----|-----------------------------------|----------------------------|---|---|
| GET | /blog/api/v1/comment/{id}/unlike/ | blog_api_v1_comment_unlike | ↗ | 🔒 |
|-----|-----------------------------------|----------------------------|---|---|

Un-Like the given comment.

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**id** \* required  
string  
(path)

#### Responses

Response content type [application/json](#)

| Code | Description |
|------|-------------|
|------|-------------|

200

Example Value [Model](#)

```
CommentModel {
    profile*           string
                       title: Profile
    post*             integer
                       title: Post
    comment*          string
                       title: Comment
                       maxLength: 1000
                       minLength: 1
}
```

GET [/blog/api/v1/comment/{id}/who-liked/](#)

[blog\\_api\\_v1\\_comment\\_who\\_liked](#)  

Get profiles that liked the given comment.

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**id** \* required  
string  
(path)

#### Responses

Response content type [application/json](#)

**Code** Description

200

Example Value Model

```
CommentModel {  
    profile* string  
    title: Profile  
    post* integer  
    title: Post  
    comment* string  
    title: Comment  
    maxLength: 1000  
    minLength: 1  
}
```

GET /blog/api/v1/pages/home/

blog\_api\_v1\_pages\_home ▾ 🔒

Get posts from current user's followings' posts ordered by created\_at in descending.

**Parameters****Try it out**

No parameters

**Responses**

Response content type

**application/json****Code** Description

200

GET /blog/api/v1/pages/latest/

blog\_api\_v1\_pages\_latest ▾ 🔒

Get latest posts.

**Parameters****Try it out**

No parameters

**Responses**

Response content type

**application/json**

**Code**      **Description**

200

**GET**    /blog/api/v1/pages/top/**blog\_api\_v1\_pages\_top**  

Get latest posts ordered by seen in descending and likes in descending.

**Parameters****Try it out**

No parameters

**Responses**

Response content type

**application/json****Code**      **Description**

200

**GET**    /blog/api/v1/pages/{id}/search-post/**blog\_api\_v1\_pages\_search\_post**  

Search in posts with the given title ordered by created\_at in descending.

**Parameters****Try it out****Name**      **Description****id** \* requiredstring  
(path)

id

**Responses**

Response content type

**application/json****Code**      **Description**

200

**GET**    /blog/api/v1/pages/{id}/search-profile/**blog\_api\_v1\_pages\_search\_profile**  

Search in profiles with the given username.

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**id** \* required  
string  
(path)

#### Responses

Response content type [application/json](#)

| Code | Description |
|------|-------------|
|------|-------------|

200

GET /blog/api/v1/post/

[blog\\_api\\_v1\\_post\\_list](#) ^ 

## Post Model View Set

A user can perform these actions:

create  
retrieve  
update  
partial\_update  
destroy  
who\_liked  
comments  
like  
unlike  
save  
unsave

A admin user can perform all above actions + :

list

#### Parameters

[Try it out](#)

No parameters

#### Responses

Response content type [application/json](#)

| Code | Description |
|------|-------------|
|------|-------------|

200

Example Value [Model](#)

| Code | Description |
|------|-------------|
|------|-------------|

```
[PostModel]
id      integer
title   string
        title: ID
        readOnly: true
content string
        title: Content
        minLength: 1
profile string
        title: Profile
category integer
        title: Category
banner_image string($uri)
        title: Banner image
        readOnly: true
banner   string
        title: Banner
        readOnly: true
        maxLength: 256
        minLength: 1

}]
```

POST /blog/api/v1/post/

blog\_api\_v1\_post\_create ▾ 🔒

## Post Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- comments
- like
- unlike
- save
- unsave

A admin user can perform all above actions + :

- list

### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

|                |                                    |
|----------------|------------------------------------|
| title          | <input type="text" value="title"/> |
| string         |                                    |
| (formData)     |                                    |
| maxLength: 128 |                                    |
| minLength: 1   |                                    |

|                    |                                      |
|--------------------|--------------------------------------|
| content * required | <input type="text" value="content"/> |
| string             |                                      |
| (formData)         |                                      |
| minLength: 1       |                                      |

|                    |                                      |
|--------------------|--------------------------------------|
| profile * required | <input type="text" value="profile"/> |
| string             |                                      |

| Name                       | Description        |
|----------------------------|--------------------|
| ( <i>formData</i> )        |                    |
| <b>category</b> * required | integer            |
| integer                    | category           |
| ( <i>formData</i> )        |                    |
| <b>banner_image</b>        | file               |
| file                       | Choose File N...en |
| ( <i>formData</i> )        |                    |

  

**Responses**

Response content type application/json

---

| Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201  | Example Value Model<br><pre>PostModel {     id           integer     title        string     readOnly: true     content*     string     title: Content     maxLength: 128     minLength: 1     profile*    string     title: Profile     category*   integer     title: Category     banner_image string(\$uri)     title: Banner image     readOnly: true     banner       string     title: Banner     readOnly: true     maxLength: 256     minLength: 1 }</pre> |

GET /blog/api/v1/post/{id}/ blog\_api\_v1\_post\_read 

## Post Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- comments
- like
- unlike
- save
- unsave

A admin user can perform all above actions + :  
list

**Parameters****Try it out**

| Name | Description |
|------|-------------|
|------|-------------|

**id** \* required

string

(path)

id

**Responses**

Response content type

**application/json**

| Code | Description |
|------|-------------|
|------|-------------|

200

Example Value **Model**

```
PostModel {
    id           integer
    title        string
    title: ID
    readOnly: true
    content*    string
    title: Content
    maxLength: 128
    minLength: 1
    profile*   string
    title: Profile
    category*  integer
    title: Category
    banner_image string($uri)
    title: Banner image
    readOnly: true
    banner      string
    title: Banner
    readOnly: true
    maxLength: 256
    minLength: 1
}
```

PUT /blog/api/v1/post/{id}/

blog\_api\_v1\_post\_update ▲ 🔒

**Post Model View Set**

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- comments
- like
- unlike
- save
- unsave

A admin user can perform all above actions + :  
list

## Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**title**  
string  
(*formData*)  
*maxLength*: 128  
*minLength*: 1

**content** \* required  
string  
(*formData*)  
*minLength*: 1

**profile** \* required  
string  
(*formData*)

**category** \* required  
integer  
(*formData*)

**banner\_image**  
file  
(*formData*)

 N...en

**id** \* required  
string  
(*path*)

## Responses

Response content type

[application/json](#)

| Code | Description |
|------|-------------|
|------|-------------|

200

Example Value [Model](#)

| Code | Description |
|------|-------------|
|------|-------------|

```
PostModel {
    id          integer
    title       string
    title: ID
    readOnly: true
    title: Title
    maxLength: 128
    minLength: 1
    content*   string
    title: Content
    minLength: 1
    profile*   string
    title: Profile
    category*  integer
    title: Category
    banner_image string($uri)
    title: Banner image
    readOnly: true
    banner     string
    title: Banner
    readOnly: true
    maxLength: 256
    minLength: 1
}

}
```

PATCH /blog/api/v1/post/{id}/

blog\_api\_v1\_post\_partial\_update ▾ 🔒

**Post Model View Set**

A user can perform these actions:

create  
 retrieve  
 update  
 partial\_update  
 destroy  
 who\_liked  
 comments  
 like  
 unlike  
 save  
 unsave

A admin user can perform all above actions + :

list

**Parameters****Try it out**

| Name | Description |
|------|-------------|
|------|-------------|

|                |       |
|----------------|-------|
| title          | title |
| string         |       |
| (formData)     |       |
| maxLength: 128 |       |
| minLength: 1   |       |

|                    |         |
|--------------------|---------|
| content * required | content |
| string             |         |
| (formData)         |         |
| minLength: 1       |         |

|                    |         |
|--------------------|---------|
| profile * required | profile |
| string             |         |

| Name                       | Description        |
|----------------------------|--------------------|
| ( <i>formData</i> )        |                    |
| <b>category</b> * required | integer            |
| integer                    | category           |
| ( <i>formData</i> )        |                    |
| <b>banner_image</b>        | file               |
| file                       | Choose File N...en |
| ( <i>formData</i> )        |                    |
| <b>id</b> * required       | string             |
| string                     | id                 |
| ( <i>path</i> )            |                    |

**Responses** Response content type application/json

| Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <p>Example Value Model</p> <pre>PostModel {     id         integer         title: ID         readOnly: true     title         string         title: Title         maxLength: 128         minLength: 1     content*         string         title: Content         minLength: 1     profile*         string         title: Profile     category*         integer         title: Category     banner_image         string(\$uri)         title: Banner image         readOnly: true     banner         string         title: Banner         readOnly: true         maxLength: 256         minLength: 1 }</pre> |

DELETE /blog/api/v1/post/{id}/ blog\_api\_v1\_post\_delete ▲ 🔒

## Post Model View Set

A user can perform these actions:

- create
- retrieve
- update
- partial\_update
- destroy
- who\_liked
- comments
- like

unlike  
save  
unsave

A admin user can perform all above actions + :  
list

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**id** \* required  
string  
(path)

#### Responses

Response content type [application/json](#)

| Code | Description |
|------|-------------|
|------|-------------|

204

GET /blog/api/v1/post/{id}/comments/

blog\_api\_v1\_post\_comments [^](#) 

Get the given post's comments.

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**id** \* required  
string  
(path)

#### Responses

Response content type [application/json](#)

| Code | Description |
|------|-------------|
|------|-------------|

200

Example Value [Model](#)

| Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Description |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre> <b>PostModel</b> {     id           integer     title        string     title: ID     readOnly: true     content*     string     title: Content     maxLength: 128     minLength: 1     profile*    string     title: Profile     category*   integer     title: Category     banner_image string(\$uri)     title: Banner image     readOnly: true     banner       string     title: Banner     readOnly: true     maxLength: 256     minLength: 1 } </pre> |             |

GET    /blog/api/v1/post/{id}/like/    blog\_api\_v1\_post\_like ⚡ 🔒

Current user likes the given post.

#### Parameters

[Try it out](#)

| Name                                                  | Description                     |
|-------------------------------------------------------|---------------------------------|
| <b>id</b> * required<br>string<br><code>(path)</code> | <input type="text" value="id"/> |

#### Responses

Response content type

[application/json](#)

| Code | Description                         |
|------|-------------------------------------|
| 200  | Example Value <a href="#">Model</a> |

| Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Description |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre> <b>PostModel</b> {     id           integer     title        string     readOnly: true     title: ID     title: Title     maxLength: 128     minLength: 1     content*    string     title: Content     minLength: 1     profile*   string     title: Profile     category*  integer     title: Category     banner_image string(\$uri)     title: Banner image     readOnly: true     banner      string     title: Banner     readOnly: true     maxLength: 256     minLength: 1 } </pre> |             |

GET     [/blog/api/v1/post/{id}/save/](#)     blog\_api\_v1\_post\_save 

Current user saves the given post.

[Try it out](#)

| Name                                            | Description                     |
|-------------------------------------------------|---------------------------------|
| <b>id</b> * required<br>string<br><i>(path)</i> | <input type="text" value="id"/> |

| Responses | Response content type | application/json |
|-----------|-----------------------|------------------|
|-----------|-----------------------|------------------|

| Code | Description                         |
|------|-------------------------------------|
| 200  | Example Value <a href="#">Model</a> |

| Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre> <b>PostModel</b> {     id           integer     title        string     title: ID     readOnly: true     string     title: Title     maxLength: 128     minLength: 1     content*    string     title: Content     minLength: 1     profile*   string     title: Profile     integer     category*  string     title: Category     banner_image string(\$uri)     title: Banner image     readOnly: true     banner      string     title: Banner     readOnly: true     maxLength: 256     minLength: 1 } </pre> |             |

GET     [/blog/api/v1/post/{id}/unlike/](#)     blog\_api\_v1\_post\_unlike 

Current user unlikes the given post.

[Try it out](#)

| Name                                            | Description                     |
|-------------------------------------------------|---------------------------------|
| <b>id</b> * required<br>string<br><i>(path)</i> | <input type="text" value="id"/> |

| Responses | Response content type | application/json |
|-----------|-----------------------|------------------|
|-----------|-----------------------|------------------|

| Code | Description                         |
|------|-------------------------------------|
| 200  | Example Value <a href="#">Model</a> |

| Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Description |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre> <b>PostModel</b> {     id           integer     title        string     readOnly: true     title: ID     title: Title     maxLength: 128     minLength: 1     content*    string     title: Content     minLength: 1     profile*   string     title: Profile     category*  integer     title: Category     banner_image string(\$uri)     title: Banner image     readOnly: true     banner      string     title: Banner     readOnly: true     maxLength: 256     minLength: 1 } </pre> |             |

GET     [/blog/api/v1/post/{id}/unsave/](#)     blog\_api\_v1\_post\_unsave ▾ 

Current user unsaves the given post.

[Try it out](#)

| Name                                            | Description                     |
|-------------------------------------------------|---------------------------------|
| <b>id</b> * required<br>string<br><i>(path)</i> | <input type="text" value="id"/> |

| Responses | Response content type | application/json |
|-----------|-----------------------|------------------|
|-----------|-----------------------|------------------|

| Code | Description                         |
|------|-------------------------------------|
| 200  | Example Value <a href="#">Model</a> |

| Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Description |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <pre> <b>PostModel</b> {     id           integer     title        string     readOnly: true     title: ID     title: Title     maxLength: 128     minLength: 1     content*    string     title: Content     minLength: 1     profile*   string     title: Profile     category*  integer     title: Category     banner_image string(\$uri)     title: Banner image     readOnly: true     banner      string     title: Banner     readOnly: true     maxLength: 256     minLength: 1 } </pre> |             |

GET     [/blog/api/v1/post/{id}/who-liked/](#)     [blog\\_api\\_v1\\_post\\_who\\_liked](#) 

Get users/profiles that liked the given post.

[Try it out](#)

| Name                                            | Description                     |
|-------------------------------------------------|---------------------------------|
| <b>id</b> * required<br>string<br><i>(path)</i> | <input type="text" value="id"/> |

| Responses | Response content type | application/json |
|-----------|-----------------------|------------------|
|-----------|-----------------------|------------------|

| Code | Description                         |
|------|-------------------------------------|
| 200  | Example Value <a href="#">Model</a> |

| Code | Description |
|------|-------------|
|------|-------------|

```
PostModel {
    id          integer
    title       string
    title: ID
    readOnly: true
    title: Title
    maxLength: 128
    minLength: 1
    content*   string
    title: Content
    minLength: 1
    profile*   string
    title: Profile
    category*  integer
    title: Category
    banner_image string($uri)
    title: Banner image
    readOnly: true
    banner     string
    title: Banner
    readOnly: true
    maxLength: 256
    minLength: 1
}

}
```

## login



POST /login/

login\_create

### Custom TokenObtainPairView

#### (Actually) Login View

Takes username and password  
and returns an access token and a refresh token.

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**data \* required**

object Example Value Model  
(body)

```
CustomTokenObtainPair {
    email*   string
    title: Email or Username
    maxLength: 32
    minLength: 6
    password* string
    title: Password
    minLength: 1
}
```

#### Responses

Response content type

application/json

**Code****Description**

201

Example Value Model

```
CustomTokenObtainPair {
    email*           string
                      title: Email or Username
                      maxLength: 32
                      minLength: 6
    password*        string
                      title: Password
                      minLength: 1

}
```

**Models**

```
CustomTokenObtainPair {
    email*           string
                      title: Email or Username
                      maxLength: 32
                      minLength: 6
    password*        string
                      title: Password
                      minLength: 1

}
```

```
TokenRefresh {
    refresh*         string
                      title: Refresh
                      minLength: 1
    access           string
                      title: Access
                      readOnly: true

}
```

```
ProfileModel {
    id
        integer
        title: Id
        readOnly: true
    email
        string($email)
        title: Email
        readOnly: true
        minLength: 1
    username
        string
        title: Username
        readOnly: true
        minLength: 1
    name
        string
        title: Name
        maxLength: 128
        minLength: 1
    profile_avatar
        string($uri)
        title: Profile avatar
        readOnly: true
    avatar
        string
        title: Avatar
        readOnly: true
        maxLength: 256
        minLength: 1
}
```

```
UserModel {
    email*
        string($email)
        title: Email
        maxLength: 254
        minLength: 1
    username
        string
        title: Username
        maxLength: 32
        minLength: 1
    password*
        string
        title: Password
        maxLength: 64
        minLength: 8
    confirm_password*
        string
        title: Confirm password
        maxLength: 64
        minLength: 8
    profile
        ProfileModel {
            id
                integer
                title: Id
                readOnly: true
            email
                string($email)
                title: Email
                readOnly: true
                minLength: 1
            username
                string
                title: Username
                readOnly: true
                minLength: 1
            name
                string
                title: Name
                maxLength: 128
                minLength: 1
            profile_avatar
                string($uri)
                title: Profile avatar
                readOnly: true
            avatar
                string
                title: Avatar
                readOnly: true
                maxLength: 256
                minLength: 1
        }
}
```

```
ForgotPasswordConfirmEmail {
    email*           {
        string($email)
        title: Email
        minLength: 1
    }
}
```

```
EmailUserActivationModel {
    email*           {
        string($email)
        title: Email
        maxLength: 254
        minLength: 1
    }
}
```

```
FirstTimeSetPassword {
    new_password*   {
        string
        title: New password
        maxLength: 64
        minLength: 8
    }
    confirm_new_password* {
        string
        title: Confirm new password
        maxLength: 64
        minLength: 8
    }
}
```

```
ResetEmail {
    new_email*       {
        string($email)
        title: New email
        minLength: 1
    }
    confirm_new_email* {
        string($email)
        title: Confirm new email
        minLength: 1
    }
}
```

```
ResetPassword {
    old_password*   {
        string
        title: Old password
        maxLength: 64
        minLength: 8
    }
    new_password*   {
        string
        title: New password
        maxLength: 64
        minLength: 8
    }
    confirm_new_password* {
        string
        title: Confirm new password
        maxLength: 64
        minLength: 8
    }
}
```

```
ResetUsername {
    new_username*   {
        string
        title: New username
        maxLength: 32
        minLength: 6
    }
}
```

```
CategoryModel {  
    profile*  
        string  
        title: Profile  
    name*  
        string  
        title: Name  
        maxLength: 128  
        minLength: 1  
}  
  
}  
  
}
```

```
CommentModel {  
    profile*  
        string  
        title: Profile  
    post*  
        integer  
        title: Post  
    comment*  
        string  
        title: Comment  
        maxLength: 1000  
        minLength: 1  
}  
  
}
```

```
PostModel {  
    id  
        integer  
        title: ID  
        readOnly: true  
    title  
        string  
        title: Title  
        maxLength: 128  
        minLength: 1  
    content*  
        string  
        title: Content  
        minLength: 1  
    profile*  
        string  
        title: Profile  
    category*  
        integer  
        title: Category  
    banner_image  
        string($uri)  
        title: Banner image  
        readOnly: true  
    banner  
        string  
        title: Banner  
        readOnly: true  
        maxLength: 256  
        minLength: 1  
}  
  
}
```