

1. Query: Audience Distribution by Gender and Age Group

```
Ended Job = job_1785193788554_0003
Stage-4 is selected by condition resolver.
Stage-3 is filtered out by condition resolver.
Stage-5 is filtered out by condition resolver.
Moving data to directory hdfs://localhost:9000/user/hive/warehouse/.hive-staging_hive_2026-07-28_01-48-12_847_6815742559290244272-1/-ext-10002
Moving data to directory hdfs://localhost:9000/user/hive/warehouse/facebook_cleaned
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Cumulative CPU: 8.02 sec HDFS Read: 5222477 HDFS Write: 2943752 SUCCESS
Total MapReduce CPU Time Spent: 8 seconds 20 msec
OK
Time taken: 31.665 seconds
hive> SELECT * FROM instagram_cleaned LIMIT 3;
OK
Time taken: 0.142 seconds
hive> SELECT * FROM facebook_cleaned LIMIT 3;
OK
2094382 14 male 266 0 0 0
1192601 14 female 6 0 0 0
2083884 14 male 13 0 0 0
Time taken: 0.158 seconds, Fetched: 3 row(s)
hive>
```

2.2. Top 5 YouTube Channels by Engagement Rate


```
Applications Places System Tue Jul 28, 2:37 AM h
bigdata@localhost:~/Desktop/Big Data Project
2026-07-28 02:36:18,762 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 21.86 sec
MapReduce Total cumulative CPU time: 21 seconds 860 msec
Ended Job = job_1785193788554_0014
Launching Job 2 out of 2
Number of reduce tasks determined at compile time: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0015, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0015/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0015
Hadoop job information for Stage-2: number of mappers: 1; number of reducers: 1
2026-07-28 02:36:39,736 Stage-2 map = 0%, reduce = 0%
2026-07-28 02:36:53,070 Stage-2 map = 100%, reduce = 0%, Cumulative CPU 3.65 sec
2026-07-28 02:37:06,971 Stage-2 map = 100%, reduce = 100%, Cumulative CPU 7.38 sec
MapReduce Total cumulative CPU time: 7 seconds 380 msec
Ended Job = job_1785193788554_0015
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 21.86 sec HDFS Read: 39128475 HDFS Write: 110574 SUCCESS
Stage-Stage-2: Map: 1 Reduce: 1 Cumulative CPU: 7.38 sec HDFS Read: 115837 HDFS Write: 234 SUCCESS
Total MapReduce CPU Time Spent: 29 seconds 240 msec
OK
BANGTANTV 17.95
ShawnMendesVEVO 17.55
LA DIVAZA 16.93
Wismichu 16.69
Utopia Show 16.57
Time taken: 107.652 seconds, Fetched: 5 row(s)
hive>
```

3.Query: Total Views and Likes by Social Media Platform

```
Applications Places System bigdata@localhost:~/Desktop/Big Data Project
OK
KPIs Summary 423856540492 12622534929 328977
Time taken: 59.361 seconds, Fetched: 1 row(s)
hive> SELECT
> 'YouTube' AS platform,
> COUNT(*) AS total_posts,
> SUM(views) AS total_views,
> SUM(likes) AS total_likes
> FROM youtube_cleaned
>
> UNION ALL
>
> SELECT
> 'Instagram' AS platform,
> COUNT(*) AS total_posts,
> 0 AS total_views,
> SUM(likes) AS total_likes
> FROM instagram_cleaned
>
> UNION ALL
>
> SELECT
> 'Facebook' AS platform,
> COUNT(*) AS total_posts,
> 0 AS total_views,
> SUM(likes) AS total_likes
> FROM facebook_cleaned;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e.
tez, spark) or using Hive 1.X releases.
Query ID = bigdata_20260728021454_4ed2b90d-c2b6-4448-8d76-b8e752d5af2c
Total jobs = 4
bigdata@localhost:~/... [*hive_project_queries... [Sign in - Google Acco...
```


```
Applications Places System bigdata@localhost:~/Desktop/Big Data Project
In order to set a constant number of reducers:
set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0007, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0007/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0007
Hadoop job information for Stage-4: number of mappers: 1; number of reducers: 1
2026-07-28 02:16:39,564 Stage-4 map = 0%, reduce = 0%
2026-07-28 02:16:52,153 Stage-4 map = 100%, reduce = 0%, Cumulative CPU 4.6 sec
2026-07-28 02:17:05,709 Stage-4 map = 100%, reduce = 100%, Cumulative CPU 8.15 sec
MapReduce Total cumulative CPU time: 8 seconds 150 msec
Ended Job = job_1785193788554_0007
Launching Job 4 out of 4
Number of reduce tasks is set to 0 since there's no reduce operator
Starting Job = job_1785193788554_0008, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0008/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0008
Hadoop job information for Stage-2: number of mappers: 3; number of reducers: 0
2026-07-28 02:17:27,668 Stage-2 map = 0%, reduce = 0%
2026-07-28 02:17:58,358 Stage-2 map = 33%, reduce = 0%, Cumulative CPU 3.79 sec
2026-07-28 02:17:59,488 Stage-2 map = 100%, reduce = 0%, Cumulative CPU 11.44 sec
MapReduce Total cumulative CPU time: 11 seconds 440 msec
Ended Job = job_1785193788554_0008
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 9.69 sec HDFS Read: 39127573 HDFS Write: 137 SUCCESS
Stage-Stage-3: Reduce: 1 Cumulative CPU: 3.55 sec HDFS Read: 4433 HDFS Write: 125 SUCCESS
Stage-Stage-4: Map: 1 Reduce: 1 Cumulative CPU: 8.15 sec HDFS Read: 2952692 HDFS Write: 131 SUCCESS
Stage-Stage-2: Map: 3 Cumulative CPU: 11.44 sec HDFS Read: 12549 HDFS Write: 380 SUCCESS
Total MapReduce CPU Time Spent: 32 seconds 830 msec
OK
YouTube 328977 423856540492 12622534929
Facebook 99003 0 15452268
Instagram 0 0 NULL
Time taken: 187.155 seconds, Fetched: 3 row(s)
bigdata@localhost:~/... [*hive_project_queries... [Sign in - Google Acco...
```

4.Query: Total Shares by Account Type



```
bigdata@localhost:~/Desktop/Big Data Project
> SUM(shares) AS total_shares
> FROM instagram_cleaned
> GROUP BY account_type;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e.
tez, spark) or using Hive 1.X releases.
Query ID = bigdata_20260728023803_df51fad7-61cc-43e1-85fb-1fcf9e5d3817
Total jobs = 1
Launching Job 1 out of 1
Number of reduce tasks not specified. Estimated from input data size: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0016, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0016/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0016
Hadoop job information for Stage-1: number of mappers: 0; number of reducers: 1
2026-07-28 02:38:17,960 Stage-1 map = 0%, reduce = 0%
2026-07-28 02:38:31,259 Stage-1 map = 0%, reduce = 100%, Cumulative CPU 3.43 sec
MapReduce Total cumulative CPU time: 3 seconds 430 msec
Ended Job = job_1785193788554_0016
MapReduce Jobs Launched:
Stage-Stage-1: Reduce: 1 Cumulative CPU: 3.43 sec HDFS Read: 5478 HDFS Write: 87 SUCCESS
Total MapReduce CPU Time Spent: 3 seconds 430 msec
OK
Time taken: 29.291 seconds
hive> exit;
(base) [bigdata@localhost Big Data Project]$ gedit ~/Desktop/hive_project_queries.sql &
[1] 14143
(base) [bigdata@localhost Big Data Project]$
```

5.Query: Previewing Cleaned Data for Instagram and Facebook



```
bigdata@localhost:~/Desktop/Big Data Project
File Edit View Search Terminal Help
Launching Job 1 out of 3
Number of reduce tasks is set to 0 since there's no reduce operator
Starting Job = job_1785193788554_0003, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0003/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0003
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 0
2026-07-28 01:48:28,069 Stage-1 map = 0%, reduce = 0%
2026-07-28 01:48:41,717 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 8.02 sec
MapReduce Total cumulative CPU time: 8 seconds 20 msec
Ended Job = job_1785193788554_0003
Stage-4 is selected by condition resolver.
Stage-3 is filtered out by condition resolver.
Stage-5 is filtered out by condition resolver.
Moving data to directory hdfs://localhost:9000/user/hive/warehouse/.hive-staging_hive_2026-07-28_01-48-12_847_6815742559290244272-1/-ext-10002
Moving data to directory hdfs://localhost:9000/user/hive/warehouse/facebook_cleaned
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Cumulative CPU: 8.02 sec HDFS Read: 5222477 HDFS Write: 2943752 SUCCESS
Total MapReduce CPU Time Spent: 8 seconds 20 msec
OK
Time taken: 31.665 seconds
hive> SELECT * FROM instagram_cleaned LIMIT 3;
OK
Time taken: 0.142 seconds
hive> SELECT * FROM facebook_cleaned LIMIT 3;
OK
2094382 14 male 266 0 0 0
1192601 14 female 6 0 0 0
2083884 14 male 13 0 0 0
Time taken: 0.158 seconds, Fetched: 3 row(s)
hive>
```

6.Query: Top 5 YouTube Channels by Engagement

```
Applications Places System Tue Jul 28, 3:30 AM h
bigdata@localhost: ~/Desktop/Big Data Project
OK
Time taken: 29.567 seconds
hive> SELECT
>   channel_title,
>   ROUND(SUM(likes) / SUM(views) * 100, 2) AS engagement_rate_pct
> FROM youtube_cleaned
> GROUP BY channel_title
> HAVING SUM(views) > 10000000
> ORDER BY engagement_rate_pct DESC
> LIMIT 5;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e.
tez, spark) or using Hive 1.X releases.
Query ID = bigdata_20260728023520_9ccb8496-f56d-437f-b1ee-29565016f8d7
Total jobs = 2
Launching Job 1 out of 2
Number of reduce tasks not specified. Estimated from input data size: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0014, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0014/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0014
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1
2026-07-28 02:35:36,755 Stage-1 map = 0%, reduce = 0%
2026-07-28 02:35:55,394 Stage-1 map = 67%, reduce = 0%, Cumulative CPU 8.22 sec
2026-07-28 02:35:56,492 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 10.88 sec
2026-07-28 02:36:16,479 Stage-1 map = 100%, reduce = 73%, Cumulative CPU 19.28 sec
2026-07-28 02:36:18,762 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 21.86 sec
MapReduce Total cumulative CPU time: 21 seconds 860 msec
bigdata@localhost:~/... [*hive_project_queries... [Sign in - Google Acco... Save Screenshot
```

7. Audience Distribution by Gender and Age Group

```
Applications Places System Tue Jul 28, 3:27 AM h
bigdata@localhost: ~/Desktop/Big Data Project
hive> SELECT
>   gender,
>   CASE
>     WHEN age < 20 THEN '13-19 (Teens)'
>     WHEN age BETWEEN 20 AND 30 THEN '20-30 (Young Adults)'
>     WHEN age BETWEEN 31 AND 50 THEN '31-50 (Adults)'
>     ELSE '51+ (Seniors)'
>   END AS age_group,
>   COUNT(*) AS user_count,
>   ROUND(AVG(likes), 0) AS avg_likes
> FROM facebook_cleaned
> GROUP BY
>   gender,
>   CASE
>     WHEN age < 20 THEN '13-19 (Teens)'
>     WHEN age BETWEEN 20 AND 30 THEN '20-30 (Young Adults)'
>     WHEN age BETWEEN 31 AND 50 THEN '31-50 (Adults)'
>     ELSE '51+ (Seniors)'
>   END;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e.
tez, spark) or using Hive 1.X releases.
Query ID = bigdata_20260728022717_13790402-e3d4-4e35-8aaf-f4a9f139deb8
Total jobs = 1
Launching Job 1 out of 1
Number of reduce tasks not specified. Estimated from input data size: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
bigdata@localhost:~/... [*hive_project_queries... [Sign in - Google Acco... Save Screenshot
```

```
Applications Places System bigdata@localhost:~/Desktop/Big Data Project Tue Jul 28, 3:28 AM h
set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0010, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0010/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0010
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1
2026-07-28 02:27:36,494 Stage-1 map = 0%, reduce = 0%
2026-07-28 02:27:51,680 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 6.51 sec
2026-07-28 02:28:06,580 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 11.56 sec
MapReduce Total cumulative CPU time: 11 seconds 560 msec
Ended Job = job_1785193788554_0010
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 11.56 sec HDFS Read: 2956862 HDFS Write: 609 SUCCESS
Total MapReduce CPU Time Spent: 11 seconds 560 msec
OK
NA      13-19 (Teens)    4      67.0
NA      20-30 (Young Adults) 13     14.0
NA      31-50 (Adults)   10     737.0
NA      51+ (Seniors)    148    111.0
female  13-19 (Teens)    8296   384.0
female  20-30 (Young Adults) 11213  237.0
female  31-50 (Adults)   8619   238.0
female  51+ (Seniors)    12126  213.0
male    13-19 (Teens)  12683  102.0
male    20-30 (Young Adults) 21189  77.0
male    31-50 (Adults) 12830   63.0
male    51+ (Seniors) 11872  104.0
Time taken: 50.317 seconds, Fetched: 12 row(s)
hive> SELECT
```

8. Top 10 YouTube Channels by Total Views and Likes


```
Applications Places System bigdata@localhost:~/Desktop/Big Data Project Tue Jul 28, 3:29 AM h
Number of reduce tasks determined at compile time: 1
In order to change the average load for a reducer (in bytes):
set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0012, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0012/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0012
Hadoop job information for Stage-2: number of mappers: 1; number of reducers: 1
2026-07-28 02:31:00,038 Stage-2 map = 0%, reduce = 0%
2026-07-28 02:31:14,627 Stage-2 map = 100%, reduce = 0%, Cumulative CPU 6.48 sec
2026-07-28 02:31:29,598 Stage-2 map = 100%, reduce = 100%, Cumulative CPU 10.63 sec
MapReduce Total cumulative CPU time: 10 seconds 630 msec
Ended Job = job_1785193788554_0012
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 19.06 sec HDFS Read: 39127480 HDFS Write: 1622743 SUCCESS
Stage-Stage-2: Map: 1 Reduce: 1 Cumulative CPU: 10.63 sec HDFS Read: 1629070 HDFS Write: 602 SUCCESS
Total MapReduce CPU Time Spent: 29 seconds 690 msec
OK
"ChildishGambinoVEVO" 78 10652536179 274646753
"NickyJamTV" 106 9237321281 80139940
"Ozuna" 98 8462112733 76406058
"DrakeVEVO" 87 7468532897 180201815
"Marvel Entertainment" 334 7426837076 210538831
"Bad Bunny" 43 6985297036 112313352
"ibighit" 242 6406334279 592237143
"ArianaGrandeVevo" 89 5960027279 166900924
"jypentertainment" 233 5315114187 151073296
"Ed Sheeran" 151 5211712079 160426918
Time taken: 104.367 seconds, Fetched: 10 row(s)
```

9.YouTube KPIs Summary (Total Views, Likes, and Videos)

```
Applications Places System Tue Jul 28, 3:23 AM h
bigdata@localhost:~/Desktop/Big Data Project
hive> SELECT
>   'KPIs Summary' AS metric_type,
>   SUM(views) AS total_youtube_views,
>   SUM(likes) AS total_youtube_likes,
>   COUNT(*) AS total_youtube_videos
> FROM youtube_cleaned;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e.
tez, spark) or using Hive 1.X releases.
Query ID = bigdata_20260728021128_35c06c5b-00eb-441e-a8d9-96ca030c1fe2
Total jobs = 1
Launching Job 1 out of 1
Number of reduce tasks determined at compile time: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0004, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0004/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0004
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1
2026-07-28 02:11:49,070 Stage-1 map = 0%, reduce = 0%
2026-07-28 02:12:07,691 Stage-1 map = 34%, reduce = 0%, Cumulative CPU 7.8 sec
2026-07-28 02:12:08,946 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 9.02 sec
2026-07-28 02:12:26,436 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 13.93 sec
MapReduce Total cumulative CPU time: 13 seconds 930 msec
Ended Job = job_1785193788554_0004
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 13.93 sec HDFS Read: 39128368 HDFS Write: 144 SUCCESS
Total MapReduce CPU Time Spent: 13 seconds 930 msec
OK
bigdata@localhost:~/... [hive_project_queries... [Sign in - Google Acco...
```


```
Applications Places System Tue Jul 28, 2:13 AM h
bigdata@localhost:~/Desktop/Big Data Project
File Edit View Search Terminal Help
> FROM youtube_cleaned;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e.
tez, spark) or using Hive 1.X releases.
Query ID = bigdata_20260728021128_35c06c5b-00eb-441e-a8d9-96ca030c1fe2
Total jobs = 1
Launching Job 1 out of 1
Number of reduce tasks determined at compile time: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0004, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0004/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0004
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1
2026-07-28 02:11:49,070 Stage-1 map = 0%, reduce = 0%
2026-07-28 02:12:07,691 Stage-1 map = 34%, reduce = 0%, Cumulative CPU 7.8 sec
2026-07-28 02:12:08,946 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 9.02 sec
2026-07-28 02:12:26,436 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 13.93 sec
MapReduce Total cumulative CPU time: 13 seconds 930 msec
Ended Job = job_1785193788554_0004
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 13.93 sec HDFS Read: 39128368 HDFS Write: 144 SUCCESS
Total MapReduce CPU Time Spent: 13 seconds 930 msec
OK
KPIs Summary 423856540492 12622534929 328977
Time taken: 59.361 seconds, Fetched: 1 row(s)
hive>
```

10. Previewing Cleaned Data for YouTube



```
Applications Places System bigdata@localhost:~/Desktop/Big Data Project Tue Jul 28, 1:40 AM h
File Edit View Search Terminal Help
Hadoop job information for Stage-1: number of mappers: 2; number of reducers: 0
2026-07-28 01:38:19,277 Stage-1 map = 0%, reduce = 0%
2026-07-28 01:39:04,057 Stage-1 map = 17%, reduce = 0%, Cumulative CPU 27.86 sec
2026-07-28 01:39:06,575 Stage-1 map = 24%, reduce = 0%, Cumulative CPU 30.54 sec
2026-07-28 01:39:10,301 Stage-1 map = 44%, reduce = 0%, Cumulative CPU 37.11 sec
2026-07-28 01:39:14,085 Stage-1 map = 53%, reduce = 0%, Cumulative CPU 41.01 sec
2026-07-28 01:39:16,722 Stage-1 map = 77%, reduce = 0%, Cumulative CPU 45.07 sec
2026-07-28 01:39:20,230 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 49.12 sec
MapReduce Total cumulative CPU time: 49 seconds 120 msec
Ended Job = job_1785193788554_0001
Stage-4 is selected by condition resolver.
Stage-3 is filtered out by condition resolver.
Stage-5 is filtered out by condition resolver.
Moving data to directory hdfs://localhost:9000/user/hive/warehouse/.hive-staging_hive_2026-07-28_01-37-41_978_8308719600550324026-1/-ext-10002
Moving data to directory hdfs://localhost:9000/user/hive/warehouse/youtube_cleaned
MapReduce Jobs Launched:
Stage-Stage-1: Map: 2 Cumulative CPU: 49.12 sec HDFS Read: 539151989 HDFS Write: 39117917 SUCCESS
Total MapReduce CPU Time Spent: 49 seconds 120 msec
OK
Time taken: 99.943 seconds
hive> SELECT title, views, likes FROM youtube_cleaned LIMIT 5;
OK
"Eminem - Walk On Water (Audio) ft. Beyoncé" 17158579 787425
"PLUSH - Bad Unboxing Fan Mail" 1014651 127794
"I Dare You: GOING BALD!?" 2095828 132239
"Ed Sheeran - Perfect (Official Music Video)" 33523622 1634130
"Jake Paul Says Alissa Violet CHEATED with LOGAN PAUL! #DramaAlert Team 10 vs Martinez Twins!" 1309699 103755
Time taken: 0.339 seconds, Fetched: 5 row(s)
hive>
```

11. Instagram Engagement by Account Type and Media Type



```
Applications Places System bigdata@localhost:~/Desktop/Big Data Project Tue Jul 28, 2:33 AM h
> COUNT(*) AS total_posts,
> SUM(likes) AS total_likes,
> SUM(comments) AS total_comments,
> SUM(shares) AS total_shares
> FROM instagram_cleaned
> GROUP BY account_type, media_type;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e.
tez, spark) or using Hive 1.X releases.
Query ID = bigdata_20260728023228_7d9c072e-5046-411c-bfd4-8a5a7d566aff
Total jobs = 1
Launching Job 1 out of 1
Number of reduce tasks not specified. Estimated from input data size: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
Starting Job = job_1785193788554_0013, Tracking URL = http://localhost:8088/proxy/application_1785193788554_0013/
Kill Command = /home/bigdata/hadoop-2.7.3/bin/hadoop job -kill job_1785193788554_0013
Hadoop job information for Stage-1: number of mappers: 0; number of reducers: 1
2026-07-28 02:32:43,015 Stage-1 map = 0%, reduce = 0%
2026-07-28 02:32:55,441 Stage-1 map = 0%, reduce = 100%, Cumulative CPU 3.38 sec
MapReduce Total cumulative CPU time: 3 seconds 380 msec
Ended Job = job_1785193788554_0013
MapReduce Jobs Launched:
Stage-Stage-1: Reduce: 1 Cumulative CPU: 3.38 sec HDFS Read: 6146 HDFS Write: 87 SUCCESS
Total MapReduce CPU Time Spent: 3 seconds 380 msec
OK
Time taken: 29.567 seconds
hive>
```