</talentlabs>

C H A P T E R 9

Styling Texts

</talentlabs>


AGENDA

- Text Alignment

- Text Decoration

- Text Fonts / Size / Weight

</talentlabs>

Text Alignment

</talentlabs>

Text Alignment

We can align elements inside a container to be at the left, middle or right

```html
<h1>CSS margins</h1>

<p>Text</p>
```

HTML

```css
p {
    color: 1px solid green;
}
```

CSS

CSS Margins

Text

DEFAULT ALIGNMENT IS LEFT ALIGN

Center Align

We can align elements inside a container to be at the left, middle or right

```html
<h1>CSS margins</h1>

<p>Text</p>
```

HTML

```css
p {

    color: 1px solid green;
    text-align: center;

}
```

CSS

CSS Margins

Text

Right Align

We can align elements inside a container to be at the left, middle or right

```
<h1>CSS margins</h1>

<p>Text</p>
```

HTML

```
p {

    color: 1px solid green;

    text-align: right;

}
```

CSS

CSS Margins

Text

Text Decoration

</talentlabs>

Underlined Text

Texts can be decorated in several ways using CSS

HTML

```
<h1>Text</h1>
```

CSS

```
h1 {

    text-decoration: underline;

}
```

<u>Text</u>

Line-Through Text

Texts can be decorated in several ways using CSS

HTML

```
<h1>Text</h1>
```

CSS

```
h1 {
    text-decoration: line-through;

}
```

Text Transformation

Text can be transformed via uppercase, lowercase or capitalization

HTML

```html
<p class="uppercase">Text text</p>
<p class="lowercase">Text text</p>
<p class="capitalize">Text text</p>
```

CSS

```css
p.uppercase {
    text-transform: uppercase;
}
p.lowercase {
    text-transform: lowercase;
}
p.capitalize {
    text-transform: capitalize;
}
```

TEXT TEXT

text text

Text Text

Text Fonts/Size/Weight

</talentlabs>

Text Fonts

- The correct font choice contributes towards a satisfactory user experience

- Fonts can often serve as a unique property for an organization

- Adopting a font that is convenient to navigate through is integral

</talentlabs>

Fonts

HTML

```html
<p class="p1">I am a paragraph</p>

<p class="p2">I am a paragraph</p>

<p class="p3">I am a paragraph</p>
```

CSS

```css
.p1 {
    font-family: "Times New Roman";
}
.p2 {
    font-family: Verdana;
}
.p3 {
    font-family: "Fira Sans";
}
```

Fonts consisting of multiple words have to be kept inside of quotation marks "…"

Full list of font that can be used:
https://developer.mozilla.org/en-US/docs/Web/CSS/font-family

I am a paragraph

I am a paragraph

I am a paragraph

Fallback Fonts

More than one font can be added in case the browser does not recognize it

HTML

```
<p>I am a paragraph</p>
```

CSS

```
p{
    font-family: Helvetica, Courier, sans-serif;
}
```

I am a paragraph

- Helvetica is the main font.
- If it is not found, Courier is applied
- At worst case, sans-serif

Font styling

Text can be transformed to italics or to bold

HTML

```
<p>Text Text</p>

<p class="italics">Text Text</p>

<p class="bold">Text Text</p>
```

CSS

```
.italics {

    font-style: italic;

}
.bold {

    font-weight: bold;

}
```

Text Text

Text Text

Text Text

</talentlabs>

Font Size

HTML

```html
<p class="p1">This is text</p>

<p class="p2">This is text</p>

<p>This is text</p>
```

CSS

```css
.p1 {

    font-size: 2.5em;

}
.p2 {

    font-size: 1.5em;

}
.p2 {

    font-size: 0.875em;

}
```

This is text

This is text

This is text.

That's all for this module!

THANK YOU!

</talentlabs>

CSS Text

CSS can be used to style text in various ways

- Text Alignment

- Text Decoration (not just color)

- `CSS` Fonts

- **Font** Weight