Beamer Presentation with Pandoc and Markdown

A quick way to prepare slides

Amir Shabani - 9413088021 Sunday, December 29, 2019

University of $\operatorname{\mathsf{Qom}}$

Table of Contents

- 1. What are Beamer, Pandoc, and Markdown?
- 2. The Philosophy of Markdown
- 3. Markdown Syntax
 - 3.1 Typography
 - 3.2 Lists
 - 3.3 Links
 - 3.4 Images
 - 3.5 Code and Syntax Highlighting
 - 3.6 Tables
 - 3.7 Blockquotes
- 4. Installing and running
- 5. References

What are Beamer, Pandoc, and Markdown?

Beamer

Beamer is a LaTeX **document class** for creating presentation slides, with a wide range of templates and a set of features for making slideshow effects.

It supports pdfLaTeX, LaTeX + dvips, LuaLaTeX and XeLaTeX. The name is taken from the German word "Beamer" as a pseudo-anglicism for "video projector".

What are Beamer, Pandoc, and Markdown?

Pandoc

Pandoc is a free and open-source **document converter**, widely used as a writing tool (especially by scholars) and as a basis for publishing workflows. It was created by John MacFarlane, a philosophy professor at the University of California, Berkeley.

What are Beamer, Pandoc, and Markdown?

Markdown

Markdown is a lightweight **markup language** with plain text formatting syntax. Its design allows it to be converted to many output formats, but the original tool by the same name only supports **HTML**. Markdown is often used to format readme files, for writing messages in online discussion forums, and to create rich text using a plain text editor.

The Philosophy of Markdown

Markdown is intended to be as **easy-to-read** and **easy-to-write** as is feasible.

Readability, however, is emphasized above all else. A markdown-formatted document should be *publishable* as-is, as plain text, without looking like it's been marked up with tags or formatting instructions.

Typography

```
*italic* | _italic_ becomes italic

**bold** | __bold__ becomes bold

**_bold and italic_** becomes bold and italic

~*strikethrough~~ becomes strikethrough

**_~~mixed~~_** becomes mixed
```

Lists

- **Ordered List**
- 1. Item 1
- 2. Item 2
- 3. Item 3

Ordered List

- 1. Item 1
- 2. Item 2
- 3. Item 3

Lists

- **Unordered List**
- Item 1
- Item 2
- Item 3

Unordered List

- Item 1
- Item 2
- Item 3

Links

```
<a href="https://pandoc.org"><a href="https://pandoc.org">https://pandoc.org</a> becomes Pandoc [Pandoc] (https://pandoc.org) becomes Pandoc
```

![alternative text](address to image)



Figure 1: latex

Code and Syntax Highlighting

```
```javascript
var s = "JavaScript syntax highlighting";
alert(s);

var s = "JavaScript syntax highlighting";
alert(s);
```

# **Code and Syntax Highlighting**

```
```python
string = "Python syntax highlighting"
print(string)
...
string = "Python syntax highlighting"
print(string)
```

Tables

becomes

Tables	Are	Cool
col 3 is	right-aligned	\$1600
col 2 is	centered	\$12
col 1 is	left-aligned	\$1

Blockquotes

> This is a block quote.

Since the initial description of Markdown contained ambiguities and unanswered questions, the implementations that appeared over the years have subtle differences and many come with syntax extensions.

Installing and Running

- 1. Install LaTex and Pandoc
- 2. Run this command:

pandoc input.md -t beamer -o output.pdf

References

R Markdown from RStudio

Markdown Cheatsheet