
STRATEGIC IP PORTFOLIO · EXECUTIVE EDITION

VISION PORTFOLIO

Ten safety-engineered mobility platform families.
One design authority.
A clear path from evaluation to ownership.



10	4	1
platform families	strategic clusters	design authority

Founder: Amirbahador Atai · Version 4.0 · 24 October 2026

CONFIDENTIAL — for qualified counterparties under NDA. Not a certification dossier.

THE PROPOSITION

Own the safety layer of next-generation heavy mobility

Vision Portfolio is a collection of ten safety-engineered mobility platform families that share one design authority and one idea: a machine should stay safe when power, structure or sensing fails. The portfolio is built so that a strategic buyer can start with an **evaluable engineering core**, extend into **adjacent dynamics and infrastructure IP**, and secure **exclusive development rights** to platform concepts that a competitor could otherwise acquire later.

CORE	GROWTH	VISION
Evaluate now	**Multiply the core**	**Secure the upside**
MCRS isolation family: Lightweight (0.8–2.2 t) and Heavyweight (5–150 t). Document-00 baselines, requirement registers, safety invariants, verification gates.	BASFC cabin-attitude system and the ATAI L-Series heavy-lift concept: adjacent IP that shares the kinematic and heavy-mobility DNA.	Seven platform families across VTOL, marine, land and materials, offered as exclusive development rights, labelled honestly as concepts.

Week	What happens in the first 90 days
0	Mutual NDA and named recipients
1–4	Core read-only review; buyer questions; independent reviewer
5–12	Optional paid Option: SIM-001 screening and ICD-001 draft
Decision	Licence, option-to-licence or assignment

Claim discipline is a feature. Every asset carries a maturity label (Baseline, Architecture, Concept). No certification, patent grant, type approval or measured performance is represented. Where an archive figure has not passed an internal consistency check, it is left out of this edition and carried into the feasibility scope instead.

THE STRATEGIC THREAD

Safety-by-architecture runs through every platform

Across the ten families the same design patterns recur. For a buyer this means one coherent safety language, reusable know-how and a single point of design authority. Marks show patterns described in the source archives; they are descriptions, not verified performance.

Family	Passive or unpowered safe path	Redundancy by distribution	Survival or isolation cell	Deterministic safety kernel	Modular scaling
MCRS isolation	●	●	●	●	●
BASFC	●	–	●	●	–
ATAI L-Series	–	●	–	–	●
Special Dutch hub	–	●	●	–	–
Atai Safe Jet	●	●	●	●	–
GEN-3 Safe Helicopter	●	●	●	●	–
Magnetic-assist rotorcraft	●	●	●	–	–
FOP-777 family	●	–	●	–	●
Gen-3 Hypercar	–	●	●	–	●
ALVC	●	●	–	●	–

ONE LANGUAGE

Invariants, not slogans

MCRS expresses safety as numbered invariants (S0–S13) that a buyer safety case can allocate. The same style can extend across the family.

REUSABLE KNOW-HOW

Distribution and recovery

Distributed lift, layered recovery and separable survival cells recur in the VTOL, marine and land concepts.

ONE AUTHORITY

Single design owner

One founder-architect and one configuration-control logic reduce integration friction for a multi-asset buyer.

PORTFOLIO MAP

Ten families in four strategic clusters

Cluster	Family	Maturity	What a buyer can do first
A. Isolation and vehicle dynamics	01 MCRS isolation family (Lightweight and Heavyweight)	BASELINE	Read Document-00; run SIM-001 and ICD-001 Option
	02 BASFC body-angle system	ARCHITECTURE	Fund dedicated DOC-00 and kinematic model
B. Heavy lift and infrastructure	03 ATAI L-Series heavy-lift	CONCEPT	Volume, mass and power closure study
	04 Special Dutch docking and evacuation hub	CONCEPT	Define anchored baseline configuration
C. Safe VTOL and rotorcraft	05 Atai Safe Jet (ASJ)	CONCEPT	Energy and mass closure; capsule safety case
	06 GEN-3 Safe Helicopter	CONCEPT	Rotor-interference and drivetrain studies
	07 Magnetic-assist rotorcraft	EARLY CONCEPT	Field-coupling and corridor use-case study
D. Marine, land and materials	08 FOP-777 marine pyramid (Variant 1 and 2)	CONCEPT	Stability and separation-load studies
	09 Gen-3 multi-axle hypercar	CONCEPT	Archive inventory; mass and thermal closure
	10 Atai Liquid Vehicle Concept (ALVC)	EARLY CONCEPT	Materials compatibility and containment study

Maturity ladder

Label	Meaning in this edition	Typical buyer step
BASELINE	Controlled Document-00 with requirements, invariants, verification gates and open-item list. TRL 2–3, analytical.	Option: SIM-001, ICD-001 draft, scorecard
ARCHITECTURE	Defined function and architecture; dedicated Document-00 not yet issued.	Paid DOC-00 and kinematic validation
CONCEPT	Concept archive with study figures; physical closure still to be shown.	Paid feasibility sprint with independent reviewer
EARLY CONCEPT	Early R&D; idea; core physics or materials unvalidated.	Exploratory study or option

CORE ASSET · 01

MCRS: one isolation family from 0.8 t cabins to 150 t decks

A modular, powertrain-agnostic family of captured-tower modules. The occupant cabin, equipment bay or load deck is isolated from road and process shock, can be mechanically locked when stiffness is needed, and settles on a defined passive state when power is lost. The buyer keeps its own chassis and powertrain (Path A).

Parameter	Lightweight	Semi-Heavy	Very-Heavy
Suspended mass	0.8–2.2 t (Class S / L)	5–25 t	60–150 t
Towers	4	4 or 6 × T-60	6 or 8 × T-250
Macro / micro stroke	±50 / ±7.5 mm	±150 / ±10 mm	±300 / ±15 mm
Modes	COMFORT, SPORT, HOLD; passive S4	COMFORT, SPORT, HOLD; passive S4	COMFORT, SPORT, HOLD; passive S4
Module mass (planning)	≈ 297 kg (S) / 393 kg (L)	≈ 615 kg (4T) / 910 kg (6T)	≈ 3,100 kg (6T) / 4,100 kg (8T)
Vertical space claim (target)	≈ 170–190 mm	≈ 440–500 mm	≈ 900–1,000 mm
Design life (target)	≥ 10,000 h	≥ 20,000 h	≥ 25,000 h
Control supply	48 V, isolated from host HV	48 V (HPU 48 V)	48 V control; isolated DC or host hydraulics
Licensable unit	MCRS-MOD-001	MCRS-MOD-SH1	MCRS-MOD-VH1

Figures are TARGET or STUDY values from the controlling Document-00 releases (MCRS-LW-DOC-00 and MCRS-HW-DOC-00), which prevail over any summary. Heavyweight tower classes are T-60 and T-250. A 2.2–5 t range is not yet covered; an extension study is available.

Why OEM engineering teams engage

POWER-OFF SAFE
Passive by design
Cabin captured in every state; SPORT lock holds without power; defined S4 passive state with rate-limited settle.

TWO CHARACTERS
COMFORT and SPORT
Isolation for comfort, mechanical lock for control and loading. Predictive pre-arm (ANTICIPATE) is a Signature Option.

INTEGRATION KIT
Faster to evaluate
Requirements register, interface envelope, verification gates, load-share screening and a buyer scorecard in the Option.

CORE ASSET · 01 (CONTINUED)

Signature Options, evidence path and honest cost

Signature Option	What it is	Buyer benefit
SAFE-OFF Kit	Invariants as allocatable safety goals; hazard list; FMEA/FTA starter	Safety case starts from written invariants
ANTICIPATE	Predictive SPORT pre-arm from steering, yaw and optional map or ADAS cues	Handling authority arrives with the corner
CALM	Low-frequency comfort shaping for rear-seat and mobile-office cabins	A visible premium feature
STILL PLATFORM	Stationary levelling (±2° on Lightweight) for stable floors	Ambulance, lab, survey and camper niches
TWIN-READY	Parameterised digital twin of one corner and the tower cell	Faster integration studies
HEALTH-ON-BOARD	Cycle counters, health trends, protected service data	Warranty analytics and predictive maintenance
CLASS-SCALE	One architecture, several mass classes	Several trims or programmes on one family

Phase	Content	Indicative duration
Option	NDA baseline, buyer declaration, SIM screening run	0–3 months
Gate 1	ICD draft, load-share scheme, independent review	3–9 months
Gate 2	Tower benches, hydraulic failure tests, actuator data	9–21 months
Gate 3	HIL, multi-tower rigs, power-loss to passive state	18–30 months
Integration	Buyer prototypes (buyer-owned)	24–42 months

Stated openly: the isolation module adds mass (about 18–20 % of suspended mass at class maximum on Lightweight) and vertical height, and consumes auxiliary power. These costs are disclosed up front so that a buyer’s business case is built on real numbers. Durations are indicative targets, not commitments.

GROWTH ASSETS

Adjacent IP that multiplies the core

02
ARCHITECTURE

BASFC — Body Angle System for Cars

cabin attitude decoupled from suspension heave

Mechanism D separates cabin roll and pitch attitude from wheel and suspension heave, allowing a four-wheel vehicle to bank its cabin into a corner while the tyres stay flat.

Why it matters	A premium and autonomous-cabin differentiator that complements MCRS: MCRS manages vibration, BASFC manages attitude.
Archive figures (stated)	Operating bank ±8–12°; hard mechanical limit ±20°; return-to-zero target under 50 ms; electro-hydraulic actuation.
First-order check	Felt lateral acceleration = $a \cdot \cos\theta - g \cdot \sin\theta$. At 0.3 g and 12° bank this is ≈ 0.085 g (about 70 % lower); at 0.5 g the reduction is about 44 %.
First proof milestone	Dedicated DOC-00, kinematic model, actuator sizing, failure-state analysis, prior-art search, vehicle test plan.
Natural counterparties	Premium OEMs, autonomous-cabin developers, chassis Tier-1 suppliers.
Rights offered	Architecture package; development licence with milestone-based exclusivity.

03
CONCEPT

ATAI L-Series heavy-lift

hybrid buoyant lift for remote infrastructure

A helium-buoyant airship combined with vectored fans and precision multi-cable winches, aimed at placing towers, turbines and bridge sections where roads do not exist.

Why it matters	Remote energy and infrastructure logistics is a large cost centre; reduced ground works is the strategic hook.
Archive figures (stated)	120 m class envelope; study payload target of several hundred tonnes; multi-cable winch concept with active sway control.
First proof milestone	Closure study: envelope volume, helium lift, empty mass, dynamic thrust, power budget and wind envelope.
Natural counterparties	Infrastructure and energy contractors, heavy-lift logistics groups, airship developers.
Rights offered	Concept or feasibility licence; no certified lift-product representation.

VISION ASSETS · HEAVY INFRASTRUCTURE AND VTOL

Platform concepts with exclusive upside

04
CONCEPT

Special Dutch — docking and evacuation hub

120 m class CFRP pyramid

A carbon-fibre lattice pyramid that acts as a multi-modal docking apex for air, sea and land logistics and as a mass-evacuation structure.

Why it matters	A signature infrastructure form for offshore, industrial and emergency sites.
Archive figures (stated)	120 m class height; twelve functional tiers; side-ejection survival capsules (15 t and 25 t types).
First proof milestone	Fix an anchored or tethered baseline configuration; airborne operation is an upside that needs a separate energy-closure study.
Natural counterparties	Offshore and port infrastructure groups, emergency-services programmes, large-structure engineering firms.
Rights offered	Concept archive; exclusive development rights under full assignment.

05
CONCEPT

Atai Safe Jet (ASJ)

heavy VTOL with distributed lift and survival cell

A 160 t class VTOL transport lifted by a distributed array of electric ducted fans with turbofan forward propulsion and a central survival capsule.

Why it matters	Distributed lift offers fault tolerance by design; a survival-cell concept targets a safety-first heavy VTOL story.
Archive figures (stated)	56 lift fans, 2.1 MN vertical thrust (about 1.36× weight at 160 t); 24-person capsule; hybrid power.
First proof milestone	Hover-power and energy closure (tens of MW at this weight class), propulsion trade, capsule separation safety case.
Natural counterparties	Aerospace OEMs, advanced air-mobility developers, special-mission operators.
Rights offered	Concept archive; exclusive development rights under full assignment.

06
CONCEPT

GEN-3 Safe Helicopter 14 t class, eight distributed rotors

A heavy VTOL rotorcraft that removes the single-rotor failure point through eight 8 m rotors, a cross-shafted drive and layered recovery systems.

Why it matters	Offshore, rescue and heavy-utility operators pay for redundancy; the architecture is built around it.
Archive figures (stated)	Eight 8 m rotors; 6.0 MW installed turboshaft power; parachute recovery system; crushable landing structure.
First-order check	Ideal hover power at 14 t over 402 m² of rotor area is about 1.6 MW, against 6.0 MW installed: a coherent starting budget.
First proof milestone	Rotor-overlap CFD, cross-shaft drivetrain reliability, controllability with rotor loss, recovery deployment envelope.
Natural counterparties	Rotorcraft OEMs, offshore and emergency-services operators.
Rights offered	Concept and early-architecture archive; exclusive development rights.

07
EARLY CONCEPT

Magnetic-assist rotorcraft track-coupled electromagnetic unloading

A 20 t class rotorcraft concept in which external electromagnetic coupling reduces apparent weight along equipped corridors. Distinct from the MCRS isolation family.

Why it matters	A niche but defensible idea for fixed corridors such as ports, campuses and shuttle routes.
Archive figures (stated)	20 t class; up to 60 % unloading when track-coupled (study); magnetic rotor-hub bearings.
Boundary	Benefit requires an external reaction path. No free-flight mass reduction is assumed.
First proof milestone	Field-coupling and force-density study; define corridor use cases and infrastructure cost.
Natural counterparties	Advanced-mobility R&D; groups, infrastructure operators.
Rights offered	Early-concept archive; option or development licence.

VISION ASSETS · MARINE, LAND AND MATERIALS

Concepts for halo programmes and R&D; partners

08
CONCEPT

FOP-777 marine pyramid

Variant 1 platform and Variant 2 separable apex

A 77.77 m twin-hull floating pyramid for research, hospitality and command roles, with an optional separable apex survival module.

Why it matters	A distinctive offshore platform form with an integrated evacuation concept.
Archive figures (stated)	77.77 m class; twin-catamaran hulls; twelve decks; apex module of about 50 t.
First proof milestone	Hull resistance and stability study, sea-state limits, apex separation loads. Baseline apex is a buoyant, recoverable survival module; powered flight is an upside needing an energy-closure study.
Natural counterparties	Shipyards, offshore operators, research-vessel and hospitality developers.
Rights offered	Both variant archives as one family; exclusive development rights.

09
CONCEPT

Gen-3 multi-axle hypercar

modular amphibious hyper-platform

A four- to six-axle modular platform with a multi-engine hybrid powertrain, amphibious capability and a detachable survival cockpit.

Why it matters	A halo and technology-demonstrator programme with a modular axle concept and a reusable survival-cell idea.
Archive figures (stated)	Multi-generation archive (about 600 files claimed; inventory to be verified in Schedule A); >10,000 hp class target.
First proof milestone	Mass, thermal and drivetrain closure; amphibious sealing; crashworthiness of the survival cell.
Natural counterparties	Performance and ultra-luxury OEMs, special-vehicle builders.
Rights offered	Archive and exclusive development rights.

10
EARLY CONCEPT

Atai Liquid Vehicle Concept (ALVC)

adaptive structure with contained liquid-metal cells

An adaptive structure that uses contained gallium-alloy cells inside a mechanical skeleton to modulate stiffness, centre of gravity and surface shape.

Why it matters	Opens research routes in impact-dissipating structures, thermal management and morphing aerodynamics.
Archive figures (stated)	R&D; technical paper; deterministic safety-kernel concept; unpowered shape retention goal.
First proof milestone	Materials compatibility (gallium alloys attack several metals), containment, mass and fail-safe shape retention.
Natural counterparties	Advanced-materials groups, defence-adjacent and automotive R&D; labs.
Rights offered	Option or exclusive development licence.

WHY MORE THAN ONE

Four natural bundles

Bundle	Families	Strategic logic
Cabin motion management	MCRS + BASFC	Vibration isolation plus attitude control: a complete cabin-comfort and handling story for premium and autonomous vehicles.
Safe rotorcraft	GEN-3 + ASJ + Magnetic-assist	Shared distributed-lift, recovery and survival-cell know-how across three VTOL scales.
Infrastructure and evacuation	L-Series + Special Dutch	Remote-site logistics and emergency hubs for energy, port and offshore customers.
Marine and land halo	FOP-777 + Hypercar	Separable survival cells and modular platforms for signature programmes.

PRIORITY RIGHTS

First-negotiation window

A buyer of any family receives a time-limited right of first negotiation on the others (terms by counsel).

OPTION CREDIT

Fees count forward

Option and feasibility fees are credited against a later licence or assignment within the option window.

ONE PROCESS

One schedule, one data room

A single Schedule A, one diligence track and one design authority for a multi-asset buyer.

Concept synergy, not a claim: MCRS-style isolation can serve cabins in the rotorcraft and marine concepts, and a separable survival cell recurs across several families. These are directions for joint study.

ACQUISITION PATHWAYS

Three ways in, one ladder up

Pathway	Scope	Indicative ask (gross)	Role
A — Core	MCRS Lightweight and Heavyweight Document-00 packages and listed archives	US$650,000	Primary technical entry
B — Core + Growth	A plus BASFC architecture and L-Series concept package	US$1,200,000	Adjacent expansion
C — Full Portfolio	B plus the seven Vision families; global assignment of the scheduled rights only	US$1,850,000	Preferred target

Asking prices are negotiation anchors, not independent valuations. Gross price is not net proceeds; taxes, escrow and legal costs are for the parties' advisers.

Licence menu for single families (indicative)

Asset	Indicative exclusive-licence ask	Commercial shape
MCRS Lightweight	US$300k–650k	Field-limited or regional; 10–15 years; SIM and ICD separately scoped
MCRS Heavyweight	US$250k–500k	Application-limited; 10–15 years; ratings and interfaces locked in baseline
BASFC	US$75k–200k	Development licence; milestone-based exclusivity
L-Series	US$25k–100k	Concept or feasibility licence
Each Vision family	US$15k–75k	Field-limited option or exclusive development licence

Structure	How it works
Exclusive, up-front	Defined field, territory and term in exchange for a larger fee and minimum development milestones.
Exclusive with milestones	Lower initial fee plus gate payments; exclusivity lapses if the buyer does not progress.
Option-to-licence	Paid, time-limited diligence period followed by a negotiated licence fee.
Full assignment	One-time transfer of only the scheduled rights and files, after title and encumbrance checks.

TRANSACTION PATH

From NDA to acceptance, with evidence at every step

Stage	Action	Evidence
1 NDA	Mutual NDA; named recipients; no unrestricted archive transfer	Executed NDA, access log
2 Diligence	Read-only review of redacted index and Core Document-00; buyer appoints independent reviewer	Questions log, open-item register
3 Schedule A	Freeze families, variants, versions, formats, exclusions and ownership declarations	Signed Schedule A
4 Agreement	Assignment or licence scope, consideration, warranties limits, improvements, confidentiality	Signed agreement
5 Escrow	Mutually selected reputable escrow; release conditions reviewed by both sides	Escrow agreement, cleared funds
6 Transfer	Transfer listed files and rights; verify hashes and versions	Acceptance certificate

Gate	Required evidence	Decision it supports
G1 Title and provenance	Authorship record, contributors, source inventory, third-party and AI-assisted content disclosure, filing schedule if any	Can the scheduled rights be transferred?
G2 Baseline integrity	Current Document-00 versions, revision history, traceability, change log	What exactly is acquired?
G3 Technical coherence	Independent review of mass, power and interface assumptions and safety architecture	What must be corrected before development?
G4 Prototype plan	Stage-gated verification plan, facilities, cost and schedule ranges	What is the next funded milestone?
G5 Commercial scope	Use cases, field of use, alternatives, development economics	Is there a justified business case?

SCHEDULE A PREVIEW

What is being transferred, itemised before signature

#	Family	Deliverable set (to be itemised)	Maturity
01	MCRS isolation family	MCRS-LW-DOC-00, MCRS-HW-DOC-00, requirement registers, verification plans, interface drafts	BASELINE
02	BASFC	Architecture package: kinematics and actuation concept	ARCHITECTURE
03	ATAI L-Series	Concept package: envelope, lift study, winch concept	CONCEPT
04	Special Dutch hub	Concept archive: structure, docking, evacuation	CONCEPT
05	Atai Safe Jet	Concept archive	CONCEPT
06	GEN-3 Safe Helicopter	Concept and early-architecture archive	CONCEPT
07	Magnetic-assist rotorcraft	Early-concept archive	EARLY CONCEPT
08	FOP-777 family	Variant 1 and Variant 2 archives	CONCEPT
09	Gen-3 hypercar	Multi-generation archive; inventory to be verified	CONCEPT
10	ALVC	R&D; technical paper and notes	EARLY CONCEPT

Does not transfer	Notes
Finished vehicles, tooling, prototype hardware, type approval, host powertrain designs, certified performance claims	Not part of any option
Patents, trademarks, software and third-party CAD licences	Only if specifically scheduled and verified; this edition makes no representation about filings or freedom to operate
Third-party brand and engine names that may appear in older archive material	Excluded from the transfer unless permission is documented

NEXT STEP

Start with a 30-minute executive briefing

STEP 1	STEP 2	STEP 3
Brief	**NDA and Core read**	**Choose a track**
Confirm your business unit, use case and the families that fit.	Mutual NDA, named recipients, read-only access to Core Document-00.	Core, Core + Growth or Full Portfolio, with a paid Option or feasibility sprint.

Contact: Amirbahador Atai, Founder and stated legal owner. Contact details are provided on NDA request. All terms are subject to diligence, ownership verification, independent review and definitive agreements prepared by counsel. This document is not a certification dossier and makes no representation of certified performance, patent grant or production readiness.

Vision Portfolio · Executive Edition 4.0 · 24 October 2026 · Confidential, NDA controlled.