Strategic IP portfolio | Twelve-platform edition

VISION PORTFOLIO

Twelve safety-engineered platform families.
One design authority.
A clear path from evaluation to ownership.

12
platform families

4
strategic clusters

1
design authority

Founder: Amirbahador Atai | Version 5.0 | 24 October 2026

CONFIDENTIAL. For qualified counterparties under NDA. Not a certification dossier.

THE PROPOSITION

Own the safety layer of next-generation mobility and infrastructure

Vision Portfolio is a collection of twelve safety-engineered platform families that share one design authority and one idea: a machine or network should stay safe when power, structure or sensing fails. A strategic buyer can start with an evaluable engineering core, extend into adjacent families, or secure the whole collection in one transaction.

Seven families carry a controlled Document-00 baseline with requirement registers, safety invariants and verification gates. Five are earlier concepts, offered with honest labels and a defined first proof milestone.

> **Claim discipline is a feature.** Every family carries a maturity label (Baseline or Concept). No certification, type approval, patent grant, measured performance or survival probability is represented. Figures marked as targets or assumptions in the source documents are carried as targets here.

Three ways in

Path	What the buyer gets	Indicative price
Evaluate	Read-only review of the redacted index and any Document-00; optional paid option with fees credited forward.	Option fee, 10% of the licence fee
Licence	25-year licence per family, no royalty, one-time fee, exclusive within an agreed field and territory.	From US$50,000 to US$250,000 per family
Own	Global assignment of the scheduled rights and files for all twelve families.	**US$2,000,000** for the full portfolio

Why the families belong together

The same design patterns recur: a passive or unpowered safe path, redundancy by distribution, a separable survival cell, a deterministic safety kernel that no software can bypass, and modular scaling. For a buyer this means one safety language, reusable know-how and a single point of design authority, which lowers integration friction when more than one family is acquired. These are patterns described in the source documents; they are not verified performance.

PORTFOLIO MAP

Twelve families in four clusters

#	Family	Cluster	Maturity	First proof milestone
1	**MCRS isolation family**	A	**BASELINE**	SIM-001 screening and ICD-001 draft against a buyer host vehicle.
2	**BASFC body-angle system**	A	**BASELINE**	Multi-body kinematics, then packaging CAD for edge gap and ground clearance.
3	**Ultra-Safe Central Capsule v3.0**	A	**BASELINE**	Parachute sizing basis, impact-energy accounting and separation-interface tests.
4	**SSCC Special Safe Carbon Capsule**	A	**BASELINE**	Isolator class sizing and supplier component tests.
5	**HSH Heavy Safe Helicopter**	B	**BASELINE**	Bottom-up mass, rotor and power closure, and 6-DOF separation analysis.
6	**GEN-3 Safe Helicopter**	B	**BASELINE**	Rotor figure-of-merit validation, mass closure at 14 t, thermal study at 6 MW.
7	**LSH Lightweight Safe Helicopter family**	B	**BASELINE**	Mass closure, rotor interference study, magnetic force-versus-gap map.
8	**ASJ Atai Safe Jet**	C	**CONCEPT**	Hover power, energy and thermal closure; capsule separation under asymmetric conditions.
9	**Hybrid Safe Capsule, 70 m class**	C	**CONCEPT**	Helium volume, mass and lift closure; centre-of-gravity shift after separation.
10	**PSS crewed submersible capsule family**	C	**CONCEPT**	Pressure-hull design basis, separation and ascent studies.
11	**FOP-777 Fast Ocean Pyramid**	C	**CONCEPT**	Reconcile the two variants, then stability and separation-load studies.
12	**SovereignGrid critical-power microgrid**	D	**BASELINE**	L4 solver and Safety Kernel specifications; scenario and verification library.

A. Isolation and survival cells. Reusable safety modules a buyer can fit to its own vehicle.
B. Safe rotorcraft. Three helicopter families built around one survivable capsule.
C. Heavy VTOL, buoyant and marine. Platform concepts for halo programmes and R&D; partners.
D. Critical infrastructure. Safety-kernel thinking applied to power networks.

Maturity ladder

Label	Meaning in this edition
BASELINE	Controlled Document-00 with requirements, safety invariants, verification gates and an open-items list. Analytical, TRL 2–3 where stated.
CONCEPT	Concept archive with study figures. Physical closure of mass, power or thermal budgets still has to be shown.

CLUSTER A

Isolation and survival cells

01 MCRS isolation family — BASELINE

What it is	A powertrain-agnostic family of captured-tower modules that isolate a cabin or load deck from road shock and stay safe on passive support when power is lost.
Archive figures	Lightweight R1.3: four towers, ±50 mm macro stroke plus ±7.5 mm micro stage, COMFORT and SPORT modes, own 48 V domain. Heavyweight R0.2: Semi-Heavy 5–25 t (±150 mm) and Very-Heavy 60–150 t (±300 mm).
Why it matters	One licensable module for light, specialty and off-highway vehicles; the buyer keeps its platform and powertrain.
First proof	SIM-001 screening and ICD-001 draft against a buyer host vehicle.
Rights	25-year licence US$250,000, or included in the full assignment.

02 BASFC body-angle system — BASELINE

What it is	A decoupled attitude stage that lets a two-piece vehicle's cabin lean into corners like a motorcycle, driver-switchable, always mechanically captured.
Archive figures	Rev 1.0: ±20° geometric ceiling, ±8–12° first-evidence band, 0-to-band in 3 s or less, heave and attitude separated (Mechanism D), hard stops independent of software.
Why it matters	A standalone upgrade path: the base licence does not depend on it, which keeps first contracts simple.
First proof	Multi-body kinematics, then packaging CAD for edge gap and ground clearance.
Rights	25-year licence US$100,000, or included in the full assignment.

03 Ultra-Safe Central Capsule v3.0 — BASELINE

What it is	A host-independent occupant survival capsule with a clean-break separation interface and a verification-gated safety case.
Archive figures	5.80 m diameter, 3.80 m high; 7 occupants; 22,000 kg mass ceiling; six-layer survival architecture; 8 legs; 8 + 8 parachute concept; 72 h life support; helicopter, jet and maritime host variants.
Why it matters	One safety cell that can be licensed across several host platforms.
First proof	Parachute sizing basis, impact-energy accounting and separation-interface tests.
Rights	25-year licence US$175,000, or included in the full assignment.

04 SSCC Special Safe Carbon Capsule — BASELINE

What it is	A CFRP survival capsule for ground vehicles with mechanical isolation and a catalogue of optional safety features.
Archive figures	Rev 1.1: three variants; 8 mechanical spring-damper isolators per capsule; 32 concept-level safety options; target TRL 2–3.
Why it matters	Adds a land-vehicle capsule line next to the aerospace capsule, with its own isolation hardware.
First proof	Isolator class sizing and supplier component tests.
Rights	25-year licence US$125,000, or included in the full assignment.

CLUSTER B

Safe rotorcraft

05 HSH Heavy Safe Helicopter — BASELINE

What it is	A heavy single-main-rotor helicopter whose occupants sit in a separable survival capsule, with a full requirements and open-items register.
Archive figures	Rev 33 correction package over the Rev 29 baseline: 33.0 m main rotor, 28,000 kg gross, 7,000 kg capsule, up to 8 occupants; four conceptual claim surfaces IP-A to IP-D (not filed).
Why it matters	The most developed document set in the portfolio and the natural anchor for any rotorcraft buyer.
First proof	Bottom-up mass, rotor and power closure, and 6-DOF separation analysis.
Rights	25-year licence US$250,000, or included in the full assignment.

06 GEN-3 Safe Helicopter — BASELINE

What it is	A 14 t class helicopter that removes the single-rotor failure point: eight rotors around a fixed central capsule with a ten-layer safety architecture.
Archive figures	Eight 8.0 m rotors, 6.0 MW installed (6 × 1000 kW class), thrust-to-weight target 1.5 or more, 24 × 24 × 6 m, 7 occupants, 8-parachute recovery concept.
Why it matters	Offshore, rescue and utility operators pay for redundancy; the architecture is built around it.
First proof	Rotor figure-of-merit validation, mass closure at 14 t, thermal study at 6 MW.
Rights	25-year licence US$175,000, or included in the full assignment.

07 LSH Lightweight Safe Helicopter family — BASELINE

What it is	A family of V4.0 variants sharing one capsule-based safety core: tandem twin rotor, nine-rotor array, hybrid helium and magnetic-assist.
Archive figures	20–24 t class; twin 2 × 23.5 m (22 t); nine rotors of 9.8 m (21 t); helium about 35–40% buoyancy (20 t); common 6,000 kg capsule, 10 occupants, 8 supports, 12 airbags. Magnetic variants need external field infrastructure and are early concept.
Why it matters	One safety core, several lift architectures: a buyer can pick the configuration that fits its market.
First proof	Mass closure, rotor interference study, magnetic force-versus-gap map.
Rights	25-year licence US$125,000, or included in the full assignment.

CLUSTER C

Heavy VTOL, buoyant and marine

08 ASJ Atai Safe Jet — CONCEPT

What it is	A 160 t class VTOL jet with distributed electric lift fans, turbofan cruise propulsion and a central survival capsule.
Archive figures	Four turbofans, cruise Mach 0.78 target; 56 lift units of 38 kN (2.13 MN, thrust-to-weight 1.36); 24-person capsule; four variants V1–V4. The document records its own thrust-closure check.
Why it matters	Distributed lift gives fault tolerance by design; the survival cell supports a safety-first heavy VTOL story.
First proof	Hover power, energy and thermal closure; capsule separation under asymmetric conditions.
Rights	25-year licence US$75,000, or included in the full assignment.

09 Hybrid Safe Capsule, 70 m class — CONCEPT

What it is	A helium-buoyant airborne safety platform in three separable layers, with fans for control, trim and emergency authority.
Archive figures	Final Version 2.0: propulsion deck, about 110,000 m³ segmented helium module, occupant capsule with continuous CFRP roll-cage; six-layer safety. All values are targets awaiting verification.
Why it matters	Targets runway-independent, highly survivable lift for crew and high-value cargo.
First proof	Helium volume, mass and lift closure; centre-of-gravity shift after separation.
Rights	25-year licence US$75,000, or included in the full assignment.

10 PSS crewed submersible capsule family — CONCEPT

What it is	A scalable family of crewed submersibles in which the pressure-boundary capsule can separate from the host and ascend independently.
Archive figures	Three variants (50 m, 500 m and 1000 m class) with capsules for 6, 10 and 14 persons and design-depth targets from 75 m to 1,250 m; deterministic safety kernel and separation logic.
Why it matters	A marine survival-cell line that reuses the capsule thinking of the aerospace families.
First proof	Pressure-hull design basis, separation and ascent studies.
Rights	25-year licence US$100,000, or included in the full assignment.

11 FOP-777 Fast Ocean Pyramid — CONCEPT

What it is	A twin-catamaran ocean platform with a 77.77 m cubic envelope and a pyramidal superstructure, in two variants.
Archive figures	12 decks, about 3,000 t dry mass, 24 hypercar positions, about 20,000 HP class. Variant 1 has a fixed apex; Variant 2 adds a separable top-eighth apex module of at most 50 t with hidden rotors.
Why it matters	A signature halo programme for premium marine and exhibition buyers.
First proof	Reconcile the two variants, then stability and separation-load studies.
Rights	25-year licence US$50,000, or included in the full assignment.

CLUSTER D

Critical infrastructure

12 SovereignGrid critical-power microgrid — BASELINE

What it is	An AI-assisted self-reconfiguring microgrid in which a deterministic Safety Kernel must approve every switching action the optimiser proposes.
Archive figures	Strengthened baseline v2.0: five-layer architecture; targets (awaiting validation) of 99.9% critical-load continuity under one major contingency and 2–5 s to first topology action; eight conceptual IP surfaces.
Why it matters	Applies the portfolio's safety-by-architecture rule to hospitals, data centres and defence sites.
First proof	L4 solver and Safety Kernel specifications; scenario and verification library.
Rights	25-year licence US$100,000, or included in the full assignment.

COMMERCIAL STRUCTURE

One price to own, a fair price to license

Full assignment of all twelve families: **US$2,000,000**. Per-family licences are priced by maturity so that licensing everything costs less than owning everything, and ownership always costs more than the right to use.

#	Family	Tier	25-year licence
1	MCRS isolation family	Core	US$250,000
2	BASFC body-angle system	Growth	US$100,000
3	Ultra-Safe Central Capsule v3.0	Core	US$175,000
4	SSCC Special Safe Carbon Capsule	Growth	US$125,000
5	HSH Heavy Safe Helicopter	Core	US$250,000
6	GEN-3 Safe Helicopter	Core	US$175,000
7	LSH Lightweight Safe Helicopter family	Growth	US$125,000
8	ASJ Atai Safe Jet	Vision	US$75,000
9	Hybrid Safe Capsule, 70 m class	Vision	US$75,000
10	PSS crewed submersible capsule family	Growth	US$100,000
11	FOP-777 Fast Ocean Pyramid	Vision	US$50,000
12	SovereignGrid critical-power microgrid	Growth	US$100,000
	Total if every family is licensed at list		**US$1,600,000**

Licence terms

Term	Position
Duration	25 years from signing; licensor keeps title; rights revert at expiry unless renewed.
Royalty	None. One-time fee, payable 50% at signing and 50% at acceptance of Schedule A files.
Exclusivity	Exclusive within a defined field and territory; non-exclusive or wider scope by negotiation.
Bundle discount	4 or more families: 10% off list. 8 or more: 15% off list.
Option	90-day paid option; fee equals 10% of the licence fee and is credited against it.
Full assignment	US$2,000,000 for the twelve scheduled families, global, all fields, including the right to sub-license; 25% above the list total because it is perpetual and unrestricted.

Prices are negotiation anchors, not independent valuations. Gross price is not net proceeds; taxes, escrow and legal costs are for the parties' advisers. Final terms are set by counsel in a separate agreement.

TRANSACTION PATH

From NDA to acceptance, with evidence at every step

Stage	Action	Evidence
1 NDA	Mutual NDA; named recipients; no unrestricted archive transfer.	Executed NDA, access log
2 Diligence	Read-only review of the redacted index and Document-00 files; buyer appoints an independent reviewer.	Questions log, open-item register
3 Schedule A	Freeze families, variants, versions, formats, exclusions and ownership declarations.	Signed Schedule A
4 Agreement	Licence or assignment scope, consideration, limits of warranty, improvements, confidentiality.	Signed agreement
5 Escrow	Mutually selected escrow agent; release conditions reviewed by both sides.	Escrow agreement, cleared funds
6 Transfer	Transfer of listed files and rights; hashes and versions verified.	Acceptance certificate

Diligence gates

Gate	Evidence required
G1 Title and provenance	Authorship record, contributors, source inventory, third-party and AI-assisted content disclosure, any filing schedule.
G2 Baseline integrity	Current Document-00 versions, revision history, traceability and change log.
G3 Technical coherence	Independent review of mass, power and interface assumptions and of the safety architecture.
G4 Prototype plan	Stage-gated verification plan, facilities, cost and schedule for the buyer’s chosen families.

What this document does not claim

No certification, type approval, airworthiness or classification finding. No patent grant, filing status, novelty or freedom-to-operate conclusion. No measured performance or survival probability. No production commitment or supplier commitment. Numerical values labelled target, study or assumption in the source documents remain so. This edition is not legal, tax or investment advice.

Founder and legal owner: Amirbahador Atai. Enquiries from qualified counterparties are handled under NDA.