

Question 1

What statement regarding instance memory and session memory are correct?

Answers

- ☐ SGA memory is private memory segments; PGA memory is shared memory segments.
- ☐ The PGA is allocated at instance startup.
- ☐ Sessions can write to the PGA, not the SGA.
- ☐ The SGA is written to by all sessions; a PGA is written by one session.

Question 2

You have created a profile with LIMIT SESSIONS_PER_USER 1 and granted it to a user, but you find that he/she is still able to log on several times concurrently. Why could this be? (Choose the best answer.)

Answers

- ☐ The user has been granted the DBA role.
- ☐ The user has been granted CREATE SESSION more than once.
- ☐ The RESOURCE_LIMIT parameter has not been set.
- ☐ The RESOURCE_MANAGER_PLAN parameter has not been set.

Question 3

What memory structures are required part of the SGA? (Choose all correct answers.)

Answers

- ☐ The large pool, streams pool, and log buffer
- ☐ The Java pool, large pool, and shared pool
- ☐ The database buffer cache, log buffer, and shared pool
- ☐ The log buffer, program global area, and buffer cache

Question 4

Consider this line from a listener.ora file:

```
L1=(description=(address=(protocol=tcp)(host=serv1)(port=1521)))
```

What will happen if you issue this connect string:
connect scott/tiger@L1

Answers

- ☐ You will be connected to the instance L1.
- ☐ You will only be connected to an instance if dynamic instance registration is working.
- ☐ If you are logged on to the server machine, IPC will connect you to the local instance.
- ☐ You can't tell—it depends on how the client side is configured.

Question 5

You issue the command SHUTDOWN; and it seems to hang. What could be the reason? (Choose the best answer.)

Answers

- ☐ There are active transactions in the database; when they complete, the SHUTDOWN will proceed.
- ☐ You have not connected with operating system or password file authentication.
- ☐ You are not connected as SYSDBA or SYSOPER.
- ☐ There are other sessions logged on.

Question 6

Where does the data in a temporary table get written to disk? (Choose the best answer.)

Answers

- ☐ To the user's temporary tablespace
- ☐ To a disk local to the session's user process
- ☐ It is never written to disk
- ☐ To the temporary tablespace of the user in whose schema the table resides

Question 7

Study this script (line numbers have been added):

```
1 create role hr_role identified by pass;  
2 grant create table to hr_role;  
3 grant select table to hr_role;  
4 grant connect to hr_role;
```

Which line will cause an error? (Choose the best answer.)

Answers

- ☐ Line 3, because SELECT TABLE is not a privilege.
- ☐ Line 4, because a role cannot have a system privilege in addition to table privileges.
- ☐ Line 1, because only users, not roles, have passwords.
- ☐ Line 2, because only users, not roles, can create and own tables.

Question 8

What statement best describes the relationship between the Oracle Base and the Oracle Home? (Choose the best answer.)

Answers

- ☐ One Oracle Base is required for each product, but versions of the product can exist in their own Oracle Homes within their Oracle Base.
- ☐ The Oracle Base exists inside the Oracle Home.
- ☐ The Oracle Base can contain Oracle Homes for different products.
- ☐ The Oracle Base is created when you run the oraInstRoot.sh script, and contains a pointer to the Oracle Home.

Question 9

A transaction consists of two statements. The first succeeds, but the second (which updates several rows) fails part way through because of a constraint violation. What will happen? (Choose the best answer.)

Answers

- ☐ The second statement will be rolled back completely, and the first will remain uncommitted.
- ☐ The second statement will be rolled back completely, and the first will be committed.
- ☐ The whole transaction will be rolled back.
- ☐ Only the one update that caused the violation will be rolled back, everything else will be committed.

Question 10

What statements are correct about extents? (Choose two answers.)

Answers

- ☐ An extent can contain blocks from one or more segments.
- ☐ An extent is a grouping of several operating system blocks.
- ☐ An extent can be assigned to only one segment.
- ☐ An extent is a grouping of several Oracle blocks.
- ☐ An extent can be distributed across one or more datafiles.

Question 11

In a new installation of Oracle Database 11g, you perform these activities:

1. Organize software and data on different subdirectories to avoid poor performance.
2. Use consistent naming conventions for database files.
3. Separate administrative information pertaining to the database in different directories.

Which option corresponds to the type of activities you performed?

Answers

- ☐ Oracle database architecture
- ☐ Oracle Managed Files
- ☐ Oracle Grid Architecture
- ☐ Automatic Storage Management
- ☐ Optimal Flexible Architecture

Question 12

Which of the following is true about dispatchers?

Answers

- ☐ Dispatchers load-balance connections between themselves.
- ☐ Dispatchers don't handle the work of users' requests; they only interface between user processes and queues.
- ☐ You can terminate a dispatcher, and established sessions will continue.
- ☐ Dispatchers share a common response queue.

Question 13

You shut down your instance with SHUTDOWN IMMEDIATE. What will happen on the next startup? (Choose the best answer.)

Answers

- ☐ You must perform manual instance recovery.
- ☐ The database will open without recovery.
- ☐ SMON will perform automatic instance recovery.
- ☐ PMON will roll back uncommitted transactions.

Question 14

If a user owns tables in a tablespace, what will be the effect of attempting to reduce his/her quota on the tablespace to zero? (Choose the best answer.)

Answers

- ☐ The tables will survive, but INSERTS will fail.
- ☐ The attempt will fail unless the tables are dropped first.
- ☐ The tables will be dropped automatically if the CASCADE keyword is used.
- ☐ The tables will survive but cannot get bigger.

Question 15

What action should you take after terminating the instance with SHUTDOWN ABORT? (Choose the best answer.)

Answers

- ☐ Open the database, and perform instance recovery.
- ☐ None, but some transactions may be lost.
- ☐ Open the database, and perform database recovery.
- ☐ Back up the database immediately.
- ☐ None—recovery will be automatic.

Question 16

The user SL_REP has been granted CONNECT and RESOURCE roles and no individual system privileges. The default tablespace of this user is USERS tablespace. The SL_REP user executes this command to create a table:
SQL> CREATE TABLE orders(oid number(6), odate date, ccode number(4), oamt number(10,2))
TABLESPACE purchase_space;
The PURCHASE_SPACE tablespace already exists in the database. Which statement describes the effect of the command?

Answers

- ☐ The command produces an error because the user does not have the privilege to create the table.
- ☐ The command executes successfully and creates the table in the USERS tablespace.
- ☐ The command produces an error because the user does not have quota in the PURCHASE_SPACE tablespace.
- ☐ The command executes successfully and creates the table in the PURCHASE_SPACE tablespace.

Question 17

Which statement about system privileges is incorrect?

Answers

- ☐ If a system privilege is revoked from a user, it will not be revoked from all users to whom she granted it.
- ☐ CREATE ANY TABLE is a system privilege.
- ☐ Only the SYS and SYSTEM users can grant system privileges.
- ☐ CREATE TABLE is a system privilege.

Question 18

You create a user with this statement:
create user jon identified by oracle default tablespace example;
What more must be done before he can create a table in the EXAMPLE tablespace? (Choose two answers.)

Answers

- ☐ Grant him the CREATE TABLE privilege.
- ☐ Nothing more is necessary.
- ☐ Give him a quota on EXAMPLE.
- ☐ Grant him the MANAGE TABLESPACE privilege.

Question 19

Which statement is correct regarding the online redo log? (Choose the best answer.)

Answers

- ☐ There must be at least two log file groups, with at least one member each.
- ☐ There must be at least one log file group, with at least one member.
- ☐ There must be at least two log file groups, with at least two members each.
- ☐ There must be at least one log file group, with at least two members.

Question 20

You execute the following command to change the status of the SALES tablespace:
SQL> ALTER TABLESPACE sales OFFLINE;
Which statement describes the effect of the command?

Answers

- ☐ A checkpoint is taken on all data files that are associated with the SALES tablespace.
- ☐ The tablespace would require recovery to go back online.
- ☐ The new status of the SALES tablespace is recorded in the control file when the database instance is closed.

Question 21

What operation cannot be applied to a tablespace after creation? (Choose the best answer.)

Answers

- ☐ Convert from dictionary extent management to local extent management.
- ☐ Convert from manual segment space management to automatic segment space management.
- ☐ Change the name of the tablespace.
- ☐ Reduce the size of the datafile(s) assigned to the tablespace.
- ☐ All the above operations can be applied.

Question 22

You have decided to use Local Naming. Which files must you create on the client machine? (Choose the best answer.)

Answers

- ☐ tnsnames.ora and sqlnet.ora
- ☐ None—you can rely on defaults if you are using TCP and your listener is running on port 1521
- ☐ listener.ora only
- ☐ listener.ora and sqlnet.ora
- ☐ tnsnames.ora only

Question 23

What instance parameter cannot be changed after database creation? (Choose the best answer.)

Answers

- ☐ All instance parameters can be changed after database creation.
- ☐ CONTROL_FILES.
- ☐ DB_BLOCK_SIZE.
- ☐ All instance parameters can be changed after database creation, if it is done while the instance is in MOUNT mode.

Question 24

How can you permit users to connect without requiring them to authenticate themselves?

Answers

- ☐ You cannot do this because all users must be authenticated.
- ☐ Create a user such as this, without a password: CREATE USER ANON IDENTIFIED BY ;
- ☐ Create a profile that disables password authentication and assign it to the users.
- ☐ Grant CREATE SESSION to PUBLIC.

Question 25

Which of these background processes is optional? (Choose the best answer.)

Answers

- ☐ LGWR, the log writer
- ☐ CKPT, the checkpoint process
- ☐ ARCn, the archive process
- ☐ DBWn, the database writer
- ☐ MMON, the manageability monitor

ادعوا لى بالدرجات العالية والتوفيق

Ahmad

Sai441@hotmail.com