

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



<< Hide summary

Assessment result

No. of questions in assessment:	18
No. of correct answers:	11
No. of wrong answers:	7
No. of questions attempted:	18
No. of questions not attempted:	0
No. of questions presented:	18
Maximum score:	20
Actual score:	12
Percentage:	60%
Threshold percentage to pass:	35%
Assessment outcome:	Pass
Grade:	Grade definition is not available

1 out of 18

Connection Manager offers:

- ☐ Network access control
- ☒ Multiplexing of connections
- ☐ All the answers are correct
- ☐ Cross-protocol connectivity

☐ Clear

Score 0 out of 1



Proceed



Next

Internet

AM 10:58

EN

Microsoft Word - Docu

...http://bit.svuonline.or

...Assessment Managem

... Sign In - Synian Virtual



BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



2 out of 18

[Show summary >>](#)

Choose two correct phrases of the following:

- ☒ In server shared mode, one response queue for each dispatcher is allocated in memory
- ☒ In server shared mode, one Request queue for each server process is allocated in memory
- ☐ In server shared mode, one dispatcher can serve more than one user
- ☐ In server shared mode, one Request queue for each dispatcher is allocated in memory

☐ Clear

Score 1 out of 2



Previous



Proceed

[Goto next page \(ALT + N\)](#)

Internet

AM 10:58

EN

Microsoft Word - Docu

...http://bit.svuonline.or

Assessment Managem

Sign In - Syrian Virtual

by

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



3 out of 18

[Show summary >>](#)

Our database is running in ARCHIVELOG mode, and 12 ARC processes are running on the server memory.

- ☐ No effect on archiving speed
- ☒ Archiving is slow because of extra memory usage
- ☐ Impossible
- ☐ Archiving process is very fast

☐ Clear

Score 0 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

Internet

AM 10:58

EN

Microsoft Word - Docu

...http://bit.svuonline.or

Assessment Managem

Sign In - Syrian Virtual

by

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



4 out of 18

[Show summary >>](#)

You have performed the first step in placing your database into ARCHIVELOG mode. The second step is deciding whether the online redo log files are to be archived automatically or manually. Which action should you take to enable archiving at instance startup?

- ☐ Set the LOG_ARCHIVE_START parameter to TRUE in the initialization parameter file
- ☒ Set the LOG_ARCHIVE_MAX_PROCESSES parameter to n (where n is the number of Archiver processes) in the initialization parameter file.
- ☐ Immediately after setting the database in ARCHIVELOG mode, in SQL*Plus select automatic archiving using this syntax: ALTER DATABASE SET LOG_ARCHIVE_START=TRUE
- ☐ Automatic archiving is the default when ARCHIVELOG mode is set. No further actions are required

☐ Clear

Score 0 out of 1



Previous



Proceed



Goto next page (ALT + N)

Internet

AM 10:53

EN

Microsoft Word - Docu

...http://bit.svuonline.or

Assessment Managem

Sign In - Syrian Virtual



BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18		

5 out of 18

[Show summary >>](#)

As a resolution of User Process Failures, PMON detects an abnormally terminated user process, and rolls back the transaction and releases any resources and locks being held by it

- ☒ True
☐ False

☐ Clear

Score: 1 out of 1
Feedback: Correct



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18		

6 out of 18

[Show summary >>](#)

When a connection request is made by a client to a server, the listener performs:

- ☐ All these actions
- ☒ One of the these actions
- ☐ Redirects the connection to a dispatcher or server process
- ☐ Hands off the connection to a dispatcher or server process in an Oracle Shared Server configuration
- ☐ Spawns a server process and passes the connection to it

☐ Clear

Score 1 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



7 out of 18

[Show summary >>](#)

Which of the following phrases are correct?

- ☐ One listener can resolve connection requests using more than one network protocol
- ☒ All the answers are correct
- ☐ More than one listener can be configured on the server to get connection requests for one database
- ☐ One listener can be configured on the server to get connection requests for more than one database

☐ Clear

Score 1 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



8 out of 18

[Show summary >>](#)

If LOG_ARCHIVE_DEST_4="Location= E:\ORAARCH" and the partition E\ of the HD is unavailable then:

- ☐ No archiving will happen
- ☐ That depends on the MANDATORY state of this copy and on the LOG_ARCHIVE_MIN_SUCCEED_DEST value
- ☒ The copy of the archive of drive E\ will be ignored.
- ☐ If this copy is not mandatory then archiving is ok

☐ Clear

Score 0 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

Internet

AM 10:53

EN

Microsoft Word - Docu

...http://bit.svuonline.or

Assessment Managem

Sign In - Syrian Virtual

by

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



9 out of 18

[Show summary >>](#)

If LOG_ARCHIVE_START is true then

- ☐ Archiving process is started one a log member is full
- ☐ The name of archived files is generated automatically.
- ☐ First archive process is created when the instance is created
- ☒ Automatic archiving is enabled

☐ Clear

Score 1 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



10 out of 18

[Show summary >>](#)

To establish connection between client and server oracle:

- ☐ Oracle net should be installed on server
- ☒ Oracle net should be installed on both server and client
- ☐ Oracle net has nothing to do with this situation
- ☐ Oracle net should be installed on client.

☐ Clear

Score 1 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



11 out of 18

[Show summary >>](#)

If SHARED_SERVERS parameter is set to 5, and in a point in time oracle server created 5 more shared server processes. Then in another point all shared servers are idle:

- ☐ Oracle keeps only 1 shared server process, to get user requests
- ☒ The initial 5 server processes remain allocated, even if they are idle
- ☐ Oracle deallocates all idle shared server processes
- ☐ All The allocated server processes remain allocated, even if they are idle, for future use.

☐ Clear

Score: 1 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

Internet

AM 10:53

EN

Microsoft Word - Docu

...http://bit.svuonline.or


...Assessment Managem

...Sign In - Syrian Virtual

b/

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



[Show summary >>](#)

12 out of 18

The Oracle Shared Server architecture reduces memory usage by reducing the number of server processes required. To process a request for a server process, the following tasks are performed:

1. A shared server picks up the request from the request queue and processes the request.
2. The dispatcher retrieves the response from the response queue.
3. A user sends a request to its dispatcher.
4. The dispatcher returns the response to the user.
5. The shared server places the response on the calling dispatcher's response queue.
6. The dispatcher places the request into the request queue in the SGA.

Put the above tasks in the order in which they are performed.

- ☐ 3, 1, 6, 2, 5, 4
- ☒ 3, 6, 1, 5, 2, 4
- ☐ 6, 1, 3, 5, 2, 4
- ☐ 3, 1, 2, 3, 4, 5

☐ Clear

Score 1 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



13 out of 18

[Show summary >>](#)

LOG_CHECKPOINT_INTERVAL parameter determines:

- ☐ Number of redo log file blocks that can exist between an incremental checkpoint and the last block written to the redo log
- ☒ Number of check points in one minute
- ☐ Amount of time that has passed since the incremental checkpoint at the position where the last write to the redo log occurred
- ☐ Time interval between two check points

☐ Clear

Score 0 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



14 out of 18

[Show summary >>](#)

Before database is altered to ARCHIVELOG mode it should be shutdown:

- ☐ Normal
- ☒ It should be shutdown no matter any way
- ☐ Immediate or normal
- ☐ Immediate

☐ Clear

Score 0 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



15 out of 18

[Show summary >>](#)

An archival destination may be disabled temporarily?

- ☒ True
☐ False

☐ Clear

Score 1 out of 1
Feedback Correct



[Goto next page \(ALT + N\)](#)

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



16 out of 18

[Show summary >>](#)

IF LOG_ARCHIVE_MAX_PROCESSES = 3 then

- ☐ 3 archive processes are created when needed
- ☐ 1 archive process is created for each log member, but no more than 3
- ☐ 1 archive process is created during instance creation and Max of 3 processes can be created later
- ☒ 3 archive processes are initialized when instance is created

☐ Clear

Score 1 out of 1



Previous



Proceed

[Goto next page \(ALT + N\)](#)

يتم الآن إخفاء رموز الإعلام غير النشطة...
لعرض الرموز المخفية، انقر فوق هذا الزر.

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



17 out of 18

[Show summary >>](#)

Running Oracle in shared server mode has the benefits: (Choose two correct answers)

- ☐ Reduce the response time to users of the Database.
- ☒ Reduces memory usage and system overhead
- ☐ Reduce the time needed to establish connection with the database
- ☒ Reduces the number of idle server processes

☐ Clear

Score 2 out of 2



Previous



Proceed

[Goto next page \(ALT + N\)](#)

يتم الآن إخفاء رموز الإعلام غير النشطة...
لعرض الرموز المخفية، انقر فوق هذا الزر.

BL_ITD420_S1_SP07_Midterm_2007-06-20

No. of questions: 18



[Show summary >>](#)

18 out of 18

Database can be recovered to a point in time, only if it is working in ARCHIVELOG mode

- ☐ True
☒ False

☐ Clear

Score 0 out of 1

Feedback Wrong



في هذا الامتحان حدثت معي مشكلة حيث أنه بعد إجابتي على معظم الأسئلة بشكل صحيح و توقعت بأن علامتي ستكون ١٧ من ٢٠ , و بعد إرسال الأجوبة تبين لي أنه قد حفظ أجوبة لم أجاب عليها فمثلاً:
السؤال الأول اخترت الجواب الثالث (و هو الجواب الصحيح) و لكنه و كما هو واضح في الصورة فإنه قد حفظ الجواب رقم اثنين (و هو جواب خاطئ).