

اختبار نهاية الفصل لمادة أمن المعلومات ITI410 لفصل خريف 2010

Question 1

A digital certificate does not contain:

Answers

- ☐ Holder public key
- ☐ Certificate usage domain
- ☐ Certificate authority name
- ☐ Holder private key

Question 2

Deffie-Hellman algorithm is used in the following area:

Answers

- ☐ Key exchange only
- ☐ Text encryption and digital signature
- ☐ Text encryption only
- ☐ Digital signature and key exchange

Question 3

DESX algorithm uses a key whose length is:

Answers

- ☐ 120 bits
- ☐ 56 bits
- ☐ 128 bits
- ☐ 64 bits

Question 4

Identify an efficient social engineering defensive strategy?

Answers

- ☐ You should implement badge security system strategy
- ☐ You should implement marking of documents strategy.
- ☐ You should implement training and awareness strategy
- ☐ You should implement escorting of guests strategy.

Question 5

What is the important defect in Pretty Good Privacy (PGP) authentication?

Answers

- ☐ The most important defect is that the weak encryption can easily be broken
- ☐ The most important defect is that it is subject to a man-in-the-middle attack
- ☐ The most important defect is that the client has to trust the public key that is received.
- ☐ The most important defect is that the private keys can be compromised

Question 6

More advanced firewall products implement this protection technique:

Answers

- ☐ Network Address Translation (NAT)
- ☐ Stateful inspection.
- ☐ Spoofing Protocols
- ☐ Packet filtering

Question 7

With public key cryptography, Alice uses her private key to ensure the confidentiality of messages sent to Bob.

Answers

- ☐ False
- ☐ True

Question 8

This is a trial and error method used to decode encrypted data through exhaustive effort rather than employing intellectual strategies.

Answers

- ☐ cryptanalysis
- ☐ brute force cracking
- ☐ intelligent cracking
- ☐ cracking by repetition

Question 9

PGP is a:

Answers

- ☐ Cryptographic routine for key management
- ☐ Set of cryptographic routines for digital signatures and message hashing.
- ☐ Set of cryptographic routines for key management and data encryption and message hashing.
- ☐ Set of cryptographic routines for key management, digital signatures, data encryption and message hashing

Question 10

Given a hash function H , what do we mean by a collision-resistant for this function?

Answers

- ☐ Given an input m_1 , it should be hard to find another input, m_2 (not equal to m_1) such that $H(m_1) = H(m_2)$
- ☐ Given h it should be hard to find any m such that $h = H(m)$
- ☐ Given h it should be hard to find any m such that $m = H(h)$
- ☐ It should be hard to find two different messages m_1 and m_2 such that $H(m_1) = H(m_2)$

Question 11

Ping of death is based upon:

Answers

- ☐ TCP syn messages
- ☐ IP fragmentation
- ☐ All of the above
- ☐ ICMP reply message

Question 12

Describe the process of user to server authentication using Kerberos

Answers

Question 13

After scanning the open ports on your web server, you discover the ports 22, 23, 25 and 80 are open. Which ports you should close?

Answers

- ☐ 23 and 25
- ☐ 22 and 25
- ☐ 23, 25 and 80
- ☐ 22 and 23

Question 14

On a firewall, which ports must be open in order to support SSL (Secure Sockets Layer)?

Answers

- ☐ UDP (User Datagram Protocol) transport layer protocol and port 80
- ☐ TCP (Transmission Control Protocol) transport layer protocol and port 443
- ☐ TCP (Transmission Control Protocol) transport layer protocol and port 80
- ☐ UDP (User Datagram Protocol) transport layer protocol and port 69

Question 15

If the probability of facing the risk is high and the cost of the loss is high, how do we respond to the risk?

Answers

- ☐ Treat the risk
- ☐ Transfer the risk
- ☐ Terminate the risk
- ☐ Tolerate the risk

Question 16

Which of the following is true about security concepts?

Answers

- ☐ Integrity is related to read action.
- ☐ DOS attack affects mainly the confidentiality of the system.
- ☐ All of the above.
- ☐ Availability is related to execute action.

Question 17

If the probability of facing the risk is low and the cost of the loss is high we:

Answers

- ☐ Transfer the risk
- ☐ Tolerate the risk
- ☐ Treat the risk
- ☐ Terminate the risk

Question 18

RSA algorithm is used in the following areas:

Answers

- ☐ Text encryption and digital signature
- ☐ Text encryption only
- ☐ Digital signature and key exchange
- ☐ Key exchange only

Question 19

Why do you recommend TripleDES over DES?

Answers

- ☐ Because it is faster
- ☐ Because of its unknown algorithm
- ☐ Because it can be used over Internet
- ☐ Because it is harder to break

Question 20

Integrity in Information System security for sending data over a network means:

Answers

- ☐ The received data has not been exposed to other parties.
- ☐ The data sender is the one who pretend to be.
- ☐ The received data is identical to the sent data.
- ☐ The data reach only the intended destination and not other destinations.

Question 21

What is the most critical possible loss resulting from not having VLAN for wireless users in a company?

Answers

- ☐ External users can abuse the Internet bandwidth.
- ☐ External users can use company services.
- ☐ External users can bring viruses to the network.
- ☐ External users can access inside computers.

Question 22

What should be installed for HTTPS in order to function properly on a web site?

Answers

- ☐ You should install a Digital certificate.
- ☐ None of the above
- ☐ You should install a 3DES encryption.
- ☐ You should install a Symmetric key

ادعوا لي بالدرجات العالية والتوفيق

Sai441@hotmail.com

Ahmad