

اسئلة ويندوز بلافتورم ITI310_S07

Viewer

Saras*
from Excel-Soft

Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

1 out of 35

Show summary >>

In what locations can you create an OU?

- ☐ OU.
- ☒ Domain and OU.
- ☐ Domains.

☐ Clear

Score 1 out of 1

Viewer

Saras*
from Excel-Soft

Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

1 out of 35

Show summary >>

In what locations can you create an OU?

- ☐ OU.
- ☒ Domain and OU.
- ☐ Domains.

☐ Clear

Score 1 out of 1

Viewer

Saras*
from Excel-Soft

Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

3 out of 35

Show summary >>

Which of the following administrative tools is used to configure sites?

- ☐ Licensing console
- ☐ Active Directory Users And Computers console
- ☐ Active Directory Domains And Trusts console
- ☒ Active Directory Sites And Services console

☐ Clear

Score 1 out of 1



Viewer


Assessment Management System *Premium*

BH_JTI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

4 out of 35

Show summary >>

Which of the following commands is used to demote a domain controller?

☒ Dcpromo

☐ Dcdemote

☐ Dcremove

☐ Dcinstall

☐ Clear

Score 2 out of 2

Viewer


Assessment Management System *Premium*

BH_JTI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

5 out of 35

Show summary >>

From which tab on a user's Properties dialog box can you set account expiration date?

☐ Security tab

☐ Profile tab

☒ Account tab

☐ General tab

☐ Clear

Score 1 out of 1

Viewer


Assessment Management System *Premium*

BH_JTI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

6 out of 35

Show summary >>

Litware, Inc. is a company in the midst of upgrading its Windows 2000 Active Directory domains and Windows NT 4 domains to Windows Server 2003 in a single forest structure. The first domain you upgrade is the root domain named *root.litwareinc.com*. You upgrade every domain controller to Windows Server 2003 except for one in the root domain. The second domain you upgrade is a Windows NT 4 domain named LIT, which you change to *lit.root.litwareinc.com*. You upgrade the PDC, but leave three BDCs as Windows NT 4 backup domain controllers for the time being. To which of the following domain functional levels can you raise *lit.root.litwareinc.com*?

☐ Windows Server 2003

☐ Windows Server 2003 interim

☒ Windows 2000 native

☐ Windows 2000 mixed

☐ Clear

Score 0 out of 2



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

7 out of 35

[Show summary >>](#)

Manually, you can create user profile of types:

- Local.
- Roaming.
- Mandatory.
- Temporary.

- ☐ b and d
☐ b and c
☒ a and b
☐ a and d

☐ Clear

Score 0 out of 1



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

8 out of 35

[Show summary >>](#)

Name the Active Directory components used to represent an organization's logical structure.

- Domains.
- Organizational units (OUs).
- Trees.
- Forests.

- ☐ a, b and c
☐ a and b
☐ b and c
☒ All

☐ Clear

Score 1 out of 1



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

9 out of 35

[Show summary >>](#)

Characteristics of roaming user profile:

- Based at the server.
- Downloaded at log on.
- Replicated to all DCs.
- Available at any workstation or server.
- Created Manually.

- ☒ All
☐ a, b and d
☐ b, c and d
☐ a, b, c and d

☐ Clear

Score 1 out of 1




Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

Show summary >>

10 out of 35

Which of the following files must be renamed to configure a user profile as mandatory?

☐

 Ntuser.doc

☐

 All of them

☐

 Ntuser.dat

☐

 Ntuser.man

☐

 Ntuser.txt

☐ Clear

Score 0 out of 1


Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

Show summary >>

11 out of 35

A user's full name must be unique to what Active Directory component?

☐

 Forest.

☐

 Site.

☒

 The container where you created it (Domain/OU).

☐ Clear

Score 2 out of 2


Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

Show summary >>

12 out of 35

A user has forgotten his or her password and attempts to log on several times with an incorrect password. Eventually, the user receives a logon message indicating that the account is either disabled or locked out. The message suggests that the user contact an administrator. What must you do?

☐

 a. Delete the user object and recreate it.

☐

 b. Rename the user object.

☐

 c. Enable the user object.

☐

 d. Unlock the user object.

☐

 e. Reset the password for the user object.

☐

 c, d and e.

☐

 d and e.

☐

 a and d.

☒

 c and e.

☐ Clear

Score 0 out of 2




Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

13 out of 35

Show summary >>

Which of the following trust types are created implicitly (automatically)?

a. Tree-root
 b. Parent-child
 c. Shortcut
 d. Realm
 e. External
 f. Forest

☐ e and f.
☐ b and c,
☐ d and e.
☐ c and d,
☒ a and b.

☐ Clear

Score 1 out of 1


Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

14 out of 35

Show summary >>

What must you do to ensure that a user on a client computer running Windows Server 2003 has a roaming user profile?

a. Create a shared folder on a network server that will contain the user's roaming user profile.
 b. In the Profiles tab in the Properties dialog box for the user, provide a path to the shared folder on the server.
 c. The next time that the user logs on, the roaming user profile is created.

☒ FALSE
☐ TRUE

☐ Clear

Score 0 out of 1


Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

15 out of 35

Show summary >>

Which operations master roles must be unique in each forest?

a. The schema master.
 b. The RID master.
 c. The PDC emulator.
 d. The infrastructure master.
 e. The domain naming master.

☐ d and e.
☐ a, b and e.
☐ b, c and d.
☒ a and e.

☐ Clear

Score 1 out of 1




Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

16 out of 35

Show summary >>

How is a disabled user account designated in the Active Directory Users And Computers console?

- ☐ A disabled user account is hidden in Active Directory
- ☒ A disabled user account is designated by a red "X."
- ☐ A disabled user account is designated by a red "O."

☐ Clear

Score 1 out of 1


Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

17 out of 35

Show summary >>

In what order is Group Policy applied to components in the Active Directory structure?

- ☐ OU, domain, site and then local computer.
- ☐ Domain, OU, local computer and then site.
- ☒ Site, domain, OU and then local computer.
- ☐ Local computer, site, domain, and then OU.

☐ Clear

Score 0 out of 2


Saras*
from Excel-Soft


Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

18 out of 35

Show summary >>

Which of the following is the dotted-decimal notation equivalent of the binary address 11001100 00001010 11001000 00000100? To answer the question, first perform notation conversion manually, and then verify your answer with Calculator.

- ☒ 202.10.200.4
- ☐ 204.34.202.4
- ☐ 204.18.200.3
- ☐ 204.10.200.4

☐ Clear

Score 0 out of 2





BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

19 out of 35

You are creating a number of user objects for a team of your organization's temporary workers. They will work daily from 9:00 A.M. to 5:00 P.M. on a contract that is scheduled to begin in one month and end two months later. They will not work outside of that schedule. Which of the following properties should you configure initially to ensure maximum security for the objects?

- a. Password
- b. Logon Hours
- c. Account expires
- d. Store password using reversible encryption
- e. Account is trusted for delegation
- f. User must change password at next logon
- g. Account is disabled
- h. Password never expires

- ☐ a, b, c, f and g.
- ☐ d, e, g and h.
- ☐ a, b, and g.
- ☒ b, c and f

☐ Clear

Score 0 out of 2



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

20 out of 35

What Active Directory components can be members of groups?

- a. OUs.
- b. User accounts.
- c. Contacts.
- d. Other groups.
- e. Computers.

- ☒ b, c, d and e.
- ☐ a, b, c and d.
- ☐ All.

☐ Clear

Score 1 out of 1



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

21 out of 35

You're administering a Windows Server 2003 computer configured as a print server. Users in the Marketing group complain that they cannot print documents using a printer on the server. You view the permissions in the printer's properties. The Marketing group is allowed Manage Documents permission. Why can't the users print to the printer?

- ☐ The Administrators group must be granted the Manage Printers permission.
- ☐ The Marketing group must be granted the Print permission.
- ☒ The Everyone group must be granted the Manage Documents permission.
- ☐ The Marketing group must be granted the Manage Printers permission.

☐ Clear

Score 0 out of 1



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

22 out of 35

Bill complains that he is unable to access the department plan. You open the Security tab for the plan and you find that all permissions on the document are inherited from the plan's parent folder. There is a Deny Read permission assigned to a group to which Bill belongs. Which of the following methods would enable Bill to access the plan?

- Modify the permissions on the parent folder by adding the permission Bill:Allow Full Control.
- Modify the permissions on the parent folder by adding the permission Bill:Allow Read.
- Modify the permissions on the plan by adding the permission: Bill:Allow Read.
- Modify the permissions on the plan by deselecting Allow Inheritable Permissions, choosing Copy, and removing the Deny permission.
- Modify the permissions on the plan by deselecting Allow Inheritable Permissions, choosing Copy, and adding the permission Bill:Allow Full Control.
- Remove Bill from the group that is assigned the Deny permission.

- ☐ a, c and d.
- ☐ a, b and e.
- ☐ d, e and f.
- ☐ c, d, and f.

☐ Clear

Score 0 out of 2

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

23 out of 35

When you specify the items you want to back up in the Backup Or Restore Wizard, which of the following should you select to successfully back up Active Directory data?

- ☐ Shared system volume folder
- ☐ Database and log files
- ☐ System state data
- ☐ Registry

☐ Clear

Score 2 out of 2

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

24 out of 35

You're setting up a printer on your Windows Server 2003 computer. The computer will be used as a print server on your network. You plan to use a print device that's currently connected to the network as a stand-alone print device. Which type of printer should you add to the print server?

- Network
- Shared
- Local
- Remote

- ☐ a and d.
- ☐ b and c.
- ☐ b and d.
- ☐ a and c.

☐ Clear

Score 0 out of 1



Viewer

Saras*
from Excel-Soft

Assessment Management System Premium

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

25 out of 35

Show summary >>

If you are using universal groups in your domain or forest, and you need to give permission-based access to the members of the universal group, what configuration must be true of the universal group?

- The domain functional level must be Windows 2000 native or Windows Server 2003.
- The universal group must be of the type security (not distribution).
- The domain functional level must be Windows 2000 Mixed.

☐ a, b and c.
☐ a and b.
☐ b and c.

☐ Clear

Score 2 out of 2

Viewer

Saras*
from Excel-Soft

Assessment Management System Premium

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

26 out of 35

Show summary >>

You, as an administrator of the domain of your company. You can assign a temporary user profile for somebody who will use the network for a limited time

☐ FALSE
☐ TRUE

☐ Clear

Score 2 out of 2

Viewer

Saras*
from Excel-Soft

Assessment Management System Premium

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

27 out of 35

Show summary >>

A domain user account can be created for your domain by any server that has Windows server 2003.

☐ False
☐ True

☐ Clear

Score 0 out of 1

Viewer

Saras*
from Excel-Soft

Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

28 out of 35

[Show summary >>](#)

The administrator account can be:

- ☐ Deleted
- ☐ Renamed
- ☐ Locked
- ☐ Disabled
- ☐ Clear

Score 1 out of 1

Viewer

Saras*
from Excel-Soft

Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

29 out of 35

[Show summary >>](#)

The local user accounts created in a server that has Windows server 2003, are replicated to all DCs in the domain the server belong to.

- ☐ FALSE
- ☒ TRUE
- ☐ Clear

Score 0 out of 1

Viewer

Saras*
from Excel-Soft

Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
17 18 19 20
21 22 23 24
25 26 27 28
29 30 31 32
33 34 35

30 out of 35

[Show summary >>](#)

Which of the following are characteristics of a strong password?

- a. Is at least seven characters long.
- b. Contains your user name.
- c. Contains keyboard symbols.
- d. Contains numerals.
- e. Contains a dictionary word.

- ☐ All of them.
- ☐ a, b and c.
- ☐ No one of them.
- ☒ a, c and d.
- ☐ Clear

Score 1 out of 1





BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

31 out of 35

You can create domain user accounts in:

- ☐ A domain controller using the "Computer management snap-in" only
- ☒ A domain controller using the "Active directory user and computer snap-in" only.
- ☐ A domain controller using both the "Active directory user and computer snap-in" and the "Computer management snap-in".

☐ Clear

Score 1 out of 1



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

32 out of 35

Ahmad failed to logon to a domain from a computer called PC-1, while bassem could logon. Possible reasons are:

- A. PC-1 is not in the list of computers that Ahmad can logon from.
- B. Ahmad's account is disabled.
- C. Ahmad is trying to logon out of the logon hours assigned to his account.
- D. Ahmad's account is locked out.

- ☐ A and C only.
- ☐ B and D Only.
- ☐ All (A, B, C and D).
- ☐ A and B only.

☐ Clear

Score 0 out of 1



BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

33 out of 35

In active Directory, you can create a user account in:

- ☐ Domains only.
- ☐ Sites, Domains and organizational units only
- ☐ Organizational units only
- ☒ Domains and organizational units only.

☐ Clear

Score 1 out of 1

 Viewer

**Saras***
from Excel-Soft



Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

34 out of 35

From which tab on a user's Properties dialog box can you set logon hours?

☒ General tab

☐ Account tab.

☐ Profile tab

☐ Security tab

☐ Clear

Score 0 out of 1

 Viewer

**Saras***
from Excel-Soft



Assessment Management System *Premium*

BH_ITI310_S07_S1_Final_31-7-2007

No. of questions 35

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	

[Show summary >>](#)

35 out of 35

You, as an administrator of the domain of your company. You can assign a temporary user account for somebody who will use the network for a limited time, by setting an expiration date for this account.

☐ FALSE

☒ TRUE

☐ Clear

Score 2 out of 2