

 [the-control-group](#) / [voyager](#)

Voyager - The Missing Laravel Admin

 voyager.devdojo.com

 MIT License

 9.6k stars  2.3k forks

 Star

 Watch

 Code

 Issues 126

 Pull requests 51

 Actions

 Projects 2

 Security

Join GitHub today

Dismiss

GitHub is home to over 50 million developers working together to host and review code, manage projects, and build software together.

Sign up

 1.4




tjventurini and **emptynick** committed 21 hours ago ... 

 2,988 commits

[View code](#)

README.md



VOYAGER

Voyager - The Missing Laravel Admin

Made with ❤ by [The Control Group](#)



Website & Documentation: <https://voyager.devdojo.com/>

Video Tutorial Here: <https://voyager.devdojo.com/academy/>

Join our Slack chat: <https://voyager-slack-invitation.herokuapp.com/>

View the Voyager Cheat Sheet: <https://voyager-cheatsheet.ulties.com/>

Laravel Admin & BREAD System (Browse, Read, Edit, Add, & Delete), supporting Laravel 6 and newer!

Want to use Laravel 5? Use [Voyager 1.3](#)

Installation Steps

1. Require the Package

After creating your new Laravel application you can include the Voyager package with the following command:

```
composer require tcg/voyager
```

2. Add the DB Credentials & APP_URL

Next make sure to create a new database and add your database credentials to your .env file:

```
DB_HOST=localhost  
DB_DATABASE=homestead  
DB_USERNAME=homestead  
DB_PASSWORD=secret
```

You will also want to update your website URL inside of the `APP_URL` variable inside the .env file:

```
APP_URL=http://localhost:8000
```

3. Run The Installer

Lastly, we can install voyager. You can do this either with or without dummy data. The dummy data will include 1 admin account (if no users already exists), 1 demo page, 4 demo posts, 2 categories and 7 settings.

To install Voyager without dummy simply run

```
php artisan voyager:install
```

If you prefer installing it with dummy run

```
php artisan voyager:install --with-dummy
```

And we're all good to go!

Start up a local development server with `php artisan serve` And, visit <http://localhost:8000/admin>.

Creating an Admin User

If you did go ahead with the dummy data, a user should have been created for you with the following login credentials:

email: admin@admin.com
password: password

NOTE: Please note that a dummy user is **only** created if there are no current users in your database.

If you did not go with the dummy user, you may wish to assign admin privileges to an existing user. This can easily be done by running this command:

```
php artisan voyager:admin your@email.com
```

If you did not install the dummy data and you wish to create a new admin user you can pass the `--create` flag, like so:

```
php artisan voyager:admin your@email.com --create
```

And you will be prompted for the user's name and password.

Releases 46

 **Release v1.4.2** Latest
5 days ago

[+ 45 releases](#)

Sponsor this project



tnylea Tony Lea



fletch3555 Eric Fletcher



emptynick Christoph Schweppe



Learn more about [GitHub Sponsors](#)

Contributors 346



+ 335 contributors

Languages

