



OpenShift Cluster

You will use your own small OpenShift cluster during this workshop. However, the procedures we will follow are analogous to a Kubernetes cluster. Remember that the minimum requirements for OpenShift / Kubernetes are fully documented in the databand deployment guide

1. TechZone

One of the best benefits for becoming an IBM Business Partner is the access to the IBM Techzone. Once you get the entitlement, you have access to a vast variety of resources with just your IBMId. If you are an IBMer, you have already been granted with the TechZone access by default.

In this workshop, we will provision one Openshift cluster from the IBM Techzone and, among the several options and variations you can find, it is recommended to choose a basic cluster. Log in to the Techzone and search for an offering following the indications of this picture:

The screenshot shows the IBM Technology Zone Search interface. At the top, there's a header with the IBM logo and the text "IBM Technology Zone". Below this is a large "Search" banner with the text "Your one stop shop to submit and explore the wide range of innovative resources created by the IBM team. Login now to submit your resources and vote for your favorite ones". A red arrow points to the search bar with the text "click here". Below the banner, there's a search bar with the text "ROKS Classic" and a red arrow pointing to it with the text "search ROKS Classic". Below the search bar, there's a list of results. The first result is "IBM RedHat Openshift Kubernetes Service (ROKS Classic)" with a red arrow pointing to it and the text "pick this". The second result is "IBM Red Hat OpenShift Kubernetes Service (ROKS Classic)..." with a red arrow pointing to it and the text "pick this".

IBM Technology Zone

Search

Your one stop shop to submit and explore the wide range of innovative resources created by the IBM team. Login now to submit your resources and vote for your favorite ones

Build. Show. Share.

Share your content

ROKS Classic

Search: ROKS Classic

Showing 10 of total 10 in 58 ms

Updated Feb 10, 2023

IBM RedHat Openshift Kubernetes Service (ROKS Classic)

Managed OpenShift cluster (ROKS) in IBM Cloud ("classic infrastructure") with NFS support self-service request form allows for:

- OCP version: 4.6 - 4.10
- Cluster size: small (3 workers), medium (5 workers), large (8 workers)
- Worker node 'flavor' (vCPU x Memory): 4x16, 8x32, 16x64
- NFS - either no (leave unchosen), or a storage size and options are 500 GB, 2TB, 5TB

Reserve this IBM Cloud environment

Updated Jan 27, 2023

IBM Red Hat OpenShift Kubernetes Service (ROKS Classic)...

ROKS Cluster with NFS Storage, suitable for the MLOps workshop.

Cloud Pak for Data

Cloud Pak for Data Data Governance Data Quality MLOps

Trustworthy AI

Reserve this Custom request environment

You will see a few options to size the cluster and the smallest configuration will be enough to run everything on this workshop. However, you may want to choose a bigger one - it will work as well.

Please ensure to pick **the option with NFS storage** and do not forget to specify a size of 500GB or 1 TB.

Preferred Geography

EUROPE - eu-de region - any datacenter

End date and time
Select a date

04/06/2023

Select a time

3:53 PM

Available for up to 7 days (168 hours)

Worker Node Count (required)

3

Worker Node Flavor (required)

b3c.4x16 (4 vCPU x 16GB - 100GB Secondary Storage)

NFS Size (required)

1 TB

OpenShift Version (required)

4.10


default

default

very important!!

default

Wait for an email that notifies you that the system is ready. It can take some minutes but also a few hours, depending on the current workload in the Techzone or in the Cloud. Once you get that email, just click on the link that will lead you to the OpenShift console or, alternatively, you may go to the TechZone, display your reservations and select the system which has been just provisioned. In order to get access to the OpenShift console, just click on the blue button:





2. Other Options

RedHat has other possibilities to access an OpenShift cluster in a trial mode. You can explore your options here

3. Download oc and helm

As mentioned in the previous section `oc` and `helm` can be easily downloaded from the OpenShift console. Just open the OpenShift console and proceed as indicated in the following pictures





At the time of writing these instructions, these were the direct links used during the workshop:

- https://mirror.openshift.com/pub/openshift-v4/x86_64/clients/ocp/stable-4.10/
- https://mirror.openshift.com/pub/openshift-v4/x86_64/clients/helm/latest/

You can try and download the executables for your system from those links but remember that they may have changed now.

Run the following commands to verify that **oc** and **helm** are accesible:

```
oc version
```

```
# Display the version of helm
```

```
helm version
```

Next Section: Databand deployment. Previous Section: Prerequisites

Return to main