



Reputation, Badges & Awards

Complete System Reference — OpenCircle

Version 1.0 · June 2026 · Internal Documentation

CONTENTS

1. [System Overview](#)
2. [Behavior Score](#)
3. [Trust Tiers](#)
4. [Earning Points — Full Action Table](#)
5. [Deductions & Penalties](#)
6. [New-User Protection](#)
7. [Anti-Gaming Caps](#)
8. [Event Rating Formula](#)
9. [User Reputation Score](#)
10. [Badges & Awards](#)
11. [Badge Unlock Logic \(Technical\)](#)
12. [Streaks](#)
13. [Quick-Reference Summary](#)

1 System Overview

OpenCircle uses three interlocking systems to measure and reward user quality:

- **Behavior Score** — a running integer that reflects how reliably and respectfully a user participates. Every action in the app can add or subtract points.

- **User Reputation Score** — a 0–5 star rating calculated from peer reviews left by other attendees after events. Separate from the behavior score.
- **Badges** — permanent achievement medals awarded once when a user crosses a specific milestone. Earning a badge also adds a one-time bonus to the behavior score.



All score mutations happen server-side through Supabase Edge Functions (add-points, deduct-points, check-achievements). The client can never directly modify its own score, ensuring integrity.

2 Behavior Score

Starting Value

Every new account begins with a behavior score of **1,000 points**. This places new users immediately in the *Reliable* tier, giving them full access to join and host events from day one.

How it works

The score is a non-negative integer stored in `profiles.behavior_score`. It can never go below **0**. Every transaction — positive or negative — is immutably logged in `behavior_score_log` with the action name, point delta, and running total, creating a full audit trail.

Trust Tier

After every score change the server recomputes the user's **Trust Tier** and updates `profiles.trust_tier` and `profiles.is_restricted` automatically. The tier determines what actions the user can take in the app.

3 Trust Tiers



Trusted

1,200 +

- ✓ Join events
- ✓ Host events
- ✓ Diamond eligible



Reliable

1,000 – 1,199

- ✓ Join events
- ✓ Host events



Casual

900 – 999

- ✓ Join events
- ✓ Host events



Flagged

800 – 899

- ✓ Join events
- ✗ Cannot host



Restricted

0 – 799

- ✗ Cannot join
- ✗ Cannot host

Restricted

Flagged

Casual

Reliable

Trusted ★

Score bar — 0 on left, 1,200+ on right



Permanently Banned — users who receive the predatory_behavior deduction (−1,000 pts) are flagged `is_permanently_banned = true`. They cannot gain points and further deductions are blocked. This flag can only be cleared by an administrator.

4

Earning Points — Full Action Table

App & Profile Actions

ACTION	POINTS	NOTES
Daily Login	+2	Once per 24-hour window
Complete Profile	+10	One-time, lifetime award
Add Profile Photo	+5	One-time, lifetime award
Write Bio	+5	One-time, lifetime award
First Event Joined	+20	One-time, lifetime award

Event Attendance

ACTION	POINTS	NOTES
Join an Event	+5	Each event joined
Join Event Early (bonus)	+3	When joining $\geq$ 24 hrs before event start
Chat Message in Event Group	+2	Capped at 5 rewarded messages per event (+10 max per event)
Geofence Confirmed Attendance	+10	GPS confirms physical presence at event
Leave a Review	+5	After attending an event
Receive a 5★ Rating	+10	From a peer after an event

ACTION	POINTS	NOTES
Receive a 4★ Rating	+5	From a peer after an event

Live Event Mode

ACTION	POINTS	NOTES
Post a Live Photo	+8	During active event window
Post a Live Video	+10	During active event window
Post Shared Externally	+15	Requires verified external click

Sharing & Growth

ACTION	POINTS	NOTES
Share an Event	+10	Requires verified external click
Join via Shared Link	+20	User joined from another user's share
Vouch a User	+5	Per vouch given to another user
Get Vouched	+15	Per vouch received from another user
Refer a Friend	+30	Only after referred friend attends their first event

Hosting

ACTION	POINTS	NOTES
First Event Hosted	+25	One-time, lifetime award
Host Event Rated Above 4.0★	+20	Per qualifying event
Host Event Rated Above 4.5★	+35	Per qualifying event (replaces the 4.0 bonus)
Full Attendance at Hosted Event	+25	Every guest spot filled
Respond to Attendee within 1 hr	+5	Per qualifying response

Deductions & Penalties

Deductions are split into two categories: **recoverable mistakes** (behavioural lapses that users can come back from) and **zero-tolerance violations** (inappropriate behaviour that bypasses all protections).

Recoverable Deductions

ACTION	POINTS	PROTECTION APPLIES?
No-Show (confirmed absent)	-30	✓ First offence → warning only (new users)
Late Cancellation	-20	✓ First offence → warning only (new users)
Hosted Event Rated Below 2.0★	-20	✗ No protection

Zero-Tolerance Deductions



These actions bypass new-user protection entirely. They are applied immediately on admin confirmation and logged with full context.

VIOLATION	POINTS	EFFECT
Harassment (confirmed)	-200	May trigger Restricted tier
Hate Speech	-300	May trigger Restricted tier
Inappropriate Live Content	-150	May trigger Restricted tier
Fake Reviews	-200	May trigger Restricted tier
Multiple Confirmed Reports	-100 per report	Cumulative
Predatory Behavior	-1,000	Permanent ban flag set

New-User Protection

New users are given a grace period during which minor mistakes don't immediately harm their score. This encourages genuine participation without fear of being permanently disadvantaged by an early mistake.

How Protection Works

- Protection is active for **30 days** from account creation, stored in `new_user_protection_expiry`.
- Protection **automatically expires early** if the user's score exceeds **1,050** — indicating they're no longer a genuine newcomer.
- During the protection window, the **first no-show** is converted to a warning (no points lost). The same applies to the **first late cancellation**.
- After each first-offence warning, the corresponding flag (`first_no_show_warning_given`, `first_late_cancel_warning_given`) is set to true — the next offence will deduct points normally, even within the protection window.



What protection covers: first no-show, first late cancellation.

What it never covers: inappropriate-behaviour violations (harassment, hate speech, fake reviews, predatory behaviour, inappropriate content).

Expiry Conditions (either is enough to end protection)

CONDITION	RESULT
30 calendar days have elapsed	Protection ends naturally
Score exceeds 1,050 points	Protection ends early

7 Anti-Gaming Caps

To prevent abuse, several actions have server-enforced limits:

ACTION	CAP	HOW ENFORCED
Daily Login	Once per 24 hours	Checks <code>behavior_score_log</code> for the action in the last 24 hrs; skips if found
Chat Message Reward	5 messages per event	<code>event_message_rewards</code> table tracks count per (user, event) pair
Complete Profile	Lifetime once	Checks <code>behavior_score_log</code> for prior award; skips if found
Add Profile Photo	Lifetime once	Same as above
Write Bio	Lifetime once	Same as above
First Event Joined	Lifetime once	Same as above

ACTION	CAP	HOW ENFORCED
First Event Hosted	Lifetime once	Same as above

8 Event Rating Formula

Each completed event gets an aggregate star rating displayed publicly on event cards. The formula is designed to be *generous but not inflatable* — silent attendees (those who didn't leave a review) contribute positively but at half weight.

The Formula

```
R = (sum_actual + silent_count × 2.5) / (5 × (reviewer_count + silent_count / 2))  
score = R × 5 → range [0.0, 5.0]
```

Variable Definitions

VARIABLE	MEANING
sum_actual	Sum of all explicit star ratings (1–5) submitted by reviewers
reviewer_count	Number of attendees who submitted an explicit star rating
silent_count	total_attendees - reviewer_count — those who attended but didn't review
silent_count × 2.5	Each silent attendee contributes the equivalent of a half-weight 5★ review

Worked Example

An event has **10 total attendees**. 4 leave reviews: two 5★, one 4★, one 3★. The other 6 attended silently.

```
sum_actual = (5+5+4+3) = 17  
silent_count = 10 - 4 = 6  
reviewer_count = 4  
numerator = 17 + (6 × 2.5) = 17 + 15 = 32  
denominator = 5 × (4 + 6/2) = 5 × 7 = 35  
R = 32 / 35 ≈ 0.914  
score = 0.914 × 5 ≈ 4.57 ★
```

When is a rating shown?

- If total_attendees = 0 → rating is null (not displayed)
- If reviewer_count = 0 → "No reviews yet"
- Otherwise → the computed score is shown rounded to 2 decimal places

9 User Reputation Score

The user reputation score measures how well-regarded a person is by their peers, based on star ratings received after events. It is distinct from the behavior score.

Two Calculation Modes

MODE	CONDITION	FORMULA
New	Fewer than 3 ratings received	Displays as "New" — too few data points
Bootstrap	3 – 10 ratings received	Simple average of all ratings
Full	More than 10 ratings received	60 % weight on last 10 ratings + 40 % weight on all older ratings

Full Mode Formula

```
recent_avg = average of the last 10 ratings received
old_avg = average of all ratings before the most recent 10
score = (0.4 × old_avg) + (0.6 × recent_avg) → range [0.0, 5.0]
```



The 60/40 split means recent behaviour matters more than historical. A user who previously had a low reputation can actively improve it by earning better ratings in recent events. Ratings are ordered oldest → newest for the calculation.

Score Display

SCORE	LABEL	COLOUR
"New"	New	Grey
0.0 – 2.9	(Shown as raw number)	Grey
3.0 – 3.9	Good	Amber
4.0 – 4.4	Great	Orange
4.5 – 5.0	Excellent	Green

10 Badges & Awards

Badges are permanent achievements awarded once when a user crosses a milestone. Each badge also grants a one-time bonus to the user's behavior score. Newly earned badges are marked `seen = false` so the app can surface a "new badge" notification on the profile tab.



First Timer

+25 pts

Attend your very first event on OpenCircle.

Condition: events attended ≥ 1



On Fire

+50 pts

Attend events in 3 consecutive weeks without missing a week.

Condition: weekly attendance streak ≥ 3



Host

+50 pts

Host an event that receives an average rating above 3.0★ from attendees.

Condition: at least 1 hosted event with avg rating > 3.0 ★



Social Butterfly

+40 pts

Send at least one message in 10 different event group chats.

Condition: distinct event chats messaged in ≥ 10



Specialist

+45 pts

Attend 5 or more events all in the same category (e.g. Sports, Food, Study).

Condition: max events in any single category ≥ 5



Early Bird

+30 pts

Join 5 or more events at least 24 hours before their start time.

Condition: early joins (≥ 24 hrs advance) ≥ 5



Explorer

+60 pts

Attend events across 5 or more different categories. Branch out!

Condition: distinct event categories attended ≥ 5



Diamond

+100 pts

Maintain a Trusted tier behavior score (1,200+) for 30 consecutive days without dropping below.

Condition: score $\geq 1,200$ sustained for ≥ 30 days continuously

Badge Points Summary

BADGE	BONUS POINTS	DIFFICULTY
 First Timer	+25	Trivial — just show up once
 Early Bird	+30	Easy — plan ahead 5 times
 On Fire	+50	Medium — 3 weeks of consistent attendance
 Host	+50	Medium — host a well-rated event
 Social Butterfly	+40	Medium — chat in 10 different events
 Specialist	+45	Medium — attend 5 events in one category
 Explorer	+60	Medium — attend 5 different categories
 Diamond	+100	Hard — 30 days at Trusted tier continuously

11 Badge Unlock Logic (Technical)

Badges are evaluated by the check-achievements Supabase Edge Function. It is called server-side after each relevant event (attendance, score change, message sent). The function never re-awards a badge the user already holds.

Evaluation Flow

1. Fetch the user's existing badges into a Set (alreadyEarned).
2. In parallel, query: total attended count, category breakdown, early-join records, streak, hosted event ratings, social messages, Diamond threshold date, current behavior score.
3. Evaluate each badge condition. If the condition is met *and* the badge is not already earned → add it to toAward.
4. Upsert all newly earned badges with seen = false (triggers the in-app notification dot).
5. For each new badge, add the bonus points to the behavior score sequentially (to keep the running total accurate) and write a log entry with action = badge_{key}.

Diamond Badge — Special Tracking

The Diamond badge requires the score to stay at 1,200+ for 30 consecutive days. This is tracked via the achievement_progress table:

- When the score **crosses 1,200 upward** for the first time, diamond_threshold_reached is set to the current timestamp.
- If the score **drops below 1,200** at any point, diamond_threshold_reached is reset to null — the 30-day clock restarts.
- The badge is only awarded when $\text{score} \geq 1,200$ AND $\text{now}() - \text{diamond_threshold_reached} \geq 30$ days.

Social Butterfly — How Chats Are Counted

The function infers distinct event chats from behavior_score_log rows where action = 'event_chat_message'. The context JSON field on each log entry stores the event_id. Distinct event_id values are counted — the badge requires at least 10 unique event chat rooms with at least one message sent.

Early Bird — Timing Calculation

For each event the user joined, the function compares event_attendees.created_at (when they joined) against event.date_time (event start). If the gap is ≥ 24 hours (86,400,000 ms), it counts as an early join. The badge requires at least 5 such events.

Host Badge — Rating Verification

The function fetches all events where `profile_id = user_id`, then pulls all `event_ratings` for those events. It groups stars by event and computes a simple average. If any hosted event has an average > 3.0★, the badge is awarded.

12 Streaks

Weekly attendance streaks are tracked separately in the `user_streaks` table and are managed by the `update-streak` Edge Function, called after each confirmed attendance.

Streak Rules

- A "week" is a rolling 7-day window — attending at least one event per 7 days keeps the streak alive.
- Missing a full 7-day window resets the streak to 0.
- `current_streak` is the number of consecutive weeks with at least one attended event.
- The **On Fire** badge requires `current_streak ≥ 3`.



The streak displayed on the Profile tab comes from `user_streaks.current_streak`. Streaks are not directly tied to the behavior score — they only trigger badge conditions.

13 Quick-Reference Summary

Starting Point

- Every new user starts at **1,000 behavior score** → Reliable tier
- New-user protection is active for **30 days** (or until score > 1,050)
- Reputation score shows **"New"** until 3 peer ratings are received

Score Ranges at a Glance

SCORE RANGE	TIER	CAN JOIN	CAN HOST
1,200 +	 Trusted	Yes	Yes
1,000 – 1,199	 Reliable	Yes	Yes
900 – 999	 Casual	Yes	Yes
800 – 899	 Flagged	Yes	No

SCORE RANGE	TIER	CAN JOIN	CAN HOST
0 – 799	 Restricted	No	No

Maximum Points You Can Earn (One-Time Actions Only)

CATEGORY	MAX ONE-TIME POINTS
Profile setup (photo + bio + complete)	+20
First event joined	+20
First event hosted	+25
All badges combined	+450
Total one-time maximum	+515 pts

Fastest Way to Reach Trusted Tier (1,200)

Starting from 1,000 (new user), a user needs **+200 more points**. Fastest route:

1. Complete profile, add photo, write bio → **+20**
2. Attend first event → **+20 + 5 + 10** (first-join bonus + join + geofence) = **+35**
3. Leave a review → **+5**
4. Join 4 more events with early bonus → **+8 × 4 = +32**
5. Earn First Timer badge → **+25**
6. Earn Early Bird badge → **+30**
7. Remaining gap filled by daily logins, chat messages, ratings received



An active, well-behaved user can realistically reach **Trusted tier within 2–4 weeks** of regular use.