

Default Layout

Colle	Collection addresses		
* Pk	_id	oid	
*	addressLine	string	
*	city	string	
*	postalCode	string	
*	country	string	
*	createdAt	date	
*	updatedAt	date	
*	v	integer	
Indexes			
Pk	_id_	_id	

Collec	Collection favorites		
* Pk	_id	oid	
*	products	array	
* Unq	createdAt	date	
*	updatedAt	date	
*	V	integer	
Indexes			
Pk	_id_	_id	
Unq	createdAt_1	createdAt	

Collection likes		
* Pk	_id	oid
* Unq	user	oid
* Unq	product	oid
*	createdAt	date
*	updatedAt	date
*	V	integer
Indexes	S	
Pk	_id_	_id
Unq	user_1_product_1	user, product
Unq	user_1_review_1	user
Virtual Foreign Keys		
	Ref (user) ref favorites (_id)	
	Ref (product) ref products (_id)	

Collection orders		
* Pk	_id	oid
* Unq	user	oid
*	orderItems	object
*	orderItems.product	oid
*	orderItems.quantity	integer
*	orderItemsid	oid
	shippingAddress	oid
	paymentMethod	string
	totalAmount	integer
Unq	status	string
	currency	string
Unq	paymentStatus	boolean
Unq	createdAt	date
	updatedAt	date

Collection orders			
	V	integer	
	paymentStatusSent	boolean	
Unq	transactionId	string	
	shippedAt	date	
Indexe	es		
Pk	_id_	_id	
Unq	transactionId_1	transactionId	
Unq	user_1	user	
Unq	status_1	status	
Unq	user_1_status_1	user, status	
Unq	paymentStatus_1	paymentStatus	
Unq	createdAt1	createdAt	
Virtual	Virtual Foreign Keys		
	Ref (user) ref favorites (_id)		
	Ref (shippingAddress) ref favorites (_id)		
	Ref (orderItems.product) ref products (_id)		

Collection permissions		
* Pk	_id	oid
* Unq	name	string
*	description	string
* Unq	action	string
* Unq	resource	string
*	roles	array
*	createdAt	date
*	updatedAt	date
*	V	integer
	conditions	object
	conditions.ownerOnly	boolean
Indexes	3	
Pk	_id_	_id
Unq	name_1	name
Unq	resource_1_action_1	resource, action

Collection products		
* Pk	_id	oid
* Unq	name	string
*	description	string
* Unq	price	integer
*	currency	string
*	stockQuantity	integer
* Unq	category	string
*	images	array
*	oglmage	string
*	ratingsAverage	double
*	numOfReviews	integer
	cloudinaryPublicId	string
*	isAvailable	boolean
*	isArchived	boolean
	discount	object
*	discount.percentage	integer
* Unq	discount.validUntil	date
	specifications	object
	specifications.color	string

Colle	ction products	
	specifications.storage	string
	specifications.ram	string
	specifications.screen	string
	specifications.batteryLife	string
	specifications.connectivity	string
	specifications.noiseCancellation	string
	weight	integer
	dimensions	object
	dimensions.length	double
	dimensions.width	double
	dimensions.height	double
Unq	tags	array
	likes	array
Unq	createdAt	date
	updatedAt	date
	V	integer
Indexe	s	
Pk	_id_	_id
Unq	name_1	name
Unq	category_1	category
Unq	price_1	price
Unq	createdAt1	createdAt
Unq	discount.validUntil_1	discount.validUntil
Unq	tags_1	tags

Collection profiles * Pk _ id			
 * photo * interests string array 	Collection profiles		
* interests array			
* settings object			
33,331			
* settings.emailNotifications boolean			
* settings.smsNotifications boolean			
* settings.language string			
* settings.timezone string			
Unq lastActive date			
createdAt date			
updatedAt date			
v integer			
bio string			
website string			
Indexes			
Pk _idid			
Unq lastActive1 lastActive			

Collection reviews		
* Pk	_id	oid
*	user	oid
*	product	oid
*	rating	integer
*	review	string
*	isPublished	boolean
*	isVerified	boolean
*	likes	array
* Unq	createdAt	date

Collection reviews				
*	updatedAt	date		
*	V	integer		
Indexes	Indexes			
Pk	_id_	_id		
Unq	createdAt1	createdAt		
Virtual	Virtual Foreign Keys			
	Ref (user) ref favorites (_id)			
	Ref (product) ref products (_id)			

Collection roles		
* Pk	_id	oid
* Unq	name	string
*	description	string
*	permissions	array
*	users	array
*	isDefault	boolean
*	createdAt	date
*	updatedAt	date
*	V	integer
Indexes		
Pk	_id_	_id
Unq	name_1	name

Collection tokens				
* Pk	_id	oid		
* Unq	user	oid		
* Unq	refreshToken	string		
*	clientFingerprint	object		
*	clientFingerprint.ip	string		
*	clientFingerprint.userAgent	string		
	V	integer		
Indexes				
Pk	_id_	_id		
Unq	user_1	user		
Unq	refreshToken_1	refreshToken		
Virtual Foreign Keys				
	Ref (user) ref favorites (_id)			

Collection users			
* Pk	_id	oid	
* Unq	username	string	
*	firstName	string	
*	lastName	string	
* Unq	email	string	
* Unq	phone	string	
*	roles	array	
*	permissions	array	
*	active	boolean	
*	loginAttempts	integer	
*	isVerified	boolean	
* Unq	createdAt	date	
*	updatedAt	date	
*	profile	oid	

Callaction was re-				
Collection users				
*	V	integer		
	lastLoginAttempt	date		
	address	oid		
Indexes				
Pk	_id_	_id		
Unq	username_1	username		
Unq	email_1	email		
Unq	phone_1	phone		
Unq	createdAt1	createdAt		
Virtual Foreign Keys				
	Ref (profile) ref favorites (_id)			
	Ref (address) ref favorites (_id)			