


Sass Learning Map + Template Design & Review Plan (iwanjekyll)

This doc is based on your repo tree (folders: `_sass/` , `_includes/` , `_layouts/` , `assets/` , `_posts/` , etc.).

Sass Learning Map (Diagram)



Readable checklist (same map, no Mermaid)

Phase 1 — Tokens (fast wins)

1. `_sass/0-settings/_colors.scss`
2. `_sass/0-settings/_global.scss`

Phase 2 — Tools (read to recognize patterns)

3. `_sass/1-tools/_mixins.scss`
4. `_sass/1-tools/_grid.scss`

(Keep these for later deep-dives: `_reset.scss` , `_normalize.scss` , `_syntax-highlighting.scss`)

Phase 3 — Foundation CSS

5. `_sass/2-base/_base.scss`

Phase 4 — Components (pair modules with HTML)

6. `_sass/3-modules/_buttons.scss` ↔ `_includes/post-card.html`
7. `_sass/3-modules/_footer.scss` ↔ `_includes/footer.html`
8. `_sass/3-modules/_pagination.scss` ↔ `_includes/pagination.html`

Phase 5 — Page layouts (pair with layouts)

9. `_sass/4-layouts/_post.scss` ↔ `_layouts/post.html`
10. `_sass/4-layouts/_page.scss` ↔ `_layouts/page.html`
11. `_sass/4-layouts/_home.scss` ↔ `index.html`
12. `_sass/4-layouts/_tags.scss` ↔ `tags.html`

Phase 6 — Utilities / overrides

13. `_sass/5-trumps/_helpers.scss`

Template Design & Review Plan (based on your tree)

Goals

- Keep changes **maintainable** (theme-like structure stays intact)
- Make UX improvements without breaking Jekyll/Liquid conventions
- Fix Sass warnings while learning (one file at a time)

0) Baseline: snapshot + guardrails (once)

Do this first

- Create a branch: `design-refresh`
- Add a quick “before” screenshot set (home, post, tags, 404)

Guardrails

- Do **not** hand-edit `_site/` (generated output)
- Treat `assets/css/main.scss` as the *import hub*, not a styling dump
- Prefer edits in `_sass/` over inline styles or scattered CSS

1) Design tokens review (settings)

Files

- `_sass/0-settings/_colors.scss`
- `_sass/0-settings/_global.scss`

Checklist

- ☐ Define “semantic” colors: primary / accent / text / muted / border / background
- ☐ Confirm link colors and hover states meet contrast
- ☐ Set a consistent type scale (body, small, h1–h4)
- ☐ Confirm base line-height and max-width for readability

Output

- A small palette section in your README (optional)
- A “tokens” comment block at top of `_colors.scss`

2) Typography & base styling review

Files

- `_sass/2-base/_base.scss`
- (reference) `_includes/head.html` for font loading + meta

Checklist

- ☐ Body font size readable (16–18px equivalent)
- ☐ Line-height comfortable (1.5–1.7)
- ☐ Headings have consistent spacing
- ☐ Links are recognizable (underline or strong contrast)
- ☐ Code blocks readable (monospace size/contrast)

Output

- “Before/After” notes: body size, line-height, headings, links

3) Layout structure review (HTML first, then CSS)

Files

- `_layouts/default.html`
- `_includes/header.html`
- `_includes/footer.html`
- `_sass/1-tools/_grid.scss`
- `_sass/4-layouts/_home.scss` , `_page.scss` , `_post.scss`

Checklist

- ☐ Single, clear container width (avoid too wide text)
- ☐ Header nav is predictable and not overcrowded
- ☐ Footer contains: copyright, social, optional email
- ☐ Mobile spacing: no cramped sections, no overflow

Output

- A short “layout rules” note: container width, breakpoints, spacing rhythm

4) Component review (pair modules with includes)

Buttons

- Sass: `_sass/3-modules/_buttons.scss`
- HTML: `_includes/post-card.html` (and any CTA)

Checklist:

- ☐ One primary button style, one secondary
- ☐ Hover/focus visible
- ☐ Padding consistent
- ☐ Border radius consistent

Pagination

- Sass: `_sass/3-modules/_pagination.scss`
- HTML: `_includes/pagination.html`

Checklist:

- ☐ Current page state clear
- ☐ Tap targets large enough on mobile

Post cards

- Sass likely in: `_sass/4-layouts/_home.scss` and/or modules
- HTML: `_includes/post-card.html`

Checklist:

- ☐ Title prominent
- ☐ Excerpt readable
- ☐ Metadata (date/read time) visually secondary

5) Content templates review (posts + pages)

Files

- `_layouts/post.html`
- `_layouts/page.html`
- `_includes/read-time.html`
- `_includes/social-share.html`
- `_posts/*.md`

Checklist:

- ☐ Post header: title, date, tags, read time
- ☐ Images scale well and don't break layout
- ☐ Lists and blockquotes have good spacing
- ☐ Code blocks wrap/scroll properly

6) “Trumps” & utilities review (last)

File

- `_sass/5-trumps/_helpers.scss`

Checklist

- ☐ Utilities are named clearly (`.u-` prefix if you want)
- ☐ Avoid adding many one-off helper classes
- ☐ Use only for rare overrides, not normal styling

7) QA pass (each change set)

Pages to check every time

- Home: `index.html`
- A post page: any `_posts/...`
- Tags: `tags.html`
- 404: `404.html`

QA checklist

- ☐ No horizontal scroll on mobile
- ☐ Link styles consistent
- ☐ Heading spacing consistent
- ☐ Images responsive
- ☐ Focus states visible (keyboard navigation)

Practical workflow for “one Sass file at a time” (no Jekyll serve loop)

You can compile Sass directly (fast) from the repo root:

```
# 1) Compile once (no watch)
sass assets/css/main.scss _site/assets/css/main.css

# 2) Watch (auto recompile on changes)
sass --watch assets/css/main.scss:_site/assets/css/main.css

# 3) Add source maps (helpful for debugging)
sass --watch --source-map assets/css/main.scss:_site/assets/css/main.css
```

Notes:

- Jekyll normally writes `_site/assets/css/main.css` for you.
- This direct Sass compile is great for rapid iteration on styles **without** rebuilding pages.

Notes section (fill as you go)

Decisions

- Primary color:
- Accent color:
- Body font:
- Heading font:
- Base font size:
- Line-height:
- Max content width:

Issues to revisit

- ☐
- ☐
- ☐