Intelligence in motion.

A usable identity system, reconstructed from the supplied raster board.





Outlined vectors keep the visible logo independent of installed fonts.


One name: ddcnorth.

One symbol. One shared wordmark.

No gradients. No photographic assets.

One master. Every application.

Construction is regularized; repeated instances are not separately redrawn.



12 blades / 30° repeat

Centre: 128, 128

Cut-out radius: 50.8 units

Master box: 256 × 256



HORIZONTAL / PRIMARY



STACKED



WORDMARK

All logo versions are generated from source/brand.json.

Typography, without guesswork.

Source-labelled families and reconstructed logo artwork are different things.

Inter

BODY / REGULAR 400

Inter Display 500 for headlines.

Inter 400 for body and UI.

Space Mono 400 for small labels.

The board names Inter and Space Mono,
but qualifies each with “or similar”.
It does not prove a font was used to draw
the image-generated logo.

THE WORDMARK

ddc

ddc / custom Bézier reconstruction

north / outlined Inter Display Regular

The d is a shared, reusable glyph.
The c keeps the horizontal terminals.
Fully editable text uses an approximate
Inter Display 800 / 400 combination.

Outlines: no font dependency. Editable text: install fonts first.

Flat colour. Clear hierarchy.

A normalized sRGB palette, not a certified Pantone or press-profile conversion.



Black	Off White	Graphite	Midnight	Ice
#000000	#F7F6F3	#4B4F56	#0B2B4A	#C8D7E8
RGB 0 / 0 / 0	RGB 247 / 246 / 243	RGB 75 / 79 / 86	RGB 11 / 43 / 74	RGB 200 / 215 / 232

Use black or midnight for the main logo. Reverse to white on a dark field.

Use ice as a supporting field, not as fine lettering on white.


The tiny midnight-blue HEX label is ambiguous; this kit follows its printed RGB 11 / 43 / 74.

Print: select a colour-managed CMYK profile with your supplier and proof the result.

Ready for production workflows.

Keep the mark intact; adapt the canvas and the surrounding content.





SCREEN-SIZE CHECKS

Suggested: full name ≥ 160 px wide.
Suggested: symbol ≥ 24 px wide.
Favicon exports are utility exceptions.
These are design recommendations,
not measured manufacturing limits.

Clearspace: one symbol width around the visible lockup, following the reference board.

Small SVG canvas padding is not the required surrounding clearspace.

Use outlined SVG/PDF for hand-off; use live-text SVG only when the text must change.

Replace all bracketed template fields. Do not publish placeholder contact details.

Approval still needed: reconstructed master, final naming and colour-managed print output.