

CREATION OF ACL-WRITE

1. Click New to create a new ACL(Write)
2. Enter the following details:
 - Type: record
 - Operation: Write
 - Name: u_institution_details
 - Active: true
3. In the Requires role related list, add:
 - bb3 (custom role)
4. No need to add any Data condition
5. Save the ACL Record

The screenshot shows the ServiceNow interface for configuring an Access Control rule. The breadcrumb trail is 'Access Control - u_institution_details'. The configuration form includes the following fields:

- Type: record
- Operation: write
- Application: Global
- Active: ☒
- Admin overrides: ☒
- Advanced: ☐
- Decision Type: Allow If
- Protection policy: -- None --
- Name: u_institution_details
- Description: Allow write for records in u_institution_details, for users with role bb3.

Below the form is a 'Conditions' section with a blue information box:

Access Control Rules have two decision types, and these types will behave differently depending on conditions.

1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.

[More Info](#)

At the bottom, there is a 'Requires role' section with a pagination indicator showing '1 to 1 of 1'.

Screenshot – ACL Write Configuration