حساب‌یار — طرح پروژه بر پایهٔ خانواده‌های اقتصادی

نسخهٔ ۲ · ۱ مهر ۱۴۰۵ / ۲۳ سپتامبر ۲۰۲۶ · بازنگری‌شده پس از تطبیق با کد موجود

مسئله این نیست که موتور «پیش‌پرداخت بیمه» را نمی‌شناسد؛ این است که موتور «نوع تراکنش» را تشخیص می‌دهد و باید به تشخیص «ماهیت رویداد اقتصادی» ارتقا پیدا کند. این طرح شش فاز دارد، هر کدام یک خروجی قابل نمایش، و حدود ۱۷ هفته با روزی ۳ تا ۴ ساعت کار طول می‌کشد. تفاوت این نسخه با نسخهٔ اول در محتوای حسابداری نیست؛ در **ترتیب اجرا** است: پایلوت واقعی به‌جای هفتهٔ ۱۷ در هفتهٔ ۱۲ شروع می‌شود، و اولین دادهٔ اختلاف با حسابدار به‌جای هفتهٔ ۱۷ در هفتهٔ ۵ می‌رسد.

شش اصلاح این نسخه

#	اصلاح	چرا
۱	**ضبط شادو به هفتهٔ ۵ منتقل شد.** ضبط تصمیم و گزارش اختلاف می‌روند انتهای فاز ۱. کنسول تصمیم و دروازه‌های فعال‌سازی در فاز ۴ می‌مانند.	طرح خودش می‌گفت «حداقل سه تا چهار هفته دادهٔ واقعی لازم است و قابل فشرده‌سازی نیست». در نسخهٔ اول اولین دادهٔ واقعی هفتهٔ ۱۷ می‌رسید — بعد از ساختن همهٔ فازها. هزینهٔ اصلاح در آن نقطه برابر بازسازی است. زیرساخت ضبط شادو ارزان است: یک فلگ و یک جدول مقایسه.
۲	**«No merge to main» حذف شد.** جایش: merge مکرر به main پشت فلگ `engineV2` که پیش‌فرض خاموش است.	عامل دیگری هم روی همین فایل‌ها push می‌کند. شاخهٔ زندهٔ ۱۷ هفته‌ای روی `shared/accountingRules.js` و `server/financialEventStore.js` یعنی تعارض merge انباشته. قید درست «هیچ مسیر فعالی در production تغییر نمی‌کند» است، نه «هیچ mergeای».
۳	**مالیات و حقوق به بعد از پایلوت رفت** (فاز ۵ به‌جای فاز ۴). ولی **تفکیک ارزش افزوده** از آن جدا شد و به نگهبان‌های فاز ۱ اضافه شد.	کل بستهٔ مالیات و حقوق «قابل نمایش: جزئی»، «ریسک قرمز» و «بدون auto-post» بود؛ سه هفته کاری که پایلوت را جلو نمی‌برد و بیشترین احتمال دوباره‌کاری را دارد. ولی ارزش افزوده روی تقریباً هر فاکتور واقعی ایرانی هست: اگر موتور آن را جدا نکند، ثبتش روی عادی‌ترین خرید هم غلط است.
۴	**فاز ۱ از «ساختن» به «اجباری‌کردن» تغییر کرد.** کارت طرف‌حساب، تعهدات، چک و انتقال داخلی از قبل در کد هستند.	در repo همین حالا `counterpartyCard.js`، `obligations.js` با `settleObligation`، `cheques.js` و `accountingTransfer.js` وجود دارند. این‌ها امروز ماژول‌اند و قابل دور زدن؛ کار لازم تبدیلشان به پیش‌شرط غیرقابل‌دورزدن هر تلاش ثبت است، نه نوشتن از صفر. حدود یک هفته آزاد می‌کند — همان هفته‌ای که ضبط شادو لازم دارد.
۵	**سؤال از راه صدا، شرط پذیرش فاز ۰ شد.** وضعیت `needs-user-input` یک زیرسامانهٔ تعامل است، نه یک مقدار enum.	کل ارزش این طرح در این است که سیستم سؤال می‌پرسد به‌جای حدس زدن. اگر ۳۰٪ رویدادها سؤال بسازند و جواب دادن از راه صدا دردناک باشد، محصول از وضع فعلی بدتر می‌شود. صدا کانال اصلی ورودی حساب‌یار است و در طرح اول تقریباً غایب بود.
۶	**تصمیم‌های باز به هفتهٔ ۱ منتقل شدند** و واریز درگاه پرداخت از ردهٔ «سبز» خارج شد.	واحد پایهٔ مبلغ (ریال یا تومان) بعد از ساخته‌شدن scheduleهای فاز ۲ یک مهاجرت گران می‌شود؛ باید هفتهٔ اول بسته شود. و واریز درگاه تا وقتی تفکیک کارمزد اثبات نشده سبز نیست — خود طرح آن را دموی کلیدی فاز ۱ می‌داند.

اصل طراحی

پنج اشتباه بنیادی، ریشهٔ تقریباً همهٔ خطاهای موتورهای کلیدواژه‌ای است: هر پرداختی هزینه نیست، هر دریافتی درآمد نیست، هر خریدی هزینه نیست، صدور فاکتور همیشه زمان شناسایی نیست، و جابه‌جایی وجه لزوماً رویداد سود و زیانی نیست.


راه‌حل، صدها شرط پراکنده مبتنی بر واژه نیست. موتور باید اول رویداد را در یکی از ۱۲ خانوادهٔ اقتصادی بگذارد، بعد بپرسد آن خانواده چه واقعیت‌هایی لازم دارد:

#	خانواده	نمونه
۱	ایجاد دارایی	پیش‌پرداخت، خرید موجودی، خرید دارایی ثابت
۲	مصرف دارایی و شناسایی هزینه	استهلاک، مصرف مواد، تخصیص پیش‌پرداخت
۳	ایجاد بدهی	قبض دریافت‌نشده، حقوق تحقق‌یافته
۴	تسویهٔ بدهی	پرداخت به فروشنده، پرداخت قسط
۵	ایجاد دریافتنی	فروش نسیه، صورت‌وضعیت
۶	وصول دریافتنی	دریافت از مشتری بابت فاکتور قبلی
۷	انجام تعهد و شناسایی درآمد	تحویل کالا، اتمام خدمت
۸	دریافت پیش از انجام تعهد	بیعانه، پیش‌دریافت اشتراک
۹	سرمایه‌گذاری یا برداشت مالک	آوردهٔ شریک، برداشت شخصی
۱۰	انتقال بین حساب‌های خود واحد	بانک به بانک، بانک به صندوق
۱۱	تغییر ارزش یا برآورد	کاهش ارزش، تسعیر، ذخیره
۱۲	اصلاح، برگشت یا ابطال رویداد قبلی	سند اشتباه، چک برگشتی

چهار قاعده‌ای که هیچ فازی نقضشان نمی‌کند

1. AI واقعیت استخراج می‌کند، موتور قاعده تصمیم می‌گیرد. خروجی AI هرگز نام یا کد حساب ندارد.
2. تا وقتی دورهٔ مصرف یا سند مرتبط مشخص نشده، مبلغ مستقیماً هزینه یا درآمد نمی‌شود.
3. پیش از ساختن هر درآمد یا هزینهٔ تازه، امکان تسویهٔ یک سند باز بررسی می‌شود.
4. ابهام یعنی سؤال یا ارجاع، نه حدس. امتناع درست، معیار موفقیت نسخهٔ اول است — نه درصد دقت.




صف حسابدار
سند + برنامهٔ شناسایی
ضبط شادو ----> تا فعال‌سازی آن خانواده، ثبت نمی‌شود
قاعدهٔ نسخه‌دار

نقشهٔ پوشش

ترتیب فازها بر اساس «حجم واقعی اسناد × قطعیت قاعده» چیده شده، نه بر اساس سختی حسابداری. چیزی که هر روز ده بار تکرار می‌شود و قاعده‌اش قطعی است، اول می‌آید.

حوزهٔ ابهام	فاز	ریسک پیش‌فرض
پیش‌پرداخت، علی‌الحساب، هزینهٔ دوره	۰ و ۲	زرد
هزینهٔ تحقق‌یافتهٔ پرداخت‌نشده	۲	زرد
دریافت وجه و شناسایی درآمد	۱ و ۲	زرد
دریافتنی، پرداختنی، تسویه، چک	۱	سبز تا زرد
بانک و صندوق (انتقال داخلی روشن)	۱	سبز
درگاه پرداخت (واریز خالص)	۱	**زرد — تا اثبات تفکیک کارمزد**
تفکیک ارزش افزودهٔ منتقل‌شده در فاکتور	۱	نگهبان سراسری
تسهیلات، سرمایه، برداشت مالک	۱	زرد
ثبت تکراری، اصلاحی و ناقص	۱	نگهبان سراسری
دورهٔ مالی، تاریخ سند، رویدادهای بعدی	۲	زرد
خرید: موجودی، هزینه یا دارایی	۳	زرد
دارایی ثابت، آماده‌به‌کاری، استهلاک	۳	زرد
نرم‌افزار، تحقیق و توسعه، نامشهود	۳	قرمز
تخفیف، برگشت، جایزه، اعتبارات	۳	زرد
مالیات، ارزش افزودهٔ کامل و تسویه با سازمان	۵	قرمز
حقوق و دستمزد	۵	قرمز
اجاره، رهن، حق استفاده	موج دوم	قرمز
ارز، واردات، معاملات خارجی	موج دوم	قرمز
تولید، بهای تمام‌شده، پروژه‌ها	موج دوم	قرمز
ذخایر و بدهی‌های احتمالی	موج دوم	قرمز
معاملات اشخاص وابسته	موج دوم	قرمز

سه سطح ریسک، معنای عملیاتی دارند

- **سبز** — واقعیت‌ها کامل و قاعده قطعی است؛ ثبت خودکار مجاز، پس از گذراندن معیارهای فاز ۴.
- **زرد** — یک یا دو دادهٔ لازم کم است؛ سیستم یک سؤال کوتاه می‌پرسد و منتظر می‌ماند.
- **قرمز** — نیازمند قضاوت، برآورد یا بررسی سند است؛ همیشه به صف حسابدار می‌رود، حتی وقتی سیستم مطمئن به نظر می‌رسد.

آنچه از قبل در کد هست

اصلاح ۴. ممیزی `docs/accounting-engine-baseline.md` نشان می‌دهد چند پایهٔ درست از قبل ساخته شده. هیچ فازی نباید این‌ها را دوباره بسازد؛ کار، سخت‌کردن و اجباری‌کردن آن‌هاست.

موجود در repo	وضعیت امروز	کار لازم
`server/db/counterpartyCard.js`	کارت طرف‌حساب ساخته می‌شود	تبدیل به resolve اجباری برای هر رویدادِ دارای طرف حساب
`server/db/obligations.js`	`listObligations` ، `settleObligation`	پایهٔ نگهبان «اول تسویه»؛ باید قبل از هر P&L تازه صدا زده شود
`server/db/cheques.js`	ماژول چک مستقل	تبدیل چرخهٔ عمر به یک دریافتنی با چند وضعیت، نه چند رویداد درآمد
`server/accountingTransfer.js`	انتقال بین حساب‌ها	تبدیل به نگهبان سراسری که اصل مبلغ را هرگز به سود و زیان نمی‌برد
`shared/accountingRules.js`	قواعد ثبت تابع خالص، مبتنی بر role نه کد حساب	نسخه‌دار شدن در فاز ۲
`shared/confidenceEngine.js`	confidence مؤلفه‌محور	جدا شدن از کفایت حسابداری؛ confidence جای واقعیت مفقود را نمی‌گیرد
`source_event_id` در ثبت رویداد	idempotency یک‌کاناله	افزودن اثر انگشت محتوا میان کانال‌ها و operation id سمت کلاینت
audit trail و `neverAutomatic`	موجود و فعال	حفظ؛ تصمیم جدید هم باید در همین ردپا بنشیند
`test/accounting-decision-golden-v1.json`	۳۰ نمونهٔ فارسی	رساندن به ۳۰۰ نمونه تا پایان فاز ۴

تصمیم‌های باز که هفتهٔ ۱ بسته می‌شوند

> **اصلاح ۶.** این‌ها در ممیزی خط مبنا «تصمیم‌های باز» نام گرفتند ولی در طرح اول وارد هیچ فازی نشدند. هر کدام هرچه دیرتر بسته شود گران‌تر است؛ اولی بعد از فاز ۲ یک مهاجرت دادهٔ کامل می‌شود.

#	تصمیم	هزینهٔ تأخیر
۱	**واحد پایهٔ مبلغ: ریال یا ادامهٔ تومان**	بعد از ساخته‌شدن scheduleها و اسناد فاز ۲، مهاجرت همهٔ جدول‌های مالی
۲	روش تخصیص پیش‌پرداخت: روزانه، ماهانه یا هر دو	تغییر بعدی یعنی بازتولید همهٔ برنامه‌های شناسایی
۳	رفتار schedule وقتی شناسایی در دورهٔ بسته می‌افتد	بدون پاسخ، فاز ۲ نمی‌تواند تست لبه بنویسد
۴	حد سرمایه‌ای دارایی کم‌ارزش، در سطح هر دفتر	فاز ۳ بدون آن باید بپرسد، نه فرض کند
۵	مرجع رسمی و مسئول تصویب قواعد مالیاتی	فاز ۵ بدون آن شروع نمی‌شود
۶	مدت نگهداری evidence و اسناد پیوست	اثر بر طراحی ذخیره‌سازی از فاز ۰
۷	اختیار حسابدار در override و الزام ثبت دلیل	اثر بر مدل دادهٔ تصمیم از فاز ۰

تصمیم‌های ۱ تا ۳ و ۷ خروجی روز اول فاز ۰ هستند و بدون آن‌ها کدنویسی فاز ۰ شروع نمی‌شود. بقیه تا ابتدای فاز مربوطه فرصت دارند.

فاز ۰ — ستون فقرات تصمیم

هفتهٔ ۱ تا ۲ · خروجی: دموی اول برای دفتر حسابداری

این فاز ماشین‌آلات را می‌سازد، نه یک سناریو را. تنها دلیلی که پیش‌پرداخت بیمه سیم‌کشی می‌شود این است که باید یک خانواده کامل از سر تا ته کار کند تا معلوم شود ماشین‌آلات درست است. خانواده‌های بعدی روی همین سوار می‌شوند و هر کدام چند روز طول می‌کشند، نه چند هفته.

چهار جزئی که ساخته می‌شود:

1. **EconomicFamily classifier** — رویداد را در یکی از ۱۲ خانواده می‌گذارد، یا `unknown` برمی‌گرداند. `unknown` یک پاسخ معتبر است.
2. **FactRequirement registry** — هر خانواده فهرست واقعیت‌های لازمش را اعلام می‌کند. موتور مقایسه می‌کند و کمبودها را نام می‌برد.
3. **AccountingDecision** — موجودیت مستقل بین رویداد و سند، با وضعیت‌های `decided` / `needs-user-input` / `needs-accountant-review` / `unsupported` / `blocked`.
4. **قرارداد سخت‌گیر AI** — یک JSON schema که وجود فیلد حساب، کد حساب یا بدهکار/بستانکار را ممنوع می‌کند.

سه سناریوی دمو: دورهٔ پوشش مشخص (سند ساخته می‌شود)، دوره نامشخص (سؤال پرسیده می‌شود)، دورهٔ کاملاً گذشته (هزینهٔ مستقیم). همان ایرادی که مدیر دفتر گرفت، در سناریوی دوم جواب می‌گیرد.

> **اصلاح ۵ — سؤال از راه صدا.** سناریوی دوم تنها وقتی قبول است که سؤال از مسیر صدا پرسیده و جواب داده شود. رویداد منتظر باید reload صفحه و قطع شبکه را زنده رد کند، و جواب کوتاه کاربر («از اول مهر») باید بدون تکرار کل جمله به همان رویداد بچسبد. اگر جواب دادن به سؤال از حدس زدن سخت‌تر باشد، کاربر سؤال را دور می‌زند و کل طرح بی‌اثر می‌شود.

> **اصلاح ۶ — تصمیم‌های باز.** روز اول این فاز خروجی کد ندارد: واحد پایهٔ مبلغ، روش تخصیص، رفتار دورهٔ بسته و اختیار override تعیین تکلیف می‌شوند و در `docs/` ثبت می‌شوند. کدنویسی بعد از آن شروع می‌شود.

پرامپت Claude Code — WP-0

```
Project: Hasab-Yar - Accounting Decision Spine
Work package: WP-0 / economic-family-spine

Goal:
Build the decision machinery that every later family will reuse, and
wire exactly one family through it end to end as proof.

Core idea:
The engine must classify the ECONOMIC SUBSTANCE of an event, not its
surface transaction type. Twelve families: asset-creation,
asset-consumption, liability-creation, liability-settlement,
receivable-creation, receivable-collection, revenue-recognition,
```

```
advance-received, owner-capital-movement, internal-transfer,
value-or-estimate-change, correction-or-reversal.

Deliverable 0 - Settle the open decisions BEFORE writing code
Read docs/accounting-engine-baseline.md. Four open decisions must be
resolved and written into docs/ first, because each becomes a data
migration later: (a) base amount unit - rial or keep toman; (b) prepaid
allocation method - daily, monthly, or both; (c) schedule behaviour when
recognition falls in a closed period; (d) accountant override authority
and whether a reason is mandatory. Present options with consequences,
stop, and wait for my decision. Do not start Deliverable 1 until these
are recorded.

Deliverable 1 - EconomicFamily classifier
Input: extracted facts. Output: one family plus a confidence, or
"unknown". "unknown" is a valid, non-error outcome that routes to the
accountant queue. Never fall back to a default family. Provide an
explicit mapping from the 13 existing event types to the 12 families,
and never reclassify historical data automatically.

Deliverable 2 - FactRequirement registry
Each family declares its required and optional facts. The engine diffs
the extracted facts against the requirement and produces missingFacts.
Missing facts generate ONE short Persian question naming the gap.

Deliverable 3 - AccountingDecision entity
Fields: family, treatment, policyKey, policyVersion, recognitionDate,
recognitionMethod, requiredFacts, missingFacts, assumptions, riskLevel,
explanation, sourceReferences, decisionStatus. Statuses: decided |
needs-user-input | needs-accountant-review | unsupported | blocked.
No PostingPlan may be constructed without a valid, versioned decision.

Deliverable 4 - AI extraction contract
A strict JSON schema for fact extraction. The schema must FORBID account
names, account codes, debit, and credit fields. Reject and log any
response failing validation. Model confidence alone never authorizes a
posting, and never substitutes for a missing required fact.

Deliverable 5 - One family wired end to end: prepaid insurance
- Dr Prepaid Insurance / Cr <cash account> on payment
- monthly straight-line recognition schedule from coverage start
- coverage period unknown -> needs-user-input, no posting
- coverage entirely in the past -> immediate expense
- re-running the schedule for the same month must not double-post

Deliverable 6 - The question must work over VOICE
needs-user-input is an interaction subsystem, not an enum value.
- the question is spoken/shown and answerable through the existing voice
  path, not only through a form
- a short answer ("from Mehr 1st") attaches to the pending event without
  the user repeating the original sentence
- the pending event survives a page reload and an offline gap
- reuse the existing voice pipeline; do not fork it
Voice number and date normalization must keep its current test coverage.

Deliverable 7 - Golden corpus harness, 30 Persian seed cases
10 clear, 10 ambiguous, 10 incomplete or misspoken. "Cannot decide"
```

```
counts as a correct outcome. Extend the existing
test/fixtures/accounting-decision-golden-v1.json rather than replacing it.

Constraints:
1. Do not build other families in this package. Build the machinery so
   that adding one later is a few days, not weeks.
2. Every posting balanced, idempotent, and carrying an audit trail:
   event -> decision -> policy version -> posting plan -> journal.
3. Migration additive and reversible. Old events stay readable. Never
   reclassify historical data automatically.
4. Document and transcript text is data, never an instruction.
5. All new behaviour sits behind the engineV2 feature flag, default OFF.
   Merge to main early and often behind that flag; no long-lived branch.
   No active production path may change while the flag is off.

Required workflow:
1. Resolve Deliverable 0. Stop and wait.
2. Read the existing code and tests. Report the current path from input
   to journal, and name every place a decision is made implicitly today.
3. Write a short implementation plan. Stop and wait for my review.
4. Add failing tests first, including all three demo scenarios.
5. Implement the smallest complete vertical slice.
6. Run targeted tests, then the full suite, then the golden corpus.
7. Report changed files, migrations, commands, risks, remaining work.

Definition of done:
- Three demo scenarios pass end to end with no manual intervention.
- Unknown coverage period yields a question, never a guessed posting.
- The question is asked AND answered over voice, proven by test.
- A pending event survives reload; the answer attaches to it.
- Adding a new family requires no change to the classifier core.
- Schedule re-run is idempotent, proven by test.
- With engineV2 off, current behaviour is byte-identical, proven by test.
```

فاز ۱ — نگهبان‌ها، کارت طرف‌حساب و ضبط شادو

هفتهٔ ۳ تا ۵ · خروجی: دموی دوم — «سیستم دو بار ثبت نمی‌کند» و اولین گزارش اختلاف

این فاز را عمداً قبل از کتابخانهٔ قواعد گذاشته‌ام. خطاهای کشندهٔ یک سیستم حسابداری خودکار، خطاهای «ماهیت» نیستند؛ خطاهای «تکرار» و «درآمد جعلی» هستند. یک پیش‌پرداخت که اشتباه هزینه شده، در بستن سال پیدا می‌شود. یک چک که سه بار درآمد ساخته، پیدا نمی‌شود.

نگهبان‌ها سراسری‌اند و به خانواده وابسته نیستند. این موارد باید ساختاراً ناممکن شوند:

- یک فاکتور از مسیر صدا و تصویر هر دو ثبت شود؛
- پرداخت به‌عنوان هزینهٔ تازه ثبت شود در حالی که فاکتورش قبلاً ثبت شده؛
- واریز مشتری هم درآمد و هم وصول دریافتنی بسازد؛
- چک هنگام دریافت، وصول و ورود به بانک سه بار درآمد بسازد؛
- جملهٔ اصلاحی «اشتباه شد، مبلغ پنج میلیون بود» یک رویداد تازه بسازد؛
- تراکنش آفلاین پس از اتصال دوباره تکرار شود.

اصلاح ۴ — این فاز عمدتاً «اجباری‌کردن» است، نه «ساختن». کارت طرف‌حساب، تعهدات، چک و انتقال داخلی از قبل در repo هستند. کار اصلی این است که هیچ مسیر ثبتی نتواند آن‌ها را دور بزند: نگهبان‌ها قبل از موتور قواعد و روی هر تلاش ثبت اجرا می‌شوند، بدون امکان opt-out برای هیچ خانواده‌ای.

اصلاح ۳ — تفکیک ارزش افزوده اینجاست، نه فاز ۵. بقیهٔ مالیات به بعد از پایلوت رفته، ولی VAT منتقل‌شده در فاکتور روی تقریباً هر خرید و فروش واقعی هست. اگر موتور نتواند آن را جدا کند، ثبتش روی ساده‌ترین خرید هم غلط است. قاعدهٔ سخت: VAT منتقل‌شده هرگز خودکار با درآمد یا هزینه مخلوط نمی‌شود. تصمیم دربارهٔ قابل‌استرداد بودن یا نبودنش در فاز ۵ می‌آید؛ اینجا فقط تفکیک و نگهداری جداگانه است.

اصلاح ۱ — ضبط شادو از انتهای همین فاز شروع می‌شود. دو قلم اول بستهٔ شادو (ضبط تصمیم و گزارش اختلاف) اینجا ساخته می‌شوند و از هفتهٔ ۵ مدام می‌چرخند. کنسول تصمیم و دروازه‌های فعال‌سازی در فاز ۴ می‌مانند. نتیجه: تا شروع فاز ۴ حدود هفت هفته دادهٔ واقعی اختلاف جمع شده، نه صفر.

دموی این فاز روی مثال درگاه پرداخت: واریز ۹۸ میلیون که در واقع فروش ۱۰۰ منهای ۲ کارمزد است. ثبت مستقیم ۹۸ به‌عنوان درآمد، هم درآمد و هم کارمزد را غلط می‌کند — و این را مدیر دفتر بلافاصله می‌فهمد.

پرامپت Claude Code — WP-1

```
Project: Hasab-Yar - Guards, Counterparty Ledger and Shadow Recording
Work package: WP-1 / guards-and-shadow-recording

Goal:
Make it structurally impossible for the engine to double-count an event
```

```
or to invent revenue from a cash movement, and start recording what the
engine would have decided versus what the accountant actually did.

IMPORTANT - this package mostly HARDENS existing code:
server/db/counterpartyCard.js, server/db/obligations.js (listObligations,
settleObligation), server/db/cheques.js and server/accountingTransfer.js
already exist. Do not rewrite them. Read them first and report what each
already covers. The work is turning them from optional modules into
non-bypassable preconditions of every posting attempt.

Deliverable 1 - Counterparty ledger becomes mandatory
Every event naming a counterparty must resolve to a card before any
posting plan is built. Fuzzy Persian name matching must propose a merge,
never create a silent duplicate person. Extend the existing card with
open documents: invoices, advances, cheques, settlements, balances.

Deliverable 2 - Settlement-first guard
Before creating ANY new revenue or expense, check whether the amount
matches an open document on that counterparty's card, via the existing
obligations module.
- exact match on an open invoice -> propose settlement, not new P&L
- partial match -> propose partial settlement
- no match -> allow the new event but record that the check ran
- payment with no identified invoice -> on-account, NOT settlement,
  NOT expense
Negative test: a settlement must produce zero profit-and-loss impact.

Deliverable 3 - Internal transfer guard
Bank-to-bank, bank-to-cash and cash-to-bank movements within the same
entity must NEVER produce revenue or expense for the principal amount.
Transfer fees are a separate expense line. Loan principal and owner
capital contributions are covered by the same guard: principal is never
income. Build this on top of server/accountingTransfer.js.

Deliverable 4 - Idempotency and duplicate detection
- content fingerprint across input channels (voice, image, manual) so the
  same invoice captured twice is detected; today only source_event_id
  exists and it is single-channel
- client-supplied operation id so an offline transaction replayed after
  reconnect does not post twice
- cheque lifecycle as ONE receivable moving through states (received ->
  deposited -> cleared / bounced), never three revenue events
- a correction utterance must link to the prior event and produce an
  amendment, never a new independent event

Deliverable 5 - VAT separation guard (moved here from the tax package)
Pass-through VAT on an invoice must NEVER be mixed into revenue or
expense automatically. Split the gross amount into net and VAT and hold
VAT in its own position. Output VAT is a liability, never revenue.
Whether input VAT is recoverable is NOT decided here - that is WP-5; an
undecided recoverability routes to the accountant queue. Add a negative
test: no VAT amount ever lands in a revenue or expense account in this
package.

Deliverable 6 - Bank, cash and payment gateway family
- gateway settles net: one deposit of 98 represents sales of 100 minus a
  fee of 2. The engine must split it, not book 98 of revenue.
```

```
- several sales combined in one gateway deposit
- card transaction reversal
- bank fees, deposit interest
- funds in transit, uncleared cheques
- unidentified deposit or withdrawal -> suspense account plus a queue item
Gateway deposits stay risk YELLOW until the fee split is proven by test.

Deliverable 7 - Loans, capital and owner drawings
- loan received is a liability, never income
- instalment split into principal, interest and penalty
- owner contribution: capital, partner current account, or loan - ask
- owner drawing versus company expense - ask
- personal purchase on a company card -> receivable from owner
- company expense on a personal card -> payable to that person

Deliverable 8 - Shadow recording (pulled forward from WP-5)
A workspace flag making the engine produce decisions and proposed
postings that are RECORDED but never written to the ledger. Store per
run: extracted facts, family, decision, policy version, proposed journal,
confidence, guard results, and the accountant's actual entry.
Add a test that runs a full shadow batch and asserts the ledger is
byte-identical afterward.
Also build the disagreement report: system versus accountant on economic
family, accounts, recognition timing, amount, counterparty, and whether
the system asked the right question. Classify each difference as
critical, material or cosmetic. A silent wrong posting is ALWAYS
critical, regardless of amount. Report per family.
The decision console and the activation gates are NOT in this package -
they are WP-4. This package only needs to make the data start flowing.

Constraints:
1. Every guard is a separate, independently testable unit with its own
   negative tests.
2. A guard rejection routes to the review queue with a readable reason.
   It must never silently drop an event.
3. Guards run before the rule engine, on every posting attempt, with no
   per-family opt-out.
4. Persian number and date normalization must be covered by tests
   (Persian and Arabic digits, Jalali dates, "million" and "toman" forms).
5. engineV2 flag default OFF. Merge to main behind the flag; no
   long-lived branch. No active production path changes while off.

Required workflow:
1. Read the four existing modules and report their current coverage.
   Propose the guard interface and the card schema delta. Stop for review.
2. Write the negative tests BEFORE each guard: settlement creates no P&L,
   transfer creates no P&L, duplicate capture posts once, VAT never
   reaches a revenue account.
3. Harden the existing modules; do not fork them.
4. Build the gateway split as the demo scenario and make it visible in UI.
5. Build shadow recording last, then run one real batch.
6. Run the full suite plus golden corpus. Report.

Definition of done:
- Replaying the entire golden corpus twice produces identical ledgers.
- Zero settlements produce profit-and-loss impact, proven by test.
- The 98-versus-100 gateway scenario is correct end to end.
```

```
- A cheque through its full lifecycle creates exactly one revenue event.
- No guard can be bypassed by any family, proven by test.
- A shadow batch leaves the ledger byte-identical, proven by test.
- The first disagreement report is produced from real office data.
```

فاز ۲ — زمان و تخصیص دوره

هفتهٔ ۶ تا ۸ · خروجی: دموی سوم — «سیستم فرق پرداخت و وقوع را می‌فهمد»

هستهٔ این فاز یک تشخیص است: تاریخ پرداخت، تاریخ فاکتور، تاریخ تحویل و تاریخ شناسایی چهار چیز متفاوت‌اند. چهار جهت که همگی یک زیرسامانه‌اند:

جهت	رویداد	ثبت
پرداخت پیش از مصرف	بیمه، اجاره، اشتراک، پشتیبانی، تبلیغات آینده	دارایی + برنامهٔ تخصیص
مصرف پیش از پرداخت	قبض برق اسفند، حقوق پایان ماه، سود وام، پورسانت	بدهی + هزینه
دریافت پیش از تعهد	بیعانه، اشتراک سالانه، حق عضویت، پیش‌دریافت	بدهی + شناسایی دوره‌ای
تعهد پیش از دریافت	خدمت انجام‌شدهٔ فاکتورنشده، صورت‌وضعیت	دریافتنی + درآمد

علی‌الحساب و تنخواه و ودیعه هم اینجا حل می‌شوند، چون همگی یک سؤال مشترک دارند: این مبلغ قابل استرداد است یا مصرف‌شدنی؟ این تک‌سؤال چند خانوادهٔ مبهم را با هم باز می‌کند و ارزان‌ترین برگ برندهٔ کل طرح است.

هم‌زمان، موتور قواعد نسخه‌دار می‌شود. انتخاب قاعده بر اساس تاریخ رویداد است، نه تاریخ اجرای کد؛ و نسخهٔ قاعده روی تصمیم ذخیره می‌شود تا تغییر بعدی کد، سند مورد انتظار یک رویداد در انتظار را بی‌صدا عوض نکند.

بخش تاریخ و دوره هم اینجاست: تمایز میان رویداد جدید، اصلاح اشتباه، تغییر برآورد، برگشت سند، ثبت تعدیلی پایان دوره، ثبت افتتاحیه و رویداد بعد از تاریخ گزارشگری.

پرامپت Claude Code — WP-2

```
Project: Hasab-Yar - Timing and Period Allocation
Work package: WP-2 / four-way-timed-recognition

Goal:
Teach the engine that payment date, invoice date, delivery date and
recognition date are four different things, and implement all four
timing directions as one subsystem.

Deliverable 1 - Four timing directions
A. Paid before consumed (prepaid asset + allocation schedule): insurance,
   rent, annual subscription, support contract, future advertising costs
B. Consumed before paid (accrued liability): utility bill for a past
   period, month-end payroll, accrued loan interest, audit fee for
   completed work, unpaid sales commission
C. Received before obligation performed (deferred revenue): customer
   deposit, annual subscription received, membership fee, payment before
   shipment, milestone advance
D. Performed before received (accrued revenue): completed unbilled
   service, progress certificate

Deliverable 2 - Refundable versus consumable test
One shared question resolves several ambiguous families: "is this amount
```

```
refundable, or will it be consumed?"
- contractor advance: prepayment, expense, or settlement of a prior
  certificate?
- petty cash to an employee: expense, or receivable from the holder?
- salary advance: payroll expense, or receivable from the employee?
- utility or property deposit: refundable asset, not expense
This question must be answerable over voice, using the WP-0 mechanism.

Deliverable 3 - Versioned rule engine
Rule fields: policyKey, version, effectiveFrom, effectiveTo,
jurisdiction, businessTypes, requiredFacts, decisionTable,
postingTemplate, scheduleTemplate, riskLevel, sourceReferences,
testCases.
- rule selection by EVENT DATE, never by current code version
- the policy version used is stored on the decision
- dry-run simulation against historical events before activation
Build this by versioning the existing shared/accountingRules.js pure
functions; do not fork them.

Deliverable 4 - Period and event-type discrimination
The engine must distinguish: new event, error correction, change in
estimate, document reversal, period-end adjusting entry, opening entry,
and post-reporting-date event. Also handle: goods received before year
end with the invoice arriving later; service completed but the amount not
yet final; a post-dated cheque issued today; a prior-year document
arriving after the books are closed.

Deliverable 5 - Schedule edge cases (all need tests)
period changed after posting; contract cancelled mid-period with partial
refund; partial payment against a full-period contract; recognition
falling into a closed period (use the WP-0 Deliverable 0 decision);
schedule executed twice for the same month; coverage starting before the
payment date.

Constraints:
1. Reuse the WP-0 spine and WP-1 guards. Do not fork them.
2. A rule version bump must leave existing decisions byte-identical on
   replay. Add a replay test that proves it.
3. Do not implement tax, payroll, inventory or fixed assets here.
4. engineV2 flag default OFF; merge to main behind the flag.
5. Shadow recording from WP-1 keeps running for every new family added
   here. Report the disagreement numbers at the end of the package.

Required workflow:
1. Write the decision tables for all four directions. Stop for my review
   before coding.
2. Add failing tests for every direction and every edge case above.
3. Implement direction A first (it already exists from WP-0 - generalize
   it), then B, C, D.
4. Implement rule versioning and the dry-run simulator.
5. Run the full suite plus golden corpus. Report, including the current
   shadow disagreement rate per family.

Definition of done:
- All four directions post correctly and build correct schedules.
- The refundable-versus-consumable question fires on every ambiguous case
  in the corpus, and is answerable over voice.
```

```
- Replay after a rule version bump produces identical historical output.
- Every schedule edge case has a passing test.
- Golden corpus at 150 cases or more.
```

فاز ۳ — خرید و ماهیت دارایی

هفتهٔ ۹ تا ۱۱ · خروجی: دموی چهارم — «سیستم از روی اسم کالا تصمیم نمی‌گیرد»

سؤال محوری این فاز یکی است و سیستم باید آن را بپرسد: این مورد برای فروش خریداری شده، برای مصرف در تولید، برای استفادهٔ بلندمدت، یا برای مصرف جاری؟ تصمیم‌گیری از روی نام کالا، شکست تست است.

دارایی نامشهود و نرم‌افزار هم اینجاست اما با ریسک قرمز: وجود واژه‌های «توسعه»، «طراحی» یا «نرم‌افزار» هرگز مجوز ایجاد دارایی نیست. پیش‌فرض این خانواده هزینه است و سرمایه‌ای شدن نیاز به تأیید حسابدار دارد.

پرامپت Claude Code — WP-3

```
Project: Hasab-Yar - Purchase Nature and Asset Classification
Work package: WP-3 / inventory-asset-expense

Goal:
Decide what a purchase IS, using amount, intended use, expected useful
life and the entity's capitalization policy. Deciding from the item name
alone is a test failure.

Prerequisite - entity policy record
Per workspace: capitalization threshold, inventory method, useful-life
defaults by asset class, depreciation method, fiscal year. Without a
capitalization threshold the engine must ask, not assume. This is open
decision (d) from the WP-0 list - confirm it is recorded before starting.

Slice A - inventory versus expense
raw materials; goods for resale; consumables; packaging; sample goods;
goods purchased for a specific project (inventory, WIP, or project cost);
goods not yet delivered (purchase prepayment or goods in transit);
returned goods; purchase discount (reduce inventory cost or other
income); inbound freight (part of cost or period expense); normal versus
abnormal scrap.

Slice B - fixed asset versus repair
laptop or low-value tool against the capitalization threshold; routine
repair versus capital improvement extending useful life; replacement of a
major component; building renovation; installation and commissioning
costs; operator training (period expense); freight and insurance on
machinery; pre-commissioning testing; trial production before
commissioning; land and building separation; assets under construction.

Slice C - in-service date and depreciation
Purchase date does NOT start depreciation. Ready-for-use date does.
Required facts: ready-for-use date, useful life, residual value, method,
seasonal versus continuous use. Handle: temporarily idle assets; assets
held for sale; partial replacement; subsequent expenditure extending life
or capacity; a useful-life change is a CHANGE IN ESTIMATE, not an error
correction. Impairment requires an indicator and a recoverable amount -
never a mechanical entry from purchase price. Route impairment to the
accountant queue always. Reuse the existing depreciation module; do not
build a second one.
```

```
Slice D - intangibles and software (risk: RED by default)
purchased software (intangible, subscription, or expense); annual usage
right (prepaid + period expense); website design; internal development
(research, capitalizable development, or expense); brand and logo design;
licences; research costs (expense); development after technical
feasibility (possibly capitalizable); employee training (expense).
This slice defaults to expense and cannot auto-post.

Slice E - discounts, returns, rebates and credits
on-invoice discount versus post-sale discount; early-payment cash
discount; year-end volume rebate; free goods; coupons and future-purchase
credit; loyalty points; sales return; purchase return; price adjustment
after delivery; late-payment penalty charged to a customer or by a
supplier; refund without goods return; corrective invoice. These change
revenue, inventory cost, or both - state which, per case.

Constraints:
1. Finish and test each slice before starting the next.
2. Reuse the WP-0 spine, WP-1 guards and WP-2 rule engine unchanged.
3. Every capitalize-versus-expense decision must record which facts drove
   it and which policy version applied.
4. Slice D defaults to expense and cannot auto-post.
5. engineV2 flag default OFF; merge to main behind the flag.

Required workflow (per slice):
1. Write the decision table first. Stop for my review.
2. Add failing tests, including a negative test that the item name alone
   cannot determine the outcome (same name, different amount and intended
   use -> different treatment).
3. Implement end to end.
4. Run targeted tests, then the full suite plus golden corpus. Report
   before the next slice.

Definition of done:
- Same item name with different facts produces different, correct
  treatments.
- Inventory never hits period expense before sale or consumption.
- Depreciation starts from ready-for-use date, proven by test.
- No intangible asset can be created without recorded approval.
- Golden corpus at 250 cases or more.
```

فاز ۴ — کنسول تصمیم و فعال‌سازی خانواده‌به‌خانواده

هفتهٔ ۱۲ تا ۱۴ · پایلوت واقعی

> **اصلاح ۱ و ۳ — این فاز جای مالیات و حقوق را گرفت.** چون ضبط شادو از هفتهٔ ۵ می‌چرخد، این فاز با حدود هفت هفته دادهٔ واقعی اختلاف شروع می‌شود، نه با صفر. یعنی فعال‌سازی خودکار بر پایهٔ شواهد تصمیم گرفته می‌شود، نه بر پایهٔ حدس. پایلوت به‌جای هفتهٔ ۱۷، هفتهٔ ۱۲ شروع می‌شود.

سیستم تصمیم و سند پیشنهادی می‌سازد اما هیچ چیز خودکار ثبت نمی‌شود. حسابدار همان رویدادها را مستقل ثبت می‌کند و دو خروجی مقایسه می‌شوند.

صف بررسی باید از «تأیید یا رد» به یک محیط تصمیم تبدیل شود. هر مورد بدون باز کردن کد توضیح بدهد: چه فهمیده، چه اطلاعاتی کم است، کدام خانواده و کدام قاعده انتخاب شده، چرا خودکار نشده، سند پیشنهادی چیست، اثرش روی سود و دارایی و بدهی چیست، و حسابدار چه گزینه‌هایی دارد.

ترتیب فعال‌سازی

خانواده‌به‌خانواده، نه یکجا. از قطعی‌ترین شروع کن:

1. انتقال داخلی بین حساب‌های خود واحد؛
2. تسویهٔ کامل دارای سند مرجع؛
3. هزینه‌های سادهٔ تکرارشونده؛
4. پیش‌پرداخت دارای قرارداد و دورهٔ مشخص؛
5. خرید موجودی با فاکتور کامل.

مالیات، حقوق، نامشهود و ذخایر هرگز در نسخهٔ اول وارد این فهرست نمی‌شوند.

معیارهای فعال‌سازی

معیار	آستانه
ثبت اشتباه با اطمینان بالا	صفر — معیار اصلی
خطای بحرانی در Golden Corpus	صفر
ثبت نامتوازن	صفر
ثبت تکراری در replay test	صفر
تصمیم بدون نسخهٔ قاعده	صفر
ثبت با واقعیت ضروری مفقود	صفر
نمونهٔ بررسی‌شده پیش از فعال‌سازی هر خانواده	حداقل ۱۰۰

سیستمی که ۳۰٪ موارد را به حسابدار ارجاع می‌دهد ولی هیچ‌وقت بی‌صدا اشتباه نمی‌زند، قابل فروش است. عکسش نیست.

پرامپت Claude Code — WP-4

```
Project: Hasab-Yar - Decision Console and Gradual Activation
Work package: WP-4 / decision-console-and-activation

Goal:
Turn the shadow data that has been accumulating since WP-1 into a
decision environment for the accountant, and gate automatic posting per
family on measured evidence.

Precondition:
Shadow recording and the disagreement report were built in WP-1 and have
been running for roughly seven weeks. Start by reporting what that data
says per family: disagreement rate, critical differences, and which
families look ready. Do not build a second shadow subsystem.

Deliverable 1 - Decision console (replaces the approve/reject queue)
Each queued item must explain itself without reading code: what was
understood; which facts are missing; which family and rule were selected
and why; which rules were rejected and why; why it did not auto-post; the
proposed journal; its effect on profit, assets and liabilities; the
policy source and version; what the accountant's options are.
The accountant's correction must be captured as structured data, not free
text, so it feeds the disagreement report.

Deliverable 2 - Disagreement report, promoted to a decision instrument
Extend the WP-1 report: trend per family over time, which missing fact
most often causes a question, which question the user most often
abandons, and which family is closest to its activation gate.

Deliverable 3 - Per-family activation gate
Auto-posting is enabled per family per workspace, never globally.
Gate metrics, all of which must be met: zero high-confidence wrong
postings, zero critical golden-corpus errors, zero unbalanced postings,
zero duplicates in replay, zero decisions without a policy version, zero
postings with a missing required fact, and at least 100 reviewed samples
for that family.
Activation order: internal-transfer, referenced full settlement, simple
recurring expenses, contract-backed prepayment, inventory purchase with a
complete invoice.

Deliverable 4 - Kill switch
Revert any family to review-only instantly, with an audit record of who
enabled or disabled it and when.

Deliverable 5 - Golden corpus to 300 cases
Use the accounting office backup as the source. Hasab-Yar can already
read Parsian MDF pages directly without a restore - reuse that path. Get
written permission first, and strip names, account numbers and national
IDs before any case enters the corpus.

Constraints:
```

```
1. Activation state is per workspace and per family, never a global flag.
2. A guard rejection or an unknown family must never be silently dropped.
3. engineV2 may be turned ON for a workspace only through the activation
   gate, one family at a time.

Required workflow:
1. Report what the accumulated shadow data says. Stop for review.
2. Build the console, then extend the report.
3. Implement the activation gate last; it depends on the metrics.
4. Run the full suite plus golden corpus. Report.

Definition of done:
- Every queued item explains itself without reading code.
- No family can auto-post while any gate metric is unmet.
- Kill switch tested.
- At least one family activated on real data with zero critical errors.
- Golden corpus at 300 cases.
```

فاز ۵ — مالیات، ارزش افزوده و حقوق و دستمزد

هفتهٔ ۱۵ تا ۱۷ · ریسک قرمز · همیشه نیازمند تأیید حسابدار

> **اصلاح ۳ — این فاز از جایگاه چهارم به آخر منتقل شد.** دلیل: خود طرح آن را «قابل نمایش: جزئی» و «بدون auto-post» علامت زده بود؛ سه هفته کاری که پایلوت را جلو نمی‌برد و پیش از داشتن دادهٔ واقعی، بیشترین احتمال دوباره‌کاری را دارد. تفکیک ارزش افزوده که واقعاً فوری بود، در فاز ۱ انجام شده. آنچه اینجا می‌ماند تصمیم‌های قضاوتی است که در پایلوت هم خودکار نمی‌شوند.

این فاز دو تفاوت اساسی با بقیه دارد. اول اینکه قواعدش تاریخ اعتبار و منبع رسمی می‌خواهند؛ هر تغییر مقررات یک نسخهٔ جدید سیاست می‌سازد، نه یک تغییر کد. دوم اینکه سه مفهومی که مدام قاطی می‌شوند باید از هم جدا بمانند: هزینهٔ مالیات حسابداری، مالیات پرداختنی، و هزینهٔ قابل‌قبول مالیاتی.

دربارهٔ حقوق، نکتهٔ کلیدی این است که جملهٔ «صد میلیون حقوق پرداخت کردم» برای تولید سند کافی نیست. سیستم به لیست حقوق، کسورات، دورهٔ کارکرد و ماندهٔ بدهی قبلی نیاز دارد. بنابراین ورودی این خانواده باید فایل لیست حقوق باشد، نه یک جمله.

پرامپت Claude Code — WP-5

```
Project: Hasab-Yar - Tax, VAT and Payroll
Work package: WP-5 / tax-and-payroll

Goal:
Handle the two families where a wrong posting has legal consequences.
Every rule here carries an effective date and an official source. No
family in this package may auto-post during pilot.

Already done in WP-1: pass-through VAT is separated from net amount and
never mixed into revenue or expense. This package decides what happens to
that separated VAT, and adds the rest of tax and payroll.

Core distinction to enforce in the model:
accounting tax expense != tax payable != tax-deductible expense.
Never collapse these three into one account or one number.

Slice A - VAT
input VAT (tax credit versus part of purchase cost); output VAT (a
liability, NEVER revenue); non-recoverable VAT (expense or part of
asset/inventory cost); VAT settlement with the authority; VAT on a
corrective invoice.
The WP-1 separation guard stays in force and must not be weakened.

Slice B - other taxes
withholding tax deducted BY us (liability to the authority); withholding
tax deducted FROM us (tax receivable); tax prepayment (an asset, not a
final expense); income tax for the period (expense plus liability); tax
penalties (accounting expense with different tax treatment); tax credits
and refunds (receivable or reduction of liability); assessment disputes
```

```
(definite liability, provision, or contingent liability).

Slice C - payroll
Required input is a PAYROLL REGISTER file, not a sentence. If only a
sentence arrives, the engine must request the register and refuse to
post. Components modelled separately: gross salary; employee
social-insurance share; employer social-insurance share; payroll tax;
salary advances and employee loans; overtime and bonuses; severance;
unused leave; benefits in kind.

Slice D - versioned regulatory policy
Each tax and payroll rule carries: issuer, publication date, effective
date, scope, clause reference, validity status, and the
accountant-approved summary. A regulation change creates a NEW POLICY
VERSION; it must never retroactively change a posted entry.

Constraints:
1. riskLevel is RED for every rule in this package. auto-post is disabled
   regardless of confidence.
2. Every decision must cite the policy source and version it used.
3. An accountant must approve each decision table before it is activated.
4. Reuse the WP-0 spine, WP-1 guards and WP-2 rule engine unchanged.
5. Confirm open decision (e) - the official source and the person who
   approves tax rules - is recorded before writing any code.

Required workflow:
1. Write the decision tables and stop. These need accountant review
   before any code is written - do not proceed without my confirmation.
2. Add failing tests, including the negative tests: output VAT never
   becomes revenue; a payroll sentence without a register never posts.
3. Implement slice by slice.
4. Run the full suite plus golden corpus. Report.

Definition of done:
- Output VAT never lands in a revenue account, proven by test.
- A payroll payment allocates across components, never a single lump.
- Every tax decision cites an effective-dated policy version.
- No rule in this package can auto-post.
```

جدول زمانی

فاز	هفته	خروجی	قابل نمایش؟	تغییر نسبت به نسخهٔ ۱
۰	۱–۲	ستون فقرات ۱۲ خانواده + پیش‌پرداخت بیمه + سؤال صوتی	بله	+ تصمیم‌های باز، + صدا
۱	۳–۵	نگهبان‌ها، کارت طرف‌حساب، درگاه، تفکیک VAT، ضبط شادو	بله	+ VAT، + شادو، اجباری‌کردن به‌جای ساختن
۲	۶–۸	چهار جهت زمانی + موتور قواعد نسخه‌دار	بله	بدون تغییر
۳	۹–۱۱	موجودی، دارایی ثابت، استهلاک، نامشهود	بله	بدون تغییر
۴	۱۲–۱۴	کنسول تصمیم، دروازهٔ فعال‌سازی، پایلوت محدود	**پایلوت واقعی**	از هفتهٔ ۱۵ به ۱۲ آمد
۵	۱۵–۱۷	مالیات، ارزش افزودهٔ کامل، حقوق	جزئی	از هفتهٔ ۱۲ به ۱۵ رفت

با روزی ۳ تا ۴ ساعت. با کار تقریباً تماموقت حدود ۱۰ تا ۱۲ هفته. حدود ۳۰ تا ۴۵ ساعت مشارکت حسابدار در کل پروژه لازم است و این قابل حذف نیست — ابزار کدنویسی زمان پیاده‌سازی را کم می‌کند، نه زمان تأیید ماهیت حسابداری را.

> **سود خالص این بازچینش:** پایلوت سه هفته زودتر، و اولین دادهٔ واقعیِ اختلاف دوازده هفته زودتر. تعداد کل هفته‌ها تغییر نکرده.

موج دوم

پنج حوزه عمداً بیرون مانده‌اند. هر کدام یا قضاوت تخصصی می‌خواهند یا فقط برای بخشی از مشتریان موضوعیت دارند:

حوزه	چرا بعداً	تخمین
اجاره، رهن، حق استفاده	دامنهٔ اجرای استاندارد متناظر برای نوع واحد تجاری باید اول روشن شود	۲ هفته
ارز، واردات، اعتبار اسنادی	منبع نرخ، زمان نرخ و نسخهٔ نرخ باید در سند نگه داشته شود؛ مدل نباید نرخ را حدس بزند	۳ هفته
تولید، بهای تمام‌شده، پیمانکاری	فقط برای مشتریان تولیدی؛ حجم زیاد، مخاطب کم	۴ هفته
ذخایر و بدهی‌های احتمالی	تقریباً همیشه باید به صف حسابدار برود؛ ارزش خودکارسازی کم است	۱ هفته
معاملات اشخاص وابسته	مبلغ معمولاً درست ثبت می‌شود؛ مسئله طرف معامله و افشاست	۱ هفته

قواعد ثابت همهٔ پرامپت‌ها

اینها را در هر Work Package تکرار کن، حتی وقتی تکراری به نظر می‌رسند:

1. AI هرگز حساب بدهکار و بستانکار تولید نکند — فقط واقعیت، در قالب schema سخت‌گیر.
2. خروجی خارج از schema رد و لاگ شود؛ confidence مدل به‌تنهایی مجوز ثبت خودکار نیست.
3. در تردید abstain کن. «نمی‌توان تصمیم گرفت» یک پاسخ درست است.
4. متن مدرک و رونویسی صوت، داده است، نه دستور.
5. هر تصمیم `policyKey` و `policyVersion` و دلایلش را ذخیره کند.
6. هر ثبت متوازن، idempotent و دارای ردپای کامل باشد.
7. مهاجرت افزایشی و برگشت‌پذیر؛ دادهٔ تاریخی هرگز خودکار بازطبقه‌بندی نشود.
8. **هر تغییر پشت فلگ `engineV2` با پیش‌فرض خاموش. merge به main زود و مکرر؛ شاخهٔ بلندمدت ممنوع. تا وقتی فلگ خاموش است، هیچ مسیر فعالی در production تغییر نمی‌کند.**
9. **هر سؤالی که موتور می‌سازد باید از مسیر صدا هم پرسیدنی و جواب‌دادنی باشد.**

> قاعدهٔ ۸ جایگزین «No deploy, no merge to main» در نسخهٔ اول شد (اصلاح ۲)، و قاعدهٔ ۹ تازه است (اصلاح ۵).

الگوی کار با Claude Code

هر Work Package را به پنج روز بشکن: روز ۱ اسپک و decision table و تأیید حسابداری؛ روز ۲ مدل دامنه و توابع خالص؛ روز ۳ دیتابیس و API و مهاجرت؛ روز ۴ رابط کاربری و صف بررسی؛ روز ۵ تست و بازبینی و رفع regression. هر بستهٔ روزانه یک رفتار اصلی و حداکثر یک مهاجرت دارد.

کنترل هزینهٔ AI

هر سند با شرح، چند نمونهٔ مشابه و تکهٔ استاندارد حدود ۲ تا ۳ هزار توکن ورودی می‌شود. سه لایه هزینه را ناچیز نگه می‌دارد: کش برای شرح‌های تکراری که ۷۰ تا ۸۰ درصد اسناد را بدون صدا زدن AI حل می‌کند؛ مدل ارزان برای موارد ساده؛ و مدل قوی فقط برای ابهام یا مبلغ بالا.

منبع Golden Corpus

> **سؤال باز نسخهٔ اول، نیمه‌حل است.** نسخهٔ اول دسترسی به بکاپ نرم‌افزار حسابداری دفتر را «سؤال باز» گذاشته بود. حساب‌یار همین حالا می‌تواند صفحه‌های MDF پارسیان را مستقیم و بدون restore بخواند؛ یعنی مسیر فنی موجود است. آنچه باقی می‌ماند اجازهٔ کتبی و ناشناس‌سازی است، نه فناوری.

مسیر رشد پیکره: ۳۰ نمونهٔ دستی در فاز ۰، ۱۵۰ نمونه تا پایان فاز ۲، ۲۵۰ نمونه تا پایان فاز ۳، و ۳۰۰ نمونه تا پایان فاز ۴. پیش از استفاده اجازهٔ کتبی بگیر و نام، شمارهٔ حساب و شناسهٔ ملی را حذف کن.
