



1] DASHDOARD:

1.1 AWS LOGIN SCREEN:



1.2 EC2 DASHBOARD:



1.3 S3 DASHBOARD:

The screenshot shows the Amazon S3 Management Console in a web browser. The browser tabs include 'Gmail' and 'S3 Management Console'. The address bar shows the URL 's3.console.aws.amazon.com/s3/home?region=us-east-2#'. The console header features the AWS logo, 'Services' and 'Resource Groups' dropdowns, a user profile 'Amisha punjabi', and 'Global' and 'Support' links. A blue notification banner at the top states: 'We're gradually updating the design of the Amazon S3 console. You will notice some updated screens as we improve the performance and user interface. To help us improve the experience, give feedback on the recent updates.' The left sidebar contains navigation links: 'Buckets', 'Batch operations', 'Access analyzer for S3', 'Block public access (account settings)', and 'Feature spotlight' with a '2' badge. The main content area is titled 'Amazon S3' and displays 'Buckets (0)'. It includes buttons for 'Copy ARN', 'Empty', 'Delete', and 'Create bucket'. A search bar with the placeholder 'Find bucket by name' is present. Below is a table with headers: 'Name', 'Region', 'Access', and 'Bucket created'. The table is empty, showing 'No buckets' and the message 'You don't have any buckets.' with a 'Create bucket' button. The footer includes a 'Feedback' link, 'English (US)' language selector, copyright notice '© 2008 - 2020, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.', 'Privacy Policy', 'Terms of Use', a search bar, taskbar icons, and a system clock showing '1:17 AM 05/04/2020'.

1.4 REKOGNITION DASHBOAD:

The screenshot shows the Amazon Rekognition console in a web browser. The browser tabs include 'Gmail' and 'Rekognition Console'. The address bar shows the URL 'us-east-2.console.aws.amazon.com/rekognition/home?region=us-east-2#/'. The console header features the AWS logo, 'Services' and 'Resource Groups' dropdowns, a user profile 'Amisha punjabi', and 'Ohio' and 'Support' links. The left sidebar contains navigation links: 'Amazon Rekognition', 'Custom Labels' (with a 'New' badge), 'Use Custom Labels', 'Demos', 'Object and scene detection', 'Image moderation', 'Facial analysis', 'Celebrity recognition', 'Face comparison', 'Text in image', 'Video Demos', 'Video analysis', 'Metrics', and 'Metrics'. The main content area features a large hero section with the title 'Amazon Rekognition' and the subtitle 'Deep learning-based visual analysis service'. It includes the text 'Search, verify, and organize millions of images and videos' and buttons for 'Try Demo' and 'Download SDKs'. Below the hero section are three columns of content: 1. 'Easily Integrate Powerful Visual Analysis into Your App' with an icon of stacked layers and text stating 'You don't need computer vision or deep learning expertise to take advantage of'. 2. 'Continuously Learning' with an icon of a circuit and text stating 'Amazon Rekognition is designed to use deep learning technology to analyze billions of images and videos daily. It is'. 3. 'Integrated with AWS Services' with an icon of puzzle pieces and text stating 'Amazon Rekognition is designed to work seamlessly with other AWS services. Rekognition integrates directly with Amazon'. The footer includes a 'Feedback' link, 'English (US)' language selector, copyright notice '© 2008 - 2020, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.', 'Privacy Policy', 'Terms of Use', a search bar, taskbar icons, and a system clock showing '1:18 AM 05/04/2020'.

2] SCREENSHOTS OF EC2:

2.1 CHOOSING AN AMI:

Step 1: Choose an Amazon Machine Image (AMI)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. You can select an AMI provided by AWS, our user community, or the AWS Marketplace; or you can select one of your own AMIs.

Search for an AMI by entering a search term e.g. "Windows"

Quick Start

- My AMIs
- AWS Marketplace
- Community AMIs
- ☐ Free tier only

Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0e01ce4ee18447327 (64-bit x86) / ami-03201f374ab66a26e (64-bit Arm)

Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, systemd 219, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

Amazon Linux AMI 2018.03.0 (HVM), SSD Volume Type - ami-01b01bbd08f24c7a8

The Amazon Linux AMI is an EBS-backed, AWS-supported image. The default image includes AWS command line tools, Python, Ruby, Perl, and Java. The repositories include Docker, PHP, MySQL, PostgreSQL, and other packages.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

2.2 CHOOSING INSTANCE TYPE:

Step 2: Choose an Instance Type

Amazon EC2 provides a wide selection of instance types optimized to fit different use cases. Instances are virtual servers that can run applications. They have varying combinations of CPU, memory, storage, and networking capacity, and give you the flexibility to choose the appropriate mix of resources for your applications. [Learn more](#) about instance types and how they can meet your computing needs.

Filter by: All instance types Current generation Show/Hide Columns

Currently selected: t2.micro (Variable ECUs, 1 vCPUs, 2.5 GHz, Intel Xeon Family, 1 GiB memory, EBS only)

	Family	Type	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance	IPv6 Support
<input type="checkbox"/>	General purpose	t2.nano	1	0.5	EBS only	-	Low to Moderate	Yes
<input checked="" type="checkbox"/>	General purpose	t2.micro Free tier eligible	1	1	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	General purpose	t2.small	1	2	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	General purpose	t2.medium	2	4	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	General purpose	t2.large	2	8	EBS only	-	Low to Moderate	Yes

Cancel Previous Review and Launch Next: Configure Instance Details

2.3 ADDING STORAGE:

us-east-2.console.aws.amazon.com/ec2/v2/home?region=us-east-2#LaunchInstanceWizard:

aws Services Resource Groups

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 4: Add Storage

Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. [Learn more](#) about storage options in Amazon EC2.

Volume Type	Device	Snapshot	Size (GiB)	Volume Type	IOPS	Throughput (MB/s)	Delete on Termination	Encryption
Root	/dev/xvda	snap-0f54692056aaa4c20	8	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypt

Add New Volume

Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage. [Learn more](#) about free usage tier eligibility and usage restrictions.

Cancel Previous Review and Launch Next: Add Tags

Feedback English (US) © 2008 - 2020, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use 1:22 AM 05/04/2020

2.4 CONFIGURING SECURITY GROUP:

us-east-2.console.aws.amazon.com/ec2/v2/home?region=us-east-2#LaunchInstanceWizard:

aws Services Resource Groups

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. [Learn more](#) about Amazon EC2 security groups.

Assign a security group: ☒ Create a new security group ☐ Select an existing security group

Security group name: launch-wizard-1

Description: launch-wizard-1 created 2020-04-05T01:23:48.126+05:30

Type	Protocol	Port Range	Source	Description
SSH	TCP	22	Custom 0.0.0.0/0	e.g. SSH for Admin Desktop


Add Rule

Warning
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.


Cancel Previous Review and Launch

Feedback English (US) © 2008 - 2020, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use 1:23 AM 05/04/2020


2.5 KEY PAIR DOWNLOAD:



2.6 PUTTYGEN CONVRISION FORM PEM TO PPK:



2.7 LOGGED IN EC2 BLACK SCREEN:



The screenshot shows a terminal window titled "ec2-user@ip-172-31-34-88:~". The terminal output is as follows:

```
Using username "ec2-user".
Authenticating with public key "imported-openssh-key"


  _ _ _ _ _
 _ _ _ _ _ /   Amazon Linux 2 AMI
 _ _ _ _ _

https://aws.amazon.com/amazon-linux-2/
1 package(s) needed for security, out of 7 available
Run "sudo yum update" to apply all updates.
[ec2-user@ip-172-31-34-88 ~]$
```


The terminal window is running on a Windows desktop. The taskbar at the bottom shows the Windows Start button, a search bar with the text "Type here to search", and several application icons including File Explorer, Microsoft Edge, and the Task View button. The system tray on the right shows the time as 1:36 AM on 05/04/2020.

3] SCREENSHOT FOR S3:

3.1 CREATING A BUCKET:



3.2 UPLOADING AN OBJECT:



3.3 ENABLING STATIC WEBSITE:

Static website hosting

Endpoint : <http://aws-ap1.s3-website.us-east-2.amazonaws.com>

☒ Use this bucket to host a website [Learn more](#)

Index document [?](#)

Error document [?](#)

Redirection rules (optional) [?](#)

☐ Redirect requests [Learn more](#)

Object-level logging

Record object-level API activity using the CloudTrail data events feature (additional cost).

[Learn more](#)

☐ Disabled

Operations 0 In progress 1 Success 0 Error

Feedback English (US) © 2008 - 2020, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use

aws-demo-ap.pem Show all X

Type here to search 1:46 AM 05/04/2020

3.4 MAKING OBJECT PUBLIC:

Public access settings updated successfully

Block all public access

Off

Block public access to buckets and objects granted through new access control lists (ACLs)

Off

Block public access to buckets and objects granted through any access control lists (ACLs)

Off

Block public access to buckets and objects granted through new public bucket or access point policies

Off

Block public and cross-account access to buckets and objects through any public bucket or access point policies

Off

Edit

Operations 0 In progress 1 Success 0 Error

Feedback English (US) © 2008 - 2020, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use

aws-demo-ap.pem Show all X

Type here to search 1:48 AM 05/04/2020

The screenshot shows the AWS S3 Management Console interface. The browser address bar displays the URL: `s3.console.aws.amazon.com/s3/object/aws-ap1/index1.html?region=us-east-2&tab=overview`. The console header includes the AWS logo, navigation tabs for Services and Resource Groups, and a user profile for Amisha punjabi. The main content area is titled "index1.html" with a "Latest version" dropdown. Below this, there are tabs for Overview, Properties, Permissions, and Select from. The Overview tab is active, showing buttons for Open, Download, Download as, Make public, and Copy path. The object details section lists the following information:

- Owner:** 4b8f12fb0825220005d1c0d673e77e4689b58cdc45341f2e7a6cd410871b5c48
- Last modified:** Apr 5, 2020 1:44:55 AM GMT+0530
- Etag:** 6f9299f2e6ad9c49ce36a1571bd4e8fd
- Storage class:** Standard
- Server-side encryption:** None
- Size:** 30.0 B

At the bottom of the console, there is a status bar showing "Operations" with "0 In progress", "2 Success", and "0 Error". The footer includes a Feedback link, the language set to English (US), and copyright information for Amazon Internet Services Private Ltd.

3.5 CHECKING S3 LINK ON THE BROWSER:

The screenshot shows a web browser window with the address bar displaying the URL: `https://aws-ap1.s3.us-east-2.amazonaws.com/index1.html`. The page content is a single line of text: "HELLO FROM AMISHA PUNJABI!!!!". The browser's taskbar at the bottom shows the Windows Start button, a search bar, and several application icons. The system clock in the bottom right corner indicates the time is 1:51 AM on 05/04/2020.

4] SCREENSHOTS FOR REKOGNITION:

4.1 FACE DETECT:

The screenshot shows the Amazon Rekognition console interface. The left sidebar lists various services, with 'Facial analysis' selected. The main content area displays the 'Facial analysis' demo. A sample image of a woman wearing sunglasses is shown, with a bounding box around her face. The results panel on the right lists the following attributes and their confidence scores:

Attribute	Confidence Score
looks like a face	99.9 %
appears to be female	99.9 %
age range	17 - 29 years old
smiling	91.7 %
appears to be happy	90.5 %

The bottom of the screenshot shows the Windows taskbar with the time 1:54 AM on 05/04/2020.

4.2 FACE COMPARE:

The screenshot shows the Amazon Rekognition console interface. The left sidebar lists various services, with 'Face comparison' selected. The main content area displays the 'Face comparison' demo. A reference face image of a young girl is shown on the left, and two comparison face images of the same girl are shown on the right. The results panel on the right shows the similarity score between the reference face and the comparison faces:

Comparison	Similarity Score
Reference face vs. Comparison face 1	99.8 %
Reference face vs. Comparison face 2	Not similar (indicated by a red 'X')

The bottom of the screenshot shows the Windows taskbar with the time 1:55 AM on 05/04/2020.

4.3 CELEBRITY RECOGNITION:

The screenshot shows the AWS Rekognition Console interface for the Celebrity Recognition demo. The browser address bar displays `us-east-2.console.aws.amazon.com/rekognition/home?region=us-east-2#/celebrity-detection`. The left sidebar lists navigation options: Amazon Rekognition, Custom Labels (with a 'New' tag), Use Custom Labels, Demos, Object and scene detection, Image moderation, Facial analysis, **Celebrity recognition**, Face comparison, Text in image, Video Demos, Video analysis, and Metrics. The main content area is titled 'Celebrity recognition' and includes the text 'Rekognition automatically recognizes celebrities in images and provides confidence scores.' Below this is a large image of Jeff Bezos with a blue bounding box around his face. At the bottom of the image are two buttons: 'Choose a sample image' and 'Use your own image'. To the right of the image, there is a section titled 'Done with the demo?' with a 'Learn more' link. Below this is a 'Results' section showing a small image of Jeff Bezos, his name 'Jeff Bezos', and a 'Learn More' link. Further down, it displays 'Match confidence' as '100 %'. At the bottom of the results section are expandable sections for 'Request' and 'Response'. The footer of the console shows 'Feedback', 'English (US)', copyright information '© 2008 - 2020, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved.', 'Privacy Policy', and 'Terms of Use'. The Windows taskbar at the bottom shows the search bar, task view button, and several application icons, with the system clock indicating 1:55 AM on 05/04/2020.

4.4 TEXT IN IMAGE:

The screenshot shows the AWS Rekognition Console interface for the Text in Image demo. The browser address bar displays `us-east-2.console.aws.amazon.com/rekognition/home?region=us-east-2#/text-detection`. The left sidebar is similar to the previous screenshot, but 'Text in image' is highlighted under the Demos section. The main content area is titled 'Text in image' and includes the text 'Rekognition automatically detects and extracts text in your images. Learn More'. Below this is a photo of a green car on a city street with the license plate 'J389 NLT' highlighted by a bounding box. At the bottom of the image are two buttons: 'Choose a sample image' and 'Use your own image'. To the right of the image, there is a section titled 'Done with the demo?' with a 'Learn more' link. Below this is a 'Results' section showing the detected text 'J389 NLT'. The 'Request' and 'Response' sections are also visible but collapsed. The footer and Windows taskbar are identical to the previous screenshot, with the system clock indicating 1:56 AM on 05/04/2020.

5] EC2 TO S3:

5.1 INSTALLING AWS SDK:

```
ec2-user@ip-172-31-34-88:/var/www/html/face

Dependency Installed:
apr.x86_64 0:1.6.3-5.amzn2.0.2      apr-util.x86_64 0:1.6.1-5.amzn2.0.2      apr-util-bdb.x86_64 0:1.6.1-5.amzn2.0.2  generic-logos-httpd.noarch 0:18.0.0-4.amzn2
httpd.x86_64 0:2.4.41-1.amzn2.0.1  httpd-filestream.noarch 0:2.4.41-1.amzn2.0.1  httpd-tools.x86_64 0:2.4.41-1.amzn2.0.1  libzip010-compat.x86_64 0:0.10.1-9.amzn2.0.5
mailcap.noarch 0:2.1.41-2.amzn2      mod_http2.x86_64 0:1.15.3-2.amzn2      php-cli.x86_64 0:5.4.16-46.amzn2.0.2      php-common.x86_64 0:5.4.16-46.amzn2.0.2

Complete!
[ec2-user@ip-172-31-34-88 ~]$ curl -sS https://getcomposer.org/installer | php
All settings correct for using Composer
Downloading...

Composer (version 1.10.1) successfully installed to: /home/ec2-user/composer.phar
Use it: php composer.phar

[ec2-user@ip-172-31-34-88 ~]$ cd /var/www/html
[ec2-user@ip-172-31-34-88 html]$ sudo mkdir face
[ec2-user@ip-172-31-34-88 html]$ cd face
[ec2-user@ip-172-31-34-88 face]$ sudo /bin/dd if=/dev/zero of=/var/swap.1 bs=1M count=1024
/bin/dd: failed to open '/var/swap.1': Text file busy
[ec2-user@ip-172-31-34-88 face]$ sudo /sbin/mkswap /var/swap.1
mkswap: error: /var/swap.1 is mounted; will not make swapspace
[ec2-user@ip-172-31-34-88 face]$ sudo /sbin/swapoff /var/swap.1
swapoff: /var/swap.1: insecure permissions 0644, 0600 suggested.
[ec2-user@ip-172-31-34-88 face]$ sudo /sbin/swap on /var/swap.1
swap on: /var/swap.1: swap on failed: Device or resource busy
[ec2-user@ip-172-31-34-88 face]$ sudo php -d memory_limit=-1 ~/composer.phar require aws/aws-sdk-php
Using version ^2.8 for aws/aws-sdk-php
./composer.json has been created
Loading composer repositories with package information
Updating dependencies (including require-dev)
Package operations: 3 installs, 0 updates, 0 removals
  - Installing symfony/event-dispatcher (v2.8.52): Downloading (100%)
  - Installing guzzle/guzzle (v3.9.3): Downloading (100%)
  - Installing aws/aws-sdk-php (2.8.31): Downloading (100%)
symfony/event-dispatcher suggests installing symfony/dependency-injection
symfony/event-dispatcher suggests installing symfony/http-kernel
guzzle/guzzle suggests installing guzzlehttp/guzzle (Guzzle 5 has moved to a new package name. The package you have installed, Guzzle 3, is deprecated.)
aws/aws-sdk-php suggests installing doctrine/cache (Adds support for caching of credentials and responses)
aws/aws-sdk-php suggests installing ext-apc (Allows service description opcode caching, request and response caching, and credentials caching)
aws/aws-sdk-php suggests installing monolog/monolog (Adds support for logging HTTP requests and responses)
aws/aws-sdk-php suggests installing symfony/yaml (Eases the ability to write manifests for creating jobs in AWS Import/Export)
Package guzzle/guzzle is abandoned, you should avoid using it. Use guzzlehttp/guzzle instead.
Writing lock file
Generating autoload files
[ec2-user@ip-172-31-34-88 face]$
```

5.2 INSTALLING PHP:

```
ec2-user@ip-172-31-34-88:~

Installing : apr-1.6.3-5.amzn2.0.2.x86_64 1/13
Installing : apr-util-bdb-1.6.1-5.amzn2.0.2.x86_64 2/13
Installing : apr-util-1.6.1-5.amzn2.0.2.x86_64 3/13
Installing : httpd-tools-2.4.41-1.amzn2.0.1.x86_64 4/13
Installing : httpd-filestream-2.4.41-1.amzn2.0.1.noarch 5/13
Installing : mailcap-2.1.41-2.amzn2.noarch 6/13
Installing : generic-logos-httpd-18.0.0-4.amzn2.noarch 7/13
Installing : mod_http2-1.15.3-2.amzn2.x86_64 8/13
Installing : httpd-2.4.41-1.amzn2.0.1.x86_64 9/13
Installing : libzip010-compat-0.10.1-9.amzn2.0.5.x86_64 10/13
Installing : php-common-5.4.16-46.amzn2.0.2.x86_64 11/13
Installing : php-cli-5.4.16-46.amzn2.0.2.x86_64 12/13
Installing : php-5.4.16-46.amzn2.0.2.x86_64 13/13
Verifying : apr-util-1.6.1-5.amzn2.0.2.x86_64 1/13
Verifying : libzip010-compat-0.10.1-9.amzn2.0.5.x86_64 2/13
Verifying : apr-util-bdb-1.6.1-5.amzn2.0.2.x86_64 3/13
Verifying : php-cli-5.4.16-46.amzn2.0.2.x86_64 4/13
Verifying : mod_http2-1.15.3-2.amzn2.x86_64 5/13
Verifying : generic-logos-httpd-18.0.0-4.amzn2.noarch 6/13
Verifying : httpd-2.4.41-1.amzn2.0.1.x86_64 7/13
Verifying : php-5.4.16-46.amzn2.0.2.x86_64 8/13
Verifying : apr-1.6.3-5.amzn2.0.2.x86_64 9/13
Verifying : mailcap-2.1.41-2.amzn2.noarch 10/13
Verifying : httpd-filestream-2.4.41-1.amzn2.0.1.noarch 11/13
Verifying : httpd-tools-2.4.41-1.amzn2.0.1.x86_64 12/13
Verifying : php-common-5.4.16-46.amzn2.0.2.x86_64 13/13

Installed:
php.x86_64 0:5.4.16-46.amzn2.0.2

Dependency Installed:
apr.x86_64 0:1.6.3-5.amzn2.0.2      apr-util.x86_64 0:1.6.1-5.amzn2.0.2      apr-util-bdb.x86_64 0:1.6.1-5.amzn2.0.2  generic-logos-httpd.noarch 0:18.0.0-4.amzn2
httpd.x86_64 0:2.4.41-1.amzn2.0.1  httpd-filestream.noarch 0:2.4.41-1.amzn2.0.1  httpd-tools.x86_64 0:2.4.41-1.amzn2.0.1  libzip010-compat.x86_64 0:0.10.1-9.amzn2.0.5
mailcap.noarch 0:2.1.41-2.amzn2      mod_http2.x86_64 0:1.15.3-2.amzn2      php-cli.x86_64 0:5.4.16-46.amzn2.0.2      php-common.x86_64 0:5.4.16-46.amzn2.0.2

Complete!
[ec2-user@ip-172-31-34-88 ~]$ curl -sS https://getcomposer.org/installer | php
All settings correct for using Composer
Downloading...

Composer (version 1.10.1) successfully installed to: /home/ec2-user/composer.phar
Use it: php composer.phar

[ec2-user@ip-172-31-34-88 ~]$
```


5.3 INDEX.PHP FILE CODE:

```
ec2-user@ip-172-31-34-88:/var/www/html/face
sudo /bin/dd if=/dev/zero of=/var/swap.1 bs=1M count=1024
sudo /sbin/mkswap /var/swap.1
sudo /sbin/swapon /var/swap.1

sudo wget https://i.pinimg.com/originals/b9/7e/a3/b97ea33b5843c7894b80492306c05580.jpg
sudo mv b97ea33b5843c7894b80492306c05580.jpg sample.jpg

*/
error_reporting(0);

require_once(__DIR__ . '/vendor/autoload.php');

use Aws\S3\S3Client;
use Aws\Rekognition\RekognitionClient;

$bucket = 'aws-apl';
$keyname = 'sample.jpg';

$s3 = S3Client::factory([
    'profile' => 'default',
    'region' => 'us-east-2',
    'version' => '2006-03-01',
    'signature' => 'v4'
]);

try {
    // Upload data.
    $result = $s3->putObject([
        'Bucket' => $bucket,
        'Key' => $keyname,
        'SourceFile' => __DIR__ . "/" . $keyname,
        'ACL' => 'public-read'
    ]);

    // Print the URL to the object.
    $imageUrl = $result['ObjectURL'];
    if($imageUrl) {
        echo "Image upload done... Here is the URL: " . $imageUrl;
    }
} catch (Exception $e) {
    echo $e->getMessage() . PHP_EOL;
}

"index.php" 55L, 1219C
```

55,1 Bot

Type here to search

2:14 AM
05/04/2020