

Specifications

Engine

•	ТҮРЕ	V12 - 65°
•	OVERALL DISPLACEMENT	6496cc
•	BORE AND STROKE	94x78mm
•	MAX. POWER OUTPUT*	588 kW (800 cv) at 8,500 rpm
•	MAX. TORQUE*	718 Nm at 7,000 rpm
•	MAX. ENGINE SPEED	8900rpm
•	COMPRESSION RATIO	13,6:1

Dimension and weight

•	LENGTH	4,657mm
•	WIDTH	1,971mm
•	HEIGHT	1,276mm
•	WHEELBASE	2,720mm

• FRONT TRACK	1,672mm
• REAR TRACK	1,645mm
• KERB WEIGHT**	1,630kg
• DRY WEIGHT**	1,525kg
WEIGHT DISTRIBUTION	47% front - 53% rear
• FUEL TANK CAPACITY	921
Wheels & tyres	
• FRONT	275/25 7D20, 10° L., 20°
• FRONT	275/35 ZR20; 10" J x 20"
• REAR	315/35 ZR20; 11.5" J x 20"
	510,50 Erao, 110 VII 20
Brakes	
• FRONT	398x38mm
• REAR	60x32mm
Transmission/gearbox	
• 4WS/ 7-SPEED F1 DCT/ E-DIFF3	
Electronic controls	
	REMIUM WITH HIGH-PERFORMANCE ABS/EBD, DUAL-COIL
SCM-E	
Performance	
• MAX. SPEED	340km/h
• 0-100 KM/H	2.9sec
• 0-200 KM/H	7.9sec
• 100-0 KM/H	32
• DRY WEIGHT/POWER	1.9 kg

Fuel consumption

•	LOW	25,2l/100 km
•	MID	15,21/100 km
•	HIGH	14,11/100 km
•	EXTRA HIGH	151/100 km
•	COMBINED	16,11/100 km

• NOTE: THE VALUES OF FUEL CONSUMPTIONS AND CO2 EMISSIONS SHOWN WERE DETERMINED ACCORDING TO THE EUROPEAN REGULATION (EC) 715/2007 IN THE VERSION APPLICABLE AT THE TIME OF TYPE APPROVALThe fuel consumption and CO2 emission figures refer to the WLTP cycle.

C02 emissions

•	LOW	573g/km
•	MID	345g/km
•	HIGH	320g/km
•	EXTRA HIGH	340g/km
•	COMBINED	366g/km

• NOTE: THE VALUES OF FUEL CONSUMPTIONS AND CO2 EMISSIONS SHOWN WERE DETERMINED ACCORDING TO THE EUROPEAN REGULATION (EC) 715/2007 IN THE VERSION APPLICABLE AT THE TIME OF TYPE APPROVALThe fuel consumption and CO2 emission figures refer to the WLTP cycle.

Notes

• *Engine power is expressed in kW, in accordance with the International System of Units (SI) and in CV for reasons of homogeneity. With 98 octane-rated petrol