

# INTRODUCING **TOURS** (DZIRE)

Maruti Suzuki becomes India's first automobile company to introduce speed limiting function in their 'Tour' taxi range.



SPEED LIMITING  
FUNCTION



LOW COST OF  
OWNERSHIP



DRIVER & CO-DRIVER  
SIDE AIRBAG\*\*



POWERFUL  
ENGINE




REVERSE PARKING  
SENSORS



ANTI-LOCK  
BRAKING SYSTEM

		FEATURES	
Variants		TourS Petrol	TourS CNG
<b>EXTERIOR</b>	Front Grill	Black	Black
	Front Fog Lamp Bezel Ornament	Black	Black
	Body Coloured Bumper	✓	✓
<b>INTERIOR</b>	Internally Adjustable ORVMs	✓	✓
	Front Door Trim Pocket	✓	✓
	Glove Box	✓	✓
	Folding Assistant Grip (Co. Driver & Rear Seat Both Sides)	✓	✓
	Sunvisor (Driver + Co. Driver)	✓	✓
	Ticket Holder (Driver Side)	✓	✓
	Remote Fuel Lid Opener	✓	✓
<b>STEERING</b>	Power Steering (EPS)	✓	✓
	Tilttable Steering Wheel Column	✓	✓
<b>SEAT</b>	Front Seat Head Restraint (Adjustable Type)	✓	✓
	Rear Seat	Integrated	Integrated
<b>AUDIO HVAC DOOR</b>	Antenna	✓	✓
	Manual AC	✓	✓
	Front (Driver, Co-Driver) Electric Power Window	✓	✓
	Power Window Lock (Driver)	✓	✓
	Fabric Accent Door Trim (Front & Rear Door)	✓	✓
	Driver Seat Power Window Auto Switch (Auto Down only)	✓	✓
	Central Locking	✓	✓
	Remote Keyless Entry	✓	✓
	Remote Back Door Opener	✓	✓
<b>LIGHTING SAFETY &amp; SECURITY</b>	Luggage Lamps	✓	✓
	Driver Airbag	✓	✓
	Passenger Airbag	Optional	Optional
	Rear 3 Point Seat Belts + Center 2 Point	✓	✓
	Anti-lock Braking System	✓	✓
	Reverse Parking Sensors	✓	✓
	Security Alarm System (Door + Hood Sensing + Trunk)	✓	✓
	Speed Sensitive Automatic Door Lock	✓	✓
	Immobilizer	✓	✓
	Seat Belt Reminder (Driver + Co. Driver)	✓	✓
	Light-on Reminder, Buzzer	✓	✓
	Key-on Reminder, Buzzer	✓	✓
	Door Close Warning Lamp	✓	✓
	Fuel Consumption (Instantaneous) / (Average)	✓	✓
	Trip/odometer	✓	✓
	Front Accessory Socket	✓	✓
	Low Fuel Warning Lamp	✓	✓
	Cup-holder in front Console (I-Cup Holder)	✓	✓
	Speed Limiting Function (80 Km/h)	✓	✓



TECHNICAL		
	TourS Petrol	TourS CNG
<b>BODY TYPE</b>		
TYPE	Notch Back	Notch Back
<b>SEATING TYPE</b>	5	5
<b>ENGINE</b>		
TYPE	VVT	VVT
Displacement(cc)	1197	1197
No. of Cylinders		4
No. of Valves		16
Bore(mm) x Stroke(mm)	73x71.5	73x71.5
Compression Ratio	11.0±0.4:1	11.0±0.4:1
Maximum Power (kW@rpm)	61 @ 6000	61@ 6000 CNG Mode: 52.5 @ 6000
Maximum Torque (Nm@rpm)	113 @ 4200	113 @ 4200 CNG Mode: 95 @ 4000
Fuel Distribution	Multipoint Injection	Multipoint Injection
Air Charging system	Naturally aspirated	Naturally aspirated
Emission	BS VI	BS VI
<b>TRANSMISSION</b>		
TYPE	5 MT	
<b>DIMENSIONS</b>		
Length (mm)		3995
Width (mm)		1695
Height (mm)		1555
Wheel base (mm)		2430
Front Track (mm)		1485
Rear Track (mm)		1495
<b>WEIGHT</b>		
Kerb Weight (kg)	945	1045
Gross Vehicle Weight (kg)	1415	1480
<b>BRAKES</b>		
Front	Ventilated disc	
Rear	Drum	
<b>STEERING</b>		
Steering Type	Rack and Pinion	
Power Steering Type	EPS & Tilt	
Turing Radius (m)	4.8	
<b>SUSPENSION</b>		
Front	Mac Pherson Strut	
Rear	Torsion Beam	
<b>TYRE</b>		
SIZE	165/80 R 14	
RIM	STEEL	
<b>FUEL</b>		
Tank Capacity(l)	42	Fuel Tank: 42 CNG Tank: 55 (water equivalent)

**Superior Mileage for Maximum Savings**

PETROL MT	19.95*
km/l	km/kg

CNG	26.55*
km/kg	

#### Body Colours



Maruti Suzuki India Limited reserves the right to change prices, colors, equipment, specifications, models and/or discontinue models without prior notice. Car model and accessories shown may not be part of standard equipment. The vehicle is strictly for taxi use. Tour S is equipped with a speed limiting function in accordance with Rule 118 of CMVR, 1989. \*As certified by Test Agency under Rule 115 of CMVR, 1989.\*\* Unladen Condition. Black glass on the vehicle is due to lighting effect.

**MARUTI SUZUKI INDIA LIMITED**

Plot No. 1, Nelson Mandela Road, Vasant Kunj,  
New Delhi-110 070, India.