

Checking the program on devnet, in the browser

No install, no wallet. Every address and signature below is real: the program was deployed on 2026-10-06 and the smoke test run against it. Paste each link into a browser, or open explorer.solana.com and search for the address.

Four pages in the browser, each answers one question




Figure 1. Four pages answer four questions.

The one thing that goes wrong

Explorer defaults to **mainnet**. A devnet address pasted there says **account not found**, which looks like a failed deploy but is not. Always add `?cluster=devnet` to the link, or use the network switcher at the top right and pick **Devnet**.

1. Is the program on devnet?

<https://explorer.solana.com/address/9ZZ5bejD4NdPr7zf9covKHDig6tcqh628Fdtrm4mT9MU?cluster=devnet>

What the program page should show (labels as the explorer prints them)

Address	9ZZ5bejD4NdPr7zf9covKH...	the id in lib.rs and .env
Executable	Yes	it is a program, not data
Owner	BPFLoaderUpgradeab1e...	the upgradeable loader
Upgradeable	Yes	authority can ship fixes
Upgrade Authority	HfJkE5oAGDFGgv...	your wallet (see risks)
Balance	about 0.001 SOL	just the small program account

The 1.03 SOL deposit sits in the separate ProgramData account (page 3), not in the program account.

Figure 2. If Executable says Yes and the owner is the upgradeable loader, the program is live on devnet.

Same page, other tabs

Tab	What you see	Use it for
Transaction History	Every transaction that touched the program, newest first	Proof it has been used: the smoke test's commits, attestations and settles
Anchor Program IDL	Empty or 'not found'	Expected. We build with --no-idl and the adapter does not use an IDL
Security / Verified Build	Not verified	Expected for now. A verified build is a Stage 4 hardening step

Optional: a second opinion on Solscan

<https://solscan.io/account/9ZZ5bejD4NdPr7zf9covKHDig6tcqh628Fdtrm4mT9MU?cluster=devnet>

Solscan reads the same ledger. Useful when the Solana Explorer is slow or you want a different layout.

2. Who deployed it, and what did it cost?

The deploy transaction

<https://explorer.solana.com/tx/ew2wAuTfvdG6KXUc26DvmFM7nRJHb6no49NjgxSmstTwNbrmrSD4bUHJV2kBrwNN5HbuCjN1BhnSxdiRLPJobTT?cluster=devnet>

Look for **Result: Success**, and under **Account Inputs** the upgrade authority wallet:

<https://explorer.solana.com/address/HfJkE5oAGDFGgvftcxcPXFV5m6CfVM1hAPHZRV6kSsF?cluster=devnet>

The program's code is stored in a separate **ProgramData** account. Its size, 202,920 bytes, matches the built file, and it holds the 1.03 SOL deposit:

<https://explorer.solana.com/address/DnEweaToajxJ4nSojU854hSqCifDU31LazqxKCADVNZB?cluster=devnet>

```
# the same facts from a terminal, if you want to cross-check
$ solana -u devnet program show 9ZZ5bejD4NdPr7zf9covKHDig6tcqh628Fdtrm4mT9MU
Owner: BPFLoaderUpgradeable1e11111111111111111111111111111111
ProgramData Address: DnEweaToajxJ4nSojU854hSqCifDU31LazqxKCADVNZB
Authority: HfJkE5oAGDFGgvftcxcPXFV5m6CfVM1hAPHZRV6kSsF
Data Length: 202920 (0x318a8) bytes
```

Real output.


3. What is stored for one order?

Each order gets its own 118-byte account, created by the program's commit step. This one was written by the last smoke run:

```
https://explorer.solana.com/address/84k9j899AmqGjCWiLqxnk64oW7jgExfpwaRiBn5sFtPh?cluster=devnet
```

Open the page and the **Data** tab. The explorer cannot decode our layout (no IDL), so it shows raw hex. That is fine: we only need two spots.

The order account is 118 bytes. The Data tab prints them in hex, 16 per row. Our bytes:



status: 00 COMMITTED, 01 COMPLETED, 02 REFUNDED. Count is little-endian: 02 00 00 00 means 2 attestations.

Figure 3. Byte 80 is the status and bytes 81 to 84 count the evidence hashes. The values shown are real, from this account.

Field on the page	Expected value	Meaning
Owner Program	9ZZ5bejD4NdPr7zf9cov...	Our program owns the account, so only it can change the bytes
Data Size	118 bytes	Matches the layout in CLAUDE.md
Executable	No	It is data, not a program
Byte 80	01	COMPLETED: the order was captured
Bytes 81 to 84	02 00 00 00	two attestations were recorded

4. Did the program run? (a transaction)

The capture (settle) transaction from the same run:

<https://explorer.solana.com/tx/34UGk4thUq9tH2gSFroanNw8anJfNfySmmmTmwpwzMFYNshar5qTXzC5Gw5ZwH6zfGhoicM8ZNFu5YsyRLnvvo5w?cluster=devnet>

Look at	Expected	Why it matters
Result	Success	Failed shows the error code; 0x1770, 0x1771, 0x1772 are our program's own
Fee	0.000005 SOL (5,000 lamports)	The whole cost of recording a settlement
Program Instruction Logs	Instruction: Settle	Proves OUR program ran, not just that something was sent
Compute units	3,384 of 200,000	Tiny: the program only flips a status

```
# program logs for that transaction (real output, via getTransaction)
Program 9ZZ5bejD... invoke [1]
Program log: Instruction: Settle
Program 9ZZ5bejD... consumed 3384 of 200000 compute units
Program 9ZZ5bejD... success
```

Real output.

If you keep the Transaction History tab open and run the smoke test again, a new burst of rows appears within seconds: commit, two attestations, settle. That is the clearest live proof.

Quick checklist and what the browser cannot tell you

	Check	Pass looks like
1	Program page, devnet selected	Executable Yes, Owner BPFLoaderUpgradeab1e...
2	Authority matches your wallet	Upgrade Authority = HfJkE5oAGDFG...
3	Transaction History not empty	rows for commit, attest, settle
4	An order account's Data tab	118 bytes, owned by our program, byte 80 = 01
5	A transaction's logs	Instruction: Settle, then success

The browser cannot tell you

Question	Where to look instead
Is the code the same as the repo?	Not without a verified build. Compare locally: sha256sum target/deploy/marketplace_settlement.so against solana program dump
Does the API actually use devnet?	GET /admin/payments on the backend: CONFIRMED rows with signatures. Production still runs the mock provider
Is the upgrade authority safe?	It is the default wallet on this laptop. Before real users, move it to a multisig (Stage 4)