

***Software Engineering
Software Requirements Specification
(SRS) Document***

ScanSafe

<https://github.com/ccYoungdahl/ScanSafe>

Sep 21 2023

Version 1.0

By: Caleb Youngdahl, Robby Martin, Jackson Astraikis

**WE HAVE ABIDED BY THE UNCG *Academic Integrity Policy* ON
THIS ASSIGNMENT.**

**Student's Signatures Caleb Youngdahl, Robby Martin, Jackson
Astraikis Date September 26, 2023**

Table of Contents

1. Introduction	3
1.1. Purpose	3
1.2. Document Conventions	3
1.3. Definitions, Acronyms, and Abbreviations	3
1.4. Intended Audience	4
1.5. Project Scope	4
1.6. Technology Challenges	4
1.7. References	4
2. General Description	4
2.1. Product Perspective	4
2.2. Product Features	4
2.3. User Class and Characteristics	4
2.4. Operating Environment	4
2.5. Constraints	5
2.6. Assumptions and Dependencies	5
3. Functional Requirements	5
3.1. Primary	5
3.2. Secondary	5
4. Technical Requirements	5
4.1. Operating System and Compatibility	5
4.2. Interface Requirements	5
4.2.1. User Interfaces	5
4.2.2. Hardware Interfaces	5
4.2.3. Communications Interfaces	5
4.2.4. Software Interfaces	6
5. Non-Functional Requirements	6
5.1. Performance Requirements	6
5.2. Safety Requirements	6
5.3. Security Requirements	6
5.4. Software Quality Attributes	6
5.4.1. Availability	6
5.4.2. Correctness	6
5.4.3. Maintainability	6
5.4.4. Reusability	6

5.4.5. Portability	6
5.5. Process Requirements	6
5.5.1. Development Process Used	6
5.5.2. Time Constraints	6
5.5.3. Cost and Delivery Date	6
5.6. Other Requirements	6
5.7. Use-Case Model Diagram	7
5.8. Use-Case Model Descriptions	7
5.8.1. Actor: Base User (Jackson Astraikis)	7
5.8.2. Actor: Influencer (Robby Martin)	7
5.8.3. Actor: Admin (Caleb Youngdahl)	8
5.9. Use-Case Model Scenarios	8
5.9.1. Actor: Base User (Jackson Astraikis)	8
5.9.2. Actor: Influencer (Robby Martin)	8
5.9.3. Actor: Admin (Caleb Youngdahl)	9
6. Design Documents	9
6.1. Software Architecture	10
6.2. High-Level Database Schema	13
6.3. Software Design	13
6.3.1. State Machine Diagram: Base User (Jackson Astraikis)	14
6.3.2. State Machine Diagram: Influencer (Robby Martin)	15
6.3.3. State Machine Diagram: Admin (Caleb Youngdahl)	15
6.4. UML Class Diagram	15
7. Scenario	19
7.1. Brief Written Scenario with Screenshots	19

1. Introduction

1.1. Purpose

The goal of the ScanSafe application is to allow consumers to easily check consumable products for potentially harmful additives, chemicals, or allergens by simply scanning a barcode. This will allow them to make informed decisions on what to eat all while allowing them to shop at stores that fit their budget. Scansafe also aims to educate and share knowledge by allowing specialized users to create content for other users and allow them to suggest ingredients that should be added to the watch list.

1.2. Document Conventions

The purpose of this Software Requirements Document (SRD) is to describe the developer-view requirements for the ScanSafe (SS) application. In it, we will introduce and describe the features of ScanSafe along with the goals we wish to achieve for the software's intended audience. Furthermore, the SRD will describe the functional, non-functional, and technical requirements with the intent of collaboration between project members and to set the standards to which to hold each other accountable.

1.3. Definitions, Acronyms, and Abbreviations

[Include any specialized terminology dictated by the application area or the product area.

For example:]

API	Application programming interface. We will be using Open Food Facts API to obtain and display ingredients.
Java	An object oriented programming language. We will be using this language to build ScanSafe.
MySQL	Open-source relational database management system.
React	A JavaScript library for building user interfaces. This will be used for building the frontend.
SpringBoot	This will be used to create and run ScanSafe.

1.4. Intended Audience

Part 1: Introduction - intended for all users, developers, and project managers.

Part 2: General Description – intended for all users, developers, and project managers.

Part 3: Functional Requirements - intended for all users, developers, and project managers.

Part 4: Technical requirements – intended for developers and project managers.

Part 5: Non-functional requirements – intended for developers and project managers.

Part 6: Design Documents – intended for developers and project managers.

Part 7: Scenario – intended for project managers.

1.5. Project Scope

The goal of the software is to provide experience in the software development cycle for the members of this project group. We will gain knowledge about the processes and models of software development which aligns with our collective collegiate goals

The benefits of this project include:

- Experience collaborating in a team setting.
- Gain knowledge about software development models.
- Practice problem solving.
- Become proficient in developing software from start to finish.

1.6. Technology Challenges

We ran into some challenges with NPM, specifically relating to some dependency conflicts. Some of the libraries worked on one of our machines, but we couldn't get them working on the others. The original barcode scanning library I (Jackson) had planned to use hadn't been updated for a few years, so we had to find a new library.

1.7. References

2. General Description (Jackson)

2.1. Product Perspective

The idea for ScanSafe came from learning that Whole Foods bans a number of different ingredients in their stores which allows their shoppers to feel confident that any product they buy will meet a baseline standard. Because many other grocery stores do not operate this way, ScanSafe is a way to give shoppers the same confidence in the products they buy regardless of what stores they have access to.

2.2. Product Features

ScanSafe will allow a user to scan the barcode for a food product and receive a list of the ingredients with potentially harmful ingredients flagged. Clicking on these flagged ingredients will display links to reputable health sites explaining the potential risk. Users can also add ingredients to a personal list that will be checked alongside the main list of potentially harmful ingredients. Another set of users, called influencers, will be able to create curated lists of food products that other users can browse. Influencers will also be able to propose new ingredients to be added to the list of potentially harmful ingredients being checked. Admins will be able to approve or deny these ingredient proposals as well as delete curated product lists. They will also be able to delete or update users.

2.3. User Class and Characteristics

Base users will only need a basic understanding of using a computer and a web browser. Influencer accounts will only be available to people deemed knowledgeable (at the discretion of site admins) about health and wellness.

2.4. Operating Environment

ScanSafe will be a web application capable of operating on any device with a web browser and a camera.

2.5. Constraints

We may run into challenges with how to find user-specified ingredients in ingredient lists if they are not properly formatted.

2.6. Assumptions and Dependencies

This application will depend on Spring Boot for the REST API, and React for the frontend. It will also rely on the `react-qr-barcode-scanner` library for scanning the barcodes. We will be using the Open Food Facts API for getting the ingredient lists.

3. Functional Requirements

3.1. Primary

- FR0: A base user can scan a barcode and receive a list of the ingredients with potentially harmful ingredients flagged.
- FR1: Flagged ingredients will have links to reputable health sites explaining their risks.
- FR2: A base user can add an ingredient to their personal list that will be checked along with the main list created by the admins.
- FR3: Influencers can create curated lists of products that can be viewed by other users.
- FR4: Influencers can propose new ingredients to be added to the main list of checked ingredients.
- FR5: Admins can approve or deny ingredient proposals.
- FR6: Admins can delete curated product lists.
- FR7: Admins can delete or update base user and influencer accounts.

3.2. Secondary

- Base users can create password protected accounts.
- Influencers and admins can create password protected accounts only if they have an influencer or admin code, respectively.
- Access to certain API endpoints, like ones used to delete users, will only be available to users of the correct type.

4. Technical Requirements (Jackson)

4.1. Operating System and Compatibility

This application will be compatible with any operating system able to interact with web pages. Scanning barcodes will require access to a webcam.

4.2. Interface Requirements

4.2.1. User Interfaces

4.2.2. Hardware Interfaces

This application will be compatible with any hardware device with a webcam that can access the internet.

4.2.3. Communications Interfaces

The frontend and backend will communicate via HTTP. We plan to use Mongoose to interact with the MongoDB database.

4.2.4. Software Interfaces

We will use React to create the frontend and Spring Boot to build the backend API. Our database will be hosted on MongoDB and Mongoose will be used to communicate with this database.

5. Non-Functional Requirements

5.1. Performance Requirements

N/A

5.2. Safety Requirements

N/A

5.3. Security Requirements

- NFR1(R): The system will only be usable by authorized users.

5.4. Software Quality Attributes

[Detailing on the additional qualities that need to be incorporated within the software like maintainability, adaptability, flexibility, usability, reliability, portability etc.]

5.4.1. Availability

[Details]

5.4.2. Correctness

[Details]

5.4.3. Maintainability

[Details]

5.4.4. Reusability

[Details]

5.4.5. Portability

[Details]

5.5. Process Requirements

5.5.1. Development Process Used

Agile Incremental Development Model

5.5.2. Time Constraints

- Prototype due Oct 3, 2023
- Design document due Nov 2, 2023
- Final completed project due Dec 5, 2023
- Final report due Dec 6, 2023


5.5.3. Cost and Delivery Date

- Delivery date: Dec 5, 2023

5.6. Other Requirements

TBD

5.7. Use-Case Model Diagram



5.8. Use-Case Model Descriptions

5.8.1. Actor: Base User (Jackson Astraikis)

- **Scan barcode:** Base users can scan a barcode and receive a list of the ingredients with potentially harmful ingredients flagged.
- **Add/remove to personal ingredient list:** Base users can add or remove ingredients to a personal list that is checked alongside the main list.

5.8.2. Actor: Influencer (Robby Martin)

- **Suggest alternative products:** The influencer will be able to suggest products that are great alternatives to those that may be unhealthy or contain bad ingredients. These suggestions will populate for base users when scanning the barcode of that product. This list should allow for a title, brief description, and comments. After posting, they should be able to edit the list and delete if necessary.
- **Propose new tracked ingredients:** The influencer will be able to suggest ingredients for the application to track. They will be able to name the ingredient, give a description of the

ingredient, as well as state why it should be tracked. They will also have the option to submit hyperlinks of supporting documentation to further their claim.

5.8.3. Actor: Admin (Caleb Youngdahl)

- **Approve/Deny Ingredient Proposals:** Admins will be able to view/edit lists of harmful ingredients and make changes to what is considered a harmful ingredient. Ingredients marked as potentially harmful will be included in the list of flagged ingredients when the base user scans
- **Delete Curated Product Lists:** Admins will be able to remove curated lists of ingredients that the influencer user has created, if for any reason it is determined that a certain list is harmful or should be removed for any reason.
- **Update User:** Admins can change and edit the access of Influencer and Base user accounts, base users can be changed to influencer access level and vice versa.
- **Delete User:** Admins are able to ban users from the app and delete the accounts of the other two users should a rules violation or harmful activity occur.

5.9. Use-Case Model Scenarios

5.9.1. Actor: Base User (Jackson Astraikis)

- **Use-Case Name:** Scan barcode
 - **Initial Assumption:** The user has a webcam.
 - **Normal:** The user scans the barcode and receives a list of the ingredients with potentially harmful ingredients flagged.
 - **What Can Go Wrong:** The product may not be found in the APIs database, the barcode scanner may fail to read the UPC, the user may not have allowed access to their webcam, the API may return the wrong product.
 - **Other Activities:**
 - **System State on Completion:** This action should not impact system state.
- **Use-Case Name:** Add/remove to personal ingredient list
 - **Initial Assumption:** The user inputs a valid ingredient.
 - **Normal:** The ingredient is added to the personal ingredient list successfully and in a format consistent with how the Open Food Facts API formats their ingredients.
 - **What Can Go Wrong:** Ingredient is not formatted correctly, saving ingredient to database fails, removing ingredient from database fails.
 - **Other Activities:**
 - **System State on Completion:** Ingredient is saved to the database.

5.9.2. Actor: Influencer (Robby Martin)

- **Use-Case Name:** Suggest alternative product
 - **Initial Assumption:** User is registered as an influencer.
 - **Normal:** The influencer can suggest an item that is a better alternative to bad products. They fill out the form and submit the suggestion.
 - **What Can Go Wrong:** Submitting the form may fail.
 - **Other Activities:** The influencer can edit their suggestions, updating the product name or comments about the product.
 - **System State on Completion:** The suggestion is saved to the database.
- **Use-Case Name:** Propose new tracked ingredients.
 - **Initial Assumption:** User is registered as an influencer.

- **Normal:** The influencer completes a form that proposes a new ingredient be added to the watch list of harmful ingredients. The form is then submitted to the admin for approval.
- **What Can Go Wrong:** The form may fail to submit.
- **Other Activities:** The influencer can edit the submission and delete it.
- **System State on Completion:** This action should not impact the system state.

5.9.3. Actor: Actor Name (Caleb Youngdahl)

- **Use-Case Name:** Approve/Deny Ingredient proposals
 - **Initial Assumption:** Proposal is valid and received from Influencer.
 - **Normal:** A form is received from an influencer user, and the admin is able to either allow or disallow the ingredient to be added to the list of harmful ingredients.
 - **What Can Go Wrong:** When approved, the ingredient is not added to the list. The form may not be received. Form is submitted from a base user.
 - **Other Activities:** Automatic demotion button for erroneous submissions.
 - **System State on Completion:** Ingredient is added to database if approved, no change if denied.
- **Use-Case Name:** Delete Curated Product lists
 - **Initial Assumption:** A product list has been created from an Influencer user.
 - **Normal:** A curated product list can be viewed, reviewed and removed if it is determined to be harmful
 - **What Can Go Wrong:** Product list is not removed.
 - **Other Activities:**
 - **System State on Completion:** Curated product list is removed from the database.
- **Use-Case Name:** Update User
 - **Initial Assumption:** User(to be updated) is registered as either a Influencer or Base
 - **Normal:** A user's access is changed from Base to Influencer or vice versa
 - **What Can Go Wrong:** User's access is not updated
 - **Other Activities:**
 - **System State on Completion:** List of influencers/base users updated.
- **Use-Case Name:** Delete User
 - **Initial Assumption:** User(to be deleted) is registered as an Influencer or Base user
 - **Normal:** User to be deleted has Influencer or Base access, and is removed from the accounts database.
 - **What Can Go Wrong:** User is not deleted.
 - **Other Activities:** Set duration of removal.
 - **System State on Completion:** Database of users is updated.

6. Design Documents

6.1. Software Architecture (Collaborative)

Software Architecture

View
React webapp

Components:

Scan - scanning barcode

Results - view scan results

Personal ingredient list - add or remove ingredients to personal list

Admin - manage users, approve or deny ingredient suggestions, manage alternative products

Ingredient proposal - propose new ingredient to track

Create alternative product - create a new alternative product



miro

Controller
Spring Boot API

Components:

User module will handle all user actions including registering, logging in, and deleting accounts.

User
UserController
UserRepository
UserService

PersonalIngredients module will handle adding and deleting ingredients from users personal list.

PersonalIngredient
PersonalIngredientController
PersonalIngredientRepository
PersonalIngredientService

AlternativeProduct module will handle adding, deleting, updating and searching alternative product selections from influencer list.

AlternativeProduct
AlternativeProductController
AlternativeProductRepository
AlternativeProductService




Model
SQL Database

Components:
User
ProposedIngredient
PersonalIngredient
Ingredient
AlternativeProduct

miro


6.2. High-Level Database Schema (Collaborative)



6.3. Software Design


6.3.1. State Machine Diagram: Base user (Jackson Astraikis)

Base user state machine




6.3.2. State Machine Diagram: Influencer (Robby Martin)

Influencer state machine



6.3.3. State Machine Diagram: Actor Name (Caleb Youngdahl)


Admin State Machine



6.4. UML Class Diagram


User UML





Personal Ingredient UML






7. Scenario

7.1. Brief Written Scenario with Screenshots

Base user (Jackson):

1. User logs in, is redirected to the scan page, scans a barcode, and views the result.

Scan a product



Sour Patch kids

[sugar](#), invert sugar, [corn syrup](#), modified corn starch, tartaric acid, citric acid, natural and artificial flavoring, yellow 6, [red 40](#), yellow 5, blue 1

Allergens:

[See more](#)


Alternative products:




sourmelon bites

[See ingredients](#)

- User logs in, navigates to the “Your ingredients” tab, and then adds/removes an ingredient.


ScanSafe
Scan Your ingredients
Logout

Your ingredients

sugar



Influencer: Suggest alternative product, edit suggestion, and delete suggestion:

1. Influencer logs in and navigates to alternative product form, completes form and submits.
2. Influencer views dashboard and edits a previous suggested product.
3. Influencer views dashboard and deletes a previous suggested product. Influencer exits.

ccYoungdahl/ScanSafe
localhost / 127.0.0.1 / scansafe
ScanSafe
The 72 Unhealthiest Foods on T
UPC 050000322756 - Nestle Co

localhost:3000/AlternativeProductForm

Utilities Health UNGG GTCC Programming Doc... Roofing/General C... Netflix HBO Max Hulu YouTube Bank of America American Express Behance LinkedIn Yahoo


ScanSafe
Dashboard Suggest product Add to watchlist Log out

Suggest a replacement item:

Help your fellow ScanSafe users out by suggesting your favorite alternative for products with harmful ingredients!

Product name

Barcode number

Healthy alternative

Share your thoughts on these awesome alternatives!

The taste is exactly the same; you won't ever tell the difference!

Influencer: Propose ingredient for watchlist, edit proposal, and delete proposal:

1. Influencer logs in and navigates to ingredient proposal form, completes form and submits.
2. Influencer views dashboard and edits a previous ingredient proposal.

3. Influencer views dashboard and deletes an ingredient proposal. Influencer exits.

