

2cloudnine Payroll Integrated Import Tool Overview

Most Recent Release:	Desert Flame '24
Most Recent Version:	1.1
Published Date:	19/09/2024

Packages Included in 2cloudnine Payroll Integrated Import Tool

This Configuration Guide to the 2cloudnine Payroll Import Tool Extension covers the following package, which must be installed only after you have completed the Pre-Installation checklist, detailed later in this document. Following this guide in sequence will ensure the correct installation and configuration of the Import Tool Extension package.

Package	Version	Latest Release Date
2cloudnine Payroll Import Tool Extension	1.69	Desert Flame '24 Release

Important Information

Only an authorised Salesforce System Administrator or Partner should be actioning any installation, configuration items, and tasks.

There may be compulsory and optional configuration items and tasks that must be completed before and after the package's installation. These will be highlighted in the checklists provided in this document, and further details will be provided within this document.

You are required to complete the installation and configuration of the main 2cloudnine Payroll packages before attempting to install the General Ledger Extension Package. You can do so by following the Configuration Guide To 2cloudnine Payroll Suite steps. This will ensure that any prerequisite/base configuration needed for the Integrated Import Tool has also been completed.

The installer will be responsible for ensuring all these configuration items and tasks are completed within a reasonable timeframe of the package being installed. Please familiarise yourself with all of the requirements PRIOR to installing the package and ensure you have sufficient time and resources available. Failing to do so can negatively impact the User experience and stability of 2cloudnine Payroll and Integrated Import Tool.

This guide should always be accessed from Salesforce and used via your web browser. This will ensure you are viewing the most recent version of the document. Further, downloading the document and opening it with desktop programs, such as Adobe, has been found to cause errors when copying and using the scripts provided for data updates. These errors do not occur when viewed through a browser.

Read First: How to Use this Configuration Guide

What is covered by this Configuration Guide?

This Configuration Guide outlines the 'out-of-the-box' setup of the 2cloudnine Integrated Import Tool, including built-in customisations to the customer's required processes and data. Where customisation is built into the product, we will cover how to install and configure it correctly.

Where, during the sales process and discovery, it is identified that further customisations outside of those built by the 2cloudnine Integrated Import Tool are required, this would not be covered by the Configuration Guide.

Discovery and Configuration Guides

This Configuration Guide is meant to be used with the Discovery Template. Through Discovery, you will assess the customer's needs and identify the 2cloudnine Integrated Import Tool requirements and functionality required to meet those needs.

Once we have established the required work, we can use the Configuration Guide to determine what configuration needs to be completed.

Task Types

- General Salesforce Setup
- Custom Settings, Metadata Types and Setting Configuration
- Schedule Jobs
- Baseline Testing
- Data Migration

Task Classifications

This Configuration Guide comprises a series of tasks that are either compulsory or optional and must be completed to use the 2cloudnine Integrated Import Tool successfully. Each task is allocated 1 of 3 possible classifications, which are:

- **Compulsory** must be completed regardless of whether the organisation will use the related functionality.
For example, it is Compulsory to create and configure an Integration User for use with 2-factor Authentication using 1Password.
- **Conditionally Compulsory** must be completed if the organisation uses a specific functionality within the 2cloudnine Integrated Import Tool. When a task is conditionally compulsory, we will detail the condition(s) that make it compulsory.
For example, if the organisation has already implemented the original version of the Import Tool, field migration will need to be completed for External ID fields.
- **Optional** tasks will only need to be completed to use an optional feature of the 2cloudnine Integrated Import Tool. In these cases, a Default behaviour(s) is often built into the 2cloudnine Integrated Import Tool. If the organisation wishes to use the Default behaviour(s), they don't have to do anything else. An optional task will be set where an organisation will not use the Default behaviour(s).
Example: According to the organisation's requirements, modifying the batch size for import objects so that larger quantities of data may be processed simultaneously, is optional.

1. Pre-Installation

Prerequisites

Before installing the 2cloudnine Integrated Import Tool package, you must (at a minimum) already have 2cloudnine Payroll, 2cloudnine Time2Pay Extension, and the 2cloudnine Data Creation packages installed and configured. Refer to the Configuration Guide for these here:

Package	Installation Link
2cloudnine Payroll	Configuration Guide To 2cloudnine Payroll
2cloudnine Payroll Time2Pay Extension	
2cloudnine Payroll Data Creation Extension	

2cloudnine Integration User

As the Payroll Configuration Guide outlines, each organisation must have a 2cloudnine Integrations User in addition to the 2cloudnine Admin User. The Integration user is essential to enabling Import Tool processing.

To check whether the Integration User has been created in your Org, complete the following:

Go to **Setup > Users**

1. Review the Administrator Users and confirm there are two for 2cloudnine: the standard System Admin User and the 2cloudnine Integration User.
2. If the Integration User is set up, you don't need to proceed, but if there is no user, please proceed to step 3.
3. Send an email to the 2cloudnine Tech Services Team at usercredentialsinternal@2cloudnine.com to advise them that this organisation requires them to create an Integrations User and provide the 2cloudnine Admin User login username so they can prioritise this.

Before you get started, you will need to know the following:

To assist with a successful configuration of your 2cloudnine Integrated Import Tool package, it's essential to make sure you have already gained the required information for the following questions:

1. Has a previous version of the Import Tool been installed? If so, is it version v1.20 or prior? If yes:
 - a. The customer must be enabled to use the newer User Experience.
 - b. The Scheduled Jobs to set external ID strings will need to be scheduled.
2. Does the customer have custom automation for each of the objects imported? If so, consider setting a lower batch size to overcome potential platform errors (CPU timeouts, etc).

2. Installation and Configuration Checklist

Installation and Configuration Checklist

The following checklist summarises the tasks to install and configure the 2cloudnine General Ledger Extension. Each specific task requires more detail, which can be found by following the link to that task. Each task should be completed in the sequence below to ensure seamless installation and configuration of the packages.

Task	Requirement	Completed
Package Installation		
Installing Packages	Compulsory	☐
Installation Process	Compulsory	☐
Custom Settings		
Custom Settings	Compulsory	☐
Remote Site Settings		
Remote Site Settings	Compulsory	☐
Batch Size Settings		
Batch Size Settings	Optional	☐
Schedule Apex Jobs		
Timesheets	Compulsory	☐
Timesheet Entries	Compulsory	☐
Assignment	Optional	☐
Payee	Optional	☐
Payee Leave Rule	Optional	☐
Payee Allowance Record	Optional	☐
Project Code	Optional	☐

3. Package Installation

Installing Packages

Please install the required packages now before completing any further configuration. You must:


- Proceed further only once all the required packages have been installed.
- Install the following packages in the suggested sequence below:

Package	Version	Installation Link
2cloudnine Payroll Import Tool Extension	1.69	packaging/installPackage.apexp?p0=04tGC000007Op12

Installation Process

When you install a managed package, you need to select the correct option of either a), b), or c) below to ensure access to the Package is provided to the Profiles as needed:


- Install for Admins Only



App Name	Publisher	Version Name	Version Number
2cloudnine Import Tool	2c9 Import Tool Package Org	Desert Flame '24	1.43

[Additional Details](#) [View Components](#)


- Install for All Users



App Name	Publisher	Version Name	Version Number
2cloudnine Import Tool	2c9 Import Tool Package Org	Desert Flame '24	1.43

[Additional Details](#) [View Components](#)

- c. Install for Specific Profiles—This step allows you to select which profiles you will apply the security to manually. Please note that you must choose the required option carefully, as this step can not be repeated.



Install 2cloudnine Import Tool
By 2c9 Import Tool Package Org

☐ Install for Admins Only
 ☐ Install for All Users
 ☒ Install for Specific Profiles...

You're installing a Non-Salesforce Application that is not authorized for distribution as part of Salesforce's AppExchange Partner Program.

☐ I acknowledge that I'm installing a Non-Salesforce Application that is not authorized for distribution as part of Salesforce's AppExchange Partner Program.

Install **Cancel**

Select Specific Profiles
These security settings determine access to the custom objects and components installed in the package. It doesn't affect permissions for existing objects.

Standard profiles (including the Read-Only profile) don't receive access to any installed custom objects. Because permissions are not editable for standard profiles, you must clone your profile to grant access.

Set access level for all profiles to: **No Access** **Set**

Profile	Access Level
System Administrator	Full Access (Your profile must have full access to the package)
2cloudnine Payroll User	No Access
Analytics Cloud Integration User	No Access
Analytics Cloud Security User	No Access


To proceed further, you must tick the “I acknowledge that I’m installing a Non-Salesforce Application that is not authorised for distribution as part of Salesforce’s AppExchange Partner Program.” After this, you must select the **Upgrade** button to install the package.

Salesforce will begin installing the package. If you are presented with some dialogue informing you that the installation is taking a while, you can accept it, and it will return you to the Installed Packages page. Salesforce will send an email advising when the installation has been completed, and the package will be listed if you refresh the page.

4. Custom Settings

1. Go to **Setup > Custom Settings**
2. Click on the **Manage** button next to Import Tool Settings.
 - a. If the Tech Services Team has created the Integrated User, click the **Edit** button (see Figure 1).


Figure 1



OR

- b. Alternatively, if the Integrated User still needs to be created (and no other Custom Settings have been added for the new Org), click the **New** button (see Figure 2).

Figure 2



3. Populate the values displayed below:

- a. API values:
 - i. If configuring in a Production Org:
API Endpoint URL:
<https://2cloudnine49807.jitterbit.cc/Production/v1.0/2C9PayrollImport>
API-Key: 11289963-6e8f-42bc-b7da-b5c257638e01
 - ii. If configuring in a Sandbox Org:
API Endpoint URL:
<https://2cloudnine49807.jitterbit.cc/Sandbox/v1.0/2C9PayrollImportSandbox>
API-Key: 639d5539-e063-4c92-8e3d-5e7104826716
- b. **API Load Type:** Batch
- c. **Package Type:** Managed
- d. **Salesforce Admin User Name:**
 - i. Go to the **Setup > Users**
 - ii. Copy the name of the 2cloudnine Integration User, e.g.
anglicare.integration@2cloudnine.com
- e. **External ID Payee:** enter one of the following values to define whether the External ID used by the Integrated Import Tool for Payee records should be sourced from the related Contact record or the Payee Name:
 - i. From Contact External ID
 - ii. From Payee Name
- f. **External ID Assignment:** enter one of the following values to define whether the External ID used by the Integrated Import Tool for Assignment records should be sourced from the related Contact record or the Assignment Name:
 - i. From Contact External ID
 - ii. From Assignment Name

IMPORTANT: The data necessary to populate the Salesforce Admin User Name may not be available until 30 minutes after the Tech Services Team creates the Integration User.

IMPORTANT: If the customer has v1.49 or greater installed, then the following Custom Settings within Import Tool Settings can remain blank (if v1.49 or lower, please reach out to Tech Services for assistance):

- 1password Vault Name
- 1password Item Name

4. Configure the following optional settings as required:


- a. **Check for Duplicate Import Files:** populate this field to enable validation to check and flag any existing files with the same name as the file that has been uploaded for import.
- b. **Override Pay Multipliers?:** populate this checkbox field If Pay Rate Multipliers should be overridden to 1 during Pay Transaction Imports.
- c. Select the checkboxes for any of the following records where validation should not flag External Ids containing special characters during import:
 - i. **Disable Contact ExtId Validation**
 - ii. **Disable PayeeLeaveRule ExtId Validation**
 - iii. **Disable ProjectCode ExtId Validation**
 - iv. **Disable Assignment ExtId Validation**
 - v. **Disable PayeeAllowance ExtId Validation**
 - vi. **Disable Payee ExtId Validation**
- d. **Check for Manual Timesheet Update:** set this custom setting as true if the instance has another integration like Field Service that is responsible for the creation or update of timesheet entries, otherwise this can remain unticked.

IMPORTANT: If the Check for Duplicate Import Files checkbox has been set to true, the Imported Record Page Layout MUST be updated to include the following fields:

- Duplicate File Detected
- Allow Duplicate File Import

Please Note: The Integrated Import Tool no longer uses the Default [record name] External ID fields (a total of 5 fields) and should not be populated (see Figure 3).

Figure 3



Setup Home Object Manager

Q custom settings

Custom Code

Custom Settings

Didn't find what you're looking for? Try using Global Search.

Custom Settings

Import Tool Settings

If the custom setting is a list, click **New** to add a new set of data. For example, if your application had a setting for country codes, each set might include the country's name and dialing code.

If the custom setting is a hierarchy, you can add data for the user, profile, or organization level. For example, you may want different values to display depending on whether a specific user is running the app, a specific profile, or just a general user.

Edit Delete

▼ Default Organization Level Value

Location	Legacy 2c9 Consultant Test Org	Override Pay Multipliers?	☐
API Endpoint URL	https://2CloudNine49807.jitterbit.cc/ProductQA/v1.0/2C9PayrollImport/ProductQA	API Key	3489928a-841d-40b3-9a81-ab6d436842bd
API Load Type	Batch	Default Invoice Schedule External Id	
Default Invoice Tax External Id		Default Pay Schedule External Id	
Default Payment Entity External Id		Package Type	Managed
Salesforce Admin Username	2c9qa@2cloudnine.com	1password Item Name	2c9qa admin
1password Vault Name	Jitterbit Integration Customer Users	Default Timesheet Calendar External Id	
Check for Duplicate Import Files	☐	External ID Assignment	From Assignment Name
External ID Payee	From Payee Name	Disable Assignment Extid Validation	☐
Disable Contact Extid Validation	☐	Disable Payee Allowance Extid Validation	☐
Disable Payee Leave Rule Extid Validation	☐	Disable Payee Extid Validation	☐
Disable Project Code Extid Validation	☐		


5. Remote Site Settings

As part of the improvements made within the Integrated Import Tool, users must complete the below configuration to ensure the correct Remote Site is called during the ongoing operations.

Go to **Setup > Remote Site Settings**

1. Click the **New Remove Site** button.
2. Populate the following values (see Figure 4):
 - a. **Remote Site Name:** jitterbit_api
 - b. **Remote site URL:** https://2cloudnine49807.jitterbit.cc/
 - c. **Disable Protocol Security:** False
 - d. **Active:** True
3. Click the **Save** button.

Figure 4



The screenshot shows the 2cloudnine web interface. The top navigation bar includes 'Setup', 'Home', and 'Object Manager'. The left sidebar has a search bar with 'remote s' and a list of categories: 'Custom Code', 'Remote Access', 'Security', and 'Remote Site Settings' (which is highlighted). Below the sidebar, a message says 'Didn't find what you're looking for? Try using Global Search.' The main content area is titled 'Remote Site Settings' and contains a 'Remote Site Details' section. This section has a table with the following data:

Remote Site Detail		Edit	Delete	Clone
Remote Site Name	jitterbit_api			
Remote Site URL	https://2cloudnine49807.jitterbit.cc			
Disable Protocol Security	☐			
Description				
Active	☒			
Created By	2cloudnine Integration User, 6/12/2023, 10:46 am	Edit	Delete	Clone


6. Batch Size Settings

You can modify the batch size of any import objects you deem fit for the org requirements and capability. If left blank, the default batch size = 200.

Go to **Setup > Custom Settings**

1. Click on the **Manage** button next to **Import Tool Batch Size v2**.
2. Click on **New**.
3. Populate the desired value (below 200) next to the necessary field(s):
 - a. **Allowance Batch Size**
 - b. **Pay Transaction Batch Size**
 - c. **Timesheet Batch Size**
 - d. **Timesheet Header Batch Size**
4. Click **Save**.

Figure 5



The screenshot shows the 'Custom Settings' page in the 2cloudnine system. The left sidebar contains navigation links for 'Setup', 'Home', and 'Object Manager'. The main content area is titled 'Custom Settings' and displays the 'Import Tool Batch Size v2' setting. Below the title, there is a table with columns for 'Location' and 'Batch Size'. The table shows a single entry for 'Legacy 2c9 Consultant Test Org' with a 'Pay Transaction Batch Size' of 100 and a 'Timesheet Header Batch Size' of 10. The 'Allowance Batch Size' and 'Timesheet Batch Size' fields are also visible. At the bottom, there is a 'Setup Owner' field and a 'Location' field. The page includes a 'New' button and a 'View' dropdown menu.

7. Schedule Apex Jobs

Use the below Scripts to create Scheduled jobs that run every 10 minutes to find and populate the External ID used by the Integrated Import Tool for the following Objects:

- Timesheet
- Timesheet Entry
- Assignment
- Payee
- Payee Leave Rule
- Payee Allowance
- Project Code

To run scripts:

1. Copy the block of scripts to be run.
2. Select **Setup > Developer Console**
3. **Debug > Open Execute Anonymous Window**
4. Delete or comment out any code that is in the window
5. Paste in the copied script from below.
6. Click the **Execute** button.
7. Repeat the above steps until the last script.
8. Once completed:
 - a. Ensure External IDs are loaded for Contacts, Assignments, Payees, etc.
 - b. Inform Tech Services to have the Jitterbit recipe connected to the specific Org.

IMPORTANT: Once the jobs have been set, the Consultant must review the Timesheet and Timesheet Entries (unprocessed) to confirm the External Id (it) has been populated correctly, post Scheduled Job execution.

When scheduling these jobs, you have two options:

- Schedule records to be updated for all Object types at once; OR
- Schedule records to be updated for individual Object types.

The code snippets included in this section cover both options. A batch size of 10 has been used throughout; please increase or decrease it based on your preference. Valid values are from 1 to 199.

All Objects

To create a Scheduled Job to populate the External Id (it) field on all Timesheet, Timesheet Entry, Assignment, Payee, Payee Leave Rule, Payee Allowance and Project Code records every 10 mins, with a batch size of 10, use the following script:

Script 1

```
//script to populate External ID every 10 minutes with a batchSize of 10

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_TSExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_TSExternalIdController(10));
    System.schedule('ImportTool_TSEExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_TSEExternalIdController(10));
    System.schedule('ImportTool_AssExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_AssExternalIdController(10));
    System.schedule('ImportTool_PayeeExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PayeeExternalIdController(10));
    System.schedule('ImportTool_PLRExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PLRExternalIdController(10));
    System.schedule('ImportTool_PAEExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PAEExternalIdController(10));
    System.schedule('ImportTool_PCExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PCExternalIdController(10));
}
```

To create a Scheduled Job to populate the External Id (it) field on all Timesheets, Timesheet Entries, Assignments, Payees, Payee Leave Rules, Payee Allowances and Project Codes records every 10 mins, with a batch size of 200, use the following script:

Script 2

```
//script to populate External ID every 10 minutes with default batchSize of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_TSExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_TSExternalIdController());
    System.schedule('ImportTool_TSEExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_TSEExternalIdController());
    System.schedule('ImportTool_AssExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_AssExternalIdController());
    System.schedule('ImportTool_PayeeExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PayeeExternalIdController());
    System.schedule('ImportTool_PLRExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PLRExternalIdController());
    System.schedule('ImportTool_PAEExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PAEExternalIdController());
    System.schedule('ImportTool_PCExternalIdController ' + i, cronExp, new
```

```
tc9_imp.ImportTool_PCExternalIdController());  
}
```

Timesheets

Scheduling the following scripts will enable the External Id (It) field to be regularly updated for Timesheet records. The External Id (it) value will be generated by referencing the related Employee External Id, Assignment External Id and Timesheet End Date fields on Timesheet records, per the below formula:

- `employeeExternalId + '_' + assignmentExternalId + '_' + timesheetEndDate`

The below query can be run to identify the exact Timesheet records that will be processed by the Scheduled Job. Any records not displayed when this query is returned will not be updated with an External Id (it) when the Scheduled Job is run:

Query Logic 1

```
//script to process records using SOQL query  
  
SELECT Id, tc9_et__Employee__r.tc9_imp__External_Id_it__c,  
       tc9_et__Assignment__r.tc9_imp__External_Id_it__c,  
       tc9_et__End_Date__c  
FROM tc9_et__Timesheet__c  
WHERE tc9_et__Employee__r.tc9_imp__External_Id_it__c != null  
AND tc9_et__Assignment__r.tc9_imp__External_Id_it__c != null  
AND tc9_et__End_Date__c != null  
AND tc9_et__Start_Date__c >= Last_90_Days  
AND tc9_imp__External_Id_it__c = null
```

To create a Scheduled Job to populate the External Id (it) field on Timesheets every 10 minutes, with a batch size of 10, use the following script:

Script 3

```
//script to populate External ID on Timesheets every 10 minutes with batchSize of 10  
  
for (Integer i = 0; i < 6; i++) {  
    String minute = String.valueOf(i * 10);  
    String cronExp = '0 ' + minute + ' * * * ?';  
    System.schedule('ImportTool_TSExternalIdController ' + i, cronExp, new  
tc9_imp.ImportTool_TSExternalIdController(10));  
}
```

To create a Scheduled Job to populate the External Id (it) field on Timesheets every 10 minutes, with a batch size of 200, use the following script:

Script 4

```
//script to populate External ID on Timesheets every 10 minutes with a default batchSize of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' * * * ?';
    System.schedule('ImportTool_TSExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_TSExternalIdController());
}
```

Timesheet Entries

Scheduling the following scripts will enable the External Id (It) field to be regularly updated for Timesheet Entry records. The External Id (it) value will be generated by referencing the related Employee External Id, Assignment External Id and Timesheet End Date fields on Timesheet Entry records, per the below formula:

- employeeExternalId + '_' + assignmentExternalId + '_' + timesheetEndDate

The below query can be run to identify the exact Timesheet Entry records that will be processed by the Scheduled Job. Any records not displayed when this query is returned will not be updated with an External Id (it) when the Scheduled Job is run.

Query Logic 2

```
//script to process records using SOQL query

SELECT Id, tc9_et__Employee__r.External_Id_it__c,
    tc9_et__Assignment__r.External_Id_it__c, tc9_et__Start_Date__c
FROM tc9_et__Timesheet_Entry__c
WHERE tc9_et__Employee__r.External_Id_it__c != null
AND tc9_et__Assignment__r.External_Id_it__c != null
AND tc9_et__Start_Date__c != null
AND tc9_et__Start_Date__c >= LAST_N_DAYS:90
AND External_Id_it__c = null
AND tc9_et__Date_Pay_Transaction_Generated__c = null
AND (tc9_et__Start_Time__c = null OR tc9_et__Start_Time__c = 00:00:00.000Z)
AND (tc9_et__End_Time__c = null OR tc9_et__End_Time__c = 00:00:00.000Z)
AND tc9_et__Total_Hours__c = 0
AND tc9_et__Total_Time_hours__c = null
AND tc9_et__Total_Time_mins__c = null
AND (tc9_et__Break_1_Total__c = null OR tc9_et__Break_1_Total__c = 0)
AND (tc9_et__Break_2_Total__c = null OR tc9_et__Break_2_Total__c = 0)
AND tc9_et__Break_1_Start_Time__c = null
AND tc9_et__Break_1_End_Time__c = null
AND tc9_et__Break_2_Start_Time__c = null
AND tc9_et__Break_2_End_Time__c = null
```

To create a Scheduled Job to populate the External Id (it) field on Timesheet Entries every 10 minutes,

with a batch size of 10, use the following script:

Script 5

```
//script to populate External ID on Timesheet Entries every 10 minutes with a batchSize of 10

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_TSEExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_TSEExternalIdController(10));
}
```

To create a Scheduled Job to populate the External Id (it) field on Timesheet Entries every 10 minutes, with a batch size of 200, use the following script:

Script 6

```
//script to populate External ID on Timesheet Entries every 10 minutes with a default batchSize of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_TSEExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_TSEExternalIdController());
}
```

Assignments

Scheduling the following scripts enables the External Id (it) field to be regularly updated for Assignment records. The following formula will be used for determining when the External Id (it) field should be updated for Assignment records, as well as the value generated for this field:

- IF Import_Tool_Settings__r.External_ID_Assignment__c = 'From Assignment Name'
THEN <assignmentName>
- IF Import_Tool_Settings__r.External_ID_Assignment__c = 'From Contact External ID'
THEN <contactExternalId>
- IF Import_Tool_Settings__r.External_ID_Assignment__c = NULL
THEN External does not get set

The below query can be run to identify the exact Assignment records that will be processed by the Scheduled Job. Any records not displayed when this query is returned will not be updated with an External Id (it) when the Scheduled Job is run:

Query Logic 3

```
//script to process records using SOQL query

SELECT Id, Name, tc9_pr__Employee__r.tc9_imp__External_Id_it__c
FROM tc9_pr__Assignment__c
WHERE tc9_imp__External_Id_it__c = null
AND tc9_pr__Employee__r.tc9_imp__External_Id_it__c != null
```


To create a Scheduled Job to populate the External Id (it) field on Assignments every 10 mins, with a batch size of 10, use the following script:

Script 7

```
//script to populate External ID on Assignments every 10 minutes with a batchSize of 10

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' *** ?';
    System.schedule('ImportTool_AssExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_AssExternalIdController(10));
}
```

To create a Scheduled Job to populate the External Id (it) field on Assignments every 10 mins, with a batch size of 200, use the following script:

Script 8

```
//script to populate External ID on Assignments every 10 minutes with a default batchSize of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' *** ?';
    System.schedule('ImportTool_AssExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_AssExternalIdController());
}
```

Payees

Scheduling the following scripts enables the External Id (it) field to be regularly updated for Payee records. The following formula will be used for determining when the External Id (it) field should be updated for Payee records, as well as the value generated for this field:

- IF Import_Tool_Settings__r.External_ID_Payee__c = 'From Payee Name'
THEN <assignmentName>
- IF Import_Tool_Settings__r.External_ID_Payee__c = 'From Contact External ID'
THEN <contactExternalId>
- IF Import_Tool_Settings__r.External_ID_Payee__c = NULL
THEN External does not get set

The below query can be run to identify the exact Payee records that will be processed by the Scheduled Job. Any records not displayed when this query is returned will not be updated with an External Id (it) when the Scheduled Job is run:

Query Logic 4

```
//script to process records using SOQL query

SELECT Name, tc9_pr__Employee__r.tc9_imp__External_Id_it__c
FROM tc9_pr__Payee__c
WHERE tc9_pr__Employee__r.tc9_imp__External_Id_it__c != null
```

```
AND tc9_imp__External_Id_it__c = null
```

To create a Scheduled Job to populate the External Id (it) field on Payees every 10 mins, with a batch size of 10, use the following script:

Script 9

```
//script to populate External ID on Payees every 10 minutes with a batchSize of 10

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' *** ?';
    System.schedule('ImportTool_PayeeExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PayeeExternalIdController(10));
}
```

To create a Scheduled Job to populate the External Id (it) field on Payees every 10 mins, with a batch size of 200, use the following script:

Script 10

```
//script to populate External ID on Payees every 10 minutes with a default batchSize of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' *** ?';
    System.schedule('ImportTool_PayeeExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PayeeExternalIdController());
}
```

Payee Leave Rules

Scheduling the following scripts enables the External Id (It) field to be regularly updated for Payee Leave Rule records. The External Id (it) value will be generated by referencing the related Employee External Id and record name fields on Payee Leave Rule records, per the below formula:

- employeeExternalId + '_' + payeeLeaveRuleName

The below query can be run to identify the exact Payee Leave Rule records that will be processed by the Scheduled Job. Any records not displayed when this query is returned will not be updated with an External Id (it) when the Scheduled Job is run:

Query Logic 5

```
//script to process records using SOQL query

SELECT tc9_pr__Leave_Rule__r.Name, tc9_pr__Employee__r.tc9_imp__External_Id_it__c
FROM tc9_pr__Payee_Leave_Rule__c
WHERE tc9_pr__Employee__r.tc9_imp__External_Id_it__c != null
AND tc9_imp__External_Id_it__c = null
```

To create a Scheduled Job to populate the External Id (it) field on Payee Leave Rules every 10 mins, with a batch size of 10, use the following script:

Script 11

```
//script to populate External ID on Payee Leave Rules every 10 minutes with a batchSize of 10

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_PLRExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PLRExternalIdController(10));
}
```

To create a Scheduled Job to populate the External Id (it) field on Payee Leave Rules every 10 mins, with a batch size of 200, use the following script:

Script 12

```
//script to populate External ID on Payee Leave Rules every 10 minutes with a default batchSize of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_PLRExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PLRExternalIdController());
}
```

Payee Allowances

Scheduling the following scripts enables the External Id (It) field to be regularly updated for Payee Allowance records. The External Id (it) value will be generated by referencing the related Payee External Id and record name fields on Payee Allowance records, per the below formula:

- payeeExternalIdString + '_' + payeeAllowanceRecordName

The below query can be run to identify the exact Payee Allowance records that will be processed by the Scheduled Job. Any records not displayed when this query is returned will not be updated with an External Id (it) when the Scheduled Job is run:

Query Logic 6

```
//script to process records using SOQL query

SELECT Id, Name, tc9_pr__Payee__r.tc9_imp__External_Id_it__c
FROM tc9_pr__Payee_Allowance_Record__c
WHERE tc9_pr__Payee__r.tc9_imp__External_Id_it__c != null
AND tc9_imp__External_Id_it__c = null
```

To create a Scheduled Job to populate the External Id (it) field on Payee Allowance every 10 mins, with a batch size of 10, use the following script:

Script 13

```
//script to populate External ID on Payee Allowance Records every 10 minutes with a batchSize of 10

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' *** ?';
    System.schedule('ImportTool_PAEternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PAEternalIdController(10));
}
```

OR

To create a Scheduled Job to populate the External Id (it) field on Payee Allowance every 10 mins, with a batch size of 200, use the following script:

Script 14

```
//script to populate External ID on Payee Allowance Records every 10 minutes with a default batchSize
of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' *** ?';
    System.schedule('ImportTool_PAEternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PAEternalIdController());
}
```

Project Codes

Scheduling the following scripts enables the External Id (It) field to be regularly updated for Project Code records. The External Id (it) value will be generated by referencing the related Employee External Id, Assignment External Id and record name fields on Project Code records, per the below formula:

- employeeExternalId + '_' + assignmentExternalId + '_' + projectCodeName;

The below query can be run to identify the exact Project Code records that will be processed by the Scheduled Job. Any records not displayed when this query is returned will not be updated with an External Id (it) when the Scheduled Job is run:

Query Logic 7

```
//script to process records using SOQL query
```

```
SELECT Id,
    Name,
    tc9_pr__Assignment__r.Id,
    tc9_pr__Assignment__r.tc9_imp__External_Id_it__c,
    tc9_pr__Assignment__r.tc9_pr__Employee__r.Id,
    tc9_pr__Assignment__r.tc9_pr__Employee__r.tc9_imp__External_Id_it__c
FROM tc9_pr__Project_Code__c
WHERE tc9_pr__Assignment__r.tc9_pr__Employee__r.tc9_imp__External_Id_it__c != null
AND tc9_pr__Assignment__r.tc9_imp__External_Id_it__c != null
AND tc9_imp__External_Id_it__c = null
```

To create a Scheduled Job to populate the External Id (it) field on Project Code every 10 mins, with a batch size of 10, use the following script:

Script 15

```
//script to populate External ID on Project Codes every 10 minutes with a batchSize of 10

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_PCExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PCExternalIdController(10));
}
```

To create a Scheduled Job to populate the External Id (it) field on Project Codes every 10 mins, with a batch size of 200, use the following script:

Script 16

```
//script to populate External ID on Project Codes every 10 minutes with a default batchSize of 200

for (Integer i = 0; i < 6; i++) {
    String minute = String.valueOf(i * 10);
    String cronExp = '0 ' + minute + ' ***?';
    System.schedule('ImportTool_PCExternalIdController ' + i, cronExp, new
tc9_imp.ImportTool_PCExternalIdController());
}
```

8. Field Migration

If implementing the Integrated Import Tool in an Org that was previously utilising an older original version of the Import Tool (v1.20 or below), object and field migration is required to ensure that the External Id fields are being mapped correctly.

Please refer to the below tables for the field mapping information for each Integrated Import Tool Import Type.

Timesheet (Standard)

CSV File Column Headings	Field Mapping	Related Object	Mandatory / Optional	Notes for Importing	Example of Data	External ID Format
Employee External ID	tc9_et__Timesheet_Entry__c.tc9_et__Employee__r.tc9_imp__External_Id_it__c	Contact	Mandatory	External ID is to be populated on the Contact (Candidate/Employee Record Type) Record	Jay001	
Assignment External ID	tc9_et__Timesheet_Entry__c.tc9_et__Assignment__r.tc9_imp__External_Id_it__c	Assignment	Mandatory	Define either: - Assignment.EmployeeExternalID - AssignmentName - Custom defined by customer	A191112	
Payee External ID	tc9_et__Timesheet_Entry__c.tc9_et__Payee__r.tc9_imp__External_Id_it__c	Payee	Optional	External ID is to be populated on the Payee Record. If not defined, then logic assumes payee holds the same External Id as the Employee External Id		
Project Code External ID	tc9_et__Timesheet_Entry__c.tc9_et__Project_Code__r.tc9_imp__External_Id_it__c	Project Code	Optional	Define Project Code Name		Employee_External_ID + "_" + Assignment_External_ID + "_" + Project_Name
Timesheet Activity External ID	tc9_et__Timesheet_Entry__c.tc9_et__Timesheet_Activity__r.tc9_imp__External_Id_it__c	Timesheet Activity	Optional	Define Project Code Name		Employee_External_ID + "_" + Assignment_External_ID + "_" + Timesheet_Activity_External_ID
Payee Leave Rule	tc9_et__Timesheet_Entry__c.tc9_et__Payee_Leave_Rule__r.tc9_imp__External_Id_it__c	Payee Leave Rule	Optional but Mandatory if uploading Leave	Define Payee Leave Rule Name		Employee_External_ID + "_" + Payee_Leave_Rule_Name OR Payee_External_ID + "_" + Payee_Leave_Rule_Name

Start Date	tc9_et_Timesheet_Entry_c.tc9_et_Start_Date__c		Mandatory	Date format is dd/mm/yyyy	26/03/2020	
End Date	tc9_et_Timesheet_Entry_c.tc9_et_End_Date__c		Mandatory	Date format is dd/mm/yyyy	26/03/2020	
Start Time	tc9_et_Timesheet_Entry_c.tc9_et_Start_Time__c		Validation Controlled	Enter Time in either 00:00 OR 0:00 format e.g. 8:00 for 8am		
End Time	tc9_et_Timesheet_Entry_c.tc9_et_End_Time__c		Validation Controlled	Enter Time in either 00:00 OR 0:00 format e.g. 16:00 for 4pm		
Total Time(in hours)	tc9_et_Timesheet_Entry_c.tc9_et_Total_Time_hours__c		Validation Controlled	Enter Amount e.g. 10 for 10 hours	10	
Total Time(in mins)	Total Time(in mins)		Validation Controlled	Enter Amount e.g. 45 for 45 minutes	45	
Break 1 Start Time	tc9_et_Timesheet_Entry_c.tc9_et_Break_1_Start_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format e.g. 10:00 for 10am		
Break 1 End Time	tc9_et_Timesheet_Entry_c.tc9_et_Break_1_End_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format e.g. 14:30 for 2:30pm		
Break 2 Start Time	tc9_et_Timesheet_Entry_c.tc9_et_Break_2_Start_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format		
Break 2 End Time	tc9_et_Timesheet_Entry_c.tc9_et_Break_2_End_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format		
Break 1 Total	tc9_et_Timesheet_Entry_c.tc9_et_Break_1_Total__c		Optional	Enter Amount e.g 15 for 15 minutes	15	
Break 2 Total	tc9_et_Timesheet_Entry_c.tc9_et_Break_2_Total__c		Optional	Enter Amount e.g 30 minutes for 30 mins	30	
Manual Adjustment	tc9_et_Timesheet_Entry_c.tc9_et_Manual_Adjustment__c		Optional	Enter 1 for Yes or 0 for no		
Submitted Date	tc9_et_Timesheet_Entry_c.tc9_et_Submitted_Date__c		Optional	This will auto populate based on today's current date and time if this is blank. if required to be populated based on the Employee's actual		

				submission date, then please enter in the following format DD/MM/YYYY HH:MM e.g. 10/08/2020 11:34		
Approved/Rejected Date	tc9_et__Timesheet_Entry__c.tc9_et__Approved_Rejected_Date__c		Optional	This will auto populate based on today's current date and time if this is blank. If required to be populated based on the Approver's actual approval/rejected date, then please enter in the following format DD/MM/YYYY HH:MM e.g. 10/08/2020 16:34		
Approved/Rejected By	tc9_et__Timesheet_Entry__c.tc9_et__Approved_Rejected_By__c		Optional	Define the contact record id		
Approver Notes	tc9_et__Timesheet_Entry__c.tc9_et__Approver_Notes__c		Optional	Free Text		
Employee Notes	tc9_et__Employee_Notes__c		Optional			
Break 1 Paid	tc9_et__Break_1_Paid__c		Optional	Supports 'Yes' or 'No' value		
Break 2 Paid	tc9_et__Break_2_Paid__c		Optional	Supports 'Yes' or 'No' value		

Timesheet (Enhanced)

CSV File Column Headings	Field Mapping	Related Object	Mandatory / Optional	Notes for Importing	Example of Data	External ID Format
Employee External ID	tc9_et__Timesheet_Entry__c.tc9_et__Employee__r.tc9_imp__External_Id_it__c	Contact	Mandatory	External ID is to be populated on the Contact (Candidate/Employee Record Type) Record	Jay001	
Assignment External ID	tc9_et__Timesheet_Entry__c.tc9_et__Assignment__r.tc9_imp__External_Id_it__c	Assignment	Mandatory	External ID is to be populated on the Assignment Record	A191112	
Payee External ID	tc9_et__Timesheet_Entry__c.tc9_et__Payee__r.tc9_imp__External_Id_it__c	Payee	Optional	External ID is to be populated on the Payee Record		
Project Code External ID	tc9_et__Timesheet_Entry__c.tc9_et__Project_Code__r.tc9_imp__External_Id_it__c	Project Code	Optional	Define Project Code Name		Employee_External_ID + "_" + Assignment_External_ID + "_" + Project_Code_Name
Timesheet Activity External ID	tc9_et__Timesheet_Entry__c.tc9_et__Timesheet_Activity__r.tc9_imp__External_Id_it__c	Timesheet Activity	Optional	Define Project Code Name		Employee_External_ID + "_" + Assignment_External_ID + "_" + Timesheet_Activity_External_ID
Payee Leave Rule	tc9_et__Timesheet_Entry__c.tc9_et__Payee_Leave_Rule__r.tc9_imp__External_Id_it__c	Payee Leave Rule	Optional but Mandatory if uploading Leave	IF the payee's external id is defined within the CSV THEN match on Payee_External_ID + "_" + Payee_Leave_Rule IF the Payee's External Id is not defined within the CSV THEN Employee_External_ID + "_" + Payee_Leave_Rule		Payee_External_ID + "_" + Payee_Leave_Rule_Name
Start Date	tc9_et__Timesheet_Entry__c.tc9_et__Start_Date__c		Mandatory	Date format is dd/mm/yyyy	3/26/2020	
End Date	tc9_et__Timesheet_Entry__c.tc9_et__End_Date__c		Mandatory	Date format is dd/mm/yyyy	3/26/2020	
Start Time	tc9_et__Timesheet_Entry__c.tc9_et__Start_Time__c		Validation Controlled	Enter Time in either 00:00 OR 0:00 format e.g. 8:00 for 8am		

End Time	tc9_et_Timesheet_Entry__c.tc9_et_End_Time__c		Validation Controlled	Enter Time in either 00:00 OR 0:00 format e.g. 16:00 for 4pm		
Total Time(in hours)	tc9_et_Timesheet_Entry__c.tc9_et_Total_Time_hours__c		Validation Controlled	Enter Amount e.g. 10 for 10 hours	10	
Total Time(in mins)	tc9_et_Timesheet_Entry__c.tc9_et_Total_Time_mins__c		Validation Controlled	Enter Amount e.g. 45 for 45 minutes	45	
Break 1 Start Time	tc9_et_Timesheet_Entry__c.tc9_et_Break_1_Start_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format e.g. 10:00 for 10am		
Break 1 End Time	tc9_et_Timesheet_Entry__c.tc9_et_Break_1_End_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format e.g. 14:30 for 2:30pm		
Break 2 Start Time	tc9_et_Timesheet_Entry__c.tc9_et_Break_2_Start_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format		
Break 2 End Time	tc9_et_Timesheet_Entry__c.tc9_et_Break_2_End_Time__c		Optional	Enter Time in either 00:00 OR 0:00 format		
Break 1 Total	tc9_et_Timesheet_Entry__c.tc9_et_Break_1_Total__c		Optional	Enter Amount e.g 15 for 15 minutes		
Break 2 Total	tc9_et_Timesheet_Entry__c.tc9_et_Break_2_Total__c		Optional	Enter Amount e.g 30 minutes for 30 mins		
Manual Adjustment	tc9_et_Timesheet_Entry__c.tc9_et_Manual_Adjustment__c		Optional	Enter 1 for Yes or 0 for no		
Submitted Date	tc9_et_Timesheet_Entry__c.tc9_et_Submitted_Date__c		Optional	This will auto populate based on today's current date and time if this is blank. if required to be populated based on the Employee's actual submission date, then please enter in the following format DD/MM/YYYY HH:MM e.g. 10/08/2020 11:34		
Approved/Rejected Date	tc9_et_Timesheet_Entry__c.tc9_et_Approved_Rejected_Date__c		Optional	This will auto populate based on today's current date and time if this is blank. If required to be populated based on the Approver's actual approval/rejected date, then please		

				enter in the following format DD/MM/YYYY HH:MM e.g. 10/08/2020 16:34		
Approved/Rejected By	tc9_et__Timesheet_Entry__c.tc9_et__Approved_Rejected_By__c		Optional	Define the contact record id		
Approver Notes	tc9_et__Timesheet_Entry__c.tc9_et__Approver_Notes__c		Optional	Free Text		

Allowance (Standard)

CSV File Column Headings	Field Mapping	Related Object	Mandatory / Optional	Notes for Importing	Example of Data	External ID Format
Employee External ID	tc9_et__Timesheet_Item__c.tc9_et__Employee__r.tc9_imp__External_Id_it__c	Contact	Mandatory	Define EmployeeExternalId	Jay001	employeeExternalId
Payee External ID	tc9_et__Timesheet_Item__c.tc9_et__Payee__r.tc9_imp__External_Id_it__c	Assignment	Mandatory	Define either: - Assignment.EmployeeExternalId - AssignmentName - Custom defined by customer	Jay001	
Assignment External ID	tc9_et__Timesheet_Item__c.tc9_et__Assignment__r.tc9_imp__External_Id_it__c	Payee	Mandatory	Define PayeeExternalId	A191112	payeeExternalId
Timesheet External ID	tc9_et__Timesheet_Item__c.tc9_et__Timesheet__r.tc9_imp__External_Id_it__c	Timesheet	NOT REQUIRED			
Payee Allowance Record External Id	tc9_et__Timesheet_Item__c.tc9_et__Payee__r.Allowance_Record__r.tc9_imp__External_Id_it__c	Timesheet Activity	Mandatory	Define PayeeAllowanceRecordName	Breakfast	payeeExternalId_payeeAllowanceName
Date Incurred	tc9_et__Timesheet_Item__c.tc9_et__Date_Incurred__c		Mandatory	Date format is dd/mm/yyyy	3/26/2020	
Quantity	tc9_et__Timesheet_Item__c.tc9_et__Quantity__c		Mandatory	Integer value with up to 4 decimal places	20.45	
Internal Reference						

Allowance (Enhanced)

CSV File Column Headings	Field Mapping	Related Object	Mandatory / Optional	Notes for Importing	Example of Data	External ID Format
Employee External ID	tc9_et__Timesheet_Item__c.tc9_et__Employee__r.tc9_Imp__External_Id_it__c	Contact	Mandatory	Define EmployeeExternalId	Jay001	employeeExternalId
Payee External ID	tc9_et__Timesheet_Item__c.tc9_et__Payee__r.tc9_Imp__External_Id_it__c	Assignment	Mandatory	Define PayeeExternalId	Jay001	payeeExternalId
Assignment External ID	tc9_et__Timesheet_Item__c.tc9_et__Assignment__r.tc9_Imp__External_Id_it__c	Payee	Mandatory	Define AssignmentExternalId	A191112	assignmentExternalId
Date Incurred	tc9_et__Timesheet_Item__c.tc9_et__Date_Incurred__c		Mandatory	Date format is dd/mm/yyyy	3/26/2020	
Payee Allowance Record External Id	tc9_et__Timesheet_Item__c.tc9_et__Payee_Allowance_Record__r.tc9_Imp__External_Id_it__c	Timesheet Activity	Mandatory	Define PayeeAllowanceRecordName	Breakfast	payeeExternalId_payeeAllowanceName
Quantity	tc9_et__Timesheet_Item__c.tc9_et__Quantity__c		Mandatory	Integer value with up to 4 decimal places	20.45	
Internal Reference						

Pay Transaction

CSV File Column Headings	Field Mapping	Related Object	Mandatory / Optional	Notes for Importing	Example of Data	External ID Format
Assignment	tc9_pr__Pay_Transaction__c.tc9_pr__Assignment__r.tc9_imp__External_Id_it__c	Assignment	Mandatory / Optional	Define either: - Assignment.EmployeeExternalID - AssignmentName - Custom defined by customer	A191112	
Payment Entity	tc9_pr__Pay_Transaction__c.tc9_pr__Payment_Entity__r.tc9_imp__External_Id_it__c	Payment Entity	Mandatory	External ID is to be populated on the Payment Entity Record	001PAY	
Invoice Tax ID	tc9_pr__Pay_Transaction__c.tc9_et__Invoice_Tax_ID__r.tc9_imp__External_Id_it__c	Invoice Tax ID	Optional but Mandatory if there are no Assignment Rates related to the Pay Code on the Assignment and the Transaction is required to be Invoiced	External ID is to be populated on the Invoice Tax ID	GST001	
Pay Code	tc9_pr__Pay_Transaction__c.tc9_pr__Pay_Code__r.tc9_imp__External_Id_it__c	Pay Code	Mandatory	External ID is to be populated on the Pay Code Record	ORD001	
Payee	tc9_pr__Pay_Transaction__c.tc9_pr__Payee__r.tc9_imp__External_Id_it__c	Payee	Optional	External ID is to be populated on the Payee Record	15272	
Employee	tc9_pr__Pay_Transaction__c.tc9_pr__Employee__r.tc9_imp__External_Id_it__c	Contact	Mandatory	External ID is to be populated on the Contact (Candidate/Employee Record Type) Record	Jay001	
Project Code	tc9_pr__Pay_Transaction__c.tc9_pr__Project_Code__r.tc9_imp__External_Id_it__c	Project Code	Optional	Define Project Code Name	TRAIN001	Employee_External_ID + "_" + Assignment_External_ID + "_" + Project_Code_Name

Invoice Schedule	tc9_pr__Pay_Transaction__c.tc9_et__In voice_Schedule__r.tc9_Imp__External_ Id_it__c	Invoice Schedule	Optional but Mandatory if there are no Assignment Rates related to the Pay Code on the Assignment and the Transaction is required to be Invoiced	External ID is to be populated on the Schedule (Invoice Record Type) Record	INV001	
Pay Schedule	tc9_pr__Pay_Transaction__c.tc9_pr__S chedule__r.tc9_Imp__External_Id_it__c	Schedule	Mandatory	External ID is to be populated on the Pay Schedule record	Week001	
To Be Invoiced?	tc9_pr__Pay_Transaction__c.tc9_et__To _Be_Invoiced__c		Optional but Mandatory if no Assignment Rates	Enter Yes/No	Yes	
Entry Date	tc9_pr__Pay_Transaction__c.tc9_pr__E ntry_Date__c		Mandatory	Date format is dd/mm/yyyy	5/6/2020	
Description	tc9_pr__Pay_Transaction__c.tc9_pr__D escription__c		Optional	Enter a Description	Monday's Pay	
Invoice Rate	tc9_pr__Pay_Transaction__c.tc9_et__In voice_Rate__c		Optional but Mandatory if there are no Assignment Rates related to the Pay Code on the Assignment and the Transaction is required to be Invoiced	Enter Amount	25	
Pay Rate	tc9_pr__Pay_Transaction__c.tc9_pr__P ay_Rate__c		Optional but Mandatory if there are no Assignment Rates related to the Pay Code on the Assignment	Enter Amount	20	
Quantity	tc9_pr__Pay_Transaction__c.tc9_pr__Q uantity__c		Mandatory	Enter the Quantity	8	

Transaction Type	tc9_pr__Pay_Transaction__c.tc9_pr__Transaction_Type__c		Mandatory	Enter Timesheet, Allowance, Deduction or Expense	Timesheet	
	tc9_pr__Pay_Transaction__c.RecordTypeId			if(PayTransactionEntry.Transaction_Type__c == 'Timesheet'), tc9_pr__Pay_Transaction__c.RecordTypeId = Payment if(PayTransactionEntry.Transaction_Type__c == 'Allowance'), tc9_pr__Pay_Transaction__c.RecordTypeId = Allowance if(PayTransactionEntry.Transaction_Type__c == 'Deduction'), tc9_pr__Pay_Transaction__c.RecordTypeId = Deduction if(PayTransactionEntry.Transaction_Type__c == 'Expense'), tc9_pr__Pay_Transaction__c.RecordTypeId = Expense	Timesheet or Allowance	
			Mandatory			
External Id	tc9_Imp__External_Id_it__c		Optional			
Internal Reference						

Appendix

Table of Contents

2cloudnine Payroll Integrated Import Tool Overview	1
Packages Included in 2cloudnine Payroll Integrated Import Tool	1
Package	1
Version	1
Latest Release Date	1
Important Information	1
Read First: How to Use this Configuration Guide	2
What is covered by this Configuration Guide?	2
Discovery and Configuration Guides	2
Task Types	2
Task Classifications	2
1. Pre-Installation	3
Prerequisites	3
2cloudnine Integration User	3
Before you get started, you will need to know the following:	3
2. Installation and Configuration Checklist	4
Installation and Configuration Checklist	4
3. Package Installation	5
Installing Packages	5
Installation Process	5
4. Custom Settings	7
5. Remote Site Settings	10
6. Batch Size Settings	11
7. Schedule Apex Jobs	12
All Objects	13
Timesheets	14
Timesheet Entries	15
Assignments	16
Payees	17
Payee Leave Rules	18
Payee Allowances	19
Project Codes	20
8. Field Migration	22
Timesheet (Standard)	22
Timesheet (Enhanced)	25
Allowance (Standard)	28
Allowance (Enhanced)	29
Pay Transaction	30
Appendix	33
Table of Contents	33

- First Published: 19 September, 2024
- Last Published: 31 October, 2024