

WIPRO PYTHON AUTOMATION COURSE

MODULE 1

AUTOMATION WITH SELENIUM

MODULE ASSIGNMENT CODE

Name: - Amit Raj

Course: - Python Automation

Organisation: - Wipro

Technology: - Python, Selenium WebDriver

Enrolment No: - 12023052018002

Stream: - CSBS

Semester: - 7th

DATE: - 11/07/2026

ASSIGNMENT 1_LOGIN.PY

CODE:-

```
from selenium import webdriver

from selenium.webdriver.common.by import By

driver = webdriver.Chrome()

driver.maximize_window()

# Open login page

driver.get("https://www.saucedemo.com/")

# Username using By.ID

username = driver.find_element(By.ID, "user-name")

username.send_keys("standard_user")

# Password using By.NAME

password = driver.find_element(By.NAME, "password")

password.send_keys("secret_sauce")

# Login button using By.XPATH

login_button = driver.find_element(

    By.XPATH,

    "//input[@type='submit']"
```

```
)  
  
login_button.click()  
  
# Validate URL  
  
assert "/inventory.html" in driver.current_url  
  
print("Assignment 1 PASSED")  
  
print("Current URL:", driver.current_url)  
  
driver.quit()
```

ASSIGNMENT_1_WAITS.PY

CODE:-

```
from selenium import webdriver  
  
from selenium.webdriver.common.by import By  
  
from selenium.webdriver.support.ui import WebDriverWait  
  
from selenium.webdriver.support import expected_conditions as EC  
  
driver = webdriver.Chrome()  
  
driver.maximize_window()  
  
# Open dynamic loading page  
  
driver.get("https://the-internet.herokuapp.com/dynamic_loading/1")  
  
# Click Start  
  
start_button = driver.find_element(
```

```
By.CSS_SELECTOR,  
  
"#start button"  
  
)  
  
start_button.click()  
  
# Explicit wait  
  
wait = WebDriverWait(driver, 10)  
  
# Wait until Hello World becomes visible  
  
finish_element = wait.until(  
  
    EC.visibility_of_element_located(  
  
        (By.ID, "finish")  
  
    )  
  
)  
  
# Extract text  
  
text = finish_element.text  
  
print("Extracted text:", text)  
  
# Validation  
  
assert text == "Hello World!"  
  
print("Assignment 2 PASSED")  
  
driver.quit()
```

ASSIGNMENT 1 DROPDOWN CHECKBOX.PY

CODE:-

```
from selenium import webdriver

from selenium.webdriver.common.by import By

from selenium.webdriver.support.ui import WebDriverWait

from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()

driver.maximize_window()

driver.get("https://rahulshettyacademy.com/dropdownsPractise/")

wait = WebDriverWait(driver, 10)

# PART 1: CHECKBOX

checkbox = wait.until(

    EC.presence_of_element_located(

        (By.ID, "ctl00_mainContent_chk_friendsandfamily")

    )

)

if not checkbox.is_selected():

    checkbox.click()
```

```
assert checkbox.is_selected()

print("Checkbox selected successfully")

# PART 2: AUTO-SUGGEST

auto_input = wait.until(

    EC.element_to_be_clickable(

        (By.ID, "autosuggest")

    )

)

auto_input.send_keys("ind")

# Wait for suggestions

options = wait.until(

    EC.presence_of_all_elements_located(

        (By.CSS_SELECTOR, "li[class='ui-menu-item'] a")

    )

)

# Loop through suggestions

found = False
```

```
for option in options:
```

```
    text = option.text.strip()
```

```
    print("Suggestion:", text)
```

```
    if text.lower() == "india":
```

```
        option.click()
```

```
        found = True
```

```
        break
```

```
assert found, "India option was not found"
```

```
print("Auto-suggest option selected successfully")
```

```
print("Assignment 3 PASSED")
```

```
driver.quit()
```

ASSIGNMENT_1_ALERTS.PY

CODE: -

```
from selenium import webdriver

from selenium.webdriver.common.by import By

from selenium.webdriver.support.ui import WebDriverWait

from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()

driver.maximize_window()

driver.get("https://the-internet.herokuapp.com/javascript_alerts")

wait = WebDriverWait(driver, 10)

# 1. JAVASCRIPT ALERT

alert_button = wait.until(

    EC.element_to_be_clickable(

        (By.XPATH, "//button[text()='Click for JS Alert']")

    )

)

alert_button.click()

alert = wait.until(EC.alert_is_present())
```

```
print("Alert text:", alert.text)
```

```
alert.accept()
```

```
print("First alert accepted")
```

2. CONFIRM BOX

```
confirm_button = wait.until(
```

```
    EC.element_to_be_clickable(
```

```
        (By.XPATH, "//button[text()='Click for JS Confirm']")
```

```
    )
```

```
)
```

```
confirm_button.click()
```

```
alert = wait.until(EC.alert_is_present())
```

```
print("Confirm text:", alert.text)
```

```
# Dismiss = Cancel
```

```
alert.dismiss()
```

```
print("Confirm dismissed")
```

3. PROMPT BOX

```
prompt_button = wait.until(
```

```
    EC.element_to_be_clickable(
```

```
        (By.XPATH, "//button[text()='Click for JS Prompt']")

    )

)

prompt_button.click()

alert = wait.until(EC.alert_is_present())

print("Prompt text:", alert.text)

# Enter text

alert.send_keys("Amit")

# Submit prompt

alert.accept()

print("Prompt submitted")

print("Assignment 4 PASSED")

driver.quit()
```

ASSIGNMENT_1_TABLE.PY

CODE: -

```
from selenium import webdriver

from selenium.webdriver.common.by import By

driver = webdriver.Chrome()

driver.maximize_window()

driver.get("https://the-internet.herokuapp.com/tables")

# Locate table

table = driver.find_element(By.ID, "table1")

# Get all rows

rows = table.find_elements(By.CSS_SELECTOR, "tbody tr")

target_name = "Smith"

found = False

# Iterate through rows

for row in rows:

    # Get columns in current row

    columns = row.find_elements(By.TAG_NAME, "td")

    # Print complete row
```

```
row_data = [column.text for column in columns]

print(row_data)

# Find target name

if target_name in columns[0].text:

    print("Target name found:", columns[0].text)

    # Corresponding value

    due_value = columns[3].text

    print("Corresponding value:", due_value)

    found = True

    break

assert found, "Target name was not found"

print("Assignment 5 PASSED")

driver.quit()
```

ASSIGNMENT_1_WINDOWS.PY

CODE: -from selenium import webdriver

from selenium.webdriver.common.by import By

from selenium.webdriver.support.ui import WebDriverWait

from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()

driver.maximize_window()

wait = WebDriverWait(driver, 10)

PART 1: IFRAME

driver.get("https://the-internet.herokuapp.com/iframe")

Wait for iframe

iframe = wait.until(

 EC.presence_of_element_located(

 (By.ID, "mce_0_ifr")

)

)

Switch into iframe

driver.switch_to.frame(iframe)

```
print("Switched into iframe")

# Find content inside iframe

body = driver.find_element(By.TAG_NAME, "body")

print("Iframe text:", body.text)

# Return to main document

driver.switch_to.default_content()

print("Returned to main page")

# PART 2: NEW WINDOW / TAB

driver.get("https://the-internet.herokuapp.com/windows")

# Save main window handle

main_window = driver.current_window_handle

print("Main window:", main_window)

# Click link that opens new window

wait.until(

    EC.element_to_be_clickable(

        (By.LINK_TEXT, "Click Here")

    )

).click()
```

```
# Get all windows

handles = driver.window_handles

print("Number of windows:", len(handles))

# Switch to new window

for handle in handles:

    if handle != main_window:

        driver.switch_to.window(handle)

        break

# New window title

print("New window title:", driver.title)

# Close new window

driver.close()

print("New window closed")

# Switch back to main window

driver.switch_to.window(main_window)

print("Back to main window")

print("Assignment 6 PASSED")

driver.quit()
```