

WIPRO PYTHON AUTOMATION COURSE

MODULE_4_CODE_REPORT

ROBOT FRAMEWORK

Name:- Amit Raj

Course : - Python Automation Testing

Technology : - Robot Framework

Organisation : - Wipro

Enrolment No. : - 12023052018002

Stream : - CSBS

Semester : - 7th

Date : - 25/09/2026

Folder name:- [libraries/CustomKeywords.py](#)

Code:-

```
import csv
def
calculate_sum(first_number, second_number):
return float(first_number) + float(second_number)
```


```

def read_login_data(file_path):    data = []    with
open(file_path, newline="") as csv_file:
    reader = csv.DictReader(csv_file)
for row in reader:                data.append([
row["username"],
row["password"],
row["expected"]
    ])

return data

```

Screenshots:-




Folder Name: -

[data/login_data.csv](#)

Code:- username,password,expected standard_user,secret_sauce,Products
invalid_user,wrong_password,Username and password do not match any user in
this service problem_user,secret_sauce,Products

Screenshots: -



Folder Name: -

resources/common.robot Code:

-

*** Settings ***

Library SeleniumLibrary

Library RequestsLibrary

Library String

Library BuiltIn

Library ../libraries/CustomKeywords.py

*** Variables ***

\${URL} https://www.saucedemo.com/

\${USERNAME} standard_user

\${PASSWORD} secret_sauce

\${BROWSER} chrome

*** Keywords ***

Open SauceDemo And Login

Open Browser \${URL} \${BROWSER}

Maximize Browser Window

Input Text id=user-name \${USERNAME}

Input Password id=password \${PASSWORD}

Click Button id=login-button

Close Browser Session

Close All Browsers


Calculate Two Numbers

[Arguments] \${number1} \${number2}

\${result}= Calculate Sum \${number1} \${number2}

RETURN \${result}


Screenshots:



Folder Name:

`tests/web_tests.robot`

Screenshots: -



The screenshot shows the VS Code interface with the Selenium test results displayed in the Terminal. The Explorer sidebar on the left shows the project structure, with the `tests/web_tests.robot` file selected. The main editor displays the content of `web_tests.robot`, which includes settings, test setup/teardown, and test cases. The Terminal shows the output of the `robot tests` command, indicating that 7 tests passed and 2 failed. The failed tests are `Verify Login Page Element` and `Verify Successful Login`, both of which failed due to missing elements on the page.

```
tests > web_tests.robot
1  *** Settings ***
2  Resource    ../resources/common.robot
3
4  Test Setup    Open SauceDemo And Login
5  Test Teardown  Close Browser Session
6
7  *** Test Cases ***
8  Open Web Browser And Navigate
9      [Tags]    web    smoke
10     Page Should Contain Element    id=user-name
11
12  Verify Login Page Element
13      [Tags]    web
14     Page Should Contain Element    id=login-button
15
16  Verify Successful Login
17      [Tags]    web    smoke
18     Page Should Contain    Products
19
20  Verify Expected Result
```

```
(venv) adya@Adya-ka-MacBook-Air Selenium_Module_4 % robot tests
Use String Library | PASS |
Tests.Web Tests
7 tests, 5 passed, 2 failed | FAIL |
=====
Tests
9 tests, 6 passed, 3 failed | FAIL |
=====
Output: /Users/adya/Desktop/Selenium_Module_4/output.xml
Log: /Users/adya/Desktop/Selenium_Module_4/log.html
Report: /Users/adya/Desktop/Selenium_Module_4/report.html
(venv) adya@Adya-ka-MacBook-Air Selenium_Module_4 %
```

Folder Name:

tests/data_driven_tests.robot

Code:-

*** Settings ***

Resource ../resources/common.robot

Test Setup Open SauceDemo And Login

Test Teardown Close Browser Session

*** Test Cases ***

Data Driven Login Test

[Tags] data-driven web

\${test_data}= Read Login Data \${EXECDIR}/data/login_data.csv

FOR \${row} IN @\${test_data}

 \${username}= Set Variable \${row}[0]

 \${password}= Set Variable \${row}[1]

 \${expected}= Set Variable \${row}[2]

Go To \${URL}

Input Text id=user-name \${username}

Input Password id=password \${password}

Click Button id=login-button

Run Keyword If '\${expected}' == 'Products'

... Page Should Contain Products

END

*** Keywords ***

Verify Successful Login

Wait Until Page Contains Element css=.title 10s

Page Should Contain Products

Verify Failed Login


[Arguments] \${expected_message}

Wait Until Page Contains Element css=h3[data-test="error"] 10s

-

`${actual_message}= Get Text css=h3[data-test="error"]`
`Should Contain ${actual_message} ${expected_message}`

Screenshots: -



Folder Name:-

`tests/api_tests.robot`

Code:- `***`

Settings `***`

Library `RequestsLibrary`

`*** Test Cases ***`


Verify API Response

[Tags] `api smoke`


Create Session `jsonplaceholder https://jsonplaceholder.typicode.com`
\${response}= GET On Session `jsonplaceholder /posts/1`

Should Be Equal As Strings `${response.status_code} 200`

Screenshots: -



SUCCESSFUL EXECUTION PROOF: -



The screenshot shows the Selenium IDE interface with the test execution results for the 'data_driven_tests.robot' test. The test suite 'Data Driven Login Test' is shown with a summary of 9 tests, all of which passed. The test results are displayed in a table format, showing the test name, the result status, and the pass/fail count.

Test Name	Result	Pass/Fail Count
Verify API Response	PASS	1 test, 1 passed, 0 failed
Tests.Api Tests	PASS	1 test, 1 passed, 0 failed
Tests.Data Driven Tests	PASS	1 test, 1 passed, 0 failed
Data Driven Login Test	PASS	1 test, 1 passed, 0 failed
Tests.Data Driven Tests	PASS	1 test, 1 passed, 0 failed
Tests.Web Tests	PASS	7 tests, 7 passed, 0 failed
Open Web Browser And Navigate	PASS	1 test, 1 passed, 0 failed
Verify Login Page Element	PASS	1 test, 1 passed, 0 failed
Verify Successful Login	PASS	1 test, 1 passed, 0 failed
Verify Expected Result	PASS	1 test, 1 passed, 0 failed
Calculate Sum Using Custom Keyword	PASS	1 test, 1 passed, 0 failed
Use BuiltIn Mathematical Operation	PASS	1 test, 1 passed, 0 failed
Use String Library	PASS	1 test, 1 passed, 0 failed
Tests.Web Tests	PASS	7 tests, 7 passed, 0 failed
Tests	PASS	9 tests, 9 passed, 0 failed

The test results are displayed in a table format, showing the test name, the result status, and the pass/fail count. The test suite 'Data Driven Login Test' is shown with a summary of 9 tests, all of which passed. The test results are displayed in a table format, showing the test name, the result status, and the pass/fail count.

