

# TARUN ENTERPRISES

H.O.: 8/8, Strachy Road, Allahabad - 211001, U.P., INDIA

Phone: +91 8176080204

e-mail: info@optitecheyecare.com, info@ophthalmic.in

GSTIN: 09ACBPJ0823B1ZA

Drug Licence No. ALLD/5/21B/385, ALLD/5/20B/388 Dt. 06.05.2008

#### Order In Process

## Q2020210398 / O2020210402 Order Date:

Exporter: TARUN ENTERPRISES H.O.: 8/8 Strachy Road, Allahabad - 211001, UP. INDIA Phone: +91 532 6590204 Email: info@optitecheyecare.com GST No: 09ACBPJ0823B1ZA Drug Licence: ALLD/5/21B/385,ALLD/5/20B/388 Dt. 06.05.2008			Order N 020202			Order Date: May, 26, 2020  Currency: INR		
			Issued :					
			Insurance:			Generated by: Manoj Pandey		
Customer(Bill to): Dr Kaushal Bhavsar 501 A Kashi Plaza Majura Gate Surat Gujarat India 395001, Gujarat, India Mobile: 02612464556 Dr Dr Kaushal Bhavsar				Consingee(Ship to): Dr Kaushal Bhavsar 501 A Kashi Plaza Majura Gate Surat Gujarat India 395001, Gujarat, India Mobile: 02612464556 Dr Dr Kaushal Bhavsar				
Terms of Delivery:				Terms of Payments:				
	s & Conditions:							
	al instruction: Product Description	HSN-GST	Qty	Unit	Rate	Discount/Unit	Net Amount	
1	PK01   Patient kit  Modle no. PK01	90185090 12 %	100	Pcs	40.1786	0.0000	4017.86	
	Net Total Freight Charges						₹ 4017.86	
							₹ 100.00	
GST @ 12%							₹ 494.14	
Grand Total							₹ 4612.00	

### Greetings!

Thank you for your valued order. Same is under process. We request you to please check all the details as above and arrange payment as per banking details below. In case you wish to use online payment, please use our payment gateway at our website www.optitecheyecare.com/payment.php .

### Remit to:

Payment: 100% T/T(wire) **Bank Details for:** (INR)

Beneficiary's Name: Tarun Enterprises 13172020001243 Account No.: Bank Name: HDFC Bank Ltd. (Rupee) **IFSC Code:** HDFC0000226

**Bank Address:** 18-AS.P. Marg, Civil Lines, Allahabad 211001, UP, India

Bank remittance charge shall be paid by payer(buyer)

For Tarun Enterprises

Order Processing Team

This is a computer-generated document. No signature is required.