

## DISPATCH CHALLAN

**Q2020212501 / O2020212555 / C2020212392**

<b>Bill to:</b> <b>D S Chemist</b> 105, Surya Kiran Building 19, K G Marg New Delhi, Delhi 1, India Mobile: 9312291656 Email: sanjayaroradiamond@yahoo.co.in Dr Sanjay Arora <b>GST No.:</b> 07AAJFD5787C1ZA						<b>Ship to:</b> <b>D S Chemist</b> 105, Surya Kiran Building 19, K G Marg New Delhi, Delhi 1, India Mobile: 9312291656 Email: sanjayaroradiamond@yahoo.co.in Dr Sanjay Arora <b>GST No.:</b> 07AAJFD5787C1ZA					
<b>Challan No.</b>		C2020212392				<b>Invoice No:</b>					
<b>Challan Date.</b>		February, 15, 2021				<b>Invoice Date:</b>					
<b>Customer Id:</b>		62				<b>Method Of Shipment:</b>		By Hand			
<b>Order No:</b>		O2020212555				<b>Date Of Shipment:</b>					
<b>Sales Person:</b>		Delhi				<b>Docket No:</b>		Deepak			
<b>Dispatched From:</b>		Delhi				<b>SB Number:</b>					
<b>Terms of Delivery :</b>						<b>Terms of Payments :</b>					
<b>Terms &amp; Conditions :</b>						<b>Special Information :</b>					
<b>S.N.</b>	<b>Product Description</b>	<b>HSN-GST</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Batch No</b>	<b>Mfg Dt./Exp Dt.</b>	<b>Discount/Unit</b>	<b>Net Amount</b>		
1	Bar Reader   Low Vision Device   Model Bar Reader	90021100 18 %	Boxes	2	300.85	Bar Reader	04-2019/03-2029	60.17	481.36		
<b>Net Total</b>									₹ 481.36		
<b>Freight Charges</b>									₹ 0		
<b>GST @ 18%</b>									₹ 86.64		
<b>Grand Total</b>									₹ 568		

Doc No. TE/F-7.5-07 For Tarun Enterprises | BANK AD CODE: 05100052900009

Prepared by Delhi | Packed by

Remit to:

**Payment :** 100% T/T(wire)

**Beneficiary's Name :** Tarun Enterprises

**Bank Name :** HDFC Bank Ltd. (Rupee)

**Bank Address :** 18-AS.P. Marg, Civil Lines, Allahabad 211001, UP, India

**Bank remittance charge shall be paid by payer(buyer)**

**Bank Details for :**

(INR)

**Account No. :** 13172020001243

**IFSC Code :** HDFC0000226

For Tarun Enterprises

Order Processing Team

DISPATCH CHALLAN

**Q2020212501 / O2020212555 / C2020212392**

This is a computer-generated document. No signature is required.